

# Pullet Health & Vaccination Architecture

## Course Description

Rearing commercial replacement layers requires strict preventative bio-security. This module provides a professional-grade schedule mapping day-to-day healthcare from bird arrival (Day 1) through the onset of production (Week 20). It details critical viral vaccinations, deworming, and mechanical skeletal optimization.

## Lesson 2.1: The Critical Brooding Window (Days 1–10)

Early intervention minimizes stress and prevents systemic bacterial infections during transport and placement:

- **Day 1 (Arrival):** Administer Glucose + Multivitamins in clean drinking water to restore electrolyte balance and accelerate yolk sac absorption.
- **Days 2–4:** Prophylactic broad-spectrum antibiotics combined with vitamins to cover baseline transportation pathogens.
- **Day 5:** Administration of *Marek's Disease Vaccine* to prevent neoplastic cell proliferation.

## Lesson 2.2: Comprehensive Layer Medication & Vaccination Timeline

| AGE OF BIRDS | MEDICATION / VACCINATION PROTOCOL             | TARGET PATHOLOGY                  |
|--------------|-----------------------------------------------|-----------------------------------|
| Day 1        | Glucose + Multivitamins (Oral)                | Rehydration & Energy              |
| Days 2 – 4   | Antibiotics + Vitamins (Oral)                 | Bacterial Prophylaxis             |
| Day 5        | Marek's Disease Vaccine                       | Marek's Herpesvirus               |
| Day 6        | Vitamins Only                                 | Immune Support                    |
| Days 7 – 9   | Anticoccidial + Vitamins                      | Coccidiosis Prevention            |
| Day 10       | Gumboro Vaccine (1st Dose)                    | Infectious Bursal Disease         |
| Day 11       | Vitamins (Vitamix / Vitalyte)                 | Post-Vaccine Stress Recovery      |
| Day 12       | Infectious Bronchitis (IB) Vaccine (1st Dose) | Respiratory Coronaviral Defense   |
| Days 13 – 14 | Vitamins Only                                 | Systemic Conditioning             |
| Days 15 – 17 | Anticoccidial / Anti-Bacterial Therapy        | Intestinal Health Integrity       |
| Day 18       | Vitamins Support                              | Metabolic Optimization            |
| Day 19       | LaSota Vaccine (1st Dose)                     | Newcastle Disease (ND)            |
| Day 20       | Vitamins Therapy                              | Stress Management                 |
| Days 21 – 25 | Anti-CRD Treatment                            | Chronic Respiratory Disease       |
| Day 26       | Gumboro Vaccine (2nd Dose)                    | Infectious Bursal Disease Booster |
| Day 27       | Vitamins Support                              | Recovery Phase                    |
| Days 28 – 31 | Antibiotics + Vitamins                        | Secondary Infection Coverage      |
| Days 32 – 37 | LaSota Vaccine (2nd Dose)                     | Newcastle Disease Booster         |
| Day 38       | Infectious Bronchitis Vaccine (2nd Dose)      | Respiratory Booster               |
| Days 39 – 42 | Anticoccidial + Vitamins                      | Intestinal Parasitism Shift       |
| Day 43       | Deworming Therapy (1-Day Medication)          | Nematode & Helminth Control       |
| Week 7       |                                               | Systemic Viral Shielding          |

| AGE OF BIRDS  | MEDICATION / VACCINATION PROTOCOL                                | TARGET PATHOLOGY                     |
|---------------|------------------------------------------------------------------|--------------------------------------|
|               | Newcastle Disease Vaccine Komarov (Injectable) + Fowlpox Vaccine |                                      |
| Week 8        | Fowl Typhoid Vaccine (1st Dose)                                  | <i>Salmonella gallinarum</i> Control |
| Week 9        | Anticoccidial + Vitamins                                         | Intestinal Monitoring                |
| Weeks 9 – 10  | Booster Dose of LaSota in Water                                  | Sustained ND Immunity                |
| Week 11       | <b>Debeaking Management (Infra-red / Mechanical)</b>             | Cannibalism & Waste Prevention       |
| Week 12       | Anti-CRD + Vitamins                                              | Respiratory Clearance                |
| Weeks 12 – 13 | Fowl Typhoid Vaccine (2nd Dose)                                  | Long-Term Salmonellosis Shield       |
| Week 14       | 2 Days of Strategic Deworming                                    | Gastrointestinal Clearing            |
| Week 15       | Plain Clean Water Only                                           | Kidney Flushing Window               |
| Weeks 15 – 16 | Anticoccidial + Vitamins                                         | Pre-Lay Intestinal Guard             |
| Weeks 16 – 17 | Komarov Oil-Based Inactivated Vaccine (Injectable)               | Peak Lay Viral Protection            |
| Week 18       | Antibiotics + Vitamins (5-Day Course)                            | Pre-Lay Systemic Cleanse             |
| Weeks 19 – 20 | Anticoccidial + Vitamins                                         | Final Field Transition               |

**Core Management Directives:**

- Always source chicks exclusively from certified, disease-free parent stock hatcheries.
- Isolate sick birds immediately to a separate pen downstream from air currents.
- Vaccinate healthy birds only; tracking water consumption is a good proxy for flock health.