

DAY 2

Host Investigation, Impact and Cryptocurrency

TLP (Traffic Light Protocol)

TLP: RED

Protects sensitive information
Not for disclosure
Restricted to authorised
recipients only



TLP: GREEN

For sharing information
within a community
Limited disclosure

TLP: AMBER


Need-to-know basis
Limited disclosure
Restricted to organisation &
clients

TLP: AMBER+STRICT
Restricts to organisation only

TLP: CLEAR

Share information without
any restrictions

Ransomware Lifecycle



Confidential and personal data is prioritised for theft

ARTEFACT FUNDAMENTALS

Part 2


Event Correlation

Image Name	User Name	...	Memory (...)	Description
System Idle Pr...	SYSTEM	98	24 K	Percentage of time the processor is idle
svchost.exe	NETWO...	02	2,320 K	Host Process for Windows Services
winlogon.exe	SYSTEM	00	948 K	Windows Logon Application
csrss.exe	SYSTEM	00	1,044 K	Client Server Runtime Process
msdtc.exe	NETWO...	00	2,668 K	Microsoft Distributed Transaction Coordinator Service
taskmgr.exe	Administ...	00	2,108 K	Windows Task Manager
WmiPrvSE.exe	SYSTEM	00	6,588 K	WMI Provider Host
php-cgi.exe *32	psaadm	00	13,064 K	CGI / FastCGI
w3wp.exe *32	psaadm	00	4,436 K	IIS Worker Process
rdpclip.exe	Administ...	00	1,280 K	RDP Clip Monitor
svchost.exe	NETWO...	00	1,672 K	Host Process for Windows Services
PopPassD.exe...	SYSTEM	00	1,112 K	Plesk PopPass Service
plesksrv.exe *32	SYSTEM	00	2,792 K	Plesk Management Service
PleskControlP...	SYSTEM	00	1,068 K	Plesk Control Panel Service
METray.exe *32	Administ...	00	1,116 K	METray
svchost.exe	SYSTEM	00	8,300 K	Host Process for Windows Services
traymonitor.e...	Administ...	00	1,256 K	Parallels Plesk Panel Services Tray Monitor
runed.exe *32	SYSTEM	00	10,848 K	runed

- Past activity on a host
- Helps us recreate what has happened
- Can events be correlated across different artefacts?
- May give us more leads

The value is not in a single event, but how events connect over time

Timeline Building



Start with what you know. Add events as the investigation develops

Authentication Red Flags


Authentication records can help establish who or what accessed a system, when it occurred and where from

- Is the account expected to be accessing the system?
- Is the timing consistent with normal activity?
- Is the source device, IP or location expected?
- Are there failures, unusual successes or changes in behaviour?

A red flag is reason to investigate - not proof of compromise

Evidence Location

Stage 2
Artefacts



<https://github.com/NG-OSINT/Cyber-Investigation-Artefacts>

Record your investigation using your CSV records