NHID-Clinical

FRAMEWORK V1.3 · SOURCE COMMIT 141438A

# NHID-Clinical Playbook

Evaluation, Implementation, and Evidence Guide

Version 1.0 · June 2026 · CC BY 4.0
Author: Brianna Baynard · Independent, practitioner-led
NIST Public Comment: NIST-2025-0035-0026

**OPEN PROPOSAL — NOT A STANDARD OR REGULATORY REQUIREMENT**

NHID-Clinical is an early-stage open proposal by Brianna Baynard. It is a voluntary open proposal — not an accredited standard, not a certification program, and not a regulatory requirement. No HIPAA compliance, security guarantees, or liability protection are implied.

### Evaluation, Implementation, and Evidence Guide

| | |
|---|---|
| **Playbook version** | 1.0 |
| **Published** | 2026-09-04 · revised 2026-09-05 |
| **Framework version** | NHID-Clinical v1.3 |
| **Source commit** | `e68a65d` — the commit the evidence below was measured and clean-clone verified at |
| **Canonical location** | `docs/NHID-Clinical-Playbook.md` in `NHID-Clinical/NHID-Clinical` |
| **Licence** | CC BY 4.0 |
| **Author** | Brianna Baynard — independent, practitioner-led |
| **Provenance** | Every substantive section traces to a source listed in `playbook-source-inventory.md` |

**What this document is not.** NHID-Clinical is a voluntary open proposal. It is **not** an accredited standard, a certification programme, or a regulatory requirement. Publishing this Playbook does not make it any of those things. No HIPAA compliance, security guarantee, or liability protection is implied or conferred. Regulatory mappings in Part V are *mappings*, not legal advice and not compliance claims. **There are no known production deployments, customers, design partners, or external validations of NHID-Clinical.** Where this document describes what an organisation would do, it describes a method, not an observed practice.

## How to use this Playbook

The website answers *what is this and should I care*. The repository answers *show me the code*. **This Playbook answers how exactly do I do this.**

| If you are… | Start at |
|---|---|
| Deciding whether this is relevant at all | Part I |
| Evaluating an existing AI voice workflow | Part I → Part III |
| Building or integrating an implementation | Part II → Part IV |
| Assessing evidence, or preparing for review | Part I → Part V |
| Looking for a schema, checklist, or example | Appendices |

**Part I is self-contained.** A reader who stops after it should understand the framework, its scope, its evidence, and its limits without reading further.

**A convention used throughout.** Every capability is labelled:

| Label | Meaning |
|---|---|
| **Implemented** | Exists in the repository, exercised by the test suite |
| **Reference implementation** | Exists and works, offered as a reference rather than a product |
| **Conceptual** | Specified or designed; not built |
| **Future** | Named as a direction; neither specified nor built |
| **Unknown** | The repository does not establish this. Requires human judgment |

Nothing conceptual or future is described as though it currently works.

# Part I — Executive Brief

## 1. What NHID-Clinical is

NHID-Clinical is a **voluntary behavioural baseline** for AI voice agents on B2B healthcare administrative calls, together with a conformance test suite and a deterministic reference policy engine.

It defines five controls covering what an AI agent should do on a call — disclose that it is automated, withhold protected data until it has, avoid passing as human, honour escalation to a person, and leave an audit record — and it makes those controls **testable**: the same transcript produces the same pass/fail result every time, with a reason code.

It is a *proposal*. Its authority comes from being checkable, not from adoption or endorsement.

## 2. The operational problem

On a payer–provider administrative call, operational data starts moving early. A caller asks for a member ID, an NPI, a date of birth, a claim number — often within the first few turns.

Telephony authenticates the *number*. Identity systems authenticate the *account*. Neither establishes that **this caller is an automated system**, nor that it is allowed to act for the organisation it names.

The gap between an AI agent beginning to operate and the receiving party being able to know it is non-human is what this framework calls **impersonation latency**. Everything exchanged inside that window is exchanged with a counterparty whose nature the receiver could not assess.

NHID-Clinical addresses that specific window. It does not address fairness, clinical safety, or model quality — those are deliberately out of scope.

## 3. Who it is for

| Audience | Use |
|---|---|
| **Payer operations and compliance** | Evaluate what AI callers currently establish, before changing anything (Part III) |
| **Provider organisations and their vendors** | Understand what a receiving party may reasonably expect (Parts I–II) |
| **AI voice vendors** | Self-assess against a published, deterministic suite (Parts II, IV) |
| **Procurement and vendor risk** | RFP language, a trust questionnaire, and an evidence model (Part V, appendices) |
| **Governance, risk, audit** | Evidence taxonomy, audit event model, regulatory mapping (Part V) |

## 4. Scope

**In scope:** B2B administrative voice workflows — AI systems calling payer offices on behalf of providers, vendors, or plan administrators; and payer-side agents calling providers. Eligibility, prior authorisation, claim status, benefits verification.

Observable behaviour on the call, and the evidence record it leaves.

## 5. Non-scope

Explicitly **not** covered, and not claimed:

- Patient-facing calls, clinical decision support, internal tooling
- Fairness, bias, clinical safety, model quality — see `scope-boundary-fairness-clinical.md`

- Caller identity *verification* (the framework standardises disclosure and trace behaviour; it does not verify who the caller is, and does not certify vendors)
- Legal compliance of any kind
- Voice biometrics, call recording policy, consent capture

## 6. Relationship to existing infrastructure

NHID-Clinical sits **above** carrier authentication and **beside** identity management. It replaces neither.

| Layer | What it establishes | What it does not |
|---|---|---|
| **STIR/SHAKEN** | The calling number is legitimate | Whether the caller is automated, or authorised for PHI |
| **Identity / IAM** | An account is authenticated | What that account does on a voice call |
| **NHID-Clinical v1.3** | The agent disclosed it is automated before PHI moved, and left a record | Who the caller is |
| **NHID-Auth v2** *(reference implementation)* | A cryptographically signed, scoped delegation from a provider | — |

## 7. The five canonical controls

**Five controls. Four are deterministic behavioural controls governing what the agent does on the call; the fifth is the audit and evidence control, which changes nothing about behaviour and records what the other four did.**

| Control | Name | Kind | In one line |
|---|---|---|---|
| **IDG-01** | Identity Disclosure Gate | Behavioural | The agent identifies itself as automated before any PHI exchange |
| **PDX-01** | Pre-Data Exchange Gate | Behavioural | No PHI — member ID, NPI, DOB, claim number — until IDG-01 disclosure is confirmed |
| **DBC-01** | Deceptive Behaviour Check | Behavioural | No claim of human identity; no artifacts designed to imply human presence |
| **EIT-01** | Escalation Implementation Test | Behavioural | A human escalation path is communicated and honoured on request |
| **ATR-01** | Audit Trail | **Audit / evidence** | A machine-readable event trace: disclosure timestamps, state transitions, escalation events, execution context |

**DLG-01 (Delegated Authority) is opt-in and is not one of the five.** Absent a delegation it returns `DLG01_NOT_EVALUATED` and changes nothing.

Part II gives each control's inputs, expected behaviour, failure behaviour, evaluation logic, and limitations.

## 8. Current evidence and validation status

Four separate bodies of evidence. **They measure different things and are not interchangeable.** Collapsing them into one "accuracy" number would misrepresent all four.

| Evidence body | What it measures | Result | Date |
|---|---|---|---|
| **Conformance suite** | Technical test execution against the engine, adapters, API and invariants | **1213 collected · 1213 executed · 1213 passed** · 0 failed, skipped, xfailed, xpassed | 2026-09-04, commit `e68a65d` |
| **Fabricate Battle-Test Corpus** | Detection against 550 real-world voice AI conversations, 127 of them compliant | IDG-01 70/70 · PDX-01 41/41 · DBC-01 183/200 (91.5%) · EIT-01 169/171 (98.8%). False positives on clean conversations: 0, 0, 5, 5 of 127 | CI-gated, unchanged |
| **Governance Evaluation Corpus** | Detection of labelled governance conditions across 25 scenarios / 55 turns | **23 of 32 = 71.9%.** False positives **0 of 5** compliant scenarios. **12 unexpected detections** on violation scenarios, reported separately | 2026-09-04 |
| **Adversarial corpus** | Robustness against 40 deliberately hostile scenarios | See `safety/adversarial-testing-report.md` | — |

**These are four different denominators.** 2063/2063 is a *test pass rate*, not a detection rate. 71.9% is a *detection rate*, not a test pass rate. Neither is an accuracy figure for the framework as a whole.

**On the 12 unexpected detections.** The published false-positive figure is measured only over the five compliant scenarios, so a control firing where it was not expected on any of the other twenty could not appear in it. There are twelve such detections — eight found when the quantity was first measured, and four more added by the G2 decision, which made a bare organisational name an IDG-01 violation on four scenarios that do not declare one. They are reported as a distinct quantity rather than folded into the false-positive rate, because a compliant scenario emitting anything is an engine defect, whereas a violation scenario emitting an undeclared rule is usually the corpus under-specifying its own turns. Judging which requires reading the scenario. See `governance-corpus-remediation.md`.

## 9. Current limitations and unresolved questions

Stated plainly, because a reader who discovers these later has been misled.

**What is not established, at all:**

| | Status |
|---|---|
| Production deployments | **None known** |
| Customers, design partners, pilot participants | **None** |
| Independent external validation or audit | **None** |
| Certification or accreditation | **None, and none sought** |
| Behaviour under production load | **Unknown** — not load-tested |
| Regulatory endorsement | **None** |

**Known technical limitations:**

- **Detection is lexical.** PDX-01 and DBC-01 match phrase maps plus a small number of structural rules. A paraphrase outside the map is missed.
- **DBC-01 is the least precise control** — 91.5% detection with 5 false positives on 127 clean conversations.
- **Disclosure sufficiency is judged only on the disclosing turn.** Since the G2 decision, IDG-01 requires the disclosing turn to state a non-human identity affirmatively, so a bare organisational name *is* flagged. The check needs a harness that sets `disclosure_established_prior`; without it the permissive default applies and only contradiction is caught.

- **Sequencing checks need a cooperating harness.** Same-turn disclosure-and-request detection requires `disclosure_established_prior`; absent it the check does not run.
- **ATR-01 persistence is external.** The engine emits the audit trail; it cannot detect that a downstream store failed to persist it.
- **Escalation quality is not assessed.** EIT-01 verifies that an escalation path exists and was honoured, not that a competent human answered.

**Four open governance questions (G1–G4)** are unresolved and are *not* silently decided anywhere in this Playbook. They are stated in Part V §5 and referenced wherever they bear on a control.

# Part II — Framework

**This part assembles canonical material rather than restating it.** The normative sources are `CONTROL_DECISION_TABLE.md`, `enforcement-profile.md` and `NHID_AUDIT_EVENT_SPEC_v1.0.md`. Where this Playbook and a normative source disagree, the normative source wins and this document is wrong.

## 1. Terminology

| Term | Meaning |
|---|---|
| **Non-human actor** | Any automated participant in a call. Preferred over "bot" |
| **Interaction boundary** | The point at which an automated participant begins operating with a counterparty |
| **Impersonation latency** | The interval between an agent beginning to operate and the counterparty being able to establish that it is non-human |
| **Disclosure** | An assertion, by the agent, that it is automated |
| **Turn** | One utterance-and-response unit of a call; the granularity at which controls evaluate |
| **PHI** | Protected health information. In practice: member ID, NPI, date of birth, claim number |
| **Control** | One of the five canonical governance checks |
| **Violation** | A `BoundaryViolation` — `rule_id`, `description`, `severity` |
| **PolicyDecision** | The single output of evaluating all controls against one turn |
| **Tier 0** | Observe-only shadow evaluation. Decisions recorded, never enforced |

Full list: `docs/terminology.md`.

## 2. The two-layer model

NHID-Clinical separates **the governance layer** (the five controls, which evaluate behaviour) from **the authorization layer** (NHID-Auth v2, which verifies cryptographic delegation). The governance layer works without the authorization layer. The reverse is not true.

## 3. The control model

Evaluation is **pure and deterministic**. `evaluate_all(session, event, delegation=None)` returns exactly one `PolicyDecision`, performs no I/O, and never raises. The same inputs always produce the same decision and the same reason code.

### 3.1 `PolicyDecision` — the output contract

| Field | Meaning |
|---|---|
| `action` | The single `PolicyAction` the receiver MUST execute for this turn |
| `reason_code` | Stable machine token identifying which condition produced the action |
| `violations[]` | Every `BoundaryViolation` raised by **all** controls this turn — merged, never collapsed |
| `next_state` | Advisory workflow state label |
| `policy_version` | Engine version that produced the decision |

**A `PolicyDecision` carries no score,** and nothing downstream computes one. The composite score is withdrawn.

### 3.2 `PolicyAction` — exactly five

| Action | Receiver obligation | Blocks PHI? |
|---|---|---|
| `DISCLOSE_IDENTITY` | MUST require identity disclosure before material interaction continues | Yes |
| `DENY_DATA` | MUST NOT request, accept, or release PHI on this turn | Yes |
| `ESCALATE_HUMAN` | MUST provide a functional human escalation path | Indirect |
| `LOG_ONLY` | MUST record the finding; SHOULD route to human review by severity | No |
| `CONTINUE_AI` | None beyond proceeding | No |

**A sixth action must not be introduced** — a new action would be a sixth control in disguise.

### 3.3 The enforcement ladder

A single turn may trip several controls, but a receiver needs one unambiguous action. When outcomes conflict, the most-protective action wins by fixed precedence:

```
DENY_DATA  >  ESCALATE_HUMAN  >  DISCLOSE_IDENTITY  >  LOG_ONLY  >  CONTINUE_AI
```

The ladder **selects an action; it does not suppress findings.** Every control still evaluates independently and contributes its violations. The ladder never re-decides conformance.

### 3.4 The human-review routing boundary

Routing a call to a human is a downstream mechanism, derived after and from the `PolicyDecision`.

**Routing may** trigger human review and influence queue priority. **Routing must not** override a `PolicyDecision`, convert a restrictive action into allowed access, or independently determine conformance.

> **Normative invariant.** The Enforcement Profile SHALL consume `PolicyDecision` outputs and SHALL NOT independently evaluate control conformance. Any routing decision SHALL be derived from, and downstream of, the `PolicyDecision`. The five controls remain the sole source of conformance decisions.

**There is no composite score.** The Call Authorization Score, its "Verified Trust" / "Conditional Trust" tiers and its badges are withdrawn, and nothing replaces them under another name.

## 4. The five controls in detail

The authoritative per-control reference is `CONTROL_DECISION_TABLE.md`, which gives trigger, pass condition, fail condition, evidence location, limitation, test coverage and corpus status for each. Summarised here with the parts an implementer most often needs.

### IDG-01 — Identity Disclosure Gate

| | |
|---|---|
| **Intent** | The agent discloses non-human identity before sensitive interaction |
| **Trigger** | Any turn where `event_type == IDENTITY_DISCLOSURE` or `contains_phi == True` |
| **Pass** | `disclosure_timestamp` set, `identity_assertion_text` non-empty, and on the disclosing turn the assertion neither introduces a human persona without stating non-human identity nor denies being automated |
| **Fail** | `IDG01_DISCLOSURE_MISSING` · `IDG01_ASSERTION_TEXT_MISSING` · `IDG01_DISCLOSURE_CONTRADICTED` |
| **Action** | `DISCLOSE_IDENTITY` |
| **Limitation** | Judges disclosure *content* only for contradiction, not adequacy. Content checks apply only to the disclosing turn and require a harness that sets `disclosure_established_prior`. Does not verify the counterparty understood |
| **Evidence** | Fabricate 70/70, 0 FP of 127. Governance corpus 6/8 (75.0%) |

**Open question G2** bears directly on this control: a bare organisational name ("claims system") is not flagged, because the evaluation corpus labels that shape a violation in one scenario and does not in a structurally identical one. No rule separates them, so the engine abstains. See Part V §5.

### PDX-01 — Pre-Data Exchange Gate

| | |
|---|---|
| **Intent** | Prevent PHI exchange before valid disclosure |
| **Trigger** | Any turn where `contains_phi == True` |
| **Pass** | No protected-data exchange, or disclosure established on a **prior** turn |
| **Fail** | `PDX01_PHI_GATE_TRIGGERED` (no disclosure at all) · `PDX01_DISCLOSURE_NOT_SEQUENCED` (same turn as initial disclosure) · `PDX01_SCOPE_NOT_AUTHORIZED` (outside a verified DLG-01 scope) |
| **Action** | `DENY_DATA` |
| **Limitation** | Detection is lexical plus one structural rule; paraphrase outside the phrase map is missed. Sequencing needs `disclosure_established_prior` |
| **Evidence** | Fabricate 41/41, 0 FP of 127. Governance corpus 6/6 (100%) |

**Open question G4:** whether same-turn disclosure followed by a PHI request should be a violation at all. The engine says yes; four corpus scenarios disagree by omission.

### DBC-01 — Deceptive Behaviour Check

| | |
|---|---|
| **Intent** | Prevent concealment of AI identity or impersonation of a human |
| **Pass** | `deceptive_artifact_flags == []` |
| **Fail** | **Tier A** — any explicit artifact flag (conceal request, impersonation, misrepresentation, evasive, ambiguous identity language, human-passing attempt). **Tier B** — impersonation phrase in the identity assertion, including first-person licensed-clinical role claims. **Tier C** — corpus-mined implied-humanity cues; weak disfluency cues require two or more |
| **Action** | `LOG_ONLY` — a deception finding is recorded and routed, **not itself a PHI gate**. Blocking on a deceptive turn comes from a co-occurring IDG-01/PDX-01 failure |
| **Limitation** | Tier C is inferential and stays active even when the same assertion discloses. Suppressing it after disclosure was tried and cost four real Fabricate detections — disclosing once and then passing as staff is a pattern the corpus labels deceptive. Third-person clinical references are deliberately not matched |
| **Evidence** | Fabricate 183/200 (91.5%), 5 FP of 127 — **the least precise control**. Governance corpus 9/9 (100%) |

### EIT-01 — Escalation Implementation Test

| | |
|---|---|
| **Intent** | Escalation requests are honoured within a bounded window |
| **Trigger** | Any turn where `escalation_requested == True` |
| **Pass** | No escalation requested, or a path is available, or fulfilment is recorded — an `escalation_timestamp` **together with** an honouring `escalation_outcome` |
| **Fail** | Outcome `DEFLECTED` or `IGNORED`, or requested with no outcome within 5 turns |
| **Action** | `ESCALATE_HUMAN` |

| | |
|---|---|
| **Limitation** | Does not validate escalation *quality* — whether a real, competent human answered. Requests are keyword-detected, so the agent's own confirmation line matches as a request; recorded fulfilment is what prevents that reading as failure. **An honouring outcome with no timestamp is a claim, not a record**, and does not clear the control |
| **Evidence** | Fabricate 169/171, 5 FP of 127. Governance corpus 8/8 (100%), 0 false positives |

### ATR-01 — Audit Trail (the audit and evidence control)

| | |
|---|---|
| **Intent** | Policy-relevant events are persisted for audit |
| **Trigger** | Every turn processed |
| **Pass** | Required audit fields present and non-empty, including execution context |
| **Fail** | `ATR01_AUDIT_FIELDS_MISSING` |
| **Action** | `LOG_ONLY` |
| **Limitation** | **Persistence is outside the engine.** The engine emits the trail; it cannot detect that an external store failed to write it |
| **Evidence** | Operational across evaluated sessions; persistence tested separately |

**Open question G3:** whether ATR-01 should be evaluated from transcripts at all. It validates an audit *record*, and a transcript is not one.

## 5. The audit model

ATR-01's output is governed by `NHID_AUDIT_EVENT_SPEC_v1.0.md`, which defines the event schema, four event classes (`GOVERNANCE_DECISION`, `RULE_VIOLATION`, `DATA_ACCESS`, `ESCALATION_ACTION`), append-only guarantees, tamper-evidence via hash chaining, and retention.

Emission to **HL7 FHIR R4 AuditEvent** is **implemented** and validated in CI against the official validator. Mapping detail: `fhir-auditevent-mapping.md`.

## 6. Delegated authority — NHID-Auth v2

**Status: reference implementation, opt-in, not part of the five controls.**

NHID-Auth v2 addresses a question the behavioural controls cannot: *is this agent authorised to act for the provider it names?* It uses Ed25519-signed, scoped, expiring delegations verified offline.

DLG-01 evaluates a delegation when one is supplied. **Absent a delegation it returns** `DLG01_NOT_EVALUATED` **and changes nothing** — every pre-existing caller keeps its behaviour exactly.

Detail: `nhid-clinical-technical-specification.md` §7–9, `nhid-auth-pki-and-oauth2-integration.md`, and `framework/nhid-auth.html`.

# Part III — Shadow Evaluation

**Shadow evaluation is observe-only.** You capture what your AI callers already do, replay it through the policy engine, and read the result. **The production call flow is not changed, not intercepted, and not gated.** Nothing an evaluation produces reaches a caller.

> **There is no prescribed duration.** What follows is an **ordered sequence**, not a calendar. Each stage depends on the one before it; none has a required length, and an evaluation may legitimately stop after any of them. Any 30/60/90-day framing you encounter elsewhere in this repository is superseded by this statement.

## 1. Purpose — and what it can and cannot establish

**Shadow evaluation can establish:**

- Whether AI callers disclose, and *when* relative to the first data request
- Whether protected data moved before disclosure, and which fields
- Whether escalation requests were honoured
- Which controls fail, on which calls, with a reason code
- A baseline you can re-measure against later

**Shadow evaluation cannot establish:**

- That a vendor is compliant with any law or regulation
- That an agent is safe, accurate, or clinically appropriate
- That a human on the other end understood the disclosure
- **ATR-01 conformance.** Audit-trail completeness cannot be exercised from transcript replay — a replay harness constructs complete audit envelopes by definition. Audit completeness is assessed against a real event pipeline, not a transcript. This is the same limitation recorded as open question **G3**
- **DBC-01 Tier A (voice artifacts)**, unless your stack produces voice-forensics flags. Text heuristics still run

Stating these first is deliberate. An evaluation whose limits are discovered afterwards produces findings nobody trusts.

## 2. Prerequisites

| | |
|---|---|
| **Data** | Call transcripts or turn-level logs from existing AI voice traffic. No audio required |
| **Fields** | Per turn: speaker, text, timestamp, and whichever protected fields were requested. Full schema: `pilot-kit/minimal-event-schema.json` |
| **Software** | The reference implementation and `pilot-kit/measure_pilot.py`. No account, no hosted service |
| **Access** | Read access to call logs. **No production change of any kind** |

Sanity-check the toolchain before touching real data:

```
pip install -r requirements.txt
python docs/pilot-kit/measure_pilot.py --demo
```

## 3. Governance, approvals and data handling

Shadow evaluation reads call logs that may contain PHI. Treat it as any other secondary use of that data.

| Concern | Consideration |
|---|---|
| **Roles** | Name an owner for the evaluation, a data owner for the logs, and a reviewer for findings. One person may hold more than one role |

| Concern | Consideration |
|---|---|
| **Approval** | Whatever your organisation requires for secondary use of call data. This framework asserts no view on what that is |
| **Minimisation** | The engine needs turn text and which protected fields were requested — not the field *values*. Redact values at capture where you can |
| **Location** | The reference implementation runs locally. Nothing is transmitted to the project |
| **Retention** | Set a retention period for captured turns before you capture them, not after |
| **Access** | Findings name failing calls. Scope access accordingly |

**This is not legal or privacy advice.** Whether an evaluation is permissible under your obligations is a determination for qualified people in your organisation. Marked **unknown** by this framework, deliberately.

## 4. The evaluation sequence

### Stage 1 — Workflow inventory

Establish what you actually have before measuring it.

- Which inbound or outbound call workflows involve AI agents?
- Which vendors or internal systems place them?
- Which involve protected data, and which fields?
- Roughly what volume, and over what period are logs retained?

**Output:** a list of candidate workflows, each with a data-sensitivity note. **Stop condition:** you can name every workflow in scope.

### Stage 2 — Interaction capture

Extract turn-level records into the capture schema. Flat by design, so it can be filled from ordinary call logs.

**Output:** captured turns, one file per workflow. **Stop condition:** a sample replays through `--demo` without schema errors.

### Stage 3 — Evidence collection

Where you have a real event pipeline (not just transcripts), collect the audit events alongside. **This is the only path to any ATR-01 signal** — see §1.

**Output:** event records, where they exist. **Stop condition:** you know whether you have them. "We do not" is a valid answer.

### Stage 4 — Control evaluation

Replay captured turns through the real policy engine.

```
python docs/pilot-kit/measure_pilot.py --input captured_turns.json
```

Every verdict comes from `evaluate_all()` — the same function the conformance suite exercises. **No evaluation-only rules exist.**

**Output:** per-call, per-turn decisions with reason codes.

### Stage 5 — Scoring and banding

Impersonation Latency is reported raw **and** banded, so a late-but-present disclosure is not flattened into the same bucket as never disclosing:

| Band | Disclosure | Reported as |
|---|---|---|
| `pass` | turn 0, before any data request | conformant |

| Band | Disclosure | Reported as |
|---|---|---|
| `delayed` | present, within 10s, before any PHI | observation |
| `late` | present, after 10s, before any PHI | human review |
| `critical` | PHI exchanged before disclosure, or never disclosed | violation |

> **The bands are a reporting convention, not a gate.** The policy engine has no seconds-based rule. The normative target is `IL(turns) = 0` — disclosure before any data is requested. The 10-second threshold exists only so a pilot report distinguishes slow from absent. Without usable timestamps, classification falls back to turn form.

Measured alongside: first-turn disclosure rate, never-disclosed rate, pre-disclosure PHI exposure, escalation honour rate, per-control violations, and the transcription attestation (`measured` / `attested` / `unattested`) that every other figure depends on.

**No figure is blended into a score** (Part II §3.4). Each control is reported against its own denominator.

### Stage 6 — Gap analysis

For each failing control: how often, on which workflows, with what reason codes, and is it concentrated in one vendor or spread across all of them?

Distinguish **detection limitations** from **agent behaviour**. A `DBC-01` finding on a transcript with no voice-forensics flags is a partial reading, not a clean result.

### Stage 7 — Review

Route findings to human review. `critical` band and any `DENY_DATA` action warrant it. There is no score-based threshold: the composite score and its tiers are withdrawn, and routing is driven by the decision and its reason code (`src/dbc01_review_routing.py`).

**Human review is where judgment belongs.** The engine produces deterministic findings; whether a finding matters to your organisation is not a question it can answer.

### Stage 8 — Written assessment

Compile into a short internal assessment — template at `pilot-kit/pilot-report-template.md`. State the limits from §1 in the report itself, not only in the appendix.

**Stop condition:** someone who did not run the evaluation can read the assessment and know what was and was not established.

## 5. Example findings and sample outputs

Ten synthetic failure traces, one per failure mode, are in `traces/`. Each shows the pipeline stage, the decision, the reason code, and what the audit record holds — including two that are *not* clean passes:

| Trace | Shows |
|---|---|
| `nhid-trace-04-late-disclosure-idg01-pdx01.md` | Disclosure after PHI — the core failure the framework exists for |
| `nhid-trace-05-escalation-path-missing-eit01.md` | Escalation requested, no path |
| `nhid-trace-06-deceptive-artifact-dbc01.md` | **Superseded.** Records DBC-01's withdrawn acoustic-artifact tier, kept as a historical trace |
| `nhid-trace-07-audit-field-missing-atr01.md` | Audit gap — replay integrity **degraded**, not passed |
| `nhid-trace-09-replay-divergence-determinism.md` | Replay divergence, the most dangerous failure mode: a silent divergence that looks like success |

These are **synthetic illustrations**, not observed production incidents.

## 6. Limitations of the method

Beyond §1: shadow evaluation measures a **sample of past calls**. It says nothing about calls not captured, about future behaviour, or about a vendor's intent. It is a baseline, not an assurance.


# Part IV — Implementation

**Maturity labels are used strictly here.** Nothing conceptual or future is described as working. **NHID-Clinical is not a hosted managed service**, and TrustLayer is not a public product surface.

## 1. What exists, and at what maturity

| Component | Status |
|---|---|
| Policy engine (`evaluate_all`, five controls) | **Implemented** |
| Conformance test suite (18 CTS cases) | **Implemented** |
| Vendor adapters — 6, of which 5 have hosted `/v1/adapters/*/check` routes | **Implemented** |
| FHIR R4 AuditEvent emission | **Implemented**, CI-validated |
| Audit trail with hash-chained append-only log | **Implemented**; persistence is the integrator's responsibility |
| HTTP API (`/voice/process`, `/debug/replay`) | **Reference implementation** |
| Shadow pilot kit | **Reference implementation** |
| NHID-Auth v2 / DLG-01 delegated authority | **Reference implementation**, opt-in |
| ~~CAS (Call Authorization Score)~~ | **Withdrawn.** The composite score, its "Verified Trust" / "Conditional Trust" tiers and its badges are removed, with no successor under any name |
| TrustLayer / hosted operational platform | **Conceptual.** No public product route, no deployments, no design partners |
| Load and scale behaviour | **Unknown** — not load-tested |

## 2. Reference architecture




Full detail: `SYSTEM_ARCHITECTURE.md`.

## 3. Implementation boundaries

What the engine does **not** do, by design:

- **No I/O.** `evaluate_all()` performs none. Metrics and persistence are emitted by the caller
- **No persistence.** It emits an audit trail; storing it is the integrator's job
- **No enforcement.** It returns an action; executing it is the receiver's job
- **No scoring.** It returns per-control results, never a blended number

- **No network calls, no clock dependence, no randomness** — this is what makes it deterministic

Determinism is not incidental. It is what makes a conformance suite meaningful and replay possible.

## 4. The canonical event model

Adapters convert vendor-specific payloads into one canonical shape. The engine never sees a vendor format. Adding a vendor means adding an adapter, not changing the engine.

Schema: `NHID_AUDIT_EVENT_SPEC_v1.0.md`; capture form: `pilot-kit/minimal-event-schema.json`.

## 5. Verified integrations

**Six vendor adapters.** Five expose hosted conformance-check routes; the `elevenlabs_postcall` adapter is a post-call format with no hosted route. Two further modules — `fabricate_adapter` and `call_progress_adapter` — are internal plumbing rather than vendor integrations, which is why the published count is six rather than eight.

Nothing here implies a commercial relationship with, or endorsement by, any named vendor.

## 6. Control evaluation flow

- Adapter normalises the inbound payload
- Session state is reconstructed (disclosure is a conversation-level fact and carries forward across turns)
- `evaluate_all()` evaluates all five controls independently
- Violations merge into one `PolicyDecision`
- The enforcement ladder selects one action
- The audit trail is emitted
- Findings may be routed downstream for human review

## 7. Audit, evidence and provenance

Every decision produces an audit record carrying the reason code, the turn context, execution context, and policy version. The log is append-only and hash-chained for tamper evidence.

**Session identity matters here.** A missing or empty upstream call identifier is recorded as **absent** — never coerced to a shared placeholder — and a distinct synthetic session id is minted so two unidentified interactions cannot collapse into one indistinguishable audit stream. The synthetic id is never presented as though it were a real carrier identifier.

## 8. Security boundaries

- The engine is pure; the attack surface is the API and the adapters
- Delegations are Ed25519-signed and verified offline; tampered, expired and revoked delegations are rejected — each enforced by a CI gate
- Secrets and key management: `DEPLOYMENT-SECURITY-CHECKLIST.md`
- Vulnerability disclosure: `SECURITY.md`

## 9. Deployment considerations

The reference implementation runs as a FastAPI application; a container path is documented in `DOCKER-DEPLOYMENT.md`. **Behaviour under production load is unknown and untested** — do not infer capacity from the reference implementation.

## 10. Testing strategy

| Layer | What it covers |
|---|---|
| Control unit tests | Each control against the engine directly |
| Adapter tests | Each vendor payload shape |
| API tests | The hosted path end to end, including that the API *applies* the engine and writes a complete audit record |
| Determinism tests | Identical inputs, identical decisions |
| Adversarial tests | 40 hostile scenarios |
| Invariant guards | Published-number drift, control-set completeness, baseline, links, navigation |

**The suite executes everything it collects.** Nothing is skipped, xfailed, or deferred — see `skipped-test-audit.md` for why that is stated explicitly.

## 11. Implementation checklist

- [ ] Adapter converts your payload to the canonical event shape
- [ ] `evaluate_all()` called per turn; no evaluation logic duplicated outside it
- [ ] Session state carries disclosure forward across turns
- [ ] `disclosure_established_prior` set, so sequencing checks actually run
- [ ] Enforcement ladder applied — one action per turn
- [ ] All `violations[]` recorded, not just the one that produced the action
- [ ] Audit trail persisted to an append-only store; persistence failure is detectable **by you**
- [ ] Upstream call identifier preserved verbatim, or recorded as absent — never a shared placeholder
- [ ] FHIR AuditEvent emission validated if you export to a payer
- [ ] No composite score computed or displayed anywhere in your integration
- [ ] Conformance suite run against your integration

# Part V — Governance, Evidence & Regulatory Context

## 1. Evidence methodology

Four evidence bodies exist and are kept strictly separate. Merging them would produce a number that describes nothing.

| Body | Population | Question it answers |
|---|---|---|
| **Conformance suite** | 2063 tests | Does the implementation behave as specified? |
| **Fabricate Battle-Test Corpus** | 550 real conversations, 127 compliant | Does it detect violations in real-world phrasing? |
| **Governance Evaluation Corpus** | 25 scenarios, 55 turns | Does it detect labelled governance conditions? |
| **Adversarial corpus** | 40 hostile scenarios | Does it survive deliberate evasion? |

**Never state a figure without its denominator and its body.**

## 2. Claims and evidence taxonomy

Every published claim carries a method, recorded in `claims-register.md`:

| Method | Meaning |
|---|---|
| `measured` | Derived by running something, reproducibly |
| `constant` | Pinned to a named constant in the repository |
| `engine` | Follows from engine behaviour |
| `filesystem` | Verified against files that exist |
| `web-search` | Verified against external authoritative sources |
| `cross-page` | Consistency between published surfaces |

Claims that fail all six are marked **UNKNOWN** and not published. That distinction is the whole point of the register.

## 3. Conformance methodology and current results

The conformance suite measures **technical test execution**. It is not a detection rate and not an accuracy figure.

| | |
|---|---|
| **Collected** | 2063 |
| **Executed** | 2063 |
| **Passed** | 2063 |
| **Failed / skipped / xfailed / xpassed** | 0 / 0 / 0 / 0 |
| **Verified** | fresh clone at `e68a65d`, fresh virtualenv, `requirements.txt` only, live API |

Full record, including exact commands, interpreter, platform and dependency set: `conformance-run-record.md`.

**Nothing is skipped, deferred, or marked.** Until 2026-09-03 the suite reported 987 passed and 18 skipped; those 18 had never executed, because no CI job started the API they need. Running them exposed 7 real contract failures, which were resolved by fixing the contracts. `skipped-test-audit.md` records that history so the current figure is not read as it having always been clean.

## 4. Governance evaluation methodology and current results

Measures **detection of labelled governance conditions**. It is not a test pass rate.

| | |
|---|---|
| **Detection** | **23 of 32 = 71.9%** |
| **Transcript-observable layer** | **30 of 31 = 96.8%** (IDG-01, PDX-01, DBC-01, EIT-01) |
| **Audit/evidence layer** | **0 of 1** — ATR-01 is not transcript-observable (G3); retained in the denominator |
| **False positives** | **0 of 5** compliant scenarios |
| **Unexpected detections** | **12**, on violation scenarios — reported separately |
| **Corpus** | 25 scenarios, 55 turns — unmodified |

**Why the unexpected detections are separate.** The false-positive rate is measured only over the five compliant scenarios and therefore cannot see a control firing where it was not expected on any of the other twenty. Twelve such detections exist; before this quantity was measured, none had ever been reported. They are surfaced as a distinct quantity because a compliant scenario emitting anything is an engine defect, whereas a violation scenario emitting an undeclared rule is usually the corpus under-specifying its own turns. Reading them individually, all twelve look like correct detections against under-declared scenarios — but confirming that is a human judgment, so the tooling reports and does not interpret.

**On the 98–99% figure.** It is an aspiration, not a result. **The measured figure is 71.9%.** No scenario has been added, removed, relabelled, reworded, excluded, or had its expectations edited, and no control has been relaxed, to move it. The rise from 90.6% came entirely from the G2 specification decision implemented in the engine — five corpus labels are now known to be wrong and were deliberately left in place, because correcting them would move a published figure. `decision-gate-G1-G4.md` §5 lists each with its effect.

**One engine change was written, reverted, and later reinstated on a different basis.** Requiring the disclosing turn to affirmatively assert non-human identity raises detection to 30/32 with the Fabricate baseline untouched and compliant false positives still at zero. It was **reverted** the first time because it broke a pre-existing test recording a deliberate decision to abstain, and rested on one scenario. It was **reinstated** when G2 was decided against the *specification* — the control says the agent must identify itself as automated, and a bare organisational name does not. The locking test was reversed with its rationale recorded, not deleted. Full account: `governance-corpus-remediation.md` §2.1 and `decision-gate-G1-G4.md` §G2.

## 5. Governance and specification decisions (G1–G4)

**All four decided 2026-09-04.** Full analysis, evidence and consequences: `decision-gate-G1-G4.md`. One engine change followed (G2); the corpus was **not** edited, and `tests/evaluation_corpus_v1.json` is byte-identical throughout.

| # | Question | Decision |
|---|---|---|
| **G1** | Does IDG-01 require the literal word "AI", or is "automated" sufficient? | **"Automated" is sufficient; no vocabulary is mandated.** Every normative source says *automated*, and the CTS case `IDG-01-PASS` passes an "automated system" script. The CTS note that a disclosure must contain *both* automation and a "not human" clause is **descriptive of that fixture, not conjunctive** — enforced as a conjunction it would fire on all five compliant scenarios, none of which carries a "not human" clause. **No engine change**; both readings are now pinned by tests |
| **G2** | Is a bare organisational name sufficient disclosure? | **No.** "You've reached the claims system" names the department, not the nature of the speaker — a human employee could say it verbatim. The corpus labels this shape both ways; the specification does not, and it governs. **Engine changed**: the disclosing turn must affirmatively state a non-human identity, returning the new `IDG01_DISCLOSURE_INSUFFICIENT`. The locking test was reversed with its rationale recorded. Four under-declaring scenarios now surface as unexpected detections and were **not** relabelled |

| # | Question | Decision |
|---|---|---|
| **G3** | Should ATR-01 be evaluated from transcripts at all? | **No.** `ATR-01-FAIL-MISSING` nulls fields on the *event object* via `input_event_overrides`, never in speech. The methodology now reports the two layers separately — transcript-observable **30/31 = 96.8%**, audit/evidence **0/1, not measurable here** — while the headline denominator stays at 32, because dropping the scenario would raise the rate |
| **G4** | Is same-turn disclosure followed by a PHI request a PDX-01 violation? | **Yes, at MAJOR severity.** `nhid_ec_pdx01_002` and `nhid_ec_combo_006` declare exactly this shape and the engine detects both. **No change** — engine, corpus, tests and specification already agree |

**Five corpus labels are now known to be wrong and were deliberately left in place**, because correcting them would move a published figure: `idg01_003` (G1, counted as a miss) and `atr01_001`, `eit01_001`, `eit01_002`, `combo_010` (G2/G3, counted as unexpected detections). `decision-gate-G1-G4.md` §5 lists each with its effect.

**No item remains as REQUIRES HUMAN JUDGMENT.**

## 6. Risk register

| Risk | Current state |
|---|---|
| Lexical detection missed by paraphrase | **Accepted, documented.** PDX-01 and DBC-01 are phrase-based |
| DBC-01 false positives | **Measured:** 5 of 127 clean conversations. Least precise control |
| ATR-01 persistence failure undetected by the engine | **By design.** Integrator responsibility; must be detectable on their side |
| Escalation quality unassessed | **Accepted.** EIT-01 checks that a path existed and was honoured, not competence |
| Behaviour under load | **Unknown.** Not load-tested |
| Corpus contradictions (G1–G4) | **Open.** Bound what detection figures can claim |
| Over-reading a mapping as compliance | **Mitigated** by §7 and by `claim-boundaries.md`; ultimately a reader risk |

## 7. Regulatory context — mapping, not compliance

**Read this before the tables.** Four things are distinct and are conflated constantly:

| | |
|---|---|
| **A regulatory requirement** | What an instrument obliges. Established by the instrument and by qualified legal interpretation — *not* by this framework |
| **A framework mapping** | An assertion that a control is *relevant to* a requirement. What the tables below contain |
| **Implementation guidance** | How you might build something that helps. Part IV |
| **Legal interpretation** | Whether you comply. **Requires qualified human judgment. This framework does not provide it and cannot** |

**A mapping is not a compliance claim.** Nothing in this Playbook establishes that any organisation, vendor, or implementation complies with any law, regulation, or rule. NHID-Clinical is not a certification programme and confers no regulatory status.

### 7.1 Instruments with verified substance

Each verified against authoritative sources; verdicts in `claims-register.md` §D.

| Instrument | Effective | What it establishes | What it does not establish |
|---|---|---|---|
| **California AB 2905** — Chapter 316, Statutes of 2024, amending Pub. Util. Code §2874 | **1 Jan 2025** | Covered automatic dialing-announcing devices must tell the called person when a prerecorded message uses an artificial voice | It reaches dialing-announcing devices delivering prerecorded messages. **It is not a general AI voice-agent disclosure law** and is not healthcare-specific |
| **FCC 24-17** — TCPA declaratory ruling | Adopted 2 Feb 2024, **released 8 Feb 2024** | A *declaratory ruling* that the TCPA's existing "artificial or prerecorded voice" already encompasses AI-generated voices, so such calls need prior express consent | It creates **no new rule** and no disclosure standard. It addresses calls **to consumers**; NHID-Clinical's scope is B2B provider–payer administrative calls |
| **EU AI Act Art. 50(1)** — Regulation (EU) 2024/1689 | **2 Aug 2026** | People must be informed when interacting directly with an AI system, unless obvious in the circumstances. **Not deferred** by the 2026 Digital Omnibus | It does not specify how disclosure is verified, scoped, or evidenced on a call |

**Article 50(2) is a different obligation on a different timetable.** It requires machine-readable marking of synthetic content. The Digital Omnibus on AI — Regulation (EU) 2026/1744, in force 27 July 2026 — grants a four-month grace period for generative systems already on the market before 2 August 2026, moving their marking deadline to **2 December 2026**; systems placed on the market on or after 2 August 2026 get no grace period. **NHID-Clinical implements neither watermarking nor content marking, so 50(2) is out of scope** and its timetable must not be merged into the 50(1) row.

**Caveat on all three:** the statute hosts are egress-blocked from the build environment, so substance was verified by search against authoritative and specialist-practitioner sources rather than by opening the cited URLs. What remains outstanding is a **link-rot check**, not a substance check.

### 7.2 Broader mapping — relevance, not obligation

Each row asserts only that a control is *relevant to* a driver.

| Regulatory driver | Requirement it concerns | Relevant controls / artifacts |
|---|---|---|
| **CMS-0057-F** Prior Authorization Final Rule | FHIR API, 72-hour turnaround, 5-year retention | HL7 FHIR R4 AuditEvent (CI-validated) + session trace — **ATR-01** |
| **MACPAC (May 2026)** | AI transparency in prior auth; human review pathway | **IDG-01** + **EIT-01** + **ATR-01** |
| **DOJ FCA 2026 enforcement focus** | Explainability and audit trail for AI-assisted billing | Structured trace + CTS conformance — **ATR-01** |
| **State AI laws** (CA, TX, MD and others) | Inspectable, auditable AI decisions | **IDG-01** + **DBC-01** |
| **NIST AI RMF / CAISI** | Cross-organisation agent identity and authorization | NHID-Auth v2 *(reference implementation)*; NIST public comment NIST-2025-0035-0026 |
| **ISO/IEC 42001** | AI management system transparency controls | Full control set + **ATR-01** |
| **HIPAA Security Rule** | PHI safeguards and audit controls | **PDX-01** + **ATR-01** |

**The NIST reference is a public comment** (NIST-2025-0035-0026), submitted to docket NIST-2025-0035. A public comment is **not** a regulatory filing, an endorsement, or evidence of adoption. The RFI drew 932 comments.

### 7.3 Relationship to adjacent standards

STIR/SHAKEN attests that a **number** is legitimate — not that the caller is automated, nor that it is authorised for PHI. NHID-Clinical sits above it. See Part I §6.

## 8. Versioning and change management

| | |
|---|---|
| **Framework version** | v1.3 |
| **Playbook version** | 1.0 |
| **Version policy** | Control semantics change only with a framework version change. Published figures change only with a measurement, propagated across every surface in the same commit |
| **Guards** | `check_number_drift.py` (published figures), `check_control_set.py` (the five-control set), `check_baseline.py` (Fabricate), `validate_ci.py` (suite shape) |
| **Release history** | `release-history.md` |

**Two release-history entries are annotated rather than edited** — one announced pilot-partner recruitment that must not be represented, and one undercounts the control set. Silently rewriting a dated announcement falsifies the record; the annotation is the correction.

## 9. Security and disclosure

Vulnerability reporting, supported versions, and response expectations: `SECURITY.md`. Deployment hardening: `DEPLOYMENT-SECURITY-CHECKLIST.md`.

## 10. Contribution and community governance

Development is public. Discussion is GitHub Discussions and Issues; there is no mailing list and nothing gated behind a form. Contribution guidance: `.github/CONTRIBUTING.md`.

**Governance is single-maintainer and practitioner-led.** There is no steering committee, working group, or member organisation, and none is implied.

# Appendices

| Appendix | Contents | Source |
|---|---|---|
| **A — Control decision table** | Per-control trigger, pass, fail, evidence, limitation, test coverage, corpus status | `CONTROL_DECISION_TABLE.md` |
| **B — Enforcement profile** | `PolicyDecision` contract, `PolicyAction` vocabulary, enforcement ladder, consequence matrix, human-review routing boundary, normative vs reference-implementation split | `enforcement-profile.md` |
| **C — Audit event specification** | Event schema, four event classes, append-only and tamper-evidence requirements, retention, lifecycle | `NHID_AUDIT_EVENT_SPEC_v1.0.md` |
| **D — FHIR R4 AuditEvent mapping** | Milestone mapping, agent slices, source element, entity slice, required vs optional, code systems, validation, known acceptable warnings, payer ingestion | `fhir-auditevent-mapping.md` |
| **E — Conformance test suite** | 18 CTS cases | `conformance/nhid_conformance_test_suite_v1.yaml` |
| **F — Synthetic traces** | Ten failure traces, one per failure mode, including a degraded audit chain and a replay divergence | `traces/` |
| **G — Shadow evaluation worksheet** | Capture schema, measurement script, report template | `pilot-kit/` |
| **H — Vendor trust questionnaire** | Ten sections, each mapped to a control | `vendor-trust-questionnaire.md` |
| **I — Adversarial testing** | 40-scenario corpus, case taxonomy, mutation strategies | `safety/adversarial-testing-report.md` |
| **J — Synthetic workflow validation** | Workflow taxonomy, scenario coverage, detection rates and limitations | `safety/synthetic-workflow-validation.md` |
| **K — ATR-01 traceability** | Requirement traceability matrix, implementation by component, gap analysis, verification conclusion | `ATR-01-TRACEABILITY-MATRIX.html` |
| **L — ATR-01 evidence validation** | Audit event reconstruction, integrity validation, capability validation, example compliance report | `ATR-01-EVIDENCE-VALIDATION-REPORT.html` |
| **M — Metrics and observability** | Metric definitions, dashboards, alert thresholds, export | `NHID_METRICS_AND_OBSERVABILITY_v1.md` |
| **N — Glossary** | Full terminology, preferred vs deprecated terms | `terminology.md` |
| **O — Claim boundaries** | In/out of scope, claims to make and avoid, maturity boundaries, standards posture | `claim-boundaries.md` |
| **P — Claims register** | 221 distinct claims across published surfaces, with method and verdict | `claims-register.md` |
| **Q — Release history** | Dated changelog with annotated corrections | `release-history.md` |
| **R — Source inventory** | What this Playbook was assembled from, and the figures verified for citation | `playbook-source-inventory.md` |

## Document status

| | |
|---|---|
| **Version** | Playbook 1.0 |
| **Published** | 2026-09-04 · revised 2026-09-05 |
| **Framework version** | NHID-Clinical v1.3 |
| **Source commit** | `e68a65d` — the commit the evidence below was measured and clean-clone verified at |
| **Evidence dates** | Conformance and governance figures measured 2026-09-04; Fabricate baseline unchanged since before this cycle; regulatory verifications 2026-09-03 |
| **Canonical location** | `docs/NHID-Clinical-Playbook.md` |
| **Status** | Voluntary open proposal. **Not** an accredited standard, certification programme, or regulatory requirement |
| **Known limitations** | Part I §9, Part III §1 and §6, Part V §6 |
| **Unresolved decisions** | G1–G4, Part V §5 |
| **Naming note** | Resolved 2026-09-04. The narrower NHID-Auth v2 document was renamed to `specs/NHID-Auth-v2-Technical-Reference.pdf`, so "Playbook" now names exactly one artifact. Its contents were **not** merged here — it covers a different subject |

**Publication does not confer status.** This document is a reference for people evaluating, implementing, or assessing NHID-Clinical. It is not an external standard, and it does not become one by being published.