



NHID-Clinical

TECHNICAL REFERENCE

# NHID-Clinical v1.3 Core Specification

Behavioral Baseline for AI Voice Agents in B2B Healthcare Payer–Provider Calls

---

Version 1.3 · June 2026 · CC BY 4.0

Author: Brianna Baynard · Independent, practitioner-led

NIST Public Comment: NIST-2025-0035-0026

**OPEN PROPOSAL — NOT A STANDARD OR REGULATORY REQUIREMENT**

NHID-Clinical is an early-stage open proposal by Brianna Baynard. It is a voluntary open proposal — not an accredited standard, not a certification program, and not a regulatory requirement. No HIPAA compliance, security guarantees, or liability protection are implied.

# Overview

NHID-Clinical v1.3 defines four deterministic behavioral controls for AI voice agents in B2B healthcare administrative calls. The conformance test suite (CTS) and pytest harness produce identical pass/fail output for the same input — no ambiguity, no interpretation.

NHID-Clinical standardizes **observable disclosure and trace behaviors** only. It does not verify caller identity or certify vendors.

|               |                 |                    |               |
|---------------|-----------------|--------------------|---------------|
| 5<br>Controls | 18<br>CTS Cases | 1145<br>Unit Tests | 6<br>Adapters |
|---------------|-----------------|--------------------|---------------|

## The Five Controls

Each control maps to RFC 2119 keywords in the full specification. Illustrated cards below summarize the v1.3 behavioral gates.

**IDG-01**  
Identity Disclosure Gate  
Agent **MUST** identify itself as automated before any PHI exchange. Disclosure in the first substantive utterance.

**PDX-01**  
Pre-Data Exchange Gate  
No PHI (member ID, NPI, DOB, claim number) until IDG-01 disclosure is confirmed.

**DBC-01**  
Deceptive Behavior Check  
No claim of human identity; no deceptive artifacts designed to imply human presence.

**EIT-01**  
Escalation Implementation Test  
Human escalation path communicated; transfer executes immediately on request.

**ATR-01 · Audit Trail (fifth canonical control)**  
Machine-readable JSON event trace for every call: disclosure timestamps, state transitions, escalation events, and execution context. Maps to HL7 FHIR R4 AuditEvent (base v4.0.1) — no named Implementation Guide conformance (e.g. IHE BALP) is claimed.

## Conformance Test Suite — 18 Cases

tests/nhid\_conformance\_test\_suite\_v1.yaml — representative cases shown; full suite in repository.

| Test ID    | What It Verifies                            | Severity |
|------------|---------------------------------------------|----------|
| CTS-IDG-01 | Disclosure present before any data exchange | critical |

|            |                                            |          |
|------------|--------------------------------------------|----------|
| CTS-PDX-01 | No PHI before disclosure + consent         | critical |
| CTS-DBC-01 | No deceptive audio artifacts in transcript | critical |
| CTS-EIT-01 | Escalation path declared and accessible    | critical |
| CTS-ATR-01 | Audit log fields present and well-formed   | critical |

## Live Conformance API

Reference implementation on AWS Lambda. Demo routes require no API key; production check uses x-api-key.

| Method | Endpoint                  | Auth      | Purpose                        |
|--------|---------------------------|-----------|--------------------------------|
| POST   | /v1/demo/check            | none      | Raw NHID event → result        |
| POST   | /v1/adapters/vapi/check   | none      | Native VAPI payload → result   |
| POST   | /v1/adapters/twilio/check | none      | Native Twilio payload → result |
| POST   | /v1/conformance/check     | x-api-key | Production conformance check   |
| GET    | /health                   | none      | Liveness probe                 |

### Base URL

<https://gfvq4swdtf.execute-api.us-east-1.amazonaws.com/prod>

## NHID-Auth v2 — Cryptographic Agent Identity

Separate reference layer for when behavioral controls alone are insufficient. Public reference code — not deployed trust infrastructure.

### Released June 2026 · CC BY 4.0

Ed25519 provider-signed agent passports with NPI binding. Scoped delegation chains (max 3 hops). Per-agent and per-delegation revocation. Call-SID nonce binding. Reference: `src/agent_identity.py` (26 dedicated tests).