

NHID-Clinical

A Voluntary Open Proposal for Agent Identity in Payer-Provider Voice Calls



v1.3

June 2026 · CC BY 4.0

PUBLIC OPERATIONAL REFERENCE MODEL

Version: 1.3 (June 2026) · Author: Brianna Baynard (Independent)

Status: Public Reference Model · Feedback: contact@nhid-clinical.org

NIST Public Comment: NIST-2025-0035-0026

▲ *NHID-Clinical is an early-stage open proposal. It is not an accredited standard, not a certification program, and not a regulatory requirement.*

Public Brief: The Impersonation Latency

When an AI agent calls a payer's prior authorization or benefits verification line, the receiving party often lacks reliable, consistent disclosure about whether the caller is human-operated or system-operated.

This uncertainty causes repeated clarifications, call transfers, manual fallback routing, and often 10+ repeat calls for a single routine task. In observed payer operations, agents frequently request member IDs, NPIs, or dates of birth within the first 15 seconds with no prior statement that the caller is automated.

Impersonation Latency

The duration of time an AI agent operates and exchanges PHI without disclosing its non-human identity. NHID-Clinical median observation: 3 turns before first disclosure attempt. This term is permanent and must never be renamed.

Focus area: This proposal provides a standardized, voluntary blueprint to establish clear expectations around identity disclosure at the initiation of machine-to-human B2B voice interactions in healthcare administrative workflows.

Proposed Core Behaviors (v1.3)

IDG-01 — Early disclosure. The agent states its non-human identity at the beginning of the interaction, before any substantive workflow execution or PHI request.

PDX-01 — Pre-data exchange gate. No protected health information (member ID, NPI, DOB, claim number, etc.) may be exchanged until IDG-01 disclosure is confirmed.

DBC-01 — No deception. The agent never claims to be human and does not use deceptive artifacts designed to imply human presence.

EIT-01 — Human escalation. A human escalation path is communicated and honored immediately when the receiving party requests a person.

ATR-01 — Audit trace (supplemental). Every call produces a machine-readable JSON event trace with disclosure timestamps, state transitions, and execution context — deterministic under identical input conditions.

An Important Distinction

NHID-Clinical does not verify caller identity or agent authenticity. It standardizes **observable disclosure and trace behaviors** only. These behaviors are documented with RFC 2119 keywords (MUST, SHOULD, MAY) in the full v1.3 specification, but they are not legally binding — purely a voluntary public operational reference model.

Cryptographic authorization (NHID-Auth v2 — Ed25519 agent passports, NPI-bound delegation) is documented as a separate reference layer for when behavioral controls alone are insufficient. It is public reference code, not a deployed trust infrastructure.

Available Resources & Tooling

The following resources are available on nhid-clinical.org and in the public GitHub repository to support evaluation and voluntary adoption:

- A working JSON event schema for call traces (`nhid_trace_schema_v1.json`).
- A deterministic policy engine that produces stable trace output under identical input conditions (modulo timestamps and non-deterministic IDs).
- An 18-case conformance test suite (CTS) in machine-readable YAML plus a pytest failure injection harness (330 passing unit tests in the reference implementation).
- 10 canonical trace files in `traces/` demonstrating real-world scenarios (eligibility, prior auth, claims status, bot-to-bot, audit gaps, and more).
- Six vendor adapters (VAPI, Twilio, Vonage, Retell, Amazon Connect, call-progress) accepting native call payloads and returning pass/fail conformance results.
- A live public conformance API — demo routes require no API key.
- Governance Simulator, Shadow Evaluation Guide, and Evidence Pack for payer operations teams.

Note on Scope

There are no certification claims, no HIPAA compliance claims, and no regulatory authority claims associated with this reference model. CAS (Call Authorization Score) is a measurement, not a certification seal.

The Payer Value Proposition

A regional payer that encourages its provider-facing vendors to adopt NHID-Clinical gains machine-auditable proof of how each voice agent handles identity disclosure — without writing custom contract language or building internal validation tooling from scratch.

- **Reduces audit friction:** Trace logs can be reviewed by your compliance team or fed into anomaly detection baselines.
- **Enables vendor transparency:** Require NHID-Clinical conformance as a lightweight RFP clause, not a heavy, expensive certification.
- **Supports asset inventorying:** Operations and security teams can treat NHID-Clinical traces as an observable signal alongside API keys and service accounts.
- **Zero production pilots to date:** NHID-Clinical is seeking its first shadow evaluation partners — you would be among the first.

Tactical Guidance for Payers

To leverage this proposal, payers can take the following immediate steps:

1. Read this operational brief and the Shadow Evaluation Guide (90-day observe-only methodology).
2. Ask your voice AI vendors (prior auth automation, benefits verification tools) whether they can produce NHID-Clinical-compatible traces in a sandbox.
3. Run the conformance test suite against their output — the test harness is ready on the Developers page and in the public repository.
4. Optionally add voluntary conformance to your vendor onboarding checklist — not as a pass/fail hurdle, but as a transparency preference.

You do not need to become a certification body, and you do not need intensive legal sign-off. This is a practical coordination tool, not a compliance mandate.

Governance & Disclaimers

- This is not an official standard (neither ANSI, ISO, nor HL7).
- It is not a certification — no one is certified, and no seal is offered.
- It is strictly voluntary — there is no legal obligation or regulatory authority.
- It does not provide inherent HIPAA compliance, security guarantees, or liability protection.
- FHIR R4 AuditEvent mapping validates against the base spec (v4.0.1) only — no named Implementation Guide conformance (e.g., IHE BALP) is claimed.

Access & Feedback

Full technical artifacts: nhid-clinical.org/developers · Specification: nhid-clinical.org/specification.html · GitHub: github.com/NHID-Clinical/NHID-Clinical · Feedback: GitHub Issues or contact@nhid-clinical.org