

NHID-Auth v1.0 Authorization Layer Specification Companion Specification to NHID-Clinical v1.3 Delegated Authority Verification for Healthcare Voice AI Author: Brianna Baynard Published: May 2026 License: CC BY 4.0 Abstract NHID-Auth addresses the authorization gap identified in NHID-Clinical v1.3: the ability to verify that an AI voice agent calling on behalf of a healthcare provider has legitimate delegated authority to access operational data. This companion specification defines a minimum viable attestation format for proof of delegation, separate from the behavioral disclosure requirements in NHID-Core. The authorization layer is intentionally decoupled to allow vendors to implement disclosure controls immediately while authorization infrastructure matures through real-world feedback.

1. The Authorization Problem NHID-Clinical v1.3 Core requires AI voice agents to disclose their non-human identity before data exchange. However, disclosure alone does not solve the verification problem: How does the receiving party confirm the AI agent is authorized to represent the claimed provider? Public identifiers like National Provider Identifier (NPI) do not prove authorization. Anyone can Google a provider's NPI and claim to call on their behalf. This creates an NPI spoofing vulnerability where unauthorized systems can extract protected operational data by naming a valid provider without proving delegation.
2. Core Principle: Identity  $\neq$  Authorization The fundamental distinction this specification makes: Identity: Who or what is calling (answered by NHID-Clinical disclosure) Authorization: Does the caller have permission to act on behalf of the named entity? Public identifiers establish identity. Authorization requires proof of delegation.
3. Authorization Model Requirements A valid authorization attestation MUST contain five elements:

| Element           | Description                                  | Example                                      |
|-------------------|----------------------------------------------|----------------------------------------------|
| Delegating Entity | Who granted permission                       | Provider NPI or Payer Organization ID        |
| Authorized Actor  | System acting on behalf of delegating entity | Vendor platform ID or AI system identifier   |
| Scope             | What actions are permitted                   | ['claims_inquiry', 'eligibility_check']      |
| Duration          | Validity period with start/end timestamps    | 2026-05-01T00:00:00Z to 2027-05-01T00:00:00Z |

Revocation Capability Mechanism for immediate invalidation Reference ID for lookup or revocation endpoint
4. Authorization Attestation Requirements A valid authorization attestation must contain five core elements. Organizations may implement these requirements using JSON, JWT, database records, or bilateral agreements — the format is not prescribed. Required Elements:

| Element           | Purpose                 | Example Value                              |
|-------------------|-------------------------|--------------------------------------------|
| Delegating Entity | Who granted permission  | Provider NPI or Payer Organization ID      |
| Authorized Actor  | System acting on behalf | Vendor platform ID or AI system identifier |
| Scope             |                         |                                            |

Permitted actions Claims inquiry, eligibility verification Duration Validity period  
Start date through end date in ISO 8601 format Revocation Capability  
Invalidation mechanism Reference ID or revocation endpoint

3. Validation Requirements Receiving parties validating authorization should verify:
4. Existence of Delegation: Attestation exists and contains all five required elements
5. Scope Limitation: Requested action falls within the defined scope
6. Temporal Validity: Current timestamp falls within the validity period

7. Revocation Awareness: Attestation has not been revoked (if revocation infrastructure exists) Organizations may validate attestations through internal databases, third-party registries, or bilateral verification agreements. NHID-Auth does not mandate a specific validation architecture.
6. Design Intent and Future Evolution NHID-Auth v1.0 is intentionally minimal to enable immediate adoption while the ecosystem develops verification infrastructure. Key design principles:  
Portable: No cryptographic infrastructure required at baseline Audit-Friendly: Human-readable format for compliance review Extensible: Upgrade path to JWT, PKI, or registry-based systems Decoupled: Authorization layer independent of NHID-Core behavioral requirements Future Evolution (v1.1+):
  - JWT-based attestations with signature verification
  - Central registry for real-time authorization lookup
  - Scope negotiation protocols
  - Revocation APIs and certificate revocation lists
  - Integration with FHIR authorization frameworks
7. Relationship to NHID-Clinical v1.3 Core NHID-Auth is a companion specification, not a replacement. The two layers work together: Layer Addresses Status NHID-Core v1.3 Behavioral disclosure (who is calling, when they disclose, how they escalate) Stable - implementable now NHID-Auth v1.0 Authorization verification (proof of delegation to act on behalf of provider) Baseline - infrastructure maturing Organizations can implement NHID-Core behavioral controls immediately and adopt NHID-Auth authorization verification when organizational partnerships and verification infrastructure are ready.
8. Implementation Guidance Vendor Implementation:

8. Generate attestation with delegating\_entity from provider contract
9. Include reference\_id for audit trail
10. Set scope to minimum actions required (principle of least privilege)
11. Implement expiration and renewal workflow

12. Provide revocation endpoint or invalidation mechanism Payer/Receiver Implementation:
13. Request authorization attestation during call
14. Validate attestation structure and required fields
15. Check scope matches requested action
16. Verify temporal validity (issued\_at, expires\_at)
17. Log reference\_id for audit purposes9. References • NHID-Clinical v1.3 Core Specification • OAuth 2.0 Authorization Framework (RFC 6749) • JSON Web Token (JWT) Specification (RFC 7519) • NIST Special Publication 800-63-3: Digital Identity Guidelines • HIPAA Security Rule: Access Control Standards (45 CFR § 164.308(a)(4))
18. License and Attribution This specification is released under Creative Commons Attribution 4.0 International (CC BY 4.0). Suggested citation: Baynard, B. (2026). NHID-Auth v1.0 Specification: Authorization Layer for Healthcare Voice AI. nhid-clinical.org. CC BY 4.0.
19. Contact Information Technical Questions: [help@nhid-clinical.org](mailto:help@nhid-clinical.org) Website: [nhid-clinical.org](https://nhid-clinical.org) Community: Discord ([discord.gg/eP8FxXkGU6](https://discord.gg/eP8FxXkGU6)) | Reddit ([r/NonHumanAuth](https://www.reddit.com/r/NonHumanAuth))