NHS Data Model and Dictionary

NHS Digital

Type:	Change Request
Reference:	1693
Version No:	2.0
Subject:	GUMCAD Sexually Transmitted Infection Surveillance System Data Set
Effective Date:	1 October 2018
Reason for Change:	Change to Information Standards
Publication Date:	1 October 2018

Background:

Genitourinary Medicine Clinic Activity Data Set (GUMCAD) version 2 was approved by Information Standards Board (ISB) as ISB 0139. The epidemiology of sexually transmitted infections (STIs) in England is monitored through the GUMCADv2 data set. While GUMCADv2 has led to a major improvement in the national surveillance of sexually transmitted infections and is now an internationally unique data set used to monitor outbreaks and other public health incidents, inform sexual health policy decisions and evaluate interventions, however it remains limited by a lack of critical sexual health information. Public Health England (PHE) has therefore made the case to enhance GUMCADv2 through modification of existing clinic software systems. GUMCADv2 is to be replaced by the next version which is the GUMCAD Sexually Transmitted Infection Surveillance System Data Set which includes:

- New Data Items and amendments to National Code values and descriptions to cover:
  ◦ Enhanced behavioural data on the number of sexual partners
  ◦ Condom use
  ◦ Alcohol and recreational drug use
  ◦ Partner notification outcomes
  ◦ Pre-exposure prophylaxis (PrEP) HIV Intervention
  ◦ SNOMED CT Expressions
  ◦ Adding the new Data Elements for Lower Layer Super Output Area (Person Residence) and ONS Local Government Geographic Area Code (Local Authority District) in line with NHS Data Model and Dictionary Change Notice (DDCN) 1559
  ◦ Replacing Data Element Site Code (Of Treatment) with Organisation Identifier (Code of Provider) to reflect changes to the coding structure of organisation reference data in line with the Information Standard SCCI0090
  ◦ Renames the data set to GUMCAD Sexually Transmitted Infection Surveillance System Data Set.

This Change Request amends the GUMCAD Sexually Transmitted Infection Surveillance System Data Set and supporting definitions to the NHS Data Model and Dictionary to support the Information Standard.

To view a demonstration on "How to Read an NHS Data Model and Dictionary Change Request", visit the NHS Data Model and Dictionary help pages at: http://www.datadictionary.nhs.uk/Flash_Files/changerequest.htm. Note: if the web page does not open, please copy the link and paste into the web browser.

Summary of changes:

Data Set

GUMCAD SEXUALLY TRANSMITTED INFECTION SURVEILLANCE SYSTEM DATA SET renamed from GENITOURINARY MEDICINE CLINIC ACTIVITY DATA SET	Changed Name, Description

Supporting Information

GUMCAD SEXUALLY TRANSMITTED INFECTION SURVEILLANCE SYSTEM DATA SET OVERVIEW renamed from GENITOURINARY MEDICINE CLINIC ACTIVITY DATA SET OVERVIEW	Changed Name, Description
INITIAL PARTNER NOTIFICATION DISCUSSION	New Supporting Information
LEVEL 1 SEXUAL HEALTH SERVICE	Changed Description
LEVEL 2 SEXUAL HEALTH SERVICE	Changed Description
LEVEL 3 GENITOURINARY MEDICINE SERVICE	Changed Description
SEXUAL HEALTH AND HIV EPISODE	Changed Description
SEXUALLY TRANSMITTED INFECTION SERVICE	New Supporting Information

Class Definitions

ACTIVITY GROUP	Changed Attributes
ACTIVITY OFFER	Changed Attributes
CLINIC OR FACILITY	Changed Attributes
CONTRACEPTION	Changed Attributes
PRESCRIBED ITEM	Changed Attributes
SERVICE	Changed Attributes
SUBSTANCE	Changed Attributes

Attribute Definitions

ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR FOR SEXUAL HEALTH SERVICE	New Attribute
ALCOHOL USE ASSESSED INDICATOR FOR SEXUAL HEALTH SERVICE	New Attribute
CLINIC TYPE FOR SEXUAL HEALTH SERVICE	New Attribute
CONDOMLESS SEX INDICATOR	New Attribute
CONSULTATION MEDIUM USED	Changed Description
CONTRACEPTIVE SERVICE TYPE (RETIRED) renamed from CONTRACEPTIVE SERVICE TYPE	Changed status to Retired, Name, Description
GENDER IDENTITY CODE FOR SEXUAL HEALTH	Changed Description
HIV POSITIVE PARTNERS IN THE LAST THREE MONTHS INDICATOR FOR PENETRATIVE SEX MALE SAME SEX PARTNERS	New Attribute
NEW SEX PARTNERS IN THE LAST THREE MONTHS INDICATOR	New Attribute
NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE	New Attribute
PARTNER NOTIFICATION CONSULTATION INDICATOR FOR SEXUAL HEALTH SERVICE	New Attribute
PATIENT ATTENDANCE SYMPTOMATIC INDICATOR FOR SEXUAL HEALTH SERVICE	New Attribute
PATIENT DIAGNOSIS CONFIRMED INDICATION CODE FOR SEXUAL HEALTH SERVICE	New Attribute
PATIENT DIAGNOSIS SITE OF INFECTION FOR SEXUAL HEALTH SERVICE	New Attribute
PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE FOR SEXUAL HEALTH SERVICE	New Attribute
PERSON RISK FACTOR FOR SEXUALLY TRANSMITTED INFECTION	New Attribute
PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE	New Attribute
PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON	New Attribute
PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE	New Attribute
PRE EXPOSURE PROPHYLAXIS STOPPED REASON	New Attribute
PRESCRIBED ITEM QUANTITY FOR PRE EXPOSURE PROPHYLAXIS	New Attribute
SERVICE TYPE	Changed Description
SERVICE TYPE FOR SEXUAL HEALTH	New Attribute
SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE	Changed Description
SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR	New Attribute
SEXUAL ORIENTATION CODE	Changed Description
SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR	New Attribute
SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR	New Attribute
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR	New Attribute

Data Elements

ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR (SEXUAL HEALTH SERVICE)	New Data Element
ALCOHOL USE ASSESSED INDICATOR (SEXUAL HEALTH SERVICE)	New Data Element
CLINIC TYPE (SEXUAL HEALTH SERVICE)	New Data Element
CONDOMLESS SEX INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)	New Data Element
CONDOMLESS SEX INDICATOR (PENETRATIVE SEX OPPOSITE SEX PARTNERS FOR THE LAST TIME PERSON HAD SEX))	New Data Element
CONDOMLESS SEX INDICATOR (RECEPTIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)	New Data Element
CONSULTATION MEDIUM USED (SEXUAL HEALTH SERVICE)	New Data Element
DIAGNOSTIC OR PROCEDURE CODING (SEXUAL HEALTH AND HUMAN IMMUNODEFICIENCY VIRUS RELEVANT READ CODES)	Changed Description
ETHNIC CATEGORY	Changed Description
FIRST ATTENDANCE CODE	Changed Description
HIV POSITIVE PARTNERS IN LAST THREE MONTHS INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS)	New Data Element
INITIAL PARTNER NOTIFICATION DISCUSSION DATE	New Data Element
LOCAL PATIENT IDENTIFIER (EXTENDED)	Changed Description
LOWER LAYER SUPER OUTPUT AREA (PERSON RESIDENCE)	Changed Description
NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (FEMALE SAME SEX PARTNERS)	New Data Element
NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (OPPOSITE SEX PARTNERS)	New Data Element
NUMBER OF CONTACTABLE PATIENT REPORTED PARTNERS FOR DIAGNOSED SEXUALLY TRANSMITTED INFECTION	New Data Element
NUMBER OF PATIENT PARTNERS CONFIRMED AS ATTENDED A SEXUAL HEALTH SERVICE	New Data Element
NUMBER OF PATIENT PARTNERS REPORTED AS ATTENDED A SEXUAL HEALTH SERVICE	New Data Element
NUMBER OF PATIENT REPORTED PARTNERS FOR DIAGNOSED SEXUALLY TRANSMITTED INFECTION	New Data Element
NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (FEMALE SAME SEX PARTNERS)	New Data Element
NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (MALE SAME SEX PARTNERS)	New Data Element

[NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (OPPOSITE SEX PARTNERS)](#)	New Data Element
[ONS LOCAL GOVERNMENT GEOGRAPHIC AREA CODE (LOCAL AUTHORITY DISTRICT)](#)	Changed Description
[ONS LOCAL GOVERNMENT GEOGRAPHY CODE (LOCAL AUTHORITY DISTRICT) (RETIRED)](#) renamed from [ONS LOCAL GOVERNMENT GEOGRAPHY CODE (LOCAL AUTHORITY DISTRICT)](#)	Changed status to Retired, Name, Description
[PARTNER NOTIFICATION CONSULTATION INDICATOR (SEXUAL HEALTH SERVICE)](#)	New Data Element
[PATIENT ATTENDANCE SYMPTOMATIC INDICATOR (SEXUAL HEALTH SERVICE)](#)	New Data Element
[PATIENT DIAGNOSIS CONFIRMED INDICATION CODE (SEXUAL HEALTH SERVICE)](#)	New Data Element
[PATIENT DIAGNOSIS SITE OF INFECTION (SEXUAL HEALTH SERVICE)](#)	New Data Element
[PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE (SEXUAL HEALTH SERVICE)](#)	New Data Element
[PERSON RISK FACTOR (SEXUALLY TRANSMITTED INFECTION)](#)	New Data Element
[PERSON STATED SEXUAL ORIENTATION CODE](#)	Changed Description
[PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE](#)	New Data Element
[PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON](#)	New Data Element
[PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE](#)	New Data Element
[PRE EXPOSURE PROPHYLAXIS STOPPED REASON](#)	New Data Element
[PRESCRIBED ITEM QUANTITY (PRE EXPOSURE PROPHYLAXIS)](#)	New Data Element
[SERVICE TYPE (SEXUAL HEALTH)](#)	New Data Element
[SEXUAL HEALTH AND HIV ACTIVITY HEALTH ISSUE (SNOMED CT)](#)	New Data Element
[SEXUAL HEALTH AND HIV ACTIVITY PROCEDURE (SNOMED CT)](#)	New Data Element
[SEXUAL HEALTH SERVICE ATTENDANCE SOURCE (SNOMED CT)](#)	New Data Element
[SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR](#)	New Data Element
[SNOMED CT EXPRESSION](#)	Changed Description
[SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR](#)	New Data Element
[SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR](#)	New Data Element
[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (AMPHETAMINE OR SPEED)](#)	New Data Element
[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (BENZODIAZEPINES NON PRESCRIBED)](#)	New Data Element
[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CANNABIS)](#)	New Data Element
[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (COCAINE)](#)	New Data Element
[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRACK)](#)	New Data Element
[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRYSTAL METH OR METHAMPHETAMINE)](#)	New Data Element
[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (ECSTASY OR METHYLENEDIOXYMETHAMPHETAMINE)](#)	New Data Element
[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (GAMMAHYDROXYBUTYRATE OR GAMMABUTYROLACTONE)](#)	New Data Element
[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (HEROIN)](#)	New Data Element
[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (KETAMINE)](#)	New Data Element
[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (MEPHEDRONE)](#)	New Data Element
[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (METHADONE)](#)	New Data Element
[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (NOVEL PSYCHOACTIVE)](#)	New Data Element
[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (POPPERS)](#)	New Data Element
[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (RECREATIONAL DRUGS)](#)	New Data Element
[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (SOLVENTS OR GLUE)](#)	New Data Element
[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (UNCLASSIFIED SUBSTANCE)](#)	New Data Element

Date: 1 October 2018

Sponsor: Professor Noel Gill, Head of HIV/STI Department, Public Health England

Note: New text is shown with a blue background. Deleted text is crossed out. Retired text is shown in grey. Within the Diagrams deleted classes and relationships are red, changed items are blue and new items are green.

GUMCAD SEXUALLY TRANSMITTED INFECTION SURVEILLANCE SYSTEM DATA SET renamed from GENITOURINARY MEDICINE CLINIC ACTIVITY DATA SET

Change to Data Set: Changed Name, Description

[GUMCAD Sexually Transmitted Infection Surveillance System Data Set Overview](#)

~~Genitourinary Medicine Clinic Activity Data Set Overview~~For a "Full Screen" view, click [GUMCAD Sexually Transmitted Infection Surveillance System Data Set](#).

~~The Opt (Optionality) column indicates the NHS recommendation for the inclusion of data:~~In the "Full Screen" view, to return to the "Data Set" view, click the browser "back" button.

The Mandatory or Optional (M/R) column indicates the recommendation for the inclusion of data.

- M = Mandatory: this data element is mandatory and the technical process (e.g. submission of the data set, production of output etc) cannot be completed without this data element being present
- ~~R = Required: NHS business processes cannot be delivered without this data element.~~
- R = Required: NHS business processes cannot be delivered without this data element

~~Opt~~	~~Data Set Data Elements~~
~~M~~	~~SITE CODE (OF TREATMENT)~~
~~M~~	~~LOCAL PATIENT IDENTIFIER (EXTENDED)~~
~~R~~	~~SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE~~
	~~Multiple occurrences of this data item are permitted~~
~~R~~	~~or~~
	~~DIAGNOSTIC OR PROCEDURE CODING (SEXUAL HEALTH AND HUMAN IMMUNODEFICIENCY VIRUS RELEVANT READ CODES)~~
	~~Multiple occurrences of this data item are permitted~~
~~M~~	~~PERSON STATED GENDER CODE~~
~~M~~	~~AGE AT ATTENDANCE DATE~~
~~M~~	~~SEXUAL ORIENTATION (CURRENT)~~
~~M~~	~~ETHNIC CATEGORY~~
~~M~~	~~COUNTRY CODE (BIRTH)~~
~~M~~	~~ONS LOCAL GOVERNMENT GEOGRAPHY CODE (LOCAL AUTHORITY DISTRICT)~~
~~M~~	~~LOWER LAYER SUPER OUTPUT AREA (RESIDENCE)~~
~~M~~	~~FIRST ATTENDANCE CODE~~
~~M~~	~~ATTENDANCE DATE~~
SERVICE INFORMATION DETAILS	

To carry the service information details.
One occurrence of this group is required.

M/R	Data Set Data Elements
M	ORGANISATION SITE IDENTIFIER (OF TREATMENT)
M	CLINIC TYPE (SEXUAL HEALTH SERVICE)

PERSONAL AND DEMOGRAPHIC DETAILS

To carry personal and demographic details.
One occurrence of this group is required.

M/R	Data Set Data Elements
M	LOCAL PATIENT IDENTIFIER (EXTENDED)
M	PERSON RISK FACTOR (SEXUALLY TRANSMITTED INFECTION)
M	GENDER IDENTITY CODE (SEXUAL HEALTH)
M	GENDER IDENTITY SAME AT BIRTH INDICATOR
M	AGE AT ATTENDANCE DATE
M	PERSON STATED SEXUAL ORIENTATION CODE
M	ETHNIC CATEGORY
M	COUNTRY CODE (BIRTH)
M	ONS LOCAL GOVERNMENT GEOGRAPHIC AREA CODE (LOCAL AUTHORITY DISTRICT)
M	LOWER LAYER SUPER OUTPUT AREA (PERSON RESIDENCE)

CLINIC ATTENDANCE AND ACTIVITY DETAILS

To carry clinic attendance and activity details.
One occurrence of this group is required.

M/R	Data Set Data Elements
M	SEXUAL HEALTH SERVICE ATTENDANCE SOURCE (SNOMED CT)
M	ATTENDANCE DATE
M	CONSULTATION MEDIUM USED (SEXUAL HEALTH SERVICE)
M	CONSULTATION TYPE
M	SERVICE TYPE (SEXUAL HEALTH)
M	PARTNER NOTIFICATION CONSULTATION INDICATOR (SEXUAL HEALTH SERVICE)
M	PATIENT ATTENDANCE SYMPTOMATIC INDICATOR (SEXUAL HEALTH SERVICE)
R	SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE
	Multiple occurrences of this data item are permitted
	or
	DIAGNOSTIC OR PROCEDURE CODING (SEXUAL HEALTH AND HUMAN IMMUNODEFICIENCY VIRUS RELEVANT READ

	CODES) Multiple occurrences of this data item are permitted *or* SEXUAL HEALTH AND HIV ACTIVITY HEALTH ISSUE (SNOMED CT) Multiple occurrences of this data item are permitted *or* SEXUAL HEALTH AND HIV ACTIVITY PROCEDURE (SNOMED CT)
M	PATIENT DIAGNOSIS CONFIRMED INDICATION CODE (SEXUAL HEALTH SERVICE)
M	PATIENT DIAGNOSIS SITE OF INFECTION (SEXUAL HEALTH SERVICE)
M	PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE (SEXUAL HEALTH SERVICE)

PARTNER DETAILS

To carry the opposite sex partnership details.
One occurrence of this group is required.

M/R	Data Set Data Elements
M	NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (OPPOSITE SEX PARTNERS)
M	NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (OPPOSITE SEX PARTNERS)
M	CONDOMLESS SEX INDICATOR (PENETRATIVE SEX OPPOSITE SEX PARTNERS FOR THE LAST TIME PERSON HAD SEX))

To carry the male same sex partnership details.
One occurrence of this group is required.

M/R	Data Set Data Elements
M	NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (MALE SAME SEX PARTNERS)
M	HIV POSITIVE PARTNERS IN LAST THREE MONTHS INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS)
M	CONDOMLESS SEX INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)
M	CONDOMLESS SEX INDICATOR (RECEPTIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)

To carry the female same sex partnership details.
One occurrence of this group is required.

M/R	Data Set Data Elements
M	NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (FEMALE SAME SEX PARTNERS)
M	NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (FEMALE SAME SEX PARTNERS)

To carry the partner notification details.
One occurrence of this group is required.

M/R	Data Set Data Elements
M	INITIAL PARTNER NOTIFICATION DISCUSSION DATE
M	NUMBER OF PATIENT REPORTED PARTNERS FOR DIAGNOSED SEXUALLY TRANSMITTED INFECTION
M	NUMBER OF CONTACTABLE PATIENT REPORTED PARTNERS FOR DIAGNOSED SEXUALLY TRANSMITTED INFECTION
M	NUMBER OF PATIENT PARTNERS REPORTED AS ATTENDED A SEXUAL HEALTH SERVICE
M	NUMBER OF PATIENT PARTNERS CONFIRMED AS ATTENDED A SEXUAL HEALTH SERVICE

PRE-EXPOSURE PROPHYLAXIS (PrEP) DETAILS

To carry the Pre- Exposure Prophylaxis (PrEP) details.
One occurrence of this group is required.

M/R	Data Set Data Elements
M	PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON
M	PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE
M	PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE
M	PRESCRIBED ITEM QUANTITY (PRE EXPOSURE PROPHYLAXIS)
M	PRE EXPOSURE PROPHYLAXIS STOPPED REASON

DRUG AND ALCOHOL USAGE DETAILS

To carry drug and alcohol usage details.
One occurrence of this group is required.

M/R	Data Set Data Elements
M	ALCOHOL USE ASSESSED INDICATOR (SEXUAL HEALTH SERVICE)
M	ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR (SEXUAL HEALTH SERVICE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (RECREATIONAL DRUGS)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (AMPHETAMINE OR SPEED)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (BENZODIAZEPINES NON PRESCRIBED)

M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CANNABIS)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (COCAINE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRACK)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRYSTAL METH OR METHAMPHETAMINE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (ECSTASY OR METHYLENEDIOXYMETHAMPHETAMINE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (GAMMAHYDROXYBUTYRATE OR GAMMABUTYROLACTONE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (HEROIN)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (KETAMINE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (MEPHEDRONE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (METHADONE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (NOVEL PSYCHOACTIVE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (POPPERS)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (SOLVENTS OR GLUE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (UNCLASSIFIED SUBSTANCE)
M	SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR
M	SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR
M	SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR

GUMCAD SEXUALLY TRANSMITTED INFECTION SURVEILLANCE SYSTEM DATA SET_ renamed from GENITOURINARY MEDICINE CLINIC ACTIVITY DATA SET

Change to Data Set: Changed Name, Description

- Changed Name from Data_Dictionary.Messages.Clinical_Data_Sets.Data_Sets.Genitourinary_Medicine_Clinic_Activity_Data_Set to Data_Dictionary.Messages.Clinical_Data_Sets.Data_Sets.GUMCAD_Sexually_Transmitted_Infection_Surveillance_System_Data_Set
- Changed Description

GUMCAD SEXUALLY TRANSMITTED INFECTION SURVEILLANCE SYSTEM DATA SET OVERVIEW_ renamed from GENITOURINARY MEDICINE CLINIC ACTIVITY DATA SET OVERVIEW

Change to Supporting Information: Changed Name, Description

Contextual Overview

The Genitourinary Medicine Clinic Activity Data Set provides essential public health information about Sexually Transmitted Infection (STI) diagnoses, treatments and SERVICES provided by Level 3 Genitourinary Medicine Services and commissioned Level 2 Sexual Health Services.The GUMCAD Sexually Transmitted Infection Surveillance System Data Set provides essential public health information about Sexually Transmitted Infection (STI) diagnoses, treatments and SERVICES provided by Level 3 Genitourinary Medicine Services and commissioned Level 2 Sexual Health Services.

The Genitourinary Medicine Clinic Activity Data Set is used:The GUMCAD Sexually Transmitted Infection Surveillance System Data Set is used:

- To inform public health response and policy formulation for England
- To monitor the effectiveness of the policies introduced as part of the National Strategy for Sexual Health and Human Immunodeficiency Virus (HIV)
- For performance management at local and national level to ensure delivery of the national Public Service Agreement target on Sexual Health Services
- For better planning and management of Sexual Health Services at local level
- To adapt and refine clinical interventions, as appropriate

DATA EXTRACT SPECIFICATION

Description:

Public Health England require Sexual Health Services to generate and provide a data extract in accordance with the Genitourinary Medicine Clinic Activity Data Set.Public Health England require Sexual Health Services to generate and provide a data extract in accordance with the GUMCAD Sexually Transmitted Infection Surveillance System Data Set. These SERVICES include:

- NHS providers of specialised Level 3 Genitourinary Medicine Services, where the primary function of the specialist clinical multidisciplinary team is concerned with the provision of screening, diagnosis and management of Sexually Transmitted Infections and related genital medical conditions.
- All Level 2 Sexual Health Services commissioned by the NHS who offer testing, diagnostic and/or treatment of Sexually Transmitted Infections.

It should be noted that General Practitioners with Special Interests (GPwSI) will only be included if they operate from a General Medical Practitioner Practice that has been commissioned to provide a Level 2 Sexual Health Service.

Time period: The extract must cover one calendar quarter.

Frequency: Reports must be run quarterly, 6 weeks after the end of the quarter.

Format: Data returned must be formatted into a single comma separated variable (csv) file. ~~The data elements should be transmitted in the order specified in the Genitourinary Medicine Clinic Activity Data Set~~. The data elements should be transmitted in the order specified in the GUMCAD Sexually Transmitted Infection Surveillance System Data Set.

Transmission: Electronic files must be transmitted to Public Health England through a secure web portal on the Public Health England website. This web portal enables Organisations to submit data files in a secure manner to the HIV and STI Department of Public Health England. The web portal can be found at HIV & STI web portal.

Connection to the web portal requires a login account name and password at Public Health England. Please contact gumcad@phe.org.uk for access or more information.

~~Further guidance on the Genitourinary Medicine Clinic Activity Data Set can be found on the Public Health England part of the gov.uk website at: Genitourinary Medicine Clinic Activity Data Set~~.

Further guidance on the GUMCAD Sexually Transmitted Infection Surveillance System Data Set can be found on the Public Health England part of the gov.uk website at: STI Surveillance, data, screening and management.

INITIAL PARTNER NOTIFICATION DISCUSSION

Change to Supporting Information: New Supporting Information

An Initial Partner Notification Discussion is a CARE CONTACT.

An Initial Partner Notification Discussion is the initial discussion at a Sexual Health Service about the PERSON's partners.

This supporting information is also known by these names:

Context	Alias
plural	Initial Partner Notification Discussions

LEVEL 1 SEXUAL HEALTH SERVICE

Change to Supporting Information: Changed Description

Level 1 Sexual Health Service is a Sexual Health Service.

Level 1 Sexual Health Services provide Sexually Transmitted Infection (STI) management and includes:

- Sexual history-taking and risk assessment: Including assessment of need for emergency CONTRACEPTION and Human Immunodeficiency Virus (HIV) post-exposure prophylaxis following sexual exposure (PEPSE)
- Signposting to appropriate Sexual Health Services
- Chlamydia screening: Opportunistic screening for genital chlamydia in asymptomatic males and females under the age of 25
- Asymptomatic Sexually Transmitted Infection screening and treatment of asymptomatic infections (except treatment for syphilis) in men (excluding men who have sex with men) and women
- Partner notification of Sexually Transmitted Infections or onward referral for partner notification
- Human Immunodeficiency Virus testing: Including appropriate pre-test discussion and giving results
- Point of care Human Immunodeficiency Virus testing: Rapid result Human Immunodeficiency Virus testing using a validated test (with confirmation of positive results or referral for confirmation)
- Screening and vaccination for Hepatitis B: Appropriate screening and vaccination for Hepatitis B in at-risk groups
- Sexual health promotion: Provision of verbal and written sexual health promotion information
- Condom distribution: Provision of condoms for safer sex
- Psychosexual problems: Assessment and referral for psychosexual problems

---

LEVEL 2 SEXUAL HEALTH SERVICE

Change to Supporting Information: Changed Description

A Level 2 Sexual Health Service is a Sexual Health Service.

Level 2 Sexual Health Services incorporate Sexual Health Services provided by a Level 1 Sexual Health Service plus:

- ~~Intrauterine Device/System (IUD/IUS) insertion and removal (including emergency IUD)~~
- ~~CONTRACEPTION implant insertion and removal~~
- ~~Counselling and referral for vasectomy~~
- Sexually Transmitted Infection (STI) testing and treatment of symptomatic but uncomplicated infections in men (except men who have sex with men) and women excluding: men with dysuria and/or genital discharge, symptoms at extra-genital sites, e.g. rectal or pharyngeal, pregnant women, genital ulceration other than uncomplicated genital herpes.

Commissioned Level 2 Sexual Health Services include:

- Enhanced General Practices
- Sexual and Reproductive Health Services
- ~~Integrated services (joint Genitourinary Medicine and Sexual and Reproductive Health Services)~~
- Young people clinics such as Brook
- Other NHS commissioned Sexual Health Services

LEVEL 3 GENITOURINARY MEDICINE SERVICE

Change to Supporting Information: Changed Description

A Level 3 Genitourinary Medicine Service is a Sexual Health Service.

Level 3 Genitourinary Medicine Services provide Sexually Transmitted Infection (STI) management and include SERVICES provided by Level 1 Sexual Health Services and Level 2 Sexual Health Services plus:

- Sexually Transmitted Infection testing and treatment of men who have sex with men
- Sexually Transmitted Infection testing and treatment of men with dysuria and genital discharge
- Testing and treatment of Sexually Transmitted Infections at extra-genital sites
- Sexually Transmitted Infections with complications, with or without symptoms
- Sexually Transmitted Infections in pregnant women
- Gonorrhoea cultures and treatment of gonorrhoea
- Recurrent or recalcitrant Sexually Transmitted Infections and related conditions
- ~~Management of syphillis at all stages of infection and blood borne viruses~~
- Management of syphilis at all stages of infection and blood borne viruses
- Tropical Sexually Transmitted Infections
- ~~Specialist Sexually Transmitted Infection (HIV) treatment and care~~
- ~~Provision and follow up of Sexually Transmitted Infection post exposure prophylaxis (PEP), both sexual and occupational~~
- Specialist HIV treatment and care
- Provision and follow up of HIV post exposure prophylaxis (PEP), both sexual and occupational
- Sexually Transmitted Infection service co-ordination across a network including:
  ◦ Clinical leadership of Sexually Transmitted Infection management
  ◦ Co-ordination of clinical governance
  ◦ Co-ordination of Sexually Transmitted Infection training
  ◦ Co-ordination of partner notification

SEXUAL HEALTH AND HIV EPISODE

Change to Supporting Information: Changed Description

A Sexual Health and HIV Episode is an ACTIVITY GROUP.

A Sexual Health and HIV Episode is an episode of care, under one Health Care Provider, comprising of one or more attendances, where a CONSULTANT has overall responsibility for the PATIENT who attends for screening, diagnosis and management of sexually transmissible infections and related conditions. The PATIENT may be seen by other CARE PROFESSIONALS, during the same care episode, who are working on behalf of the CONSULTANT.

The episode starts on the date the PATIENT first sees or is in contact with a CARE PROFESSIONAL in respect of a REFERRAL REQUEST from either a Health Care Provider or a self referral.

~~The episode ends when either the PATIENT is formally discharged or has not had face to face contact with the SERVICE for at least six months.~~

The episode ends when either the PATIENT is formally discharged or has not had face to face contact with the SERVICE for at least six weeks.

~~Each Sexual Health and HIV Episode may be for one or more SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPES and each SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE is recorded at a first attendance. The only exception to this is where the PATIENT attends for HIV related care in which case the relevant SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE should be recorded at every attendance.~~

Each Sexual Health and HIV Episode may be for one or more sexual health related activity which should be recorded once per Sexual Health and HIV Episode with the exception of HIV-related care which can be recorded at every attendance.

SEXUALLY TRANSMITTED INFECTION SERVICE

Change to Supporting Information: New Supporting Information

A Sexually Transmitted Infection Service is a SERVICE.

A Sexually Transmitted Infection Service is a free and open access SERVICE providing advice and testing for Sexually Transmitted Infections (STI's), treatment counselling and partner notification for those found to have STI's.

This supporting information is also known by these names:

Context	Alias
shortname	STI Service
plural	Sexually Transmitted Infection Services

ACTIVITY GROUP

Change to Class: Changed Attributes

Attributes of this Class are:

        A and E PATIENT GROUP
        ACTIVITY GROUP TYPE
        ADMISSION METHOD
        CANCER OR SYMPTOMATIC BREAST REFERRAL PATIENT STATUS
        CANCER TRANSFER REASON FOR INTER PROVIDER TRANSFER
        CANCER TREATMENT INTENT
        CARER RESIDENT INDICATION CODE FOR NATIONAL NEONATAL DATA SET
        CHILDREN TEENAGERS AND YOUNG ADULTS AGE CATEGORY
        COMMUNITY TREATMENT ORDER END REASON
        DAUGHTER BORN AT THIS ENCOUNTER INDICATOR
        DECISION TO UNDERTAKE FURTHER ASSESSMENT INDICATOR
        DELIVERY PLACE CHANGE REASON
        DISCHARGE DESTINATION
        DISCHARGED TO HOSPITAL AT HOME SERVICE INDICATOR
        DISCHARGE METHOD
        ESTIMATED DATE OF DELIVERY
        FIRST REGULAR DAY OR NIGHT ADMISSION
        HOLISTIC NEEDS ASSESSMENT POINT OF PATHWAY FOR CANCER
        IMPROVING ACCESS TO PSYCHOLOGICAL THERAPIES CARE SPELL END CODE
        IMPROVING ACCESS TO PSYCHOLOGICAL THERAPIES OPT IN DATE
        IMPROVING ACCESS TO PSYCHOLOGICAL THERAPIES STEPPED CARE INTENSITY DELIVERED
        LENGTH OF STAY ADJUSTMENT
        LENGTH OF STAY ADJUSTMENT REASON
        MENTAL HEALTH ABSOLUTE DISCHARGE RESPONSIBILITY
        MENTAL HEALTH CONDITIONAL DISCHARGE END REASON
        MENTAL HEALTH DELAYED DISCHARGE ATTRIBUTABLE TO INDICATION CODE
        MENTAL HEALTH DELAYED DISCHARGE REASON
        MONITORING INTENT
        NEONATAL CRITICAL INCIDENT TYPE
        NEONATAL LEVEL OF CARE
        NON SMOKING CONFIRMATION STATUS AT 4 WEEKS
        OUTCOME AT 4 WEEK FOLLOW UP FOR STOP SMOKING
        PALLIATIVE CARE SPECIALIST SEEN INDICATOR
        PALLIATIVE TREATMENT REASON CODE FOR UPPER GASTROINTESTINAL
        PATIENT ATTENDANCE SYMPTOMATIC INDICATOR FOR SEXUAL HEALTH SERVICE
        PATIENT CLASSIFICATION
        PATIENT RECEIVING ONE TO ONE NURSING CARE INDICATOR
        PHARMACOTHERAPY STOP SMOKING AID RECEIVED

PREGNANCY OUTCOME CODE
SOURCE OF ADMISSION

ACTIVITY OFFER

Change to Class: Changed Attributes

Attributes of this Class are:
K   ACTIVITY OFFER DATE
K   ACTIVITY OFFER STATUS
         ACTIVITY NOT OFFERED REASON CODE FOR MATERNITY
         PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE

CLINIC OR FACILITY

Change to Class: Changed Attributes

Attributes of this Class are:
K   CLINIC CODE
         CLINIC TYPE FOR SEXUAL HEALTH SERVICE
         EMERGENCY CARE FACILTY TYPE
         FACILITY TYPE
         JOINT CONSULTANT CLINIC FLAG

CONTRACEPTION

Change to Class: Changed Attributes

Attributes of this Class are:
         CONDOMLESS SEX INDICATOR
         CONTRACEPTION METHOD
         CONTRACEPTION METHOD POST COITAL

PRESCRIBED ITEM

Change to Class: Changed Attributes

Attributes of this Class are:
K   PRESCRIBED ITEM IDENTIFIER
         CYTOMEGALOVIRUS MEDICATION TYPE
         PERITONEAL DIALYSIS FLUID MANUFACTURERS NAME
         PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE
         PRESCRIBED DOSE
         PRESCRIBED ITEM QUANTITY
         PRESCRIBED ITEM QUANTITY FOR PRE EXPOSURE PROPHYLAXIS
         PRESCRIBED NUMBER OF DOSES PER PERIOD
         RENAL DIALYSIS MEDICATION TYPE
         RENAL MEDICATION TYPE
         THROMBOSIS PREVENTION DRUG TYPE FOR RENAL

SERVICE

Change to Class: Changed Attributes

Attributes of this Class are:
K   SERVICE TYPE
         SERVICE OR TEAM TYPE FOR MENTAL HEALTH
         SERVICE OR TEAM TYPE REFERRED TO FOR COMMUNITY CARE
         SERVICE TYPE FOR CHLAMYDIA TESTING
         SERVICE TYPE FOR SEXUAL HEALTH

SUBSTANCE

Change to Class: Changed Attributes

Attributes of this Class are:

K   SUBSTANCE IDENTIFIER
SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR
SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR
SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR FOR SEXUAL HEALTH SERVICE

Change to Attribute: New Attribute

An indication of whether Alcohol use was assessed as problematic by the CARE PROFESSIONAL for a PERSON attending a Sexual Health Service.

National Codes:

Y   Yes - Alcohol use was assessed as problematic
N   No - Alcohol use not was assessed as problematic
U   Unknown (PERSON asked but does not know)
Z   Not Stated (PERSON asked but declined to give a response)

This attribute is also known by these names:

Context	Alias
plural	ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATORS FOR SEXUAL HEALTH SERVICE

ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR FOR SEXUAL HEALTH SERVICE

Change to Attribute: New Attribute

ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR FOR SEXUAL HEALTH SERVICE

Data Elements:

ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR (SEXUAL HEALTH SERVICE)

ALCOHOL USE ASSESSED INDICATOR FOR SEXUAL HEALTH SERVICE

Change to Attribute: New Attribute

An indication of whether Alcohol use was assessed by the CARE PROFESSIONAL for a PERSON attending a Sexual Health Service.

National Codes:

Y   Yes - Alcohol use was assessed by the CARE PROFESSIONAL
N   No - Alcohol use was not assessed by the CARE PROFESSIONAL
U   Unknown (PERSON asked but does not know)
Z   Not Stated (PERSON asked but declined to provide a response)

This attribute is also known by these names:

Context	Alias
plural	ALCOHOL USE ASSESSED INDICATORS FOR SEXUAL HEALTH SERVICE

ALCOHOL USE ASSESSED INDICATOR FOR SEXUAL HEALTH SERVICE

Change to Attribute: New Attribute

ALCOHOL USE ASSESSED INDICATOR FOR SEXUAL HEALTH SERVICE

Data Elements:

ALCOHOL USE ASSESSED INDICATOR (SEXUAL HEALTH SERVICE)

CLINIC TYPE FOR SEXUAL HEALTH SERVICE

Change to Attribute: New Attribute

The type of CLINIC OR FACILITY providing a Sexual and Reproductive Health Service.

National Codes:

01	Specialist Clinic - Level 3 Genitourinary Medicine Service
02	Sexual and Reproductive Health Clinic - Level 2 Sexual Health Service
03	Online Clinic - Level 2 Sexual Health Service
04	General Medical Practitioner Practice Clinic - Level 2 Sexual Health Service
05	Prison Clinic - Level 2 Sexual Health Service
10	Other Clinic (not listed) - Level 2 Sexual Health Service
11	Other Clinic (not listed) - Level 1 Sexual Health Service

This attribute is also known by these names:

Context	Alias
plural	CLINIC TYPES FOR SEXUAL HEALTH SERVICE

CLINIC TYPE FOR SEXUAL HEALTH SERVICE

Change to Attribute: New Attribute

CLINIC TYPE FOR SEXUAL HEALTH SERVICE
Data Elements:

CLINIC TYPE (SEXUAL HEALTH SERVICE)

CONDOMLESS SEX INDICATOR

Change to Attribute: New Attribute

An indication of whether the PERSON attending a Sexual Health Service stated they had condomless sex with a partner.

National Codes:

Y	Yes - PERSON had condomless sex
N	No - PERSON did not have condomless sex
U	Unknown (PERSON asked but does not know)
Z	No Stated (PERSON asked but declined to give a response)

This attribute is also known by these names:

Context	Alias
plural	CONDOMLESS SEX INDICATORS

CONDOMLESS SEX INDICATOR

Change to Attribute: New Attribute

CONDOMLESS SEX INDICATOR
Data Elements:

CONDOMLESS SEX INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)
CONDOMLESS SEX INDICATOR (PENETRATIVE SEX OPPOSITE SEX PARTNERS FOR THE LAST TIME PERSON HAD SEX))
CONDOMLESS SEX INDICATOR (RECEPTIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)

CONSULTATION MEDIUM USED

Change to Attribute: Changed Description

CONSULTATION MEDIUM USED identifies the communication mechanism used to relay information between the CARE PROFESSIONAL and the PERSON who is the subject of the consultation, during a CARE ACTIVITY.

The telephone or telemedicine consultation should directly support diagnosis and care planning and must replace a face to face Out-Patient Attendance Consultant, Clinic Attendance Nurse or Clinic Attendance Midwife, types of CARE ACTIVITY. A record of the telephone or telemedicine consultation must be retained in the PATIENT's records.

Telephone contacts solely for informing PATIENTS of results are excluded.

National Codes:

01	Face to face communication
02	Telephone
03	Telemedicine web camera
04	Talk type for a PERSON unable to speak
05	Email **
06	Short Message Service (SMS) - Text Messaging ***
~~98~~	~~Other *~~
07	On-line Triage****
98	Other *

Notes:

- * National Code 98 *'Other'* is **only** used for the Community Services Data Set, Mental Health Services Data Set and Sexual and Reproductive Health Activity Data Set. It is **NOT** valid in any other data set including Commissioning Data Set version 6-2.
- ** National Codes 05 '*Email*' is **NOT** valid for Commissioning Data Set version 6-2.
- *** National Code 06 '*Short Message Service (SMS) - Text Messaging*' is **NOT** valid for Commissioning Data Set version 6-2 and the HIV and AIDS Reporting Data Set.
- **** National Code 07 *'On-line Triage'* is **only** used for the GUMCAD Sexually Transmitted Infection Surveillance System Data Set. It is **NOT** valid in any other data set including Commissioning Data Set version 6-2.

CONTRACEPTIVE SERVICE TYPE (RETIRED) **renamed from CONTRACEPTIVE SERVICE TYPE**

Change to Attribute: Changed status to Retired, Name, Description

~~The type of contraceptive ACTIVITY performed by the GENERAL MEDICAL PRACTITIONER.~~**This item has been retired from the NHS Data Model and Dictionary.**

*Classification:***The last live version of this item is available in the September 2018 release of the NHS Data Model and Dictionary.**

~~a.~~	~~Intrauterine device fitting and after care~~
~~b.~~	~~Other~~

Access to this version can be obtained by emailing information.standards@nhs.net with "NHS Data Model and Dictionary - Archive Request" in the email subject line.

CONTRACEPTIVE SERVICE TYPE (RETIRED) **renamed from CONTRACEPTIVE SERVICE TYPE**

Change to Attribute: Changed status to Retired, Name, Description

- Retired CONTRACEPTIVE SERVICE TYPE
- Changed Name from Data_Dictionary.Attributes.C.Cons.CONTRACEPTIVE_SERVICE_TYPE to Retired.Data_Dictionary.Attributes.C.CONTRACEPTIVE_SERVICE_TYPE
- Changed Description

GENDER IDENTITY CODE FOR SEXUAL HEALTH

Change to Attribute: Changed Description

~~The gender identity of a PATIENT as stated by the PATIENT at a HIV Clinic Attendance or Genitourinary Consultant Clinic Attendance.~~The gender identity of a PERSON as stated by the PERSON at a HIV Clinic Attendance or Genitourinary Consultant Clinic Attendance.

National Codes:

1	Male (including trans man)
2	Female (including trans woman)
3	Non-binary
~~4~~	~~Other~~
4	Other (not listed)
Z	Not Stated (PERSON asked but declined to provide a response)

HIV POSITIVE PARTNERS IN THE LAST THREE MONTHS INDICATOR FOR PENETRATIVE SEX MALE SAME SEX PARTNERS

Change to Attribute: New Attribute

An indication of whether penetrative sex male same sex partners in the last three months were HIV positive, reported by the PERSON attending a Sexual Health Service.

National Codes:

Y	Yes - penetrative sex male same sex partners in the last three months were HIV positive
N	No - penetrative sex male same sex partners in the last three months were not HIV positive
U	Unknown - (PERSON asked but does not know)
Z	Not Stated - (PERSON asked but declined to provide a response)

This attribute is also known by these names:

Context	Alias
plural	HIV POSITIVE PARTNERS IN THE LAST THREE MONTHS INDICATORS FOR PENETRATIVE SEX MALE SAME SEX PARTNERS

HIV POSITIVE PARTNERS IN THE LAST THREE MONTHS INDICATOR FOR PENETRATIVE SEX MALE SAME SEX PARTNERS

Change to Attribute: New Attribute

HIV POSITIVE PARTNERS IN THE LAST THREE MONTHS INDICATOR FOR PENETRATIVE SEX MALE SAME SEX PARTNERS

Data Elements:

HIV POSITIVE PARTNERS IN LAST THREE MONTHS INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS)

NEW SEX PARTNERS IN THE LAST THREE MONTHS INDICATOR

Change to Attribute: New Attribute

An indication of whether the PERSON attending a Sexual Health Service has reported having new sex partners in the last three months.

National Codes:

Y	Yes - The PERSON reported having new sex partners in the last three months
N	No - The PERSON reported not having new sex partners in the last three months
U	Unknown (PERSON asked and does not know)
Z	Not Stated (PERSON asked but declined to provide a response)

This attribute is also known by these names:

Context	Alias
plural	NEW SEX PARTNERS IN THE LAST THREE MONTHS INDICATORS

NEW SEX PARTNERS IN THE LAST THREE MONTHS INDICATOR

Change to Attribute: New Attribute

NEW SEX PARTNERS IN THE LAST THREE MONTHS INDICATOR
Data Elements:

NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (FEMALE SAME SEX PARTNERS)
NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (OPPOSITE SEX PARTNERS)

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE

Change to Attribute: New Attribute

The code to identify the number of sex partners in the last months as stated by the PERSON at an attending a Sexual Health Service.

National Codes:

01	0
02	1
03	2-4
04	5 and over

UU	Unknown (PERSON asked but does not know)
ZZ	Not Stated (PERSON asked but declined to provide a response)

This attribute is also known by these names:

Context	Alias
plural	NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODES

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE

Change to Attribute: New Attribute

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE
Data Elements:

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (FEMALE SAME SEX PARTNERS)
NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (MALE SAME SEX PARTNERS)
NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (OPPOSITE SEX PARTNERS)

PARTNER NOTIFICATION CONSULTATION INDICATOR FOR SEXUAL HEALTH SERVICE

Change to Attribute: New Attribute

An indication of whether the consultation for a Sexual Health Service is as a result of a partner notification.

National Codes:

Y	Yes - The consultation is as a result of a partner notification
N	No - The consultation is not as a result of a partner notification

This attribute is also known by these names:

Context	Alias
plural	PARTNER NOTIFICATION CONSULTATION INDICATORS FOR SEXUAL HEALTH SERVICE

PARTNER NOTIFICATION CONSULTATION INDICATOR FOR SEXUAL HEALTH SERVICE

Change to Attribute: New Attribute

PARTNER NOTIFICATION CONSULTATION INDICATOR FOR SEXUAL HEALTH SERVICE
Data Elements:

PARTNER NOTIFICATION CONSULTATION INDICATOR (SEXUAL HEALTH SERVICE)

PATIENT ATTENDANCE SYMPTOMATIC INDICATOR FOR SEXUAL HEALTH SERVICE

Change to Attribute: New Attribute

An indication of whether a PATIENT attending for a Sexual Health Service has symptoms of a Sexually Transmitted Infection.

National Codes:

Y	Yes - PATIENT did have symptoms
N	No - PATIENT did not have symptoms

This attribute is also known by these names:

Context	Alias
plural	PATIENT ATTENDANCE SYMPTOMATIC INDICATORS FOR SEXUAL HEALTH SERVICE

PATIENT ATTENDANCE SYMPTOMATIC INDICATOR FOR SEXUAL HEALTH SERVICE

Change to Attribute: New Attribute

PATIENT ATTENDANCE SYMPTOMATIC INDICATOR FOR SEXUAL HEALTH SERVICE
Data Elements:

PATIENT ATTENDANCE SYMPTOMATIC INDICATOR (SEXUAL HEALTH SERVICE)

PATIENT DIAGNOSIS CONFIRMED INDICATION CODE FOR SEXUAL HEALTH SERVICE

Change to Attribute: New Attribute

The type of PATIENT DIAGNOSIS confirmed at a Sexual Health Service.

National Codes:

01	PATIENT DIAGNOSIS	- confirmed at this Sexual Health Service
02	PATIENT DIAGNOSIS	- confirmed at another Sexual Health Service
03	PATIENT DIAGNOSIS	- initial reactive diagnosis

This attribute is also known by these names:

Context	Alias
plural	PATIENT DIAGNOSIS CONFIRMED INDICATION CODES FOR SEXUAL HEALTH SERVICE

PATIENT DIAGNOSIS CONFIRMED INDICATION CODE FOR SEXUAL HEALTH SERVICE

Change to Attribute: New Attribute

PATIENT DIAGNOSIS CONFIRMED INDICATION CODE FOR SEXUAL HEALTH SERVICE

Data Elements:

PATIENT DIAGNOSIS CONFIRMED INDICATION CODE (SEXUAL HEALTH SERVICE)

PATIENT DIAGNOSIS SITE OF INFECTION FOR SEXUAL HEALTH SERVICE

Change to Attribute: New Attribute

The site of infection for the PATIENT DIAGNOSIS at a Sexual Health Service.

National Codes:

01	Genital
02	Rectal
03	Pharyngeal
04	Occular
96	Other (not listed)

This attribute is also known by these names:

Context	Alias
plural	PATIENT DIAGNOSIS SITES OF INFECTION FOR SEXUAL HEALTH SERVICE

PATIENT DIAGNOSIS SITE OF INFECTION FOR SEXUAL HEALTH SERVICE

Change to Attribute: New Attribute

PATIENT DIAGNOSIS SITE OF INFECTION FOR SEXUAL HEALTH SERVICE

Data Elements:

PATIENT DIAGNOSIS SITE OF INFECTION (SEXUAL HEALTH SERVICE)

PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE FOR SEXUAL HEALTH SERVICE

Change to Attribute: New Attribute

An indication of whether a treatment has been provided for the PATIENT DIAGNOSIS at a Sexual Health Service and the reason why it has not been provided.

National Codes:

01	Yes - Treatment provided
02	No - Treatment not required

03	No - Referred elsewhere for treatment
04	No - PATIENT refused treatment
05	No - PATIENT walked out

This attribute is also known by these names:

Context	Alias
plural	PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODES FOR SEXUAL HEALTH SERVICE

PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE FOR SEXUAL HEALTH SERVICE

Change to Attribute: New Attribute

PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE FOR SEXUAL HEALTH SERVICE
Data Elements:

PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE (SEXUAL HEALTH SERVICE)

PERSON RISK FACTOR FOR SEXUALLY TRANSMITTED INFECTION

Change to Attribute: New Attribute

The risk factor of a PERSON for a Sexually Transmitted Infection identified at a Sexual Health Service.

National Codes:

| 1 | Prisoner |
| 2 | Sex Worker |

This attribute is also known by these names:

Context	Alias
plural	PERSON RISK FACTORS FOR SEXUALLY TRANSMITTED INFECTION

PERSON RISK FACTOR FOR SEXUALLY TRANSMITTED INFECTION

Change to Attribute: New Attribute

PERSON RISK FACTOR FOR SEXUALLY TRANSMITTED INFECTION
Data Elements:

PERSON RISK FACTOR (SEXUALLY TRANSMITTED INFECTION)

PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE

Change to Attribute: New Attribute

The Pre Exposure Prophylaxis Drug Regimen assigned to a PATIENT attending a Sexual Health Service.

National Codes:

01	Daily (or nearly daily)
02	Event based (coital)
UU	Unknown (PATIENT asked but does not know)
ZZ	Not Stated (PATIENT asked but declined to provide a response)

This attribute is also known by these names:

Context	Alias
plural	PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODES

PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE

Change to Attribute: New Attribute

PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE

Data Elements:

PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE

PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON

Change to Attribute: New Attribute

The reason why the PATIENT is eligible for Pre Exposure Prophylaxis (PrEP) as determined by the CARE PROFESSIONAL at an attendance for a Sexual Health Service.

National Codes:

01	MSM (Men who have sex with Men) or Transgender Woman
02	HIV Positive Partner
96	Other (high risk)

This attribute is also known by these names:

Context	Alias
plural	PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASONS

PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON

Change to Attribute: New Attribute

PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON
Data Elements:

PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON

PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE

Change to Attribute: New Attribute

The status of an offer of Pre Exposure Prophylaxis to a PATIENT attending a Sexual Health Service.

National Codes:

01	Offer accepted
02	Offer declined - PATIENT choice
03	Offer declined - obtained at another source

This attribute is also known by these names:

Context	Alias
plural	PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODES

PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE

Change to Attribute: New Attribute

PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE
Data Elements:

PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE

PRE EXPOSURE PROPHYLAXIS STOPPED REASON

Change to Attribute: New Attribute

The reason Pre Exposure Prophylaxis was stopped for a PATIENT attending a Sexual Health Service.

National Codes:

01	Adverse Effect
02	HIV Acquisition
03	PATIENT Choice

04	No Longer Eligible
96	Other (not listed)
UU	Unknown (PATIENT asked but does not know)
ZZ	Not Stated (PATIENT asked but declined to provide a response)

This attribute is also known by these names:

Context	Alias
plural	PRE EXPOSURE PROPHYLAXIS STOPPED REASONS

PRE EXPOSURE PROPHYLAXIS STOPPED REASON

Change to Attribute: New Attribute

PRE EXPOSURE PROPHYLAXIS STOPPED REASON

Data Elements:

PRE EXPOSURE PROPHYLAXIS STOPPED REASON

PRESCRIBED ITEM QUANTITY FOR PRE EXPOSURE PROPHYLAXIS

Change to Attribute: New Attribute

The amount of Pre Exposure Prophylaxis tablets prescribed to a PATIENT attending a Sexual Health Service.

National Codes:

01	30 Tablets
02	60 Tablets
03	90 Tablets
96	0ther (not listed)
UU	Unknown (PATIENT asked but does not know)
ZZ	Not Stated (PATIENT asked but declined to give a response)

This attribute is also known by these names:

Context	Alias
plural	PRESCRIBED ITEM QUANTITIES FOR PRE EXPOSURE PROPHYLAXIS

PRESCRIBED ITEM QUANTITY FOR PRE EXPOSURE PROPHYLAXIS

Change to Attribute: New Attribute

PRESCRIBED ITEM QUANTITY FOR PRE EXPOSURE PROPHYLAXIS

Data Elements:

PRESCRIBED ITEM QUANTITY (PRE EXPOSURE PROPHYLAXIS)

SERVICE TYPE

Change to Attribute: Changed Description

The type of SERVICE.

National Codes:

01	Ambulance Service
02	Cancer Service
03	Community Health Service
04	Consultant Led Service
05	Direct Access Service
06	Enhanced Sexual Health Service (Retired November 2014)
07	HIV Service
08	Hospital At Home Service
09	Improving Access to Psychological Therapies Service
10	Interface Service

11	Non-Consultant Led Service
12	Professional Staff Group Service (Retired 01 January 2016)
13	Sexual and Reproductive Health Service
14	Stop Smoking Service
15	Contraceptive Service (Retired 01 April 2014)
16	Radiotherapy Service
17	Sexual Health Service
18	Mental Health Service
19	Regional Clinical Genetics Service
20	Children and Young People's Mental Health Service
21	Screening Service
22	Sexually Transmitted Infection Service

SERVICE TYPE FOR SEXUAL HEALTH

Change to Attribute: New Attribute

The type of SERVICE provided at a Sexual Health Service.

National Codes:

01	Integrated Sexually Transmitted Infection Service and Sexual and Reproductive Health Service
02	Sexually Transmitted Infection Service
03	Sexual and Reproductive Health Service
04	HIV Service
96	Other (not listed)

This attribute is also known by these names:

Context	Alias
plural	SERVICE TYPES FOR SEXUAL HEALTH

SERVICE TYPE FOR SEXUAL HEALTH

Change to Attribute: New Attribute

SERVICE TYPE FOR SEXUAL HEALTH

Data Elements:

SERVICE TYPE (SEXUAL HEALTH)

SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE

Change to Attribute: Changed Description

The medical condition or reason for a Sexual Health and HIV Episode.

National Codes:

Diagnosis and/or treatment of infection or disease	
Code	**Description**
A1	Primary syphilis
A2	Secondary syphilis
A3	Early latent syphilis
A4	Cardiovascular syphilis
A5	Neurosyphilis
A6	All other late and latent syphilis
A7A	Congenital syphilis
A10	Ocular syphilis
A11	Otosyphilis
B	Gonorrhoea
C1	Chancroid
~~C2~~	~~Lymphogranuloma venereum~~
C2	Lymphogranuloma venereum (LGV)

C3	~~Donovanosis~~	
C4	Chlamydial infection	
C4N	Non-specific genital infection (NSGI)	
~~C5A~~	~~Pelvic inflammatory disease and epididymitis~~	
C5A	Pelvic inflammatory disease (PID) and epididymitis	
C5B	Ophthalmia neonatorum	
C6A	Trichomoniasis	
C6B	Anaerobic/Bacterial vaginosis and anaerobic balanitis	
C6C	Other vaginosis/vaginitis/ balanitis	
~~C7~~	~~Anogenital candidosis~~	
C7A	Anogenital candidosis	
C8	Scabies	
C9	Pediculosis pubis	
~~C10A~~	~~Anogenital Herpes simplex: first episode~~	
~~C10B~~	~~Anogenital Herpes simplex: recurrence~~	
~~C11A~~	~~Anogenital warts infection: first episode~~	
~~C11D~~	~~Anogenital warts infection: recurrence~~	
C10A	Anogenital Herpes simplex: First episode	
C10B	Anogenital Herpes simplex: Recurrent episode	
C11A	Anogenital warts infection: First episode	
C11D	Anogenital warts infection: Recurrent episode	
C12	Molluscum contagiosum	
C13	Viral hepatitis B (HbsAg positive): First diagnosis	
~~C14~~	~~Viral hepatitis C: first diagnosis~~	
~~C15~~	~~Viral hepatitis A: acute infection~~	
C14	Viral hepatitis C: First diagnosis	
C15	Viral hepatitis A: Acute infection	
C16	Mycoplasma genitalium	
D2A	Urinary Tract Infection	
D2B	Other conditions requiring treatment at Level 3 Genitourinary Medicine Services	
H	HIV positive - Previously Diagnosed	
H1	New HIV diagnosis	
H1A	New HIV diagnosis: Acute	
H1B	New HIV diagnosis: Late infection(AIDS defined)	
H2	Attendance for HIV-related care	
P4A	Cervical cytology: minor abnormality	
P4B	Cervical cytology: major abnormality	
Sexual Health Services Provided **To record PATIENTS receiving Sexual Health Services or undergoing tests.**		
T1	Chlamydia test	
T2	Chlamydia and gonorrhoea tests	
T3	Chlamydia, gonorrhoea and syphilis tests	
~~T4~~	~~Full sexual health screen including HIV antibody test~~	
T4	Chlamydia, gonnorhoea, syphilis and HIV antibody tests	
T5	Herpes Simplex Virus (HSV) Test	
T6	Hepatitis A/B/C Test	
TS	Microscopy	
TT	3 Site Testing (chlamydia and gonorrhoea)	
T7	Syphilis and HIV Testing	
~~T8~~	~~Self sampling (urinalysis/swabs) without Health Care worker consultation~~	
T8	Self sampling (urinalysis/swabs) without Health Care worker (HCW) consultation	
T9	STI testing not required/appropriate	
T10	Rapid testing (STI and/or HIV)	
T11	Chlamydia test declined	
T12	Mycoplasma genitalium test	
O20	Hepatitis A vaccination: 1st dose	
O21	Hepatitis A vaccination: Subsequent dose	
O22	Hepatitis A immune	
O23	Partner notification related attendance: Hepatitis A contact	
O31	PrEP eligibility criteria 1: MSM/transgender woman	
O32	PrEP eligibility criteria 2: HIV positive partner	
O33	PrEP eligibility criteria 3: Other high risk	

O41	PrEP regimen: Starting or continuing daily Prep
O42	PrEP regimen: Starting or continuing event based Prep
O43	PrEP regimen: Continued through other source
O44	PrEP regimen: Offered and declined
O45	PrEP regimen: Stopped
O51	PrEP prescription: 30 tablets
O52	PrEP prescription: 60 tablets
O53	PrEP prescription: 90 tablets
O60	PrEP patient characteristic: Transgender
P1A	Human Immunodeficiency Virus (HIV) antibody test (no sexual health screen)
P1B	Human Immunodeficiency Virus (HIV) antibody test offered and refused
P1C	HIV test inappropriate
P2A	Hepatitis B vaccination: 1st dose
P2B	Hepatitis B vaccination: 2nd dose
P2C	Hepatitis B vaccination: 3rd dose
P2D	Hepatitis B vaccination: 4th dose
P2E	Hepatitis B vaccination: Booster
P2I	Hepatitis B immune
~~P3~~	~~CONTRACEPTION (excluding condom provision)~~
P3	CONTRACEPTION and family planning advice (excluding condom provision)
P4	Cervical cytology done
REF1	Referral from Chlamydia Screening Programme
~~REF2~~	~~Referral from Level 2 Sexual Health Service~~
REF2	Referral to a Level 3 Genitourinary Medicine Service
REF3	Referral from home testing/sampling service
~~SG1~~	~~Shigella flexneri~~
~~SG2~~	~~Shigella sonnei~~
SG1	Shigella flexneri (group B)
SG2	Shigella sonnei (group D)
SG3	Shigella other/unspecified
SRH	Sexual and Reproductive Health PATIENT
W1	HPV vaccination: 1st dose
W2	HPV vaccination: 2nd dose
W3	HPV vaccination: 3rd dose
~~PN~~	~~Partner notification initiated~~
~~PNC~~	~~Partner notification: Chlamydia~~
~~PNG~~	~~Partner notification: Gonorrhoea~~
~~PNH~~	~~Partner notification: HIV~~
~~PNN~~	~~Partner notification: Non-specific genital infection~~
~~PNP~~	~~Partner notification: PID/Epididymitis~~
~~PNS~~	~~Partner notification: Syphilis~~
~~PNT~~	~~Partner notification: Trichomoniasis/vaginosis/vaginitis/balanitis/candidosis~~
W4	HPV vaccination: offered and declined
W5	HPV vaccination: previously received in full
PN	Partner notification initiated related attendance
PNC	Partner notification related attendance: Chlamydia contact
PNG	Partner notification related attendance: Gonorrhoea contact
PNH	Partner notification related attendance: HIV contact
PNN	Partner notification related attendance: Non-specific genital infection contact
PNP	Partner notification related attendance: PID/Epididymitis contact
PNS	Partner notification related attendance: Syphilis contact
PNT	Partner notification related attendance: Trichomoniasis contact
PR1	Pregnant 1-12 weeks
PR2	Pregnant 13-28 weeks
~~PR3~~	~~Pregnant 39-40 weeks~~
PR3	Pregnant 29-40 weeks
PEPS	Post exposure prophylaxis after sexual exposure (PEPSE)
D3	Other Sexual Health and HIV Episodes not requiring treatment
~~O11-O99~~	~~Research/New/Urgent reporting~~
~~40~~	~~Sexual Assault (Acute Presentation)~~

~~41~~	~~Sexual Assault (Non – acute Presentation)~~
O11-O99	Research/New/Urgent reporting (Retired 01 October 2018)
40	Sexual Assault (Acute presentation)
41	Sexual Assault (Non - acute presentation)
Findings	
CSE1	Child sexual exploitation : concerns raised at internal assessment
CSE2	Child sexual exploitation : concerns raised with internal safeguarding professionals
CSE3	Child sexual exploitation : referred to external safeguarding professionals
DV	Concern of domestic violence (or abuse)
FGM	Female genital mutilation (of any type)
Special PATIENT Groups **To record additional information on certain PATIENT groups receiving Sexual Health Services or undergoing tests. Codes to be reported separately at each FIRST ATTENDANCE.**	
Z	Prisoner
SW	Sex Worker
Suffixes to Codes **To record additional information about the PATIENT's presentation or a Sexual Health Service given. This information may be collected through the use of suffixes which can be applied to the SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE. Where appropriate, multiple suffixes can be used on the same SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE. The suffixes and the codes with which they can be used are given below. These codes are appended to the SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE.**	
R	Rectal infection
O	Pharyngeal infection
~~X~~	~~Diagnosed previously elsewhere~~
X	Previously diagnosed elsewhere
M	Medication given
Q	Quadrivalent HPV vaccine
Permissible Code Permutations Using Suffixes	
	A - Syphilis
~~A1X~~	~~Primary syphilis - diagnosed elsewhere~~
~~A2X~~	~~Secondary syphilis - diagnosed elsewhere~~
~~A3X~~	~~Early latent syphilis - diagnosed elsewhere~~
~~A4X~~	~~Cariovascular syphilis - diagnosed elsewhere~~
~~A5X~~	~~Neurosyphillis syphilis - diagnosed elsewhere~~
~~A6X~~	~~All other late and latent syphilis - diagnosed elsewhere~~
~~A7AX~~	~~Congenital syphilis - diagnosed elsewhere~~
A1X	Primary syphilis - previously diagnosed elsewhere
A2X	Secondary syphilis - previously diagnosed elsewhere
A3X	Early latent syphilis - previously diagnosed elsewhere
A4X	Cariovascular syphilis - previously diagnosed elsewhere
A5X	Neurosyphillis syphilis - previously diagnosed elsewhere
A6X	All other late and latent syphilis - previously diagnosed elsewhere
A7AX	Congenital syphilis - previously diagnosed elsewhere
	B - Gonorrhoea
~~BR~~	~~Rectal infection~~
~~BO~~	~~Pharayngeal infection~~
~~BX~~	~~Diagnosed previously elsewhere~~
~~BM~~	~~Medication given~~
~~BRX~~	~~Rectal infection, Diagnosed previously elsewhere~~
~~BRM~~	~~Rectal infection, Medication given~~
~~BOX~~	~~Pharayngeal infection, Diagnosed previously elsewhere~~
~~BOM~~	~~Pharayngeal infection, Medication given~~
BR	Gonorrhoea - rectal infection
BO	Gonorrhoea - pharayngeal infection
BX	Gonorrhoea - previously diagnosed elsewhere
BM	Gonorrhoea - medication given
BRX	Gonorrhoea - rectal infection, previously diagnosed elsewhere
BRM	Gonorrhoea - rectal infection, medication given
BOX	Gonorrhoea - pharayngeal infection, previously diagnosed elsewhere
BOM	Gonorrhoea - Pharayngeal infection, medication given
	C4 - Chlamydia

Code	Description
C4R	Rectal infection
C4O	Pharayngeal infection
C4X	Diagnosed previously elsewhere
C4M	Medication given
C4RX	Rectal infection, Diagnosed previously elsewhere
C4RM	Rectal infection, Medication given
C4OX	Rectal infection, Diagnosed previously elsewhere
C4OM	Rectal infection, Medication given
	C2 - LGV
C2R	Rectal infection
C2O	Pharayngeal infection
C4R	Chlamydia - rectal infection
C4O	Chlamydia - pharayngeal infection
C4X	Chlamydia - previously diagnosed elsewhere
C4M	Chlamydia - medication given
C4RX	Chlamydia - rectal infection, previously diagnosed elsewhere
C4RM	Chlamydia - rectal infection, medication given
C4OX	Chlamydia - rectal infection, previously diagnosed elsewhere
C4OM	Chlamydia - pharayngeal infection, medication given
	C2 - Lymphogranuloma (LGV)
C2R	LGV - Rectal infection
C2O	LGV - Pharayngeal infection
	C4N - NSGI
C4NR	Proctitis
C4NR	NSGI - rectal infection (proctitis)
	C6A - Trichomoniasis
C6AX	Trichomoniasis - diagnosed elsewhere
	H1 - HIV
H1X	Diagnosed previously elsewhere
	H1A - HIV
H1AX	Diagnosed previously elsewhere
	H1B - HIV
H1BX	Diagnosed previously elsewhere
	C10A - HSV
C10AM	Medication given
	C10B - HSV
C10BM	Medication given
	C11A - Warts
C11AM	Medication given
	C11D - Warts
C11DM	Medication given
	W1 - HPV Vaccine
W1Q	Quadrivalent Vaccine
	W2 - HPV Vaccine
W2Q	Quadrivalent Vaccine
	W3 - HPV Vaccine
W3Q	Quadrivalent Vaccine
C6AX	Trichomoniasis - previously diagnosed elsewhere
	H1 - New HIV diagnosis
H1X	New HIV diagnosis - previously diagnosed elsewhere
	H1A - New HIV diagnosis: acute
H1AX	New HIV diagnosis: acute - previously diagnosed elsewhere
	H1B - HIV diagnosis: late (AIDS defined)
H1BX	New HIV diagnosis: late (AIDS defined) - previously diagnosed elsewhere
	C10A - Anogenital Herpes simplex: first episode
C10AM	Anogenital Herpes simplex: first episode - medication given
	C10B - Anogenital Herpes simplex: recurrent episode
C10BM	Anogenital Herpes simplex: recurrent episode - medication given
	C11A - Anogenital warts infection: first episode
C11AM	Anogenital warts infection: first episode - medication given
	C11D - Anogenital warts infection: recurrent episode
C11DM	Anogenital warts infection: recurrent episode - medication given

	W1 - HPV Vaccination: 1st dose
W1Q	HPV Vaccination: 1st dose - quadrivalent vaccine
	W2 - HPV Vaccination: 2nd dose
W2Q	HPV Vaccination: 2nd dose - quadrivalent vaccine
	W3 - HPV Vaccination: 3rd dose
W3Q	HPV Vaccination: 3rd dose - quadrivalent vaccine

SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR

Change to Attribute: New Attribute

An indication of whether the PERSON had sexual intercourse whilst under the influence of a SUBSTANCE.

National Codes:

Y   Yes - The PERSON had sexual intercourse whilst under the influence of a SUBSTANCE
N   No - The PERSON did not have sexual intercourse whilst under the influence of a SUBSTANCE
U   Unknown (PERSON asked but does not know)
Z   Not Stated (PERSON asked but declined to provide a response)

This attribute is also known by these names:

Context	Alias
plural	SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATORS

SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR

Change to Attribute: New Attribute

SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR
Data Elements:

SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR

SEXUAL ORIENTATION CODE

Change to Attribute: Changed Description

The SEXUAL ORIENTATION of a PATIENT.

National Codes:

1   Heterosexual
2   Gay/Lesbian
3   Bi-sexual
4   PERSON asked and does not know or is not sure *
Z   Not Stated (PERSON asked but declined to provide a response) *

*Note: * Code not to be used for the Genitourinary Medicine Clinic Activity Data Set.*

SEXUAL ORIENTATION CODE will be replaced with PERSON STATED SEXUAL ORIENTATION CODE, which is the most recent approved national information standard to describe the required definition.

SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR

Change to Attribute: New Attribute

An indication of whether the PERSON injected a SUBSTANCE in the last three months.

National Codes:

Y   Yes - The PERSON injected a SUBSTANCE in the last three months
N   No - The PERSON did not inject a SUBSTANCE in the last three months

| U | Unknown (PERSON asked but does not know) |
| Z | Not Stated (PERSON asked but declined to provide a response) |

This attribute is also known by these names:

Context	Alias
plural	SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATORS

SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR

Change to Attribute: New Attribute

SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR

Data Elements:

SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR

SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR

Change to Attribute: New Attribute

An indication of whether the PERSON has shared SUBSTANCE injected equipment in the last three months.

National Codes:

Y	Yes - The PERSON has shared injected equipment in the last three months
N	No - The PERSON has not shared injected equipment in the last three months
U	Unknown (PERSON asked but does not know)
Z	Not Stated (PERSON asked but declined to provide a response)

This attribute is also known by these names:

Context	Alias
plural	SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATORS

SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR

Change to Attribute: New Attribute

SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR

Data Elements:

SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

Change to Attribute: New Attribute

An indication of whether a PERSON has used a SUBSTANCE in the last three months.

National Codes:

Y	Yes - The PERSON has used a SUBSTANCE in the last three months
N	No - The PERSON has not used a SUBSTANCE in the last three months
U	Unknown (PERSON asked but does not know)
N	Not Known (PERSON asked but declined to provide a response)

This attribute is also known by these names:

Context	Alias
plural	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATORS

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

Change to Attribute: New Attribute

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

Data Elements:

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (AMPHETAMINE OR SPEED)
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (BENZODIAZEPINES NON PRESCRIBED)
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CANNABIS)
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (COCAINE)
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRACK)
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRYSTAL METH OR METHAMPHETAMINE)
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (ECSTASY OR METHYLENEDIOXYMETHAMPHETAMINE)
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (GAMMAHYDROXYBUTYRATE OR GAMMABUTYROLACTONE)
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (HEROIN)
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (KETAMINE)
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (MEPHEDRONE)
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (METHADONE)
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (NOVEL PSYCHOACTIVE)
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (POPPERS)
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (RECREATIONAL DRUGS)
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (SOLVENTS OR GLUE)
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (UNCLASSIFIED SUBSTANCE)

ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR (SEXUAL HEALTH SERVICE)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR FOR SEXUAL HEALTH SERVICE
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR (SEXUAL HEALTH SERVICE) is the same as attribute ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR FOR SEXUAL HEALTH SERVICE.

This data element is also known by these names:

Context	Alias
plural	ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATORS (SEXUAL HEALTH SERVICE)

ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR (SEXUAL HEALTH SERVICE)

Change to Data Element: New Data Element

ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR (SEXUAL HEALTH SERVICE)

Attribute:

ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR FOR SEXUAL HEALTH SERVICE

ALCOHOL USE ASSESSED INDICATOR (SEXUAL HEALTH SERVICE)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See ALCOHOL USE ASSESSED INDICATOR FOR SEXUAL HEALTH SERVICE
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
ALCOHOL USE ASSESSED INDICATOR (SEXUAL HEALTH SERVICE) is the same as attribute ALCOHOL USE ASSESSED INDICATOR FOR SEXUAL HEALTH SERVICE.

This data element is also known by these names:

Context	Alias
plural	ALCOHOL USE ASSESSED INDICATORS (SEXUAL HEALTH SERVICE)

ALCOHOL USE ASSESSED INDICATOR (SEXUAL HEALTH SERVICE)

Change to Data Element: New Data Element

ALCOHOL USE ASSESSED INDICATOR (SEXUAL HEALTH SERVICE)

Attribute:

ALCOHOL USE ASSESSED INDICATOR FOR SEXUAL HEALTH SERVICE

CLINIC TYPE (SEXUAL HEALTH SERVICE)

Change to Data Element: New Data Element

Format/Length:	an2
National Codes:	See CLINIC TYPE FOR SEXUAL HEALTH SERVICE
Default Codes:	

Notes:
CLINIC TYPE (SEXUAL HEALTH SERVICE) is the same as attribute CLINIC TYPE FOR SEXUAL HEALTH SERVICE.

This data element is also known by these names:

Context	Alias
plural	CLINIC TYPES (SEXUAL HEALTH SERVICE)

CLINIC TYPE (SEXUAL HEALTH SERVICE)

Change to Data Element: New Data Element

CLINIC TYPE (SEXUAL HEALTH SERVICE)

Attribute:

CLINIC TYPE FOR SEXUAL HEALTH SERVICE

CONDOMLESS SEX INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See CONDOMLESS SEX INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
CONDOMLESS SEX INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS) is the same as attribute CONDOMLESS SEX INDICATOR, for penetrative sex with male same sex partners in the last three months.

This data element is also known by these names:

Context	Alias
plural	CONDOMLESS SEX INDICATORS (PENETRATIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)

CONDOMLESS SEX INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)

Change to Data Element: New Data Element

CONDOMLESS SEX INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)

Attribute:

CONDOMLESS SEX INDICATOR

CONDOMLESS SEX INDICATOR (PENETRATIVE SEX OPPOSITE SEX PARTNERS FOR THE LAST TIME PERSON HAD SEX))

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See CONDOMLESS SEX INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

CONDOMLESS SEX INDICATOR (PENETRATIVE SEX OPPOSITE SEX PARTNERS FOR THE LAST TIME PERSON HAD SEX)) is the same as attribute CONDOMLESS SEX INDICATOR.

CONDOMLESS SEX INDICATOR (PENETRATIVE SEX OPPOSITE SEX PARTNERS FOR THE LAST TIME PERSON HAD SEX)) is an indication of whether the PERSON had condomless sex the last time they had penetrative sex with an opposite sex partner.

This data element is also known by these names:

Context	Alias
plural	CONDOMLESS SEX INDICATORS (PENETRATIVE SEX OPPOSITE SEX PARTNERS THE LAST TIME THE PERSON HAD SEX)

CONDOMLESS SEX INDICATOR (PENETRATIVE SEX OPPOSITE SEX PARTNERS FOR THE LAST TIME PERSON HAD SEX))

Change to Data Element: New Data Element

CONDOMLESS SEX INDICATOR (PENETRATIVE SEX OPPOSITE SEX PARTNERS FOR THE LAST TIME PERSON HAD SEX))

Attribute:

CONDOMLESS SEX INDICATOR

CONDOMLESS SEX INDICATOR (RECEPTIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See CONDOMLESS SEX INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

CONDOMLESS SEX INDICATOR (RECEPTIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS) is the same as attribute CONDOMLESS SEX INDICATOR, for receptive sex with male same sex partners in the last three months.

This data element is also known by these names:

Context	Alias
plural	CONDOMLESS SEX INDICATORS (RECEPTIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)

CONDOMLESS SEX INDICATOR (RECEPTIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)

Change to Data Element: New Data Element

CONDOMLESS SEX INDICATOR (RECEPTIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)

Attribute:

CONDOMLESS SEX INDICATOR

CONSULTATION MEDIUM USED (SEXUAL HEALTH SERVICE)

Change to Data Element: New Data Element

Format/Length:	an2
National Codes:	
Default Codes:	

Notes:

CONSULTATION MEDIUM USED (SEXUAL HEALTH SERVICE) is the same as attribute CONSULTATION MEDIUM USED for a Sexual Health Service.

Permitted National Codes:

01	Face to face communication
02	Telephone
07	On-line Triage

This data element is also known by these names:

Context	Alias
plural	CONSULTATION MEDIA USED (SEXUAL HEALTH SERVICE)

CONSULTATION MEDIUM USED (SEXUAL HEALTH SERVICE)

Change to Data Element: New Data Element

CONSULTATION MEDIUM USED (SEXUAL HEALTH SERVICE)
Attribute:

CONSULTATION MEDIUM USED

DIAGNOSTIC OR PROCEDURE CODING (SEXUAL HEALTH AND HUMAN IMMUNODEFICIENCY VIRUS RELEVANT READ CODES)

Change to Data Element: Changed Description

Format/Length:	See READ CODE
National Codes:	
Default Codes:	

Notes:
DIAGNOSTIC OR PROCEDURE CODING (SEXUAL HEALTH AND HUMAN IMMUNODEFICIENCY VIRUS RELEVANT READ CODES) is the same as attribute CLINICAL TERMINOLOGY CODE.

DIAGNOSTIC OR PROCEDURE CODING (SEXUAL HEALTH AND HUMAN IMMUNODEFICIENCY VIRUS RELEVANT READ CODES) is the Read Coded Clinical Terms code relevant to conditions associated with Sexual Health and Human Immunodeficiency Virus.

The list of available sexual health Read Coded Clinical Terms are available at gumcad@hpa.org.uk.

ETHNIC CATEGORY

Change to Data Element: Changed Description

Format/Length:	an2
NWDS ID:	PETH
NWDS Field Name:	Ethnic Category
ESR Field Name:	Ethnic Origin
National Codes:	See ETHNIC CATEGORY CODE
Default Codes:	99 - Not known*

Notes:
ETHNIC CATEGORY is the same as attribute ETHNIC CATEGORY CODE.

The 16+1 ethnic data categories defined in the 2001 census is the national mandatory standard for the collection and analysis of ethnicity.

The national code must be transmitted as the first character in the 2 character field. The second character is optional for use locally. It must, however, be able to be grouped consistently with the 16 main categories.

National code Z should be used where the PERSON has been given the opportunity to state their ETHNIC CATEGORY but chose not to. Default code 99 should be used where the PERSON's ETHNIC CATEGORY is not known.

*For the Stop Smoking Services Quarterly Data Set default code 99 *'Not Known'* is **NOT** valid.

FIRST ATTENDANCE CODE

Change to Data Element: Changed Description

Format/Length:	an1
National Codes:	See FIRST ATTENDANCE
Default Codes:	

Notes:
FIRST ATTENDANCE CODE is the same as attribute FIRST ATTENDANCE.

FIRST ATTENDANCE CODE is used by the Secondary Uses Service to derive the **Healthcare Resource Group** 4. Failure to correctly populate this data element is likely to result in an incorrect Healthcare Resource Group, usually associated with lower levels of healthcare resource.

For further information, please refer to the NHS Digital website at: Payment by Results Guidance.

HIV POSITIVE PARTNERS IN LAST THREE MONTHS INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See HIV POSITIVE PARTNERS IN THE LAST THREE MONTHS INDICATOR FOR PENETRATIVE SEX MALE SAME SEX PARTNERS
	NA - Not Applicable (PERSON not asked)

Notes:
HIV POSITIVE PARTNERS IN LAST THREE MONTHS INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS) is the same as attribute HIV POSITIVE PARTNERS IN THE LAST THREE MONTHS INDICATOR FOR PENETRATIVE SEX MALE SAME SEX PARTNERS.

This data element is also known by these names:

Context	Alias
plural	HIV POSITIVE PARTNERS IN LAST THREE MONTHS INDICATORS (PENETRATIVE SEX MALE SAME SEX PARTNERS)

HIV POSITIVE PARTNERS IN LAST THREE MONTHS INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS)

Change to Data Element: New Data Element

HIV POSITIVE PARTNERS IN LAST THREE MONTHS INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS)

Attribute:

HIV POSITIVE PARTNERS IN THE LAST THREE MONTHS INDICATOR FOR PENETRATIVE SEX MALE SAME SEX PARTNERS

INITIAL PARTNER NOTIFICATION DISCUSSION DATE

Change to Data Element: New Data Element

Format/Length:	See DATE
National Codes:	
Default Codes:	

Notes:
INITIAL PARTNER NOTIFICATION DISCUSSION DATE is the same as attribute ACTIVITY DATE where the ACTIVITY DATE TYPE is National Code *'Care Contact Date'*.

INITIAL PARTNER NOTIFICATION DISCUSSION DATE is the Contact Date of the Initial Partner Notification Discussion at a Sexual Health Service.

This data element is also known by these names:

Context	Alias
plural	INITIAL PARTNER NOTIFICATION DISCUSSION DATES

INITIAL PARTNER NOTIFICATION DISCUSSION DATE

Change to Data Element: New Data Element

INITIAL PARTNER NOTIFICATION DISCUSSION DATE

Attribute:

ACTIVITY DATE

LOCAL PATIENT IDENTIFIER (EXTENDED)

Change to Data Element: Changed Description

Format/Length:	max an20
National Codes:	
Default Codes:	

Notes:
LOCAL PATIENT IDENTIFIER (EXTENDED) is the same as attribute LOCAL PATIENT IDENTIFIER.

LOCAL PATIENT IDENTIFIER (EXTENDED) is used where IT systems have a LOCAL PATIENT IDENTIFIER which is longer than 10 characters and LOCAL PATIENT IDENTIFIER cannot be used for data submission.

For the Cancer Outcomes and Services Data Set, LOCAL PATIENT IDENTIFIER (EXTENDED) can be recorded as well as or instead of NHS NUMBER as part of a Cancer Care Spell.

LOWER LAYER SUPER OUTPUT AREA (PERSON RESIDENCE)

Change to Data Element: Changed Description

Format/Length:	max an9
National Codes:	
Default Codes:	X99999998 - Not Applicable (outside the United Kingdom)
	X99999999 - Not Known

Notes:
LOWER LAYER SUPER OUTPUT AREA (PERSON RESIDENCE) is the same as attribute GEOGRAPHIC AREA CODE for a Lower Layer Super Output Area.

LOWER LAYER SUPER OUTPUT AREA (PERSON RESIDENCE) is the Lower Layer Super Output Area for where the PERSON is resident.

For guidance on the Lower Layer Super Output Area codes, see the NHS Postcode Directory which can be downloaded from the Organisation Data Service pages of the NHS Digital website at: NHS Postcode Directory User Guide.

LOWER LAYER SUPER OUTPUT AREA (RESIDENCE) will be replaced with LOWER LAYER SUPER OUTPUT AREA (PERSON RESIDENCE), when it has been approved for use in national information standards.

NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (FEMALE SAME SEX PARTNERS)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See NEW SEX PARTNERS IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (FEMALE SAME SEX PARTNERS) is the same as attribute NEW SEX PARTNERS IN THE LAST THREE MONTHS INDICATOR, for female same sex partners.

This data element is also known by these names:

Context	Alias
plural	NEW SEX PARTNERS IN LAST THREE MONTHS INDICATORS (FEMALE SAME SEX PARTNERS)

NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (FEMALE SAME SEX PARTNERS)

Change to Data Element: New Data Element

NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (FEMALE SAME SEX PARTNERS)
Attribute:

NEW SEX PARTNERS IN THE LAST THREE MONTHS INDICATOR

NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (OPPOSITE SEX PARTNERS)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See NEW SEX PARTNERS IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (OPPOSITE SEX PARTNERS) is the same as attribute NEW SEX PARTNERS IN THE LAST THREE MONTHS INDICATOR, for opposite sex partners.

This data element is also known by these names:

Context	Alias
plural	NEW SEX PARTNERS IN LAST THREE MONTHS INDICATORS (OPPOSITE SEX PARTNERS)

NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (OPPOSITE SEX PARTNERS)

Change to Data Element: New Data Element

NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (OPPOSITE SEX PARTNERS)
Attribute:

NEW SEX PARTNERS IN THE LAST THREE MONTHS INDICATOR

NUMBER OF CONTACTABLE PATIENT REPORTED PARTNERS FOR DIAGNOSED SEXUALLY TRANSMITTED INFECTION

Change to Data Element: New Data Element

Format/Length:	max an3
National Codes:	
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:
NUMBER OF CONTACTABLE PATIENT REPORTED PARTNERS FOR DIAGNOSED SEXUALLY TRANSMITTED INFECTION is the number of contactable partners reported by the PATIENT diagnosed with a Sexually Transmitted Infection attending a Sexual Health Service.

This data element is also known by these names:

Context	Alias
plural	NUMBERS OF CONTACTABLE PATIENT REPORTED PARTNERS REPORTED FOR SEXUALLY TRANSMITTED INFECTION DIAGNOSED

NUMBER OF PATIENT PARTNERS CONFIRMED AS ATTENDED A SEXUAL HEALTH SERVICE

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:
NUMBER OF PATIENT PARTNERS CONFIRMED AS ATTENDED A SEXUAL HEALTH SERVICE is the number of PATIENT partners confirmed by the CARE PROFESSIONAL as having attended a Sexual Health Service within four weeks of the Initial Partner Notification Discussion.

This data element is also known by these names:

Context	Alias
plural	NUMBERS OF PATIENT PARTNERS CONFIRMED AS ATTENDED A SEXUAL HEALTH SERVICE

NUMBER OF PATIENT PARTNERS REPORTED AS ATTENDED A SEXUAL HEALTH SERVICE

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:
NUMBER OF PATIENT PARTNERS REPORTED AS ATTENDED A SEXUAL HEALTH SERVICE is the number of PATIENT partners reported as having attended a Sexual Health Service within four weeks of an Initial Partner Notification Discussion.

This data element is also known by these names:

Context	Alias
plural	NUMBERS OF PATIENT PARTNERS REPORTED AS ATTENDED A SEXUAL HEALTH SERVICE

NUMBER OF PATIENT REPORTED PARTNERS FOR DIAGNOSED SEXUALLY TRANSMITTED INFECTION

Change to Data Element: New Data Element

Format/Length:	max an3
National Codes:	
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:
NUMBER OF PATIENT REPORTED PARTNERS FOR DIAGNOSED SEXUALLY TRANSMITTED INFECTION is the number of PATIENT partners reported by the PATIENT for the Sexually Transmitted Infection diagnosed at a Sexual Health Service.

This data element is also known by these names:

Context	Alias
plural	NUMBERS OF PATIENT REPORTED PARTNERS FOR DIAGNOSED SEXUALLY TRANSMITTED INFECTION

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (FEMALE SAME SEX PARTNERS)

Change to Data Element: New Data Element

Format/Length:	an2
National Codes:	See NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (FEMALE SAME SEX PARTNERS) is the same as attribute NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE, for female same sex partners.

This data element is also known by these names:

Context	Alias
plural	NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODES (FEMALE SAME SEX PARTNERS)

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (FEMALE SAME SEX PARTNERS)

Change to Data Element: New Data Element

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (FEMALE SAME SEX PARTNERS)
Attribute:

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (MALE SAME SEX PARTNERS)

Change to Data Element: New Data Element

Format/Length:	an2
National Codes:	See NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (MALE SAME SEX PARTNERS) is the same as attribute NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE, for male same sex partners.

This data element is also known by these names:

Context	Alias
plural	NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODES (MALE SAME SEX PARTNERS)

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (MALE SAME SEX PARTNERS)

Change to Data Element: New Data Element

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (MALE SAME SEX PARTNERS)
Attribute:

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (OPPOSITE SEX PARTNERS)

Change to Data Element: New Data Element

Format/Length:	an2
National Codes:	See NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (OPPOSITE SEX PARTNERS) is the same as attribute NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE, for opposite sex partners.

This data element is also known by these names:

Context	Alias
plural	NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODES (OPPOSITE SEX PARTNERS)

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (OPPOSITE SEX PARTNERS)

Change to Data Element: New Data Element

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (OPPOSITE SEX PARTNERS)
Attribute:

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE

ONS LOCAL GOVERNMENT GEOGRAPHIC AREA CODE (LOCAL AUTHORITY DISTRICT)

Change to Data Element: Changed Description

Format/Length:	max an9
National Codes:	
Default Codes:	X99999998 - Not Applicable (outside the United Kingdom)
	X99999999 - Not Known

Notes:
ONS LOCAL GOVERNMENT GEOGRAPHIC AREA CODE (LOCAL AUTHORITY DISTRICT) is the same as attribute GEOGRAPHIC AREA CODE for a Local Authority District.

For guidance on Local Authority District codes, see the NHS Postcode Directory which can be downloaded from the Organisation Data Service pages of the NHS Digital website at: NHS Postcode Directory User Guide.

ONS LOCAL GOVERNMENT GEOGRAPHY CODE (LOCAL AUTHORITY DISTRICT) will be replaced with ONS LOCAL GOVERNMENT GEOGRAPHIC AREA CODE (LOCAL AUTHORITY DISTRICT), when it has been approved for use in national information standards.

ONS LOCAL GOVERNMENT GEOGRAPHY CODE (LOCAL AUTHORITY DISTRICT) (RETIRED) renamed from ONS LOCAL GOVERNMENT GEOGRAPHY CODE (LOCAL AUTHORITY DISTRICT)

Change to Data Element: Changed status to Retired, Name, Description

Format/Length:	min an3 max an9
National Codes:	
Default Codes:	L99999999 - Channel Island
	M99999999 - Isle of Man
	X99999998 - Not applicable (outside the United Kingdom)
	X99999999 - Not Known

ONS LOCAL GOVERNMENT GEOGRAPHY CODE (LOCAL AUTHORITY DISTRICT) (RETIRED)_ renamed from ONS LOCAL GOVERNMENT GEOGRAPHY CODE (LOCAL AUTHORITY DISTRICT)

Change to Data Element: Changed status to Retired, Name, Description

- Retired ONS LOCAL GOVERNMENT GEOGRAPHY CODE (LOCAL AUTHORITY DISTRICT)
- Changed Name from Data_Dictionary.Data_Field_Notes.O.Oc.ONS_LOCAL_GOVERNMENT_GEOGRAPHY_CODE_ (LOCAL_AUTHORITY_DISTRICT) to Retired.Data_Dictionary.Data_Field_Notes.O.ONS_LOCAL_GOVERNMENT_GEOGRAPHY_CODE_ (LOCAL_AUTHORITY_DISTRICT)
- Changed Description

PARTNER NOTIFICATION CONSULTATION INDICATOR (SEXUAL HEALTH SERVICE)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See PARTNER NOTIFICATION CONSULTATION INDICATOR FOR SEXUAL HEALTH SERVICE
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
PARTNER NOTIFICATION CONSULTATION INDICATOR (SEXUAL HEALTH SERVICE) is the same as attribute PARTNER NOTIFICATION CONSULTATION INDICATOR FOR SEXUAL HEALTH SERVICE.

This data element is also known by these names:

Context	Alias
plural	PARTNER NOTIFICATION CONSULTATION INDICATORS (SEXUAL HEALTH SERVICE)

PARTNER NOTIFICATION CONSULTATION INDICATOR (SEXUAL HEALTH SERVICE)

Change to Data Element: New Data Element

PARTNER NOTIFICATION CONSULTATION INDICATOR (SEXUAL HEALTH SERVICE)

Attribute:

PARTNER NOTIFICATION CONSULTATION INDICATOR FOR SEXUAL HEALTH SERVICE

PATIENT ATTENDANCE SYMPTOMATIC INDICATOR (SEXUAL HEALTH SERVICE)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See PATIENT ATTENDANCE SYMPTOMATIC INDICATOR FOR SEXUAL HEALTH SERVICE
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:
PATIENT ATTENDANCE SYMPTOMATIC INDICATOR (SEXUAL HEALTH SERVICE) is the same as attribute PATIENT ATTENDANCE SYMPTOMATIC INDICATOR FOR SEXUAL HEALTH SERVICE.

This data element is also known by these names:

Context	Alias
plural	PATIENT ATTENDANCE SYMPTOMATIC INDICATORS (SEXUAL HEALTH SERVICE)

PATIENT ATTENDANCE SYMPTOMATIC INDICATOR (SEXUAL HEALTH SERVICE)

Change to Data Element: New Data Element

PATIENT ATTENDANCE SYMPTOMATIC INDICATOR (SEXUAL HEALTH SERVICE)
Attribute:

PATIENT ATTENDANCE SYMPTOMATIC INDICATOR FOR SEXUAL HEALTH SERVICE

PATIENT DIAGNOSIS CONFIRMED INDICATION CODE (SEXUAL HEALTH SERVICE)

Change to Data Element: New Data Element

Format/Length:	an2
National Codes:	See PATIENT DIAGNOSIS CONFIRMED INDICATION CODE FOR SEXUAL HEALTH SERVICE
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:
PATIENT DIAGNOSIS CONFIRMED INDICATION CODE (SEXUAL HEALTH SERVICE) is the same as attribute PATIENT DIAGNOSIS CONFIRMED INDICATION CODE FOR SEXUAL HEALTH SERVICE.

This data element is also known by these names:

Context	Alias
plural	PATIENT DIAGNOSIS CONFIRMED INDICATION CODES (SEXUAL HEALTH SERVICE)

PATIENT DIAGNOSIS CONFIRMED INDICATION CODE (SEXUAL HEALTH SERVICE)

Change to Data Element: New Data Element

PATIENT DIAGNOSIS CONFIRMED INDICATION CODE (SEXUAL HEALTH SERVICE)
Attribute:

PATIENT DIAGNOSIS CONFIRMED INDICATION CODE FOR SEXUAL HEALTH SERVICE

PATIENT DIAGNOSIS SITE OF INFECTION (SEXUAL HEALTH SERVICE)

Change to Data Element: New Data Element

Format/Length:	an2
National Codes:	See PATIENT DIAGNOSIS SITE OF INFECTION FOR SEXUAL HEALTH SERVICE
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:
PATIENT DIAGNOSIS SITE OF INFECTION (SEXUAL HEALTH SERVICE) is the same as attribute PATIENT DIAGNOSIS SITE OF INFECTION FOR SEXUAL HEALTH SERVICE.

This data element is also known by these names:

Context	Alias
plural	PATIENT DIAGNOSIS SITES OF INFECTION (SEXUAL HEALTH SERVICE)

PATIENT DIAGNOSIS SITE OF INFECTION (SEXUAL HEALTH SERVICE)

Change to Data Element: New Data Element

PATIENT DIAGNOSIS SITE OF INFECTION (SEXUAL HEALTH SERVICE)
Attribute:

PATIENT DIAGNOSIS SITE OF INFECTION FOR SEXUAL HEALTH SERVICE

PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE (SEXUAL HEALTH SERVICE)

Change to Data Element: New Data Element

Format/Length:	an2
National Codes:	See PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE FOR SEXUAL HEALTH SERVICE

Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:
PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE (SEXUAL HEALTH SERVICE) is the same as attribute PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE FOR SEXUAL HEALTH SERVICE.

This data element is also known by these names:

Context	Alias
plural	PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODES (SEXUAL HEALTH SERVICE)

PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE (SEXUAL HEALTH SERVICE)

Change to Data Element: New Data Element

PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE (SEXUAL HEALTH SERVICE)
Attribute:

PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE FOR SEXUAL HEALTH SERVICE

PERSON RISK FACTOR (SEXUALLY TRANSMITTED INFECTION)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See PERSON RISK FACTOR FOR SEXUALLY TRANSMITTED INFECTION
Default Codes:	NA - Not applicable (PERSON not asked)

Notes:
PERSON RISK FACTOR (SEXUALLY TRANSMITTED INFECTION) is the same as attribute PERSON RISK FACTOR FOR SEXUALLY TRANSMITTED INFECTION.

This data element is also known by these names:

Context	Alias
plural	PERSON RISK FACTORS (SEXUALLY TRANSMITTED INFECTION)

PERSON RISK FACTOR (SEXUALLY TRANSMITTED INFECTION)

Change to Data Element: New Data Element

PERSON RISK FACTOR (SEXUALLY TRANSMITTED INFECTION)
Attribute:

PERSON RISK FACTOR FOR SEXUALLY TRANSMITTED INFECTION

PERSON STATED SEXUAL ORIENTATION CODE

Change to Data Element: Changed Description

Format/Length:	an1
National Codes:	See PERSON STATED SEXUAL ORIENTATION CODE
Default Codes:	9 - Not Known (Not Recorded)

Notes:
PERSON STATED SEXUAL ORIENTATION CODE is the same as attribute PERSON STATED SEXUAL ORIENTATION CODE.

SEXUAL ORIENTATION (CURRENT) will be replaced with PERSON STATED SEXUAL ORIENTATION CODE, which is the most recent approved national information standard to describe the required definition.

PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE

Change to Data Element: New Data Element

Format/Length:	an2
National Codes:	See PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:

PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE is the same as attribute PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE.

This data element is also known by these names:

Context	Alias
plural	PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODES

PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE

Change to Data Element: New Data Element

PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE

Attribute:

PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE

PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON

Change to Data Element: New Data Element

Format/Length:	an2
National Codes:	See PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:

PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON is the same as attribute PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON.

This data element is also known by these names:

Context	Alias
plural	PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON CODES

PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON

Change to Data Element: New Data Element

PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON

Attribute:

PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON

PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE

Change to Data Element: New Data Element

Format/Length:	an2
National Codes:	See PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:

PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE is the same as attribute PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE.

This data element is also known by these names:

Context	Alias
plural	PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODES

PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE

Change to Data Element: New Data Element

PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE

Attribute:

PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE

PRE EXPOSURE PROPHYLAXIS STOPPED REASON

Change to Data Element: New Data Element

Format/Length:	an2
National Codes:	See PRE EXPOSURE PROPHYLAXIS STOPPED REASON
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:
PRE EXPOSURE PROPHYLAXIS STOPPED REASON is the same as attribute PRE EXPOSURE PROPHYLAXIS STOPPED REASON.

This data element is also known by these names:

Context	Alias
plural	PRE EXPOSURE PROHYLAXIS STOPPED REASONS

PRE EXPOSURE PROPHYLAXIS STOPPED REASON

Change to Data Element: New Data Element

PRE EXPOSURE PROPHYLAXIS STOPPED REASON
Attribute:

PRE EXPOSURE PROPHYLAXIS STOPPED REASON

PRESCRIBED ITEM QUANTITY (PRE EXPOSURE PROPHYLAXIS)

Change to Data Element: New Data Element

Format/Length:	an2
National Codes:	See PRESCRIBED ITEM QUANTITY FOR PRE EXPOSURE PROPHYLAXIS
Default Codes:	
	NA - Not Applicable (PATIENT not asked)

Notes:
PRESCRIBED ITEM QUANTITY (PRE EXPOSURE PROPHYLAXIS) is the same as attribute PRESCRIBED ITEM QUANTITY FOR PRE EXPOSURE PROPHYLAXIS.

This data element is also known by these names:

Context	Alias
plural	PRESCRIBED ITEM QUANTITIES (PRE EXPOSURE PROPHYLAXIS)

PRESCRIBED ITEM QUANTITY (PRE EXPOSURE PROPHYLAXIS)

Change to Data Element: New Data Element

PRESCRIBED ITEM QUANTITY (PRE EXPOSURE PROPHYLAXIS)
Attribute:

PRESCRIBED ITEM QUANTITY FOR PRE EXPOSURE PROPHYLAXIS

SERVICE TYPE (SEXUAL HEALTH)

Change to Data Element: New Data Element

Format/Length:	an2
National Codes:	See SERVICE TYPE FOR SEXUAL HEALTH
Default Codes:	

Notes:
SERVICE TYPE (SEXUAL HEALTH) is the same as attribute SERVICE TYPE FOR SEXUAL HEALTH.

This data element is also known by these names:

Context	Alias
plural	SERVICE TYPES (SEXUAL HEALTH)

SERVICE TYPE (SEXUAL HEALTH)

Change to Data Element: New Data Element

SERVICE TYPE (SEXUAL HEALTH)

Attribute:

SERVICE TYPE FOR SEXUAL HEALTH

SEXUAL HEALTH AND HIV ACTIVITY HEALTH ISSUE (SNOMED CT)

Change to Data Element: New Data Element

Format/Length:	See SNOMED CT EXPRESSION
National Codes:	
Default Codes:	

Notes:
SEXUAL HEALTH AND HIV ACTIVITY HEALTH ISSUE (SNOMED CT) is the same as attribute CLINICAL TERMINOLOGY CODE.

SEXUAL HEALTH AND HIV ACTIVITY HEALTH ISSUE (SNOMED CT) is the SNOMED CT EXPRESSION which is used to record a health issue identified at an attendance for a Sexual Health Service.

NOTE: SNOMED CT EXPRESSION constraint for Health Issue: (<404684003 or <243796009)

This data element is also known by these names:

Context	Alias
plural	SEXUAL HEALTH AND HIV ACTIVITY HEALTH ISSUES (SNOMED CT)

SEXUAL HEALTH AND HIV ACTIVITY HEALTH ISSUE (SNOMED CT)

Change to Data Element: New Data Element

SEXUAL HEALTH AND HIV ACTIVITY HEALTH ISSUE (SNOMED CT)

Attribute:

CLINICAL TERMINOLOGY CODE

SEXUAL HEALTH AND HIV ACTIVITY PROCEDURE (SNOMED CT)

Change to Data Element: New Data Element

Format/Length:	See SNOMED CT EXPRESSION
National Codes:	
Default Codes:	

Notes:
SEXUAL HEALTH AND HIV ACTIVITY PROCEDURE (SNOMED CT) is the same as attribute CLINICAL TERMINOLOGY CODE.

SEXUAL HEALTH AND HIV ACTIVITY PROCEDURE (SNOMED CT) is the SNOMED CT EXPRESSION which is used to identify the procedure relating to the activity undertaken at an attendance for a Sexual Health Service.

NOTE: SNOMED CT EXPRESSION constraint for procedure: (7138802 or <129152009)

This data element is also known by these names:

Context	Alias
plural	SEXUAL HEALTH AND HIV ACTIVITY PROCEDURES (SNOMED CT)

SEXUAL HEALTH AND HIV ACTIVITY PROCEDURE (SNOMED CT)

Change to Data Element: New Data Element

SEXUAL HEALTH AND HIV ACTIVITY PROCEDURE (SNOMED CT)

Attribute:

CLINICAL TERMINOLOGY CODE

SEXUAL HEALTH SERVICE ATTENDANCE SOURCE (SNOMED CT)

Change to Data Element: New Data Element

Format/Length:	See SNOMED CT CODE
National Codes:	
Default Codes:	

Notes:

SEXUAL HEALTH SERVICE ATTENDANCE SOURCE (SNOMED CT) is the same as attribute CLINICAL TERMINOLOGY CODE.

SEXUAL HEALTH SERVICE ATTENDANCE SOURCE (SNOMED CT) is the SNOMED CT® concept ID which is used to indicate the source of an attendance for a Sexual Health Service.

SNOMED CT Subset Metadata:

- Subset Name: Sexual health source of attendance
- Subset Original Id: 77761000000130
- Refset FSN: Sexual health source of attendance simple reference set (foundation metadata concept)
- Refset Id: 999003111000000106

For further details relating to the SNOMED CT Subset Metadata, see the Data Dictionary for Care (DD4C) website at: Sexual Health Source of Attendance.

This data element is also known by these names:

Context	Alias
snomedctsubsetoriginalid	77761000000130
snomedctrefsetname	Sexual health source of attendance simple reference set
snomedctsubsetname	Sexual health source of attendance
plural	SEXUAL HEALTH SERVICE ATTENDANCE SOURCES (SNOMED CT)
snomedctrefsetid	999003111000000106

SEXUAL HEALTH SERVICE ATTENDANCE SOURCE (SNOMED CT)

Change to Data Element: New Data Element

SEXUAL HEALTH SERVICE ATTENDANCE SOURCE (SNOMED CT)

Attribute:

CLINICAL TERMINOLOGY CODE

SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR
	NA - Not Applicable (PERSON not asked)

Notes:

SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR is the same as attribute SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR.

This data element is also known by these names:

Context	Alias
plural	SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATORS

SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR

Change to Data Element: New Data Element

SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR

Attribute:

SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR

SNOMED CT EXPRESSION

Change to Data Element: Changed Description

~~Format/Length:~~	~~min an6 max an56~~
Format/Length:	an
National Codes:	
Default Codes:	

Notes:

SNOMED CT EXPRESSION is the same as attribute CLINICAL TERMINOLOGY CODE.

SNOMED CT EXPRESSION is a structured combination of one or more SNOMED CT concept identifiers to express a clinical idea.

For further information on SNOMED CT EXPRESSIONS, see the SNOMED CT Glossary at: Expression.

SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR is the same as attribute SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR.

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATORS

SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR

Change to Data Element: New Data Element

SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR

Attribute:

SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR

SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR is the same as attribute SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATORS

SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR

Change to Data Element: New Data Element

SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR

Attribute:

SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (AMPHETAMINE OR SPEED)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (AMPHETAMINE OR SPEED) is the same as attribute SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR, to indicate whether the PERSON has used the SUBSTANCE Amphetamine or Speed in the last three months.

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATORS (AMPHETAMINE OR SPEED)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (AMPHETAMINE OR SPEED)

Change to Data Element: New Data Element

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (AMPHETAMINE OR SPEED)

Attribute:

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (BENZODIAZEPINES NON PRESCRIBED)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (BENZODIAZEPINES NON PRESCRIBED) is the same as attribute SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR, to indicate whether the PERSON has used the SUBSTANCE Non-Prescribed Benzodiazepines in the last three months.

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATORS (BENZODIAZEPINES NON PRESCRIBED)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (BENZODIAZEPINES NON PRESCRIBED)

Change to Data Element: New Data Element

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (BENZODIAZEPINES NON PRESCRIBED)

Attribute:

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CANNABIS)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

| Default Codes: | NA - Not Applicable (PERSON not asked) |

Notes:
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CANNABIS) is the same as attribute SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR, to indicate whether the PERSON has used the SUBSTANCE Cannabis in the last three months.

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATORS (CANNABIS)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CANNABIS)

Change to Data Element: New Data Element

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CANNABIS)
Attribute:

| SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR |

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (COCAINE)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (COCAINE) is the same as attribute SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR, to indicate whether the PERSON has used the SUBSTANCE Cocaine in the last three months.

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATORS (COCAINE)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (COCAINE)

Change to Data Element: New Data Element

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (COCAINE)
Attribute:

| SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR |

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRACK)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRACK) is the same as attribute SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR, to indicate whether the PERSON has used the SUBSTANCE Crack in the last three months.

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATORS (CRACK)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRACK)

Change to Data Element: New Data Element

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRACK)
Attribute:

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRYSTAL METH OR METHAMPHETAMINE)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRYSTAL METH OR METHAMPHETAMINE) is the same as attribute SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR, to indicate whether the PERSON has used the SUBSTANCE Crystal Meth or Methamphetamine in the last three months.

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATORS (CRYSTAL METH OR METHAMPHETAMINE)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRYSTAL METH OR METHAMPHETAMINE)

Change to Data Element: New Data Element

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRYSTAL METH OR METHAMPHETAMINE)

Attribute:

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (ECSTASY OR METHYLENEDIOXYMETHAMPHETAMINE)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (ECSTASY OR METHYLENEDIOXYMETHAMPHETAMINE) is the same as attribute SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR, to indicate whether the PERSON has used the SUBSTANCE Ecstasy or Methylenedioxymethamphetamine in the last three months.

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATORS (ECSTASY OR METHYLENEDIOXYMETHAMPHETAMINE)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (ECSTASY OR METHYLENEDIOXYMETHAMPHETAMINE)

Change to Data Element: New Data Element

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (ECSTASY OR METHYLENEDIOXYMETHAMPHETAMINE)

Attribute:

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (GAMMAHYDROXYBUTYRATE OR GAMMABUTYROLACTONE)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (GAMMAHYDROXYBUTYRATE OR GAMMABUTYROLACTONE) is the same as attribute SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR, to indicate whether the PERSON has used the SUBSTANCE Gammahydroxybutyrate or Gammabutyrolactone in the last three months.

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATORS (GAMMAHYDROXYBUTYRATE OR GAMMABUTYROLACTONE)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (GAMMAHYDROXYBUTYRATE OR GAMMABUTYROLACTONE)

Change to Data Element: New Data Element

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (GAMMAHYDROXYBUTYRATE OR GAMMABUTYROLACTONE)

Attribute:

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (HEROIN)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (HEROIN) is the same as attribute SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR, to indicate whether the PERSON has used the SUBSTANCE Heroin in the last three months.

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATORS (HEROIN)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (HEROIN)

Change to Data Element: New Data Element

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (HEROIN)
Attribute:

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (KETAMINE)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (KETAMINE) is the same as attribute SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR, to indicate whether the PERSON has used the SUBSTANCE Ketamine in the last three months.

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATORS (KETAMINE)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (KETAMINE)

Change to Data Element: New Data Element

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (KETAMINE)

Attribute:

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (MEPHEDRONE)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (MEPHEDRONE) is the same as attribute SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR, to indicate whether the PERSON has used the SUBSTANCE Mephedrone in the last three months.

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATORS (MEPHEDRONE)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (MEPHEDRONE)

Change to Data Element: New Data Element

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (MEPHEDRONE)
Attribute:

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (METHADONE)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (METHADONE) is the same as attribute SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR, to indicate whether the PERSON has used the SUBSTANCE Methadone in the last three months.

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATORS (METHADONE)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (METHADONE)

Change to Data Element: New Data Element

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (METHADONE)
Attribute:

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (NOVEL PSYCHOACTIVE)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (NOVEL PSYCHOACTIVE) is the same as attribute SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR, to indicate whether the PERSON has used the SUBSTANCE Novel Psychoactive in the last three months.

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATORS (NOVEL PSYCHOACTIVE)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (NOVEL PSYCHOACTIVE)

Change to Data Element: New Data Element

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (NOVEL PSYCHOACTIVE)
Attribute:

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (POPPERS)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (POPPERS) is the same as attribute SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR, to indicate whether the PERSON has used the SUBSTANCE Poppers in the last three months.

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATORS (POPPERS)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (POPPERS)

Change to Data Element: New Data Element

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (POPPERS)
Attribute:

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (RECREATIONAL DRUGS)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (RECREATIONAL DRUGS) is the same as attribute SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR, to indicate whether the PERSON has used the SUBSTANCE Recreational Drugs in the last three months.

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATORS (RECREATIONAL DRUGS)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (RECREATIONAL DRUGS)

Change to Data Element: New Data Element

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (RECREATIONAL DRUGS)
Attribute:

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (SOLVENTS OR GLUE)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (SOLVENTS OR GLUE) is the same as attribute SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR, to indicate whether the PERSON has used the SUBSTANCE Solvents or Glue within the last three months.

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATORS (SOLVENTS OR GLUE)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (SOLVENTS OR GLUE)

Change to Data Element: New Data Element

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (SOLVENTS OR GLUE)

Attribute:

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (UNCLASSIFIED SUBSTANCE)

Change to Data Element: New Data Element

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:
SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (UNCLASSIFIED SUBSTANCE) is the same as attribute SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR, to indicate whether the PERSON has used an Unclassified SUBSTANCE within the last three months.

This data element is also known by these names:

Context	Alias
plural	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATORS (UNCLASSIFIED SUBSTANCE)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (UNCLASSIFIED SUBSTANCE)

Change to Data Element: New Data Element

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (UNCLASSIFIED SUBSTANCE)

Attribute:

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

For enquiries about this Change Request, please email information.standards@nhs.net