

1 **Table S1.** Frequency of *Salmonella* serotypes using SeqSero pipeline, isolated from
2 horses admitted to an equine referral hospital with a differential diagnosis of
3 salmonellosis between January 8, 2007 and November 4, 2015.

Serotype	Frequency	Percent (%)
Agona	4	1.57
Agouvee or Cubana	1	0.39
Altona	1	0.39
Anatum ^a	39	15.29
Bareilly	1	0.39
Braenderup ^b	30	11.76
Carrau or Madelia	1	0.39
Cerro or II 18:z4,z23:- or IIIa	4	1.57
Elomrane	1	0.39
Freetown	2	0.78
Gaminara	3	1.18
Giessen	1	0.39
Give ^c	6	2.35
Havana	1	0.39
Hindmarsh or Bovismorbificans	1	0.39
Ibadan or Mississippi or II [1]	3	1.18
II 16:b:e,n,x or Hvittingfoss	2	0.78
II 9,12:l,z28:1,5 or Javiana	14	5.49
IIIa 51:g,z51:-	1	0.39
Infantis	21	8.24
IV 42:z36:- or Weslaco	2	0.78
Kentucky	3	1.18
Kiambu or II [1],4,12,27:z:1,5	2	0.78
Mbandaka	3	1.18
Meleagridis	2	0.78
Minnesota	1	0.39
Montevideo	6	2.35
Muenster	3	1.18

Serotype	Frequency	Percent (%)
Newport ^d	46	18.04
Norwich	1	0.39
Oranienburg or II 6,7:m,t:-	4	1.57
Paratyphi B	2	0.78
Potential monophasic variant of Typhimurium	1	0.39
Rubislaw	12	4.71
Ruiru	1	0.39
Saintpaul	2	0.78
Senftenberg or Dessau	1	0.39
Thompson	4	1.57
Typhimurium	16	6.27
Typhimurium(O5-)	3	1.18
Virginia or Muenchen	2	0.78
Yovokome or Manhattan	1	0.39

4

5 ^aOne Anatum isolate was of the Newport serotype based on NVSL results.

6 ^bOne Braenderup isolate was of the Typhimurium serotype based on NVSL results.

7 ^cTwo Give isolates were each of the Rubislaw and Havana serotypes, respectively, based on
8 NVSL results.

9 ^dTwo Newport isolates were each of the Braenderup and Typhimurium Var5 serotypes,
10 respectively, based on NVSL results.

11

12

13

14

15




Fig. S1. Assembly size distribution of the *Salmonella* genome using SPAdes/3.10.1-Linux assembler and QUAST tool.





Fig. S2. Coverage depth (x) distribution of the *Salmonella* genome.

29



30

31 **Fig. S3.** Number of detected plasmid replicon types among the different *Salmonella* serotypes (see Table S1 for the number of
32 isolates per serotype)
33

34 **Table S2.** List of antimicrobial resistance genes detected by RGI software^a.

Antimicrobial class	ARG	Resistance mechanism	% of isolates with gene
aminocoumarin	<i>mdtC</i>	antibiotic efflux	0.4
aminoglycosides	<i>aac(3)-IIa</i>	antibiotic inactivation	0.8
	<i>aac(3)-VIa</i>	antibiotic inactivation	0.8
	<i>aac(6')-Iaa</i>	antibiotic inactivation	31.4
	<i>aac(6')-Ib7</i>	antibiotic inactivation	1.2
	<i>aac(6')-Ib9</i>	antibiotic inactivation	1.6
	<i>aac(6')-IIc</i>	antibiotic inactivation	3.1
	<i>aac(6')-Iy</i>	antibiotic inactivation	67.8
	<i>aadA</i>	antibiotic inactivation	0.4
	<i>aadA2</i>	antibiotic inactivation	0.4
	<i>aadA22</i>	antibiotic inactivation	1.6
	<i>aadA24</i>	antibiotic inactivation	2.7
	<i>aadA3</i>	antibiotic inactivation	0.4
	<i>aadA7</i>	antibiotic inactivation	0.4
	<i>aph(3')-Ia</i>	antibiotic inactivation	0.4
	<i>aph(3'')-Ib</i>	antibiotic inactivation	8.2
	<i>aph(6)-Id</i>	antibiotic inactivation	7.8
	<i>kdpE</i>	antibiotic efflux	91.4
cephalosporin	<i>bla_{CTX-M-137}</i>	antibiotic inactivation	0.8
diaminopyrimidine	<i>dfrA12</i>	antibiotic target replacement	0.8
	<i>dfrA14</i>	antibiotic target replacement	0.4
	<i>dfrA15</i>	antibiotic target replacement	1.6
	<i>dfrA19</i>	antibiotic target replacement	4.3

fluoroquinolone	<i>emrA</i>	antibiotic efflux	12.2
	<i>emrB</i>	antibiotic efflux	97.6
	<i>emrD</i>	antibiotic efflux	98.0
	<i>emrR</i>	antibiotic efflux	98.0
	<i>mdtK</i>	antibiotic efflux	19.2
	<i>patA</i>	antibiotic efflux	97.6
	<i>qnrB20</i>	antibiotic target protection	2.0
fosfomycin	<i>glpT</i>	antibiotic inactivation	87.1
	<i>uhpT</i>	antibiotic target alteration	98.4
	<i>fosA7</i>	antibiotic inactivation	4.7
	<i>mdtG</i>	antibiotic efflux	0.4
macrolide	<i>ereA2</i>	antibiotic inactivation	5.9
	<i>mphA</i>	antibiotic inactivation	2.4
	<i>mrx</i>	antibiotic inactivation	2.0
nitroimidazole	<i>msbA</i>	antibiotic efflux	93.7
peptide	<i>bacA</i>	antibiotic target alteration	92.9
	<i>yojI</i>	antibiotic efflux	0.4
phenicol	<i>catI</i>	antibiotic inactivation	0.8
	<i>catII</i>	antibiotic inactivation	2.7
	<i>cmlA4</i>	antibiotic efflux	1.2
	<i>floR</i>	antibiotic efflux	2.7
rifamycin	<i>arr-3</i>	antibiotic inactivation	1.2
sulfonamide; sulfone	<i>sul1</i>	antibiotic target replacement	8.2
	<i>sul2</i>	antibiotic target replacement	6.7
tetracycline	<i>tet(C)</i>	antibiotic efflux	0.4
	<i>tet(D)</i>	antibiotic efflux	1.2

aminocoumarin; aminoglycoside	<i>baeR</i>	antibiotic efflux	90.6
	<i>cpxA</i>	antibiotic efflux	98.4
cephalosporin; cephamycin	<i>bla_{CMY-2}</i>	antibiotic inactivation	2.4
glycylcycline; tetracycline	<i>tet(A)</i>	antibiotic efflux	2.4
	<i>tetR</i>	antibiotic target alteration; antibiotic efflux	2.4
nybomycin; fluoroquinolone	<i>gyrA</i>	antibiotic target alteration	0.8
streptogramin; pleuromutilin	<i>vgaC</i>	antibiotic efflux	3.9
cephalosporin; carbapenem; penam	<i>bla_{SHV-134}</i>	antibiotic inactivation	4.7
macrolide; fluoroquinolone; penam	<i>crp</i>	antibiotic efflux	8.6
fluoroquinolone; cephalosporin; penam; cephamycin	<i>acrF</i>	antibiotic efflux	2.4
penem; monobactam; cephalosporin; penam	<i>bla_{TEM-1}</i>	antibiotic inactivation	0.4
	<i>bla_{TEM-150}</i>	antibiotic inactivation	5.5
macrolide; penam; cephamycin; tetracycline; cephalosporin; fluoroquinolone	<i>H-NS</i>	antibiotic efflux	98.0
monobactam; phenicol; penam; cephamycin; penem; cephalosporin; carbapenem	<i>golS</i>	antibiotic efflux	96.9
penem; penam; monobactam; phenicol; cephalosporin; carbapenem; cephamycin	<i>mdsA</i>	antibiotic efflux	85.5
	<i>mdsB</i>	antibiotic efflux	85.5
	<i>mdsC</i>	antibiotic efflux	78.8
triclosan; glycylcycline; cephalosporin; penam; tetracycline; fluoroquinolone; rifamycin; phenicol	<i>soxR</i>	antibiotic target alteration; antibiotic efflux	95.3
triclosan; glycylcycline; phenicol; penam; cephalosporin; tetracycline; fluoroquinolone; rifamycin	<i>acrB</i>	antibiotic efflux	95.7
	<i>acrA</i>	antibiotic efflux	0.4
	<i>marR</i>	antibiotic efflux	25.5

	<i>sdiA</i>	antibiotic efflux	98.0
triclosan; glycylicline; cephalosporin; penam; cephamycin; carbapenam; monobactam; penem; tetracycline; fluoroquinolone; rifamycin; phenicol	<i>soxS</i>	reduced permeability to antibiotic; antibiotic target alteration; antibiotic efflux	98.8
triclosan; glycylicline; cephalosporin; penam; cephamycin; monobactam; penem; tetracycline; fluoroquinolone; rifamycin; phenicol; carbapenam	<i>marA</i>	reduced permeability to antibiotic; antibiotic efflux	99.2

35

36 ^a. Resistance Gene Identifier (RGI) software for prediction of resistome based on homology and SNP models.

37 **Table S3.** Antimicrobial resistance genes (ARG) carried by incompatibility plasmid type

Inc type ^a	List of ARG ^b	Number of ARG
I1, q	<i>aac(6')-Ib9, aac(6')-IIc, aac(6')-Iy, aadA2, aph(3')-Ia, aph(3'')-Ib, aph(6)-Id, catII, cmlA4, cpxA, crp, dfrA15, dfrA19, emrA, emrB, ereA2, h-ns, marA, marR, mphA, mrx, sdiA, soxs, blaSHV-134, blaTEM-1</i>	25
I1	<i>ereA2, aac(6')-Ib7, aadA3, aph(3')-Ia, aph(3'')-Ib, bacA, catII, cpxA, dfrA19, mdtK, patA, qnrB20, blaSHV-134, sul1</i>	14
I2	<i>aac(6')-IIc, aadA3, acrA, acrB, emrB, emrD, ereA2, glpT, golS, kdpE, marA, mdsA, mdsB, mdsC, soxR, soxS, sul1, uhpT</i>	18
AC2	<i>aac(6')-ly, baeR, marA, marR</i>	4
FII, HI1	<i>baeR</i>	1
COL, FI	<i>aac(6')-IIc, aac(6')-Ib7, baeR, catII, dfrA19, ereA2, patA, tet(D)</i>	8

38

39 ^a. Detected plasmid replicon types using PlasmidFinder tool, Bandage application and
40 BLAST

41 ^b. Detected antimicrobial resistance genes (ARG) using Resistance Gene Identifier (RGI)
42 software

43

44

45

46

47

48

49

57 **Table S4.** Equine cases of genetically related *Salmonella* Anatum from Cluster I and II by phylogeny (See Fig. 2.)

58

Cluster	Sub-cluster	Vial	Sample_name Bioproject	Breed	Admission date	Discharge date	Age	Complaint	Resistance pattern	Aminoglycosides			Beta-lactams		Folate pathway inhibitors
										aac(6)-Iaa	aac(6)-Iy	rmlE	blaCMY2	blaCTX-M-27	trpS
I	I-b	08-023	ME2L-17-28	Dutch Warmblood	6/26/2007	7/12/2007	Foal	lameness	Pansusceptible						
I	I-e	08-049	ME2L-17-30	Thoroughbred	4/10/2008	4/11/2008	Adult	respiratory - poss. strangles	AUG2-AMP-FOX-XNL-AXO-GEN-FIS-SXT						
I	I-e	08-052	ME2L-17-12	Irish Draught	3/28/2008	4/16/2008	Juvenile	colic	AUG2-AMP-FOX-XNL-AXO-GEN-FIS-SXT						
I	I-e	08-056	ME2L-17-56	Quarter Horse	3/18/2008	3/20/2008	Foal	diarrhea	Pansusceptible						
I	I-e	08-065	ME2L-17-59	Quarter Horse	3/20/2008	3/27/2008	Foal	diarrhea	AUG2-AMP-FOX-XNL-AXO-GEN-FIS-SXT						
I	I-e	08-072	ME2L-17-57	Quarter Horse	3/18/2008	3/22/2008	Foal	bloody and watery diarrhea	AUG2-AMP-FOX-XNL-AXO-GEN-FIS-SXT						
I	I-a	09-049	ME2L-17-107	Thoroughbred	2/24/2009	2/28/2009	Foal	diarrhea	Pansusceptible						
I	I-a	09-051	ME2L-17-104	Thoroughbred	2/22/2009	3/23/2009	Foal	diarrhea, lethargic, dehydration	Pansusceptible						
I	I-a	09-052	ME2L-17-108	Thoroughbred	2/24/2009	3/9/2009	Foal	diarrhea	Pansusceptible						
I	I-a	09-054	ME2L-17-103	Thoroughbred	2/22/2009	3/23/2009	Adult	boarding	Pansusceptible						
I	I-a	09-055	ME2L-17-106	Thoroughbred	2/24/2009	3/1/2009	Adult	boarding	Pansusceptible						
I	I-a	09-073	ME2L-17-114	Thoroughbred	3/24/2009	4/6/2009	Foal	watery diarrhea, dehydration	Pansusceptible						
I	I-c	09-092	ME2L-17-127	Quarter Horse	7/28/2009	8/5/2009	Adult	colic	Pansusceptible						
I	I-d	10-021	ME2L-17-147	American Paint	4/18/2010	4/24/2010	Adult	colic	Pansusceptible						
I	I-d	10-022	ME2L-17-40	Quarter Horse	5/14/2010	5/25/2010	Adult	colic	Pansusceptible						
I	I-c	10-024	ME2L-17-148	Quarter Horse	5/29/2010	6/3/2010	Foal	diarrhea	Pansusceptible						
I	I-b	10-030	ME2L-17-151	Gypsy Vanner	10/11/2010	10/25/2010	Adult	boarding	Pansusceptible						
I	I-b	10-032	ME2L-17-150	Gypsy Vanner	10/11/2010	10/25/2010	Foal	salmonellosis	AMP-XNL-AXO						
I	I-d	11-090	ME2L-17-215	Gypsy Vanner	9/11/2013	9/11/2013	Adult	colic	Pansusceptible						
II	NA	08-003	ME2L-17-15	Arabian	1/8/2007	1/24/2007	Adult	colic	Pansusceptible						
II	NA	09-004	ME2L-17-75	Dutch Warmblood	5/23/2008	5/29/2008	Foal	watery diarrhea, fever, not eating	Pansusceptible						
II	NA	09-010	ME2L-17-78	Foreign Warm Blood	6/6/2008	6/6/2008	Foal	surgery	Pansusceptible						
II	NA	09-030	ME2L-17-93	Quarter Horse	11/3/2008	11/8/2008	Adult	colic	Pansusceptible						
II	NA	09-046	ME2L-17-100	Quarter Horse	1/31/2009	2/25/2009	Foal	diarrhea	Pansusceptible						
II	NA	09-068	ME2L-17-110	Quarter Horse	3/21/2009	3/22/2009	Adult	dystocia, possible ruptured rectum	Pansusceptible						

59

60

61

62

63

64

65

66

67

68

Table S5. Equine cases of genetically related *Salmonella* Braenderup from Cluster I and II by phylogeny (See Fig. 3).

Cluster	Sub-cluster	Vial	Sample_name Bioproject	Breed	Admission date	Discharge date	Age	Complaint	Resistance pattern	Aminoglycosides			Beta-lactams		Folate pathway inhibitors
										aac(6)-Iaa	aac(6)-Iy	rmlE	blaCMY2	blaCTX-M-27	suII
I	I-a	09-049	ME2L-17-107	Thoroughbred	2/24/2009	2/28/2009	Foal	diarrhea	Pansusceptible						
I	I-a	09-051	ME2L-17-104	Thoroughbred	2/22/2009	3/23/2009	Foal	diarrhea, lethargic, dehydration	Pansusceptible						
I	I-a	09-052	ME2L-17-108	Thoroughbred	2/24/2009	3/9/2009	Foal	diarrhea	Pansusceptible						
I	I-a	09-054	ME2L-17-103	Thoroughbred	2/22/2009	3/23/2009	Adult	boarding	Pansusceptible						
I	I-a	09-055	ME2L-17-106	Thoroughbred	2/24/2009	3/1/2009	Adult	boarding	Pansusceptible						
I	I-a	09-073	ME2L-17-114	Thoroughbred	3/24/2009	4/6/2009	Foal	watery diarrhea, dehydration	Pansusceptible						
I	I-b	08-023	ME2L-17-28	Dutch Warmblood	6/26/2007	7/12/2007	Foal	lameness	Pansusceptible						
I	I-b	10-030	ME2L-17-151	Gypsy Vanner	10/11/2010	10/25/2010	Adult	boarding	Pansusceptible						
I	I-b	10-032	ME2L-17-150	Gypsy Vanner	10/11/2010	10/25/2010	Foal	salmonellosis	AMP-XNL-AXO						
I	I-c	09-092	ME2L-17-127	Quarter Horse	7/28/2009	8/5/2009	Adult	colic	Pansusceptible						
I	I-c	10-024	ME2L-17-148	Quarter Horse	5/29/2010	6/3/2010	Foal	diarrhea	Pansusceptible						
I	I-d	10-021	ME2L-17-147	American Paint	4/18/2010	4/24/2010	Adult	colic	Pansusceptible						
I	I-d	10-022	ME2L-17-40	Quarter Horse	5/14/2010	5/25/2010	Adult	colic	Pansusceptible						
I	I-d	11-090	ME2L-17-215	Gypsy Vanner	9/11/2013	9/11/2013	Adult	colic	Pansusceptible						
I	I-e	08-049	ME2L-17-30	Thoroughbred	4/10/2008	4/11/2008	Adult	respiratory - poss. strangles	AUG2-AMP-FOX-XNL-AXO-GEN-FIS-SXT						
I	I-e	08-052	ME2L-17-12	Irish Draught	3/28/2008	4/16/2008	Juvenile	colic	AUG2-AMP-FOX-XNL-AXO-GEN-FIS-SXT						
I	I-e	08-056	ME2L-17-56	Quarter Horse	3/18/2008	3/20/2008	Foal	diarrhea	Pansusceptible						
I	I-e	08-065	ME2L-17-59	Quarter Horse	3/20/2008	3/27/2008	Foal	diarrhea	AUG2-AMP-FOX-XNL-AXO-GEN-FIS-SXT						
I	I-e	08-072	ME2L-17-57	Quarter Horse	3/18/2008	3/22/2008	Foal	bloody and watery diarrhea	AUG2-AMP-FOX-XNL-AXO-GEN-FIS-SXT						
II	NA	08-003	ME2L-17-15	Arabian	1/8/2007	1/24/2007	Adult	colic	Pansusceptible						
II	NA	09-004	ME2L-17-75	Dutch Warmblood	5/23/2008	5/29/2008	Foal	watery diarrhea, fever, not eating	Pansusceptible						
II	NA	09-010	ME2L-17-78	Foreign Warm Blood	6/6/2008	6/6/2008	Foal	surgery	Pansusceptible						
II	NA	09-030	ME2L-17-93	Quarter Horse	11/3/2008	11/8/2008	Adult	colic	Pansusceptible						
II	NA	09-046	ME2L-17-100	Quarter Horse	1/31/2009	2/25/2009	Foal	diarrhea	Pansusceptible						
II	NA	09-068	ME2L-17-110	Quarter Horse	3/21/2009	3/22/2009	Adult	dystocia, possible ruptured rectum	Pansusceptible						

N/A: not applicable

Table S6. Equine cases of genetically related *Salmonella* Newport from Cluster I and II by phylogeny (See Fig. 4).

Table S6. Equine cases of genetically related *Salmonella* Newport from Cluster I and II by phylogeny (See Fig. 4).

Cluster	Sub-cluster	Vial	Sample_name Bioproject	Breed	Admission date	Discharge date	Age	Complaint	Resistance pattern	Aminoglycosides						Ansamycin	Beta-lactams	Amphenicol	Macrolide	Folate pathway inhibitor	Tetracycline
										aac(6)-Iba	aac(4)	aac(6)-Ib-cr	aac(6)-Iy	aac(6)-Ic	qphz(3)-Ia	strA	strB	arr-3	bla SHV-12	bla TEM-1B	catA2
I	I-a	10-083	ME2L-17-62	American Paint	8/27/2011	9/3/2011	Adult	colic	Pansusceptible												
I	I-a	11-049	ME2L-17-153	Quarter Horse	10/7/2012	10/8/2012	Adult	diarrhea	Pansusceptible												
I	I-b	08-021	ME2L-17-29	Miniature Donkey	7/11/2007	7/11/2007	NR	colic	Pansusceptible												
I	I-b	09-022	ME2L-17-88	Quarter Horse	8/16/2008	8/19/2008	NR	colitis	Pansusceptible												
I	I-b	09-035	ME2L-17-19	Mixed Breed	11/16/2008	11/19/2008	Adult	colic	Pansusceptible												
I	I-b	09-079	ME2L-17-118	American Miniature	5/8/2009	5/8/2009	Adult	colic	Pansusceptible												
I	I-b	10-029	ME2L-17-149	Gypsy Vanner	9/27/2010	10/7/2010	Foal	diarrhea	Pansusceptible												
I	I-b	11-052	ME2L-17-195	Quarter Horse	10/12/2012	10/31/2012	Adult	fever	Pansusceptible												
I	I-b	11-068	ME2L-17-6	Thoroughbred	1/18/2013	1/26/2013	Senior	colic	Pansusceptible												
I	I-b	12-025	ME2L-17-229	Quarter Horse	4/19/2014	4/25/2014	Foal	decreased suckle reflex, lame in front legs	Pansusceptible												
II	II-a	08-026	ME2L-17-8	Quarter Horse	8/8/2007	8/15/2007	NR	Intermittent diarrhea, now drawn up, weight loss	Pansusceptible												
II	II-a	09-057	ME2L-17-109	Mixed Breed	2/26/2009	3/12/2009	Adult	fever, possible fluid in lungs	Pansusceptible												
II	II-b	10-035	ME2L-17-77	Quarter Horse	11/15/2010	11/22/2010	Foal	colic	Pansusceptible												
II	II-b	10-049	ME2L-17-3	Quarter Horse	1/14/2011	2/3/2011	Adult	possible choke	Pansusceptible												
II	II-c	08-041	ME2L-17-46	Andalusian	12/6/2007	12/14/2007	NR	toxic insult to liver-enzymes up, colic	Pansusceptible												
II	II-c	12-023	ME2L-17-223	Quarter Horse	4/9/2014	4/9/2014	Adult	colic	Pansusceptible												
II	II-d	08-047	ME2L-17-48	Quarter Horse	12/28/2007	12/28/2007	NR	colic	Pansusceptible												
II	II-d	09-017	ME2L-17-85	Clydesdale	8/13/2008	8/17/2008	Adult	colitis	Pansusceptible												
II	II-d	09-023	ME2L-17-86	Quarter Horse	8/16/2008	8/25/2008	Adult	colic	Pansusceptible												
II	II-d	09-042	ME2L-17-98	American Paint	12/30/2008	1/13/2009	Adult	colic	Pansusceptible												
II	II-d	10-011	ME2L-17-10	Spanish Barb	12/12/2009	12/16/2009	Adult	colic	Pansusceptible												
II	II-d	11-095	ME2L-17-220	Arabian	9/25/2013	9/27/2013	Adult	stomach ulcers, colic	Pansusceptible												
II	II-d	12-001	ME2L-17-209	Quarter Horse	9/16/2013	9/16/2013	Adult	ultrasound	Pansusceptible												
II	II-e	10-093	ME2L-17-154	American Miniature	9/29/2011	9/29/2011	Adult	colic	Pansusceptible												
II	II-e	10-094	ME2L-17-168	American Paint	10/11/2011	10/20/2011	Adult	colic	Pansusceptible												
II	II-e	11-045	ME2L-17-9	Thoroughbred	9/24/2012	9/24/2012	Adult	colic	Pansusceptible												
II	II-f	09-007	ME2L-17-82	Belgian	7/19/2008	7/21/2008	Adult	fever	Pansusceptible												
II	II-f	10-066	ME2L-17-165	Quarter Horse	6/5/2011	6/12/2011	Adult	mass in stomach	AMP-CHL-GEN-STR-FIS-TET-SXT												
II	II-f	11-040	ME2L-17-14	Quarter Horse	8/18/2012	8/25/2012	Adult	low protein level	Pansusceptible												
II	II-f	11-042	ME2L-17-192	Thoroughbred	9/4/2012	9/21/2012	Adult	colic	Pansusceptible												
II	II-f	11-055	ME2L-17-94	Foreign Warm Blood	10/29/2012	12/18/2012	Adult	colic	Pansusceptible												
II	II-f	11-083	ME2L-17-212	Quarter Horse	7/18/2013	8/1/2013	Adult	colic	Pansusceptible												
II	II-f	11-092	ME2L-17-219	American Miniature	9/21/2013	10/1/2013	Foal	chronic diarrhea	STR-FIS												
II	II-f	12-012	ME2L-17-226	American Paint	1/26/2014	2/9/2014	Adult	colic	FIS												
II	II-f	13-016	ME2L-17-252	Paso Fino	9/27/2015	9/27/2015	NR	dehydration	Pansusceptible												