

ALX Project

Web infrastructure design

Task 2.

Definitions and Explanations.

1. For every additional element, why are adding it; we have added three new components; a firewall for each server to protect them from being attacked and exploited, 1 SSL certificate to server www.foobar.com over HTTPS and three monitoring clients that will collect logs and send them to our data collector Sumologic.
2. What are firewalls for; is a network security system that monitors and controls incoming and outgoing network traffic based on predetermined security rules. It basically establishes a barrier between a trusted network and an untrusted network.
3. Why is the traffic served over HTTPS; because previously the traffic was passed over Hypertext Transfer Protocol (HTTP) which transfers data in plain text while HTTPS is secure where the data is encrypted using Transfer Layer Security (TLS).
4. What monitoring is used for; it provides the capability to detect and diagnose any web application performance issues proactively.
5. The monitoring tool is collecting data; it collects logs of the application server, MySQL Database and Nginx web server. A log in a computing context is the automatically produced and time-stamped documentation of events relevant to a particular system.
6. Explain what to do if you want to monitor your web server QPS; one web server handles 1K queries per second (QPS), I would basically monitor it from the network and application level.

Issues

- A. Why terminating SSL at the load balancer level is an issue; Terminating SSL at the load balancer level is an issue because it adds an extra step to the SSL handshake process, which could increase latency and reduce performance.

B. Why having only one MySQL server capable of accepting writes is an issue; Having only one MySQL server capable of accepting writes is an issue because it creates a single point of failure. If the primary node fails, the entire infrastructure could go down.

C. Having servers with all the same components (database, web server, and application server) might be a problem because it could create a single point of failure. If one server fails, it could affect the entire infrastructure. It's important to have diversity in our infrastructure to prevent this.