GDB Command Line Arguments:

http://www.yolinux.com/TUTORIALS/GDB-Commands.html#STLDEREF

Starting GDB:

- gdb *name-of-executable*
- gdb -e *name-of-executable* -c *name-of-core-file*
- gdb *name-of-executable* --pid=*process-id*
  Use ps -auxw to list process id's:

  Attach to a process already running:

```
[prompt]$ ps -auxw | grep myapp

user1     2812  0.7  2.0 1009328 164768 ?      Sl   Jun07   1:18 /opt/b
in/myapp

[prompt]$ gdb /opt/bin/myapp 2812

OR

[prompt]$ gdb /opt/bin/myapp --pid=2812
```

Command line options: (version 6. Older versions use a single "-")

Option	Description
--help -h	List command line arguments
--exec=*file-name* -e *file-name*	Identify executable associated with core file.
--core=*name-of-core-file* -c *name-of-core-file*	Specify core file.
--command=*command-file* -x *command-file*	File listing GDB commands to perform. Good for automating set-up.
--directory=*directory* -d *directory*	Add directory to the path to search for source files.
--cd=*directory*	Run GDB using specified directory as the current working directory.
--nx -n	Do not execute commands from ~/.gdbinit initialization file. Default is to look at this file and execute the list of commands.
--batch -x *command-file*	Run in batch (not interactive) mode. Execute commands from file. Requires -x option.

--symbols=*file-name* -s *file-name*	Read symbol table from file file.
--se=*file-name*	Use FILE as symbol file and executable file.
--write	Enable writing into executable and core files.
--quiet -q	Do not print the introductory and copyright messages.
--tty=*device*	Specify *device* for running program's standard input and output.
--tui	Use a terminal user interface. Console curses based GUI interface for GDB. Generates a source and debug console area.
--pid=*process-id* -p *process-id*	Specify process ID number to attach to.
--version	Print version information and then exit.

GDB Commands:

Commands used within GDB:

Command	**Description**
help	List gdb command topics.
help *topic-classes*	List gdb command within class.
help *command*	Command description. eg `help show` to list the show commands
apropos *search-word*	Search for commands and command topics containing *search-word*.
info args i args	List program command line arguments
info breakpoints	List breakpoints
info break	List breakpoint numbers.
info break *breakpoint-number*	List info about specific breakpoint.
info watchpoints	List breakpoints
info registers	List registers in use
info threads	List threads in use
info set	List set-able option
Break and Watch	
break *funtion-name* break *line-number* break*ClassName::functionName*	Suspend program at specified function of line number.
break +*offset* break -*offset*	Set a breakpoint specified number of lines forward or back from the position at which execution stopped.

break *filename:function*	Don't specify path, just the file name and function name.
break *filename:line-number*	Don't specify path, just the file name and line number. break *Directory/Path/filename*.cpp:62
break **address*	Suspend processing at an instruction address. Used when you do not have source.
break *line-number* if *condition*	Where condition is an expression. i.e. x > 5 Suspend when boolean expression is true.
break *line* thread *thread-number*	Break in thread at specified line number. Use info threads to display thread numbers.
tbreak	Temporary break. Break once only. Break is then removed. See "break" above for options.
watch *condition*	Suspend processing when condition is met. i.e. x > 5
clear clear *function* clear *line-number*	Delete breakpoints as identified by command option. Delete all breakpoints in *function* Delete breakpoints at a given line
delete d	Delete all breakpoints, watchpoints, or catchpoints.
delete *breakpoint-number* delete *range*	Delete the breakpoints, watchpoints, or catchpoints of the breakpoint ranges specified as arguments.
disable *breakpoint-number-or-range* enable *breakpoint-number-or-range*	Does not delete breakpoints. Just enables/disables them. Example: Show breakpoints: info break Disable: disable 2-9
enable *breakpoint-number*once	Enables once
continue c	Continue executing until next break point/watchpoint.
continue *number*	Continue but ignore current breakpoint *number* times. Usefull for breakpoints within a loop.
finish	Continue to end of function.
Line Execution	
step s step *number-of-steps-to-perform*	Step to next line of code. Will step into a function.

next n next *number*	Execute next line of code. Will not enter functions.
until until *line-number*	Continue processing until you reach a specified line number. Also: function name, address, filename:function or filename:line-number.
info signals info handle handle *SIGNAL-NAME option*	Perform the following option when signal recieved: nostop, stop, print, noprint, pass/noignore or nopass/ignore
where	Shows current line number and which function you are in.
Stack	
backtrace bt bt *inner-function-nesting-depth* bt *-outer-function-nesting-depth*	Show trace of where you are currently. Which functions you are in. Prints stack backtrace.
backtrace full	Print values of local variables.
frame frame *number* f *number*	Show current stack frame (function where you are stopped) Select frame number. (can also user up/down to navigate frames)
up down up *number* down *number*	Move up a single frame (element in the call stack) Move down a single frame Move up/down the specified number of frames in the stack.
info frame	List address, language, address of arguments/local variables and which registers were saved in frame.
info args info locals info catch	Info arguments of selected frame, local variables and exception handlers.
Source Code	
list l list *line-number* list *function* list - list *start#,end#* list *filename:function*	List source code.
set listsize *count* show listsize	Number of lines listed when `list command given`.

directory *directory-name* dir *directory-name* show directories	Add specified directory to front of source code path.
directory	Clear sourcepath when nothing specified.
Machine Language	
info line info line *number*	Displays the start and end position in object code for the current line in source. Display position in object code for a specified line in source.
disassemble *0xstart 0xend*	Displays machine code for positions in object code specified (can use start and end hex memory values given by the `info line` command.
stepi si nexti ni	step/next assembly/processor instruction.
x *0xaddress* x/nfu *0xaddress*	Examine the contents of memory. Examine the contents of memory and specify formatting. • n: number of display items to print • f: specify the format for the output • u: specify the size of the data unit (eg. byte, word, ...) Example: `x/4dw var`
Examine Variables	
print *variable-name* p *variable-name* p *file-name*::*variable-name* p '*file-name*'::*variable-name*	Print value stored in variable.
p **array-variable@length*	Print first # values of array specified by *length*. Good for pointers to dynamicaly allocated memory.
p/x *variable*	Print as integer variable in hex.
p/d *variable*	Print variable as a signed integer.
p/u *variable*	Print variable as a un-signed integer.
p/o *variable*	Print variable as a octal.
p/t *variable* x/b *address* x/b &*variable*	Print as integer value in binary. (1 byte/8bits)
p/c *variable*	Print integer as character.

p/f *variable*	Print variable as floating point number.
p/a *variable*	Print as a hex address.
x/w *address* x/4b *&variable*	Print binary representation of 4 bytes (1 32 bit word) of memory pointed to by address.
ptype *variable* ptype *data-type*	Prints type definition of the variable or declared variable type. Helpful for viewing class or struct definitions while debugging.
GDB Modes	
set *gdb-option value*	Set a GDB option
set logging on set logging off show logging set logging file *log-file*	Turn on/off logging. Default name of file is `gdb.txt`
set print array on set print array off show print array	Default is off. Convient readable format for arrays turned on/off.
set print array-indexes on set print array-indexes off show print array-indexes	Default off. Print index of array elements.
set print pretty on set print pretty off show print pretty	Format printing of C structures.
set print union on set print union off show print union	Default is on. Print C unions.
set print demangle on set print demangle off show print demangle	Default on. Controls printing of C++ names.
Start and Stop	
run r run *command-line-arguments* run < *infile* > *outfile*	Start program execution from the beginning of the program. The command `break main` will get you started. Also allows basic I/O redirection.
continue c	Continue execution to next break point.
kill	Stop program execution.
quit q	Exit GDB debugger.

GDB Operation:

- Compile with the "-g" option (for most GNU and Intel compilers) which generates added information in the object code so the debugger can match a line of source code with the step of execution.
- Do not use compiler optimization directive such as "-O" or "-O2" which rearrange computing operations to gain speed as this reordering will not match the order of execution in the source code and it may be impossible to follow.
- control+c: Stop execution. It can stop program anywhere, in your source or a C library or anywhere.
- To execute a shell command: `!` *command*
  or `shell` *command*
- GDB command completion: Use TAB key
  `info bre` + TAB will complete the command resulting in `info breakpoints`
  Press TAB twice to see all available options if more than one option is available or type "M-?" + RETURN.
- GDB command abreviation:
  `info bre` + RETURN will work as `bre` is a valid abreviation for `breakpoints`

De-Referencing STL Containers:

Displaying STL container classes using the GDB "`p` *variable-name*" results in an cryptic display of template definitions and pointers. Use the following `~/.gdbinit` file (V1.03 09/15/08). Now works with GDB 4.3+.
(Archived versions: [V1.01 GDB 6.4+ only])
Thanks to Dr. Eng. Dan C. Marinescu for permission to post this script.

Use the following commands provided by the script:

Data type	**GDB command**
std::vector<T>	pvector *stl_variable*
std::list<T>	plist *stl_variable* T
std::map<T,T>	pmap *stl_variable*
std::multimap<T,T>	pmap *stl_variable*
std::set<T>	pset *stl_variable* T
std::multiset<T>	pset *stl_variable*
std::deque<T>	pdequeue *stl_variable*
std::stack<T>	pstack *stl_variable*
std::queue<T>	pqueue *stl_variable*
std::priority_queue<T>	ppqueue *stl_variable*
std::bitset<n>td>	pbitset *stl_variable*
std::string	pstring *stl_variable*
std::widestring	pwstring *stl_variable*

Where T refers to native C++ data types. While classes and other STL data types will work with the STL container classes, this de-reference tool may not handle non-native types.

Also see the YoLinux.com STL string class tutorial and debugging with GDB.

De-Referencing a vector:

Example: STL_vector_int.cpp

```
01 #include <iostream>
02 #include <vector>
03 #include <string>
04
05 using  namespace  std;
06
07 main()
08 {
09    vector<int> II;
10
11    II.push_back(10);
12    II.push_back(20);
13    II.push_back(30);
14
15    cout << II.size() << endl;
16
17 }
```

Compile: g++ -g STL_vector_int.cpp

Debug in GDB: gdb a.out

```
(gdb) l
1       #include <iostream>
2       #include <vector>
3       #include <string>
4
5       using namespace std;
6
7       main()
8       {
```

```
9         vector<int> II;
10
(gdb) l
11        II.push_back(10);
12        II.push_back(20);
13        II.push_back(30);
14
15        cout << II.size() << endl;
16
17     }
(gdb) break 15
Breakpoint 1 at 0x8048848: file STL_vector_int.cpp, line 15.
(gdb) r
Starting program: /home/userx/a.out


Breakpoint 1, main () at STL_vector_int.cpp:15
15        cout << II.size() << endl;
(gdb) p II
$1 = {
  <std::_Vector_base<int,std::allocator<int> >> = {
    _M_impl = {
      <std::allocator<int>> = {
        <__gnu_cxx::new_allocator<int>> = {<No data fields>}, <No data field
s>},
      members of std::_Vector_base<int,std::allocator<int> >::_Vector_impl:
      _M_start = 0x804b028,
      _M_finish = 0x804b034,
      _M_end_of_storage = 0x804b038
    }
  }, <No data fields>}
```

```
(gdb) pvector II

elem[0]: $2 = 10

elem[1]: $3 = 20

elem[2]: $4 = 30

Vector size = 3

Vector capacity = 4

Element type = int *

(gdb) c

Continuing.

3


Program exited normally.

(gdb) quit
```

Notice the native GDB print "p" results in an cryptic display while the "pvector" routine from the GDB script provided a human decipherable display of your data.

De-Referencing a 2-D vector of vectors:

Example: STL_vector_int_2.cpp

```
01 #include <iostream>
02 #include <vector>
03
04 using  namespace  std;
05
06 main()
07 {
08    vector< vector<int> > vI2Matrix(3, vector<int>(2,0));
09
10    vI2Matrix[0][0] = 0;
11    vI2Matrix[0][1] = 1;
12    vI2Matrix[1][0] = 10;
13    vI2Matrix[1][1] = 11;
14    vI2Matrix[2][0] = 20;
15    vI2Matrix[2][1] = 21;
16
```

```
17    cout << "Loop by index:"  << endl;
18
19    int  ii, jj;
20    for(ii=0; ii < 3; ii++)
21    {
22       for(jj=0; jj < 2; jj++)
23       {
24          cout << vI2Matrix[ii][jj] << endl;
25       }
26    }
27 }
```

Compile: g++ -g STL_vector_int_2.cpp

Debug in GDB: gdb a.out

```
(gdb) l
1       #include <iostream>
2       #include <vector>
3
4       using namespace std;
5
6       main()
7       {
8          vector< vector<int> > vI2Matrix(3, vector<int>(2,0));
9
10         vI2Matrix[0][0] = 0;
(gdb) l
11         vI2Matrix[0][1] = 1;
12         vI2Matrix[1][0] = 10;
13         vI2Matrix[1][1] = 11;
14         vI2Matrix[2][0] = 20;
15         vI2Matrix[2][1] = 21;
16
17         cout << "Loop by index:" << endl;
```

```
18

19        int ii, jj;

20        for(ii=0; ii < 3; ii++)
(gdb) break 17

Breakpoint 1 at 0x8048a19: file STL_vector_2.cpp, line 17.

(gdb) r

Starting program: /home/userx/a.out


Breakpoint 1, main () at STL_vector_2.cpp:17

17        cout << "Loop by index:" << endl;

(gdb) pvector vI2Matrix

elem[0]: $1 = {

  <std::_Vector_base<int,std::allocator<int> >> = {

    _M_impl = {

      <std::allocator<int>> = {

        <__gnu_cxx::new_allocator<int>> = {<No data fields>}, <No data field
s>},

      members of std::_Vector_base<int,std::allocator<int> >::_Vector_impl:

      _M_start = 0x804b040,

      _M_finish = 0x804b048,

      _M_end_of_storage = 0x804b048

    }

  }, <No data fields>}

elem[1]: $2 = {

  <std::_Vector_base<int,std::allocator<int> >> = {

    _M_impl = {

      <std::allocator<int>> = {

        <__gnu_cxx::new_allocator<int>> = {<No data fields>}, <No data field
s>},

      members of std::_Vector_base<int,std::allocator<int> >::_Vector_impl:
```

```
      _M_start = 0x804b050,
      _M_finish = 0x804b058,
      _M_end_of_storage = 0x804b058
    }
  }, <No data fields>}
elem[2]: $3 = {
  <std::_Vector_base<int,std::allocator<int> >> = {
    _M_impl = {
      <std::allocator<int>> = {
        <__gnu_cxx::new_allocator<int>> = {<No data fields>}, <No data field
s>},
      members of std::_Vector_base<int,std::allocator<int> >::_Vector_impl:
      _M_start = 0x804b060,
      _M_finish = 0x804b068,
      _M_end_of_storage = 0x804b068
---Type <return> to continue, or q <return> to quit---
    }
  }, <No data fields>}
Vector size = 3
Vector capacity = 3
Element type = class std::vector<int,std::allocator<int> > *
(gdb) pvector $1
elem[0]: $4 = 0
elem[1]: $5 = 1
Vector size = 2
Vector capacity = 2
Element type = int *
(gdb) pvector $2
elem[0]: $6 = 10
elem[1]: $7 = 11
```

```
Vector size = 2

Vector capacity = 2

Element type = int *

(gdb) pvector $3

elem[0]: $8 = 20

elem[1]: $9 = 21

Vector size = 2

Vector capacity = 2

Element type = int *

(gdb) p vI2Matrix

$10 = {

  <std::_Vector_base<std::vector<int, std::allocator<int> >,std::allocator<
std::vector<int, std::allocator<int> > > >> = {

    _M_impl = {

      <std::allocator<std::vector<int, std::allocator<int> > >> = {

        <__gnu_cxx::new_allocator<std::vector<int, std::allocator<int> > >>
= {<No data fields>}, <No data fields>},

      members of std::_Vector_base<std::vector<int, std::allocator<int> >,st
d::allocator<std::vector<int, std::allocator<int> > > >::_Vector_impl:

      _M_start = 0x804b018,

      _M_finish = 0x804b03c,

      _M_end_of_storage = 0x804b03c

    }

  }, <No data fields>}

(gdb) quit
```

Note "pvector" does not de-reference the entire vector of vectors all at once but returns vectors $1, $2 and $3. The "pvector" command then helps us traverse the information by examining the contents of each element in the individual "terminal" vectors. Note that the native gdb "p vI2Matrix" (last command) was much less informative.

GDB GUIs:

GDB has a console GUI option available with the command line option `--tui`



Text console User Interface: `gdb --tui`
Command just like regular GDB with a source screen showing source code and break points.

My favorite gdb GUI is ddd.



Awesome variable and memory interrogation. Can interactively follow a linked list by clicking on its pointer in the display graph window. Highlight variable and right click for menu to interrogate variables in source.
Source code line numbers: Source + Display Line Numbers.
Set break points by right clicking just left of the line number.

Installation:

- Ubuntu installation: `apt-get install ddd`
- Red Hat/Fedora/CentOS RPMs available from EPEL (Extra Packages for Enterprise Linux)

GNU ddd: GUI for gdb, dbx, bashdb, pydb, etc

Man Pages:

- gdb - GNU debugger
- ld - Linker
- gcc/g++ - GNU project C and C++ compiler

Links:

- Gnu: GDB manual
- Postscript file: GDB: Quick reference