Ex. 2 CRUD WITHOUT UI WITHOUT MENU

```
import mysql.connector


# ----------------------------------
# STEP 1: CONNECT TO MYSQL SERVER
# ----------------------------------

conn = mysql.connector.connect(
    host="localhost",
    user="root",
    password=""
)

cursor = conn.cursor()

print("MySQL Connected Successfully")


# ----------------------------------
# STEP 2: CREATE DATABASE
# ----------------------------------

cursor.execute(
    "CREATE DATABASE IF NOT EXISTS studentdb"
)

print("Database Created Successfully")


# ----------------------------------
# STEP 3: USE DATABASE
# ----------------------------------

cursor.execute(
    "USE studentdb"
)


# ----------------------------------
# STEP 4: CREATE TABLE
# ----------------------------------

cursor.execute("""
CREATE TABLE IF NOT EXISTS students (

    id INT AUTO_INCREMENT PRIMARY KEY,

    firstname VARCHAR(100),
    lastname VARCHAR(100),
    mobile VARCHAR(15),
    email VARCHAR(100)
)
""")

print("Table Created Successfully")


# ----------------------------------
# STEP 5: INSERT DATA (CREATE)
```

```python
# ----------------------------------

insert_query = """
INSERT INTO students
(firstname, lastname, mobile, email)

VALUES (%s, %s, %s, %s)
"""


insert_values = (
    "Yash",
    "Kotecha",
    "9876543210",
    "yash@gmail.com"
)


cursor.execute(
    insert_query,
    insert_values
)

conn.commit()

print("Data Inserted Successfully")


# ----------------------------------
# STEP 6: READ DATA
# ----------------------------------

cursor.execute(
    "SELECT * FROM students"
)

rows = cursor.fetchall()


print("\n----- STUDENT DATA -----")

for row in rows:
    print(row)


# ----------------------------------
# STEP 7: UPDATE DATA
# ----------------------------------

update_query = """ UPDATE students SET mobile = %s WHERE id = %s"""
update_values = ("9999999999",3)
cursor.execute(  update_query, update_values)

conn.commit()

print("\nData Updated Successfully")


# ----------------------------------
# STEP 8: READ UPDATED DATA
# ----------------------------------
```

```python
cursor.execute(
    "SELECT * FROM students"
)

rows = cursor.fetchall()


print("\n----- UPDATED STUDENT DATA -----")

for row in rows:
    print(row)


# ----------------------------------
# STEP 9: DELETE DATA
# ----------------------------------

delete_query = """DELETE FROM students WHERE id = %s """


delete_values = (5,)


cursor.execute(
    delete_query,
    delete_values
)

conn.commit()

print("\nData Deleted Successfully")


# ----------------------------------
# STEP 10: FINAL READ
# ----------------------------------

cursor.execute(
    "SELECT * FROM students"
)

rows = cursor.fetchall()


print("\n----- FINAL STUDENT DATA -----")

for row in rows:
    print(row)


# ----------------------------------
# STEP 11: CLOSE CONNECTION
# ----------------------------------

cursor.close()

conn.close()

print("\nMySQL Connection Closed")
```

