G1.A4: Ravine and slope woodland

Feature group	Habitat types
Expert(s)	Tor Erik Brandrud, Ulrika Jansson Asplund
Date	2025-12-20

Atlantic (ATL)

Occurrence status	Present regularly (PRE)	
Overall conclusion	🔴 **Unfavourable - bad (U2)**	↘️ **Deteriorating**
Range	🟢 Favourable (FV)	➡️ Stable
Area of habitat	🟡 Unfavourable - inadequate (U1)	↘️ Deteriorating
Structure and function	🔴 Unfavourable - bad (U2)	↘️ Deteriorating
Future prospects	🔴 Unfavourable - bad (U2)	

Boreal (BOR)

Occurrence status	Present regularly (PRE)	
Overall conclusion	🔴 **Unfavourable - bad (U2)**	↘️ **Deteriorating**
Range	🟢 Favourable (FV)	➡️ Stable
Area of habitat	🟡 Unfavourable - inadequate (U1)	↘️ Deteriorating
Structure and function	🔴 Unfavourable - bad (U2)	↘️ Deteriorating
Future prospects	🔴 Unfavourable - bad (U2)	

Pressures

- PA05: Abandonment of management/use of grasslands and other agricultural and agroforestry systems (e.g. cessation of grazing, mowing or traditional farming) [ATL, BOR]
- PB03: Introduction and spread of new species for forestry purposes (including GMOs) [ATL, BOR]
- PB08: Removal of old trees (excluding dead or dying trees) [ATL, BOR]
- PB09: Clear-cutting, removal of all trees [ATL, BOR]
- PB14: Forest management reducing old growth forests [ATL, BOR]
- PE01: Roads, paths, railroads and related infrastructure [ATL, BOR]
- PF01: Conversion from other land uses to built-up areas [ATL, BOR]
- PI02: Other invasive alien species (other than species of Bern Convention concern) [ATL, BOR]
- PI03: Problematic native species [ATL, BOR]
- PI04: Plant and animal diseases, pathogens and pests [ATL, BOR]
- PJ01: Temperature changes and extremes due to climate change [ATL, BOR]

Conservation measures

- MB05: Adapt/change forest management and exploitation practices [ATL, BOR]
- ME01: Reduce impact of transport operation and infrastructure [ATL, BOR]
- ME06: Habitat restoration of areas impacted by transport [ATL, BOR]

Data sources, references

- See references in 2019 assessment.



The map is based on an unpublished map created during the national ecosystem red list assessme
(Artsdatabanken, 2025). The differences between the 10km grid used in the red list assessments a
the EEA 10 km makes this map uncertain around the distribution edges.