# 1042: Leucorrhinia pectoralis

| | |
|---|---|
| Relevant synonyms | — |
| Norwegian name | Gulflekktorvlibelle |
| Feature group | Insects and molluscs |
| Expert(s) | Anders Endrestøl |
| Date | 2026-03-09 |

## Atlantic (ATL)

| | | |
|---|---|---|
| **Occurrence status** | Present regularly (PRE) | |
| **Overall conclusion** | 🟡 **Unfavourable - inadequate (U1)** | ➡️ **Stable** |
| **Range** | 🟡 Unfavourable - inadequate (U1) | ↗️ Improving |
| **Population** | 🟡 Unfavourable - inadequate (U1) | ↗️ Improving |
| **Habitat for species** | 🟡 Unfavourable - inadequate (U1) | ⬜ Unknown |
| **Future prospects** | 🟡 Unfavourable - inadequate (U1) | |

## Boreal (BOR)

| | | |
|---|---|---|
| **Occurrence status** | Present regularly (PRE) | |

- The species is also present in the BOR region.

| | | |
|---|---|---|
| **Overall conclusion** | 🟢 **Favourable (FV)** | ↗️ **Improving** |
| **Range** | 🟢 Favourable (FV) | ↗️ Improving |
| **Population** | 🟢 Favourable (FV) | ↗️ Improving |
| **Habitat for species** | 🟢 Favourable (FV) | ➡️ Stable |
| **Future prospects** | 🟢 Favourable (FV) | |

### Pressures

- PA13: Application of natural or synthetic fertilisers on agricultural land [ATL, BOR]
- PA17: Agricultural activities generating pollution to surface or ground waters (including marine) [ATL, BOR]
- PA22: Drainage for use as agricultural land [ATL, BOR]
- PF13: Drainage, land reclamation and conversion of wetlands, marshes, bogs, etc. for built-up areas [ATL, BOR]

### Data sources, references


- Dolmen, D. 2011. Stor torvlibelle Leucorrhinia pectoralis. Artsdatabankens faktaark ISSN1504-9140 nr. 209.
- Saugstad, T. 1997. S tor torvlibelle Leucorrhinia pectoralis (Charpentier, 1825) funnet i Hordaland. Insekt-Nytt 22(4); 15-17.
- Elven, H., Endrestøl, A., Bergersen, B., Lønnve, O.J. 2014. Gulflekktorvlibelle Leucorrhinia pectoralis (Charpentier, 1825). Hentet 16.12.2025 fra https://artsdatabanken.no/arter/takson/32621/beskrivelse
- Dolmen, D. 2023. Funn av libellen Leucorrhinia pectoralis (Odonata) nord for Dovre. Insekt-Nytt 48(2): 5-8.




The map is based on officially registered occurrences (https://artskart.artsdatabanken.no/) complemented with species distribution modelling using ECoMAP / mixglm and expert inputs from t ongoing red list assessment.