1095: Petromyzon marinus

Relevant synonyms	—
Norwegian name	Havniøye
Feature group	Fishes & amphibians
Expert(s)	Kim Magnus Bærum
Date	2026-03-09

Atlantic (ATL)

Occurrence status	Present regularly (PRE)	
Overall conclusion	**Unknown (XX)**	**Unknown**
Range	Unknown (XX)	Unknown
Population	Unknown (XX)	Unknown
Habitat for species	Unknown (XX)	Unknown
Future prospects	Unknown (XX)	

Alpine (ALP)

Occurrence status	Present regularly (PRE)	

- This species has also been recorded in the ALP region

Overall conclusion	**Unknown (XX)**	**Unknown**
Range	Unknown (XX)	Unknown
Population	Unknown (XX)	Unknown
Habitat for species	Unknown (XX)	Unknown
Future prospects	Unknown (XX)	

Arctic (ARC)

Occurrence status	Present regularly (PRE)	

- This species has also been recorded in the ARC region

Overall conclusion	**Unknown (XX)**	**Unknown**
Range	Unknown (XX)	Unknown
Population	Unknown (XX)	Unknown
Habitat for species	Unknown (XX)	Unknown
Future prospects	Unknown (XX)	

Boreal (BOR)

Occurrence status	Present regularly (PRE)	

- This species has also been recorded in the BOR region

Overall conclusion	**Unknown (XX)**	**Unknown**
Range	Unknown (XX)	Unknown
Population	Unknown (XX)	Unknown
Habitat for species	Unknown (XX)	Unknown
Future prospects	Unknown (XX)	

Pressures

- PD02: Hydropower (dams, weirs, run-off-the-river and respective infrastructure) [ATL, ALP, ARC, BOR]

Data sources, references

- https://lister.artsdatabanken.no/rodlisteforarter/2021/9067
- Hesthagen, T, Vøllestad, A. & Økland, F. 2021. The occurrence of sea lamprey (Petromyzon marinus) in Norwegian rivers. NINA Report 1965. Norwegian Institute for Nature Research.



The map is based on officially registered occurrences (https://artskart.artsdatabanken.no/) complemented with species distribution modelling using ECoMAP / mixglm. The species has been recorded in 51 streams across Norway; however, a lack of systematic monitoring data prevents the development of accurate distribution maps.