1984: Herzogiella turfacea

Relevant synonyms	—
Norwegian name	Sigdfauskmose
Feature group	Mosses
Expert(s)	Fia Bengtsson
Date	2025-12-05

Alpine (ALP)

Occurrence status	Present regularly (PRE)	
Overall conclusion	🟡 **Unfavourable - inadequate (U1)**	↘️ **Deteriorating**
Range	⚪ Unknown (XX)	⬜ Unknown
Population	⚪ Unknown (XX)	↘️ Deteriorating
Habitat for species	🟡 Unfavourable - inadequate (U1)	↘️ Deteriorating
Future prospects	🟡 Unfavourable - inadequate (U1)	

Atlantic (ATL)

Occurrence status	Present regularly (PRE)	
Overall conclusion	🟡 **Unfavourable - inadequate (U1)**	↘️ **Deteriorating**
Range	⚪ Unknown (XX)	⬜ Unknown
Population	⚪ Unknown (XX)	↘️ Deteriorating
Habitat for species	🟡 Unfavourable - inadequate (U1)	↘️ Deteriorating
Future prospects	🟡 Unfavourable - inadequate (U1)	

Boreal (BOR)

Occurrence status	Present regularly (PRE)	
Overall conclusion	🟡 **Unfavourable - inadequate (U1)**	↘️ **Deteriorating**
Range	⚪ Unknown (XX)	⬜ Unknown
Population	⚪ Unknown (XX)	↘️ Deteriorating
Habitat for species	🟡 Unfavourable - inadequate (U1)	↘️ Deteriorating
Future prospects	🟡 Unfavourable - inadequate (U1)	

Pressures

- PB06: Logging or thinning (excluding clear cutting) [ALP, ATL, BOR]
- PB07: Removal of dead and dying trees (including debris) [ALP, ATL, BOR]
- PB08: Removal of old trees (excluding dead or dying trees) [ALP, ATL, BOR]

- PB09: Clear-cutting, removal of all trees [ALP, ATL, BOR]
- PB14: Forest management reducing old growth forests [ALP, ATL, BOR]
- PB24: Drainage for forestry [ALP, ATL, BOR]
- PJ01: Temperature changes and extremes due to climate change [ALP, ATL, BOR]
- PJ03: Changes in precipitation regimes due to climate change [ALP, ATL, BOR]

Conservation measures

- MB01: Prevent conversion of (semi-) natural habitats into forests and of (semi-) natural forests into intensive forest plantation [ALP, ATL, BOR]
- MB02: Maintain existing traditional forest management and exploitation practices [ALP, ATL, BOR]
- MB04: Adapt/manage reforestation and forest regeneration [ALP, ATL, BOR]
- MB05: Adapt/change forest management and exploitation practices [ALP, ATL, BOR]
- MB06: Stop forest management and exploitation practices [ALP, ATL, BOR]
- MB07: Measures to combat illegal logging [ALP, ATL, BOR]
- MB08: Restoration of forest habitats listed in Resolution No. 4 (1996) (incl. re-establish and improvement) [ALP, ATL, BOR]
- MB14: Manage drainage and water abstraction for forestry (inc. restoration of drained or hydrologically altered habitats) [ALP, ATL, BOR]
- MJ02: Implement climate change adaptation measures [ALP, ATL, BOR]
- MK02: Reduce impact of multi-purpose hydrological changes [ALP, ATL, BOR]
- MK03: Restoration of habitats impacted by multi-purpose hydrological changes [ALP, ATL, BOR]

Data sources, references

- Høitomt T, Blom HH, Brynjulvsrud JG, Hassel K og Kyrkjeeide MO (24.11.2021). Moser: Vurdering av sigdfauskmose Herzogiella turfacea for Norge. Rødlista for arter 2021. Artsdatabanken. https://lister.artsdatabanken.no/rodlisteforarter/2021/11947. Nedlastet 05.12.2025
- Artskart.artsdatabanken.no 21.11.2025. Observations of Herzogiella turfacea. Downloaded from Artskart.
- SLU Artdatabanken (2025). Artfakta: platt spretmossa (Herzogiella turfacea). https://artfakta.se/taxa/771 [2025-12-05]



The map is based on officially registered occurrences (https://artskart.artsdatabanken.no/) and expert inputs from the ongoing red list assessment. It is thought to be more common in the eastern parts of Norway, based on habitat and Swedish distribution (Høitomt et al 2021).