B1.8: Moist and wet dune slacks

Feature group	Habitat types
Expert(s)	Ulrika Jansson Asplund, Tor Erik Brandrud
Date	2025-12-20

Alpine (ALP)

Occurrence status	Present regularly (PRE)	
Overall conclusion	🔴 **Unfavourable - bad (U2)**	↘️ **Deteriorating**
Range	🟢 Favourable (FV)	➡️ Stable
Area of habitat	🟡 Unfavourable - inadequate (U1)	↘️ Deteriorating
Structure and function	🔴 Unfavourable - bad (U2)	↘️ Deteriorating
Future prospects	🔴 Unfavourable - bad (U2)	

Arctic (ARC)

Occurrence status	Present regularly (PRE)	
Overall conclusion	🔴 **Unfavourable - bad (U2)**	↘️ **Deteriorating**
Range	🟢 Favourable (FV)	➡️ Stable
Area of habitat	🟡 Unfavourable - inadequate (U1)	↘️ Deteriorating
Structure and function	🔴 Unfavourable - bad (U2)	↘️ Deteriorating
Future prospects	🔴 Unfavourable - bad (U2)	

Atlantic (ATL)

Occurrence status	Present regularly (PRE)	
Overall conclusion	🔴 **Unfavourable - bad (U2)**	↘️ **Deteriorating**
Range	🟢 Favourable (FV)	➡️ Stable
Area of habitat	🔴 Unfavourable - bad (U2)	↘️ Deteriorating
Structure and function	🔴 Unfavourable - bad (U2)	↘️ Deteriorating
Future prospects	🔴 Unfavourable - bad (U2)	

Boreal (BOR)

Occurrence status Present regularly (PRE)

- This habitat is present in all four BGRs of Norway.

Overall conclusion	🔴 **Unfavourable - bad (U2)**	↘️ **Deteriorating**

Range	🟢 Favourable (FV)	➡️ Stable
Area of habitat	🔴 Unfavourable - bad (U2)	↘️ Deteriorating
Structure and function	🔴 Unfavourable - bad (U2)	↘️ Deteriorating
Future prospects	🔴 Unfavourable - bad (U2)	

Pressures

- PA01: Conversion into agricultural land (excluding drainage and burning) [ALP, ARC, ATL, BOR]
- PA05: Abandonment of management/use of grasslands and other agricultural and agroforestry systems (e.g. cessation of grazing, mowing or traditional farming) [ALP, ARC, ATL, BOR]
- PB01: Conversion to forest from other land uses, or afforestation (excluding drainage) [ALP, ARC, ATL, BOR]
- PF01: Conversion from other land uses to built-up areas [ALP, ARC, ATL, BOR]
- PF05: Sports, tourism and leisure activities [ALP, ARC, ATL, BOR]
- PI01: Invasive alien species of Bern Convention concern [ALP, ARC, ATL, BOR]
- PI02: Other invasive alien species (other than species of Bern Convention concern) [ALP, ARC, ATL, BOR]
- PI03: Problematic native species [ALP, ARC, ATL, BOR]
- PJ01: Temperature changes and extremes due to climate change [ALP, ARC, ATL, BOR]
- PJ04: Sea-level rise due to climate change [ALP, ARC, ATL, BOR]
- PK04: Atmospheric N-deposition [ALP, ARC, ATL, BOR]

Conservation measures

- MA01: Prevent conversion of natural and semi-natural habitats, and habitats of species into agricultural land [ALP, ARC, ATL, BOR]
- MA04: Reinstate appropriate agricultural practices to address abandonment, including mowing, grazing, burning or equivalent measures [ALP, ARC, ATL, BOR]

Data sources, references

- Høitomt, T., Grytnes, J., Helle, A. G., Jansson, U., Johansen, L., Larsen, B., Ravolainen, V., Riksheim Tandstad, H., Storaunet, K.O. og Velle, L. (26.11.2025). Fastmark: Vurdering av Grå og brun dyne i mellom- og nordboreal sone. Norsk rødliste for naturtyper 2025. Artsdatabanken. https://lister.artsdatabanken.no/naturtyper/2025/136. Nedlastet 19.12.2025
- ANO 2025. https://kartkatalog.miljodirektoratet.no/Dataset/Details/2054



The map is based on data from the Norwegian nature type mapping (naturbase.no, type "Sanddynem within a maximum distance of 1000 m from the coast. The presented map might both over- and underestimate the distribution of this habitat type in different parts of its range.