D3.2: Aapa mires

Feature group	Habitat types
Expert(s)	Anders Lyngstad
Date	2026-03-20

Alpine (ALP)

Occurrence status	Present regularly (PRE)	
Overall conclusion	🟡 **Unfavourable - inadequate (U1)**	↘️ **Deteriorating**
Range	🟢 Favourable (FV)	➡️ Stable
Area of habitat	🟡 Unfavourable - inadequate (U1)	↘️ Deteriorating
Structure and function	🟡 Unfavourable - inadequate (U1)	↘️ Deteriorating
Future prospects	🟡 Unfavourable - inadequate (U1)	

Arctic (ARC)

Occurrence status	Present regularly (PRE)	

- Aapa mires are also present in the ARC region

Overall conclusion	🟡 **Unfavourable - inadequate (U1)**	↘️ **Deteriorating**
Range	🟢 Favourable (FV)	➡️ Stable
Area of habitat	🟡 Unfavourable - inadequate (U1)	↘️ Deteriorating
Structure and function	🟡 Unfavourable - inadequate (U1)	↘️ Deteriorating
Future prospects	🟡 Unfavourable - inadequate (U1)	

Atlantic (ATL)

Occurrence status	Present regularly (PRE)	
Overall conclusion	🟡 **Unfavourable - inadequate (U1)**	↘️ **Deteriorating**
Range	🟢 Favourable (FV)	➡️ Stable
Area of habitat	🟡 Unfavourable - inadequate (U1)	↘️ Deteriorating
Structure and function	🟡 Unfavourable - inadequate (U1)	↘️ Deteriorating
Future prospects	🟡 Unfavourable - inadequate (U1)	

Boreal (BOR)

Occurrence status	Present regularly (PRE)	
Overall conclusion	🟡 **Unfavourable - inadequate (U1)**	↘️ **Deteriorating**

Range	🟢 Favourable (FV)	➡️ Stable
Area of habitat	🟡 Unfavourable - inadequate (U1)	↘️ Deteriorating
Structure and function	🟡 Unfavourable - inadequate (U1)	↘️ Deteriorating
Future prospects	🟡 Unfavourable - inadequate (U1)	

Pressures

- PA22: Drainage for use as agricultural land [ALP, ARC, ATL, BOR]
- PB24: Drainage for forestry [ALP, ARC, ATL, BOR]
- PD01: Wind, wave and tidal power (including infrastructure) [ALP, ARC, ATL, BOR]
- PE01: Roads, paths, railroads and related infrastructure [ALP, ARC, ATL, BOR]
- PF01: Conversion from other land uses to built-up areas [ALP, ARC, ATL, BOR]
- PF13: Drainage, land reclamation and conversion of wetlands, marshes, bogs, etc. for built-up areas [ALP, ARC, ATL, BOR]

Conservation measures

- MC03: Adapt/manage renewable energy installation, facilities and operation (excl. hydropower and abstraction activities) [ALP, ARC, ATL, BOR]
- MC07: Habitat restoration/creation from resources, exploitation areas or areas damaged due to installation of renewable energy infrastructure [ALP, ARC, ATL, BOR]
- ME01: Reduce impact of transport operation and infrastructure [ALP, ARC, ATL, BOR]
- ME06: Habitat restoration of areas impacted by transport [ALP, ARC, ATL, BOR]
- MF01: Managing the impacts of converting land for construction and development of infrastructure [ALP, ARC, ATL, BOR]
- MF02: Habitat restoration of areas impacted by residential, commercial, industrial and recreational infrastructure, operations and activities [ALP, ARC, ATL, BOR]

Data sources, references

- https://eunis.eea.europa.eu/habitats/283
- Joosten, H., Tanneberger, F. & Moen, A. (eds.) 2017. Mires and peatlands of Europe. Status, distribution and conservation. – E. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart. 780 p.
- Lyngstad, A., Moen, A. & Øien, D.-I. 2016. Evaluering av naturtyper i Emerald Network. Gjenvoksingsmyr, aapamyr, rikmyr, alpine rikmyrer og pionersamfunn. – NTNU Vitenskapsmuseet naturhistorisk notat 2016-2: 1-51.
- Lyngstad, A., Moen, A., Halvorsen, R. & Øien, D.-I. 2023. Beskrivelser av torvmassivenheter. Kunnskapsgrunnlag for NiN versjon 3. – NTNU Vitenskapsmuseet naturhistorisk rapport 2023-4: 1-102.
- Airaksinen, O. & Karttunen, K. 1999. Natura 2000 – luontotyyppiopas, Suomen ympäristökeskus [Svensk översättning Åhman, M. & Stenberg, M. Natura 2000 handbok överde finska naturtyperna]. – Ympäristöopas 46: 1-193.
- Anon. 2011. Svenska tolkningar Natura 2000 naturtyper. Våtmarker 7110-7320. – Naturvårdsverket. 18.12.2025: https://www.naturvardsverket.se/4ac55a/contentassets/314d0c514b614f52901c298a9c6bec97/myrtolkningar-2011.pdf
- Bakkestuen, Vegar, Lars Erikstad, og Rune Halvorsen. 2008. «Step-Less Models for Regional Environmental Variation in Norway». Journal of Biogeography 35 (10): 1906–22. https://doi.org/10.1111/j.1365-2699.2008.01941.x.



The map is based on Bakkestuen et al. (2008) and consists of a subset of bioclimatic zones and sections selected based on expert opinion. It represents the maximum extent of aapa mires, and likely overestimates occurrences in alpine areas (sensu Bakkestuen et al. 2008) and coastal areas between 62°N and 70°N.