

Data Management Handbook template for MET and partners in S-ENDA written in asciidoc

Nina E. Larsgård, Elodie Fernandez, Morten W. Hansen, ...

Table of Contents

1.	Introduction	. 3	3
2.	Global attributes that should be added to NetCDF-CF files		3

Abstract

Abstract will come here..

Revision history

Version	Date	Comment	Responsible
2.0	2021-??-??		Nina E. Larsgård, Elodie Fernandez, Morten W. Hansen,

1. Introduction

Put intro here..

2. Global attributes that should be added to NetCDF-CF files

In order to add netCDF-CF datasets to the discovery metadata catalog, the data producer should populate the file with certain global attributes mainly described in the Attribute Convention for Data Discovery (ACDD). For a complete description of the ACDD elements, please refer to http://wiki.esipfed.org/index.php/Attribute_Convention_for_Data_Discovery.

The ACDD recommendations should always be followed in order to properly document your netCDF-CF files. However, the below tables summarize the attributes that are needed to properly populate a discovery metadata catalog which fulfills the requirements of international standards (e.g., GCMD/DIF, the WMO profile of ISO19115, etc.).

The following ACDD elements are required:

ACDD Attribute	Repetition allowed	Separator	Default	MMD equivalent
id	no			metadata_identifie r
date_created	yes	,		last_metadata_upd ate>update>dateti me
date_metadata_mo dified	yes	,		last_metadata_upd ate>update>dateti me
title	yes	• •		title>title
summary	yes	•		abstract>abstract
geospatial_lat_ma x	no		90	geographic_extent >rectangle>north
geospatial_lat_min	no		-90	geographic_extent >rectangle>south
geospatial_lon_ma	no		180	geographic_extent >rectangle>east
geospatial_lon_mi n	no		-180	geographic_extent >rectangle>west
keywords_vocabul ary	yes	,		keywords>vocabul ary
keywords	yes	,		keywords>keywor d

The following ACDD elements are recommended:

ACDD Attribute	Repetition allowed	Separator	Default	MMD equivalent
time_coverage_sta rt	yes	,	1850-01- 01T00:00:00Z	temporal_extent>s tart_date

time_coverage_en d	yes	,		temporal_extent>e nd_date
processing_level	no			operational_status
license	no			use_constraint>ide ntifier
['creator_role', 'contributor_role']	yes	,	unknown	personnel>role
['creator_name', 'contributor_name ']	yes	,	unknown	personnel>name
creator_email	yes	,	unknown	personnel>email
creator_institution	yes	,	unknown	personnel>organis ation
institution	yes	,		data_center>data_ center_name>shor t_name
institution	yes	,		data_center>data_ center_name>long _name
publisher_url	yes	,		data_center>data_ center_url
project	yes	,		project>short_nam e
project	yes	,		project>long_nam e
platform	yes	,		platform>short_na me
platform	yes	,		platform>long_na me
platform_vocabula ry	yes	,		platform>resource
instrument	yes	,		platform>instrum ent>short_name
instrument	yes	,		platform>instrum ent>long_name
instrument_vocab ulary	yes	,		platform>instrum ent>resource
source	yes	;		activity_type
creator_name	yes	,		dataset_citation>a uthor
date_created	yes	,		dataset_citation>p ublication_date

title	yes	,	dataset_citation>ti
publisher_name	yes	,	dataset_citation>p ublisher
metadata_link	yes	,	dataset_citation>u rl
references	yes	,	dataset_citation>ot her

In addition, some global attributes are useful for the discovery metadata catalog but do not exist in ACDD. Please refer to the documentation of MMD [https://htmlpreview.github.io/?https://github.com/metno/mmd/blob/master/doc/mmd-specification.html] for a description of these elements:

Extra Attribute	Repetition allowed	Separator	Default	MMD equivalent
date_created_type	yes	,	Created	last_metadata_upd ate>update>type
collection	yes	,		collection
title_lang	yes	,	en	title>lang
abstract_lang	yes	,	en	abstract>lang
dataset_productio n_status	no			dataset_productio n_status
license_resource	no			use_constraint>res ource
contributor_email	yes	,	unknown	personnel>email
contributor_organ isation	yes	,	unknown	personnel>organis ation
iso_topic_category	yes	,		iso_topic_category
keywords_resourc	yes	,		keywords>resourc e