subtraction operation

Create the sales Table-1

Insert DATA -2

```
mysql> INSERT INTO sales (sale_id, product, revenue, cost) VALUES
    -> (1, 'Product A', 100.00, 70.00),

-> (2, 'Product B', 200.00, 120.00),

-> (3, 'Product C', 150.00, 90.00),

-> (4, 'Product D', 300.00, 200.00);
Query OK, 4 rows affected (0.02 sec)
Records: 4 Duplicates: 0 Warnings: 0
mysql> select * from sales;
| sale_id | product
                             revenue
          1 | Product A |
                                100.00
                                             70.00
          2 | Product B |
                                200.00
                                            120.00
             Product C
                                150.00
                                             90.00
          4 | Product D |
                                300.00 | 200.00
4 rows in set (0.00 sec)
```

Perform Subtraction to Calculate Profit;

```
mysql> SELECT
    ->
           sale_id,
           product,
    ->
           revenue,
    ->
    ->
           cost,
           revenue - cost AS profit
    ->
    -> FROM
    ->
            sales;
  sale_id
            product
                                    cost
                                              profit
            Product A
                           100.00
                                      70.00
                                               30.00
        2
             Product B
                           200.00
                                     120.00
                                               80.00
                                      90.00
            Product C
                           150.00
                                               60.00
            Product D
                           300.00
                                     200.00
                                              100.00
4 rows in set (0.01 sec)
```

Subtract a Fixed Value from the revenue Column;

```
mysql> SELECT
           sale_id,
    ->
    ->
           product,
           revenue,
    ->
           revenue - 10 AS discounted_revenue
    ->
    -> FROM
           sales;
    ->
  sale_id | product
                        revenue
                                   discounted_revenue
        1
            Product A
                          100.00
                                                  90.00
        2
            Product B
                          200.00
                                                190.00
        3
            Product C
                          150.00
                                                140.00
            Product D
                          300.00
                                                 290.00
4 rows in set (0.00 sec)
```

Subtract the Average Cost from Each Cost;

```
mysql> SELECT
           sale_id,
    ->
           product,
    ->
           cost,
    ->
           cost - (SELECT AVG(cost) FROM sales) AS cost_difference
    ->
    -> FROM
    ->
           sales;
  sale_id | product
                                 cost_difference
                       cost
        1 |
            Product A
                         70.00
                                       -50.000000
        2
            Product B
                        120.00
                                         0.000000
        3
            Product C
                         90.00
                                       -30.000000
                       200.00
           Product D
                                        80.000000
4 rows in set (0.02 sec)
mysql>
```