
sine basis 07



Statistics:

p-values adjusted for search volume

set-	level	(luster-	uster-level			peak-level							
	C					· - / - / - /			n	mm mm mm				
p	U	p_{FWE-c}	corrFDR-c	orr [^] E	$p_{ m uncorr}$	p_{FWE-c}	corrFDR-co	orr	(_	uncorr				
		1.000	0.789	2	0.686	1.000	0.992	2.43	2.43	0.008	-6	-52	16	
		1.000	0.789	5	0.500	1.000	0.992	2.43	2.42	0.008	-2	50	44	
		1.000	0.789	2	0.686	1.000	0.992	2.42	2.41	0.008	10	26	62	
		1.000	0.789	1	0.789	1.000	0.992	2.42	2.41	0.008	-16	-80	54	
		1.000	0.789	2	0.686	1.000	0.992	2.40	2.40	0.008	-20	-80	-20	
		1.000	0.789	1	0.789	1.000	0.992	2.40	2.40	0.008	48	-8	16	
		1.000	0.789	2	0.686	1.000	0.992	2.40	2.39	0.008	4	-24	56	
		1.000	0.789	1	0.789	1.000	0.992	2.39	2.38	0.009	-50	26	-16	
		1.000	0.789	1	0.789	1.000	0.992	2.39	2.38	0.009	4	38	44	
		1.000	0.789	1	0.789	1.000	0.992	2.37	2.37	0.009	-32	54	-38	
		1.000	0.789	1	0.789	1.000	0.992	2.37	2.36	0.009	26	-2	66	
		1.000	0.789	1	0.789	1.000	0.992	2.37	2.36	0.009	32	0	66	
		1.000	0.789	1	0.789	1.000	0.992	2.37	2.36	0.009	20	-96	18	
		1.000	0.789	2	0.686	1.000	0.992	2.36	2.35	0.009	-48	12	20	
		1.000	0.789	1	0.789	1.000	0.992	2.36	2.35	0.009	-2	-48	58	
		1.000	0.789	1	0.789	1.000	0.992	2.35	2.35	0.009	-18	-12	18	
		1.000	0.789	1	0.789	1.000	0.992	2.35	2.34	0.010	-38	38	-2	
		1.000	0.789	1	0.789	1.000	0.993	2.34	2.34	0.010	24	60	12	
		1.000	0.789	1	0.789	1.000	0.994	2.34	2.33	0.010	2	-100	-6	