

NAME : V.NITHIN

ROLL.NO : 2403A52355

BATCH : 13(AIML)

step 1: import libraries

```
import nltk
nltk.download('punkt_tab')
import pandas as pd
import spacy
import re
from collections import Counter, defaultdict
import matplotlib.pyplot as plt
import seaborn as sns
```

```
[nltk_data] Downloading package punkt_tab to /root/nltk_data...
[nltk_data] Unzipping tokenizers/punkt_tab.zip.
```

step 2: load dataset

```
# Load Tweet text and pre-process /content/Twitter_Data.csv
df = pd.read_csv('/content/Twitter_Data.csv')
df.head()
```

		clean_text	category	
0	when modi promised "minimum government maximum...		-1.0	
1	talk all the nonsense and continue all the dra...		0.0	
2	what did just say vote for modi welcome bjp t...		1.0	
3	asking his supporters prefix chowkidar their n...		1.0	
4	answer who among these the most powerful world...		1.0	

step 3: POS tags tweets using NLTK of the tweets

```
nltk.download('averaged_perceptron_tagger')
nltk.download('averaged_perceptron_tagger_eng')
nltk.download('universal_tagset')
```

```
[nltk_data] Downloading package averaged_perceptron_tagger to
[nltk_data] /root/nltk_data...
[nltk_data] Unzipping taggers/averaged_perceptron_tagger.zip.
[nltk_data] Downloading package averaged_perceptron_tagger_eng to
[nltk_data] /root/nltk_data...
[nltk_data] Unzipping taggers/averaged_perceptron_tagger_eng.zip.
[nltk_data] Downloading package universal_tagset to /root/nltk_data...
[nltk_data] Unzipping taggers/universal_tagset.zip.
True
```

```
print(df.columns)
```

```
Index(['clean_text', 'category'], dtype='object')
```

step 4: preprocessing the tweets

```
def preprocess_tweets(text):
    if not isinstance(text, str):
        return ""
    text = re.sub(r'http\S+', '', text)
    text = re.sub(r'@[A-Za-z0-9]+', '', text)
    text = re.sub(r'#', '', text)
    text = re.sub(r'^\w\s', '', text)
    # Remove whitespaces as well
    text = re.sub(r'\s+', ' ', text).strip()
    return text

df['preprocess_text'] = df['clean_text'].apply(preprocess_tweets)
df.head(10)
```

	clean_text	category	preprocess_text	
0	when modi promised "minimum government maximum...	-1.0	when modi promised minimum government maximum ...	
1	talk all the nonsense and continue all the dra...	0.0	talk all the nonsense and continue all the dra...	
2	what did just say vote for modi welcome bjp t...	1.0	what did just say vote for modi welcome bjp to...	
3	asking his supporters prefix chowkidar their n...	1.0	asking his supporters prefix chowkidar their n...	
4	answer who among these the most powerful world...	1.0	answer who among these the most powerful world...	
5	kiya tho refresh maarkefir comment karo	0.0	kiya tho refresh maarkefir comment karo	
6	surat women perform yagna seeks divine grace f...	0.0	surat women perform yagna seeks divine grace f...	
7	this comes from cabinet which has scholars lik...	0.0	this comes from cabinet which has scholars lik...	
8	with upcoming election india saga going import...	1.0	with upcoming election india saga going import...	
9	gandhi was gay does modi	1.0	gandhi was gay does modi	

step 5:POS tagging using nltk

```
def pos_tag_tweet(text):
    tokens = nltk.word_tokenize(text.lower())

    pos_tags = nltk.pos_tag(tokens, tagset='universal')
    return pos_tags

df['pos_tags'] = df['preprocess_text'].apply(pos_tag_tweet)
df.head(10)
```

	clean_text	category	preprocess_text	pos_tags
0	when modi promised "minimum government maximum...	-1.0	when modi promised minimum government maximum ...	[(when, ADV), (modi, NOUN), (promised, VERB), ...]
1	talk all the nonsense and continue all the dra...	0.0	talk all the nonsense and continue all the dra...	[(talk, NOUN), (all, DET), (the, DET), (nonsen...
2	what did just say vote for modi welcome bjp t...	1.0	what did just say vote for modi welcome bjp to...	[(what, PRON), (did, VERB), (just, ADV), (say,...
3	asking his supporters prefix chowkidar their n...	1.0	asking his supporters prefix chowkidar their n...	[(asking, VERB), (his, PRON), (supporters, NOU...
4	answer who among these the most powerful world...	1.0	answer who among these the most powerful world...	[(answer, NOUN), (who, PRON), (among, ADP), (t...
5	kiya tho refresh maarkefir comment karo	0.0	kiya tho refresh maarkefir comment karo	[(kiya, NOUN), (tho, NOUN), (refresh, ADJ), (m...
6	surat women perform yagna seeks divine grace f...	0.0	surat women perform yagna seeks divine grace f...	[(surat, ADJ), (women, NOUN), (perform, VERB),...
7	this comes from cabinet which has	0.0	this comes from cabinet which has scholars	[(this, DET), (comes, VERB), (from,

step 6: simple Hmm

```
class SimpleHMM:
    """
    Simple HMM for POS tagging with parameter extraction.
    """
    def __init__(self):
        self.transition_counts = defaultdict(lambda: defaultdict(int))
        self.emission_counts = defaultdict(lambda: defaultdict(int))
        self.tag_counts = defaultdict(int)
        self.vocabulary = set()
        self.tagset = set()

    def train(self, tagged_sentences):
        """
        Train HMM from tagged sentences.
        """
        for sentence in tagged_sentences:
            if len(sentence) == 0:
                continue

            # Add start state
            prev_tag = '<START>'
            self.tag_counts[prev_tag] += 1

            for word, tag in sentence:
```

```

        # Emission counts: P(word|tag)
        self.emission_counts[tag][word] += 1
        self.tag_counts[tag] += 1
        self.vocabulary.add(word)
        self.tagset.add(tag)

        # Transition counts: P(tag|prev_tag)
        self.transition_counts[prev_tag][tag] += 1
        prev_tag = tag

    # Add end state
    self.transition_counts[prev_tag]['<END>'] += 1

def get_transition_prob(self, prev_tag, tag, smoothing=1e-6):
    """
    Calculate transition probability with Laplace smoothing.
    """
    count = self.transition_counts[prev_tag][tag]
    total = sum(self.transition_counts[prev_tag].values())
    vocab_size = len(self.tagset) + 1 # +1 for <END>
    return (count + smoothing) / (total + smoothing * vocab_size)

def get_emission_prob(self, tag, word, smoothing=1e-6):
    """
    Calculate emission probability with Laplace smoothing.
    """
    count = self.emission_counts[tag][word]
    total = self.tag_counts[tag]
    vocab_size = len(self.vocabulary)
    return (count + smoothing) / (total + smoothing * vocab_size)

# Train HMM
hmm = SimpleHMM()
hmm.train(df['pos_tags'].tolist())

print(f"HMM Training Complete!")
print(f"\nVocabulary size: {len(hmm.vocabulary)}")
print(f"Tagset size: {len(hmm.tagset)}")
print(f"Tags: {sorted(hmm.tagset)}")

```

HMM Training Complete!

Vocabulary size: 100165

Tagset size: 12

Tags: ['.', 'ADJ', 'ADP', 'ADV', 'CONJ', 'DET', 'NOUN', 'NUM', 'PRON', 'PRT', 'VERB', 'X']

step 7: Emission Probability Snapshots

```

print("\n Emission Probability Examples")
print("="*60)

sample_tags = list(hmm.tagset)[:5] # First 5 tags

for tag in sample_tags:
    # Get top 10 most likely words for this tag
    words_probs = [(word, hmm.get_emission_prob(tag, word))
                    for word in list(hmm.emission_counts[tag].keys())[:20]]
    words_probs.sort(key=lambda x: x[1], reverse=True)

    print(f"\n{tag}:")
    for word, prob in words_probs[:10]:
        print(f" {word:20s} → {prob:.6f}")

```

Emission Probability Examples

=====

Start coding or [generate](#) with AI.

