

Create a new vite project:

```
npm create vite@latest
```

```
..
```

Install tailwindcss

```
npm install tailwindcss @tailwindcss/vite
```

Vite.config.js

```
import { defineConfig } from 'vite'
import react from '@vitejs/plugin-react'
import tailwindcss from '@tailwindcss/vite'
```

```
// https://vite.dev/config/
export default defineConfig({
  plugins: [react(), tailwindcss()],
})
```

```
@import "tailwindcss";
```

Copy to Index.css and delete all other contents.

Open App.jsx file and type following code to test if Tailwind CSS works or not:

```
import { useState } from 'react'
import './App.css'
function App() {
  const [count, setCount] = useState(0)
  return (
    <>
      <h1 className='text-3xl bg-green-400'>password Generator Application</h1>
    </>
  )
}
export default App
```

if you get following output, then the tailwind css is working fine.



password Generator Application

Project 1:

Feedback Form

Contact Information

Name:

Email:

Feedback:

Submit

STEP 1: App.jsx

```
function App() {  
  const [count, setCount] = useState(0)  
  
  return (  
    <>  
  
    </>  
  )  
}  
  
export default App
```

STEP 2:

```
<body className="bg-gray-100">  
  <header className="text-center py-8">  
    <h1 className="text-4xl font-bold">Feedback Form</h1>  
  </header>  
  
</body>
```

Feedback Form

text-center: This class typically centers the text horizontally within the element.

py-8: In frameworks like Tailwind CSS, this class applies vertical padding (padding on the top and bottom) with a spacing scale value of 8.

text-4xl: Sets the text size to 4 times extra large, making the text much larger than the default size.

font-bold: Makes the text bold.

STEP 3:

```
<form action="#" method="post" className="bg-white shadow-md rounded px-8 pt-6 pb-8 mb-4 max-w-md mx-auto">
  <fieldset>
    <legend className="text-lg font-semibold mb-4 text-left">Contact
Information</legend>
    <div className="mb-4">
      <label for="name" className="block text-sm font-medium text-gray-700 text-left">
        Name:
      </label>
      <input
        type="text"
        id="name"
        name="name"
        required
        className="mt-1 p-2 block w-full rounded-md border outline-none border-gray-300
focus:border-indigo-500 focus:ring-1 focus:ring-indigo-500 transform hover:scale-105
focus:scale-100 transition duration-300 ease-in-out"
      />
    </div>
  </fieldset>
</form>
```

Explanation:

- i. **bg-white:** Sets the background color of the element to white.
- ii. **shadow-md:** Applies a medium-sized box shadow, giving the element a subtle depth effect.
- iii. **rounded:** Rounds the corners of the element.
- iv. **px-8:** Adds horizontal padding (left and right) with a spacing scale value of 8.
- v. **pt-6:** Adds top padding with a spacing scale value of 6.
- vi. **pb-8:** Adds bottom padding with a spacing scale value of 8.
- vii. **mb-4:** Adds a bottom margin with a spacing scale value of 4.
- viii. **max-w-md:** Restricts the element's maximum width to the medium size (typically around 28rem).
- ix. **mx-auto:** Centers the element horizontally by setting its left and right margins to auto.

Fieldset element:

The fieldset element in HTML5 is used to group related elements within a form. It's helpful for organizing and visually distinguishing form sections. It's often paired with the legend element, which provides a caption or title for the group. Here's a simple example: `<fieldset><legend>Personal Information</legend>...</fieldset>`. This helps improve readability and accessibility.

text-lg: Sets the text size to large (typically around 1.125rem or 18px, depending on your configuration).

font-semibold: Applies a semibold font weight, making the text appear slightly bolder.

mb-4: Adds a bottom margin using Tailwind's spacing scale, usually equivalent to 1rem (16px) by default.

text-left: Aligns the text to the left.

block:

Forces the element to display as a block-level element, meaning it will take up the full width available and start on a new line.

text-sm:

Sets the font size to small (usually around 0.875rem or 14px by default), making the text slightly smaller than the default.

font-medium:

Applies a medium font weight, giving the text a bit more emphasis than normal text without being as heavy as font-bold.

text-gray-700:

Sets the text color to a specific shade of gray. In Tailwind's default color palette, gray-700 is a moderately dark gray.

text-left:

Aligns the text to the left, ensuring that the content starts from the left edge of the container.

mt-1: Adds a small top margin (usually 0.25rem) to create vertical spacing.

p-2: Adds padding on all sides (typically 0.5rem) for internal spacing.

block: Makes the element a block-level element so it takes up the full available width.

w-full: Sets the element's width to 100% of its parent container.

rounded-md: Applies a medium border radius, rounding the corners.

border: Adds a default border (usually 1px solid).

outline-none: Removes the default focus outline, allowing custom focus styles to show.

border-gray-300: Sets the initial border color to a light gray.

focus:border-indigo-500: When the element is focused (clicked or tabbed into), the border color changes to a vibrant indigo.

focus:ring-1: Adds a ring (like an outline) of 1 unit thickness when the element is focused.

focus:ring-indigo-500: Sets the focus ring's color to indigo.

transform: Enables CSS transform properties so scaling animations can be applied.

hover:scale-105: Slightly enlarges the element (to 105% of its size) when hovered over.


focus:scale-100: Resets the scaling back to 100% when the element is focused, ensuring focus and hover states don't conflict.

transition: Activates CSS transitions for a smoother change of properties.

duration-300: Sets the duration of the transitions to 300 milliseconds.

ease-in-out: Uses an ease-in-out timing function for the transitions, which starts slow, speeds up, then slows down again.

STEP 4:



Add the following code:

```
<div className="mb-4">
  <label for="email" className="block text-sm font-medium text-gray-700 text-left">
    Email:
  </label>
  <input
    type="email"
    id="email"
    name="email"
    required
    className="mt-1 p-2 block w-full rounded-md border outline-none border-gray-300
focus:border-indigo-500 focus:ring-1 focus:ring-indigo-500 transform hover:scale-105
focus:scale-100 transition duration-300 ease-in-out"
  />
</div>
<div className="mb-4">
  <label for="feedback" className="block text-sm font-medium text-gray-700 text-
left">
    Feedback:
  </label>
  <textarea name="textare" id="address" className="mt-1 p-2 block w-full rounded-
md border outline-none border-gray-300 focus:border-indigo-500 focus:ring-1 focus:ring-indigo-
500 transform hover:scale-105 focus:scale-100 transition duration-300 ease-in-
out"></textarea>
</div>
<button
  type="submit"
  className="w-full py-3 px-4 text-white font-semibold bg-indigo-500 rounded-md
focus:outline-none focus:bg-indigo-600 hover:bg-indigo-600 transform hover:scale-105
active:scale-95 transition duration-300 ease-in-out"
>
  Submit </button>    </fieldset>    </form> </body>
```

Project 2:

Step 1:

Build a navigation bar:



Evento

[Home](#) [Agenda](#) [Host](#) [Review](#) [Benefits](#)

[Register Now](#)

```
<nav className="fixed left-0 top-0 z-20 w-full border-b border-gray-200 bg-white dark:border-gray-600 dark:bg-gray-900">
```

```
  <div className="mx-auto flex max-w-screen-xl flex-wrap items-center justify-between p-4">
```

```
    <a href="#" className="flex items-center">
```

```
      
```

```
      <span className="self-center whitespace-nowrap text-2xl font-semibold dark:text-white">Evento</span>
```

```
    </a>
```

```
    <div className="flex md:order-2">
```

```
      <a href="#register"><button type="button" class="mr-0 rounded-lg bg-indigo-700 px-4 py-2 text-center text-sm font-medium text-white hover:bg-indigo-800 focus:outline-none focus:ring-4 focus:ring-indigo-300 dark:bg-indigo-600 dark:hover:bg-indigo-700 dark:focus:ring-indigo-800 md:mr-0">Register Now</button>
```

```
    </a>
```

```
  </div>
```

```
  <div className="hidden w-full items-center justify-between md:order-1 md:flex md:w-auto" id="navbar-sticky">
```

```
    </div>
```

```
    <ul className="mt-4 flex flex-col rounded-lg border border-gray-100 bg-gray-50 p-4 font-medium dark:border-gray-700 dark:bg-gray-800 md:mt-0 md:flex-row md:space-x-8 md:border-0 md:bg-white md:p-0 md:dark:bg-gray-900">
```

```
      <li>
```

```
        <a href="#" className="block rounded bg-indigo-700 py-2 pl-3 pr-4 text-white md:bg-transparent md:p-0 md:text-indigo-700 md:dark:text-indigo-500" aria-current="page">Home</a>
```

```
      </li>
```

```
      <li>
```

```
        <a href="#agenda" className="block rounded py-2 pl-3 pr-4 text-gray-900 hover:bg-gray-100 dark:border-gray-700 dark:text-white dark:hover:bg-gray-700 dark:hover:text-white md:p-0 md:hover:bg-transparent md:hover:text-indigo-700 md:dark:hover:bg-transparent md:dark:hover:text-indigo-500">Agenda</a>
```

```
      </li>
```

```
      <li>
```

```
        <a href="#host" className="block rounded py-2 pl-3 pr-4 text-gray-900 hover:bg-gray-100 dark:border-gray-700 dark:text-white dark:hover:bg-gray-700 dark:hover:text-white md:p-0 md:hover:bg-transparent md:hover:text-indigo-700 md:dark:hover:bg-transparent md:dark:hover:text-indigo-500">Host</a>
```

```
      </li>
```

```
      <li>
```

```
        <a href="#review" className="block rounded py-2 pl-3 pr-4 text-gray-900 hover:bg-gray-100 dark:border-gray-700 dark:text-white dark:hover:bg-gray-700 dark:hover:text-white md:p-0
```

```
md:dark:background-color:transparent md:dark:color:indigo-700 md:dark:background-color:transparent
md:dark:color:indigo-500">Review</a>
</li>
<li>
  <a href="#benefits" className="block rounded py-2 pl-3 pr-4 text-gray-900 hover:bg-
gray-100 dark:border-gray-700 dark:text-white dark:hover:bg-gray-700 dark:hover:text-white
md:p-0 md:background-color:transparent md:color:indigo-700 md:dark:background-color:transparent
md:dark:color:indigo-500">Benefits</a>
</li>
</ul>
</div>
</nav>
```

Explanation:

<nav className="fixed left-0 top-0 z-20 w-full border-b border-gray-200 bg-white dark:border-gray-600 dark:bg-gray-900">

This <nav> element represents a **fixed top navigation bar** with the following properties:

1. **Positioning:**
 - **fixed:** The navbar stays fixed at the top of the viewport.
 - **left-0 top-0:** Ensures it is anchored to the top-left corner.
2. **Z-index:**
 - **z-20:** Ensures the navbar is layered above most other elements.
3. **Size & Borders:**
 - **w-full:** Makes the navbar span the full width of the viewport.
 - **border-b border-gray-200:** Adds a bottom border in light gray (border-gray-200).
 - **dark:border-gray-600:** In dark mode, the border color is darker (border-gray-600).
4. **Background Colors:**
 - **bg-white:** Default background color is white.
 - **dark:bg-gray-900:** In dark mode, it changes to dark gray (gray-900).

<div className="mx-auto flex max-w-screen-xl flex-wrap items-center justify-between p-4">

</div>

This line creates a container for the NavBar content with flexbox properties for responsive layout and spacing.

mx-auto: This centers the element horizontally by setting the left and right margins to auto.

flex: Applies Flexbox layout to the element.

max-w-screen-xl: Sets the maximum width of the element to the screen-xl size (which is typically a large screen size in Tailwind CSS).

flex-wrap: Allows the child elements to wrap onto the next line if necessary.

items-center: Vertically aligns the child elements to the center of the container.

justify-between: Distributes the child elements with space between them, aligning them to the start and end of the container.

p-4: Adds padding of 1rem (16px) to all sides of the element.

```
<a href="#" className="flex items-center">
  
  <span className="self-center whitespace-nowrap text-2xl font-semibold dark:text-white">Evento</span>
</a>
```

This code represents a hyperlink (<a>) with a flexbox layout, containing an image () positioned to the left with a margin (mr-3) and a text () "Evento" aligned to the centre vertically, with specific font size, font weight, and white colour with dark mode.

mr-3: Adds a right margin of 0.75rem (12px), creating spacing between this image and adjacent elements.

h-12: Sets the height of the image to 3rem (48px).

self-center → Aligns the element to the center of its parent (useful in a flex container).

whitespace-nowrap → Prevents text from wrapping onto a new line.

text-2xl → Sets the font size to 1.5rem (24px).

font-semibold → Applies a semi-bold font weight.

dark:text-white → Changes the text color to white in dark mode (useful when Tailwind's dark mode feature is enabled).

```
<div className="flex md:order-2">
  <a href="#register"><button type="button" class="mr-0 rounded-lg bg-indigo-700 px-4
py-2 text-center text-sm font-medium text-white hover:bg-indigo-800 focus:outline-none
focus:ring-4 focus:ring-indigo-300 dark:bg-indigo-600 dark:hover:bg-indigo-700
dark:focus:ring-indigo-800 md:mr-0">Register Now</button>
  </a>
</div>
```

This code creates a flex container (<div>) with flexbox properties for responsive design (md:order-2). Inside the container, there is a hyperlink (<a>) with a "Register Now" button (<button>) styled with specific background colour, padding, text properties, and hover effects for both light and dark themes.

flex → Applies Flexbox to the element, making it a flex container. This allows child elements to be aligned and positioned using flex properties.

md:order-2 → This is a responsive utility class that affects the order of the element inside a flex container on md (medium) screens and larger.

It moves the element to the second position (order-2) when the screen width is at least 768px (md breakpoint).

Before md, the default order applies (usually order-0).

mr-0 → No right margin.

rounded-lg → Large border radius for rounded corners.

bg-indigo-700 → Background color (indigo shade).

px-4 py-2 → Padding (horizontal: 4, vertical: 2).

text-center → Centers text.

text-sm font-medium → Small text size with medium font weight.

text-white → White text color.

hover:bg-indigo-800 → Darker indigo on hover.

focus:outline-none → Removes default focus outline.

focus:ring-4 focus:ring-indigo-300 → Adds a focus ring with a soft indigo highlight.

dark:bg-indigo-600 dark:hover:bg-indigo-700 dark:focus:ring-indigo-800 → Dark mode styles.

block → Makes the anchor behave like a block element.

rounded → Adds rounded corners.

py-2 pl-3 pr-4 → Adds padding:

py-2 → Vertical padding (top & bottom).

pl-3 → Left padding.

pr-4 → Right padding.

text-gray-900 → Sets text color to dark gray.

hover:bg-gray-100 → Changes background color to light gray on hover.

dark:border-gray-700 → Applies a gray border in dark mode.

dark:text-white → Sets text color to white in dark mode.

dark:hover:bg-gray-700 dark:hover:text-white → Dark mode styles:

Changes background to dark gray on hover.

Keeps text white on hover.

md:p-0 → Removes padding on medium screens (md breakpoint and above).

md:hover:bg-transparent → Ensures no background change on hover in medium screens.

md:hover:text-indigo-700 → Changes text color to indigo when hovered in medium screens.

md:dark:hover:bg-transparent md:dark:hover:text-indigo-500 →

In dark mode, prevents background change on medium screens.

Changes text to a softer indigo shade when hovered.

Step 2:

```
<section className="bg-gray-700 bg-[url(/img2.jpg)] bg-center bg-no-repeat bg-blend-multiply mt-6 h-screen bg-contain">
```

```
  <div class="mx-auto max-w-screen-xl px-4 py-24 text-center lg:py-56">
```

```
    <h1 class="mb-4 text-4xl font-extrabold leading-none tracking-tight text-white md:text-5xl lg:text-6xl">Unleashing the Power of Web Development</h1>
```

```
    <p class="mb-8 text-lg font-normal text-gray-300 sm:px-16 lg:px-48 lg:text-xl">Join us for an exciting journey into the world of web development, where we believe in harnessing the boundless potential of innovation, technology, and capital.</p>
```

```
    <div class="flex flex-col space-y-4 sm:flex-row sm:justify-center sm:space-x-4 sm:space-y-0">
```

```
      <a href="#register" class="inline-flex items-center justify-center rounded-lg bg-indigo-700 px-5 py-3 text-center text-base font-medium text-white hover:bg-indigo-800 focus:ring-4 focus:ring-indigo-300 dark:focus:ring-indigo-900">
```

```
        Book Your Spot Now
```

```
        <svg aria-hidden="true" class="-mr-1 ml-2 h-4 w-4" fill="currentColor" viewBox="0 0 20 20" xmlns="http://www.w3.org/2000/svg"><path fill-rule="evenodd" d="M10.293 3.293a1 1 0 011.414 1.414L14.586 11H3a1 1 0 10-1.414 1.414L1 11.586l4.293 4.293a1 1 0 011.414 1.414z" clip-rule="evenodd"></path></svg>
```

```
      </a>
```

```
      <a href="#agenda" class="inline-flex items-center justify-center rounded-lg border border-white px-5 py-3 text-center text-base font-medium text-white hover:bg-gray-100 hover:text-gray-900 focus:ring-4 focus:ring-gray-400"> Learn more </a>
```

```
</div>
</div>
</section>
```

bg-gray-700 → Sets the background color to a dark gray (#374151).
bg-[url(/img2.jpg)] → Sets a background image from /img2.jpg.
bg-center → Centers the background image.
bg-no-repeat → Ensures the background image does not repeat.
bg-blend-multiply → Blends the background image with the background color using the multiply blend mode.
mt-6 → Adds a top margin of 1.5rem (24px).
h-screen → Sets the height to the full viewport height.
bg-contain → Ensures the background image is fully contained within the element without cropping.

mx-auto → Centers the div horizontally.
max-w-screen-xl → Limits the maximum width to screen-xl (1280px), ensuring it doesn't stretch beyond this size.
px-4 → Adds horizontal padding of 1rem (16px) on both sides.
py-24 → Adds vertical padding of 6rem (96px) on top and bottom.
text-center → Centers all text inside the div.
lg:py-56 → In large screens (lg), increases the vertical padding to 14rem (224px).

```
<svg aria-hidden="true" class="-mr-1 ml-2 h-4 w-4" fill="currentColor" viewBox="0 0 20 20"
xmlns="http://www.w3.org/2000/svg">
```

aria-hidden="true" → Hides the icon from screen readers (since it is decorative and not meant for accessibility).
class="-mr-1 ml-2 h-4 w-4" → Tailwind CSS styles:
-mr-1 → Small negative right margin (shifts left slightly).
ml-2 → Adds left margin (0.5rem or 8px).
h-4 w-4 → Sets the height and width to 1rem (16px).
fill="currentColor" → Inherits text color, making it adapt to different themes.
viewBox="0 0 20 20" → Defines the coordinate system for scaling.
xmlns="http://www.w3.org/2000/svg" → Defines the SVG namespace (required for proper rendering).
<path> → Defines the actual shape of the arrow.

COMPLETE CODE

```
import './App.css'

function App() {

  return (
    <>

      <nav className="fixed left-0 top-0 z-20 w-full border-b border-gray-200 bg-white dark:border-gray-600 dark:bg-gray-900">
        <div className="mx-auto flex max-w-screen-xl flex-wrap items-center justify-between p-4">

          <a href="#" className="flex items-center">
            
            <span className="self-center whitespace-nowrap text-2xl font-semibold dark:text-white">Evento</span>
          </a>

          <div className="flex md:order-2">
            <a href="#register"><button type="button" class="mr-0 rounded-lg bg-indigo-700 px-4 py-2 text-center text-sm font-medium text-white hover:bg-indigo-800 focus:outline-none focus:ring-4 focus:ring-indigo-300 dark:bg-indigo-600 dark:hover:bg-indigo-700 dark:focus:ring-indigo-800 md:mr-0">Register Now</button>
            </a>
          </div>

          <div className="hidden w-full items-center justify-between md:order-1 md:flex md:w-auto" id="navbar-sticky">
            </div>

            <ul className="mt-4 flex flex-col rounded-lg border border-gray-100 bg-gray-50 p-4 font-medium dark:border-gray-700 dark:bg-gray-800 md:mt-0 md:flex-row md:space-x-8 md:border-0 md:bg-white md:p-0 md:dark:bg-gray-900">
              <li>
                <a href="#" className="block rounded bg-indigo-700 py-2 pl-3 pr-4 text-white md:bg-transparent md:p-0 md:text-indigo-700 md:dark:text-indigo-500" aria-current="page">Home</a>
              </li>
              <li>
                <a href="#agenda" className="block rounded py-2 pl-3 pr-4 text-gray-900 hover:bg-gray-100 dark:border-gray-700 dark:text-white dark:hover:bg-gray-700 dark:hover:text-white md:p-0 md:hover:bg-transparent md:hover:text-indigo-700 md:dark:hover:bg-transparent md:dark:hover:text-indigo-500">Agenda</a>
              </li>
              <li>
                <a href="#host" className="block rounded py-2 pl-3 pr-4 text-gray-900 hover:bg-gray-100 dark:border-gray-700 dark:text-white dark:hover:bg-gray-700 dark:hover:text-white md:p-0 md:hover:bg-transparent md:hover:text-indigo-700 md:dark:hover:bg-transparent md:dark:hover:text-indigo-500">Host</a>
              </li>
            </ul>
          </div>
        </div>
      </nav>
    </>
  )
}
```

```

</li>
  <a href="#review" className="block rounded py-2 pl-3 pr-4 text-gray-900 hover:bg-gray-100 dark:border-gray-700 dark:text-white dark:hover:bg-gray-700 dark:hover:text-white md:p-0 md:hover:bg-transparent md:hover:text-indigo-700 md:dark:hover:bg-transparent md:dark:hover:text-indigo-500">Review</a>
</li>
</li>
  <a href="#benefits" className="block rounded py-2 pl-3 pr-4 text-gray-900 hover:bg-gray-100 dark:border-gray-700 dark:text-white dark:hover:bg-gray-700 dark:hover:text-white md:p-0 md:hover:bg-transparent md:hover:text-indigo-700 md:dark:hover:bg-transparent md:dark:hover:text-indigo-500">Benefits</a>
</li>
</ul>
</div>
</nav>

```

```

<section className="bg-gray-700 bg-[url(/img2.jpg)] bg-center bg-no-repeat bg-blend-multiply mt-6 h-screen bg-contain">
  <div class="mx-auto max-w-screen-xl px-4 py-24 text-center lg:py-56">
    <h1 class="mb-4 text-4xl font-extrabold leading-none tracking-tight text-white md:text-5xl lg:text-6xl">Unleashing the Power of Web Development</h1>
    <p class="mb-8 text-lg font-normal text-gray-300 sm:px-16 lg:px-48 lg:text-xl">Join us for an exciting journey into the world of web development, where we believe in harnessing the boundless potential of innovation, technology, and capital.</p>
    <div class="flex flex-col space-y-4 sm:flex-row sm:justify-center sm:space-x-4 sm:space-y-0">
      <a href="#register" class="inline-flex items-center justify-center rounded-lg bg-indigo-700 px-5 py-3 text-center text-base font-medium text-white hover:bg-indigo-800 focus:ring-4 focus:ring-indigo-300 dark:focus:ring-indigo-900">
        Book Your Spot Now
        <svg aria-hidden="true" class="-mr-1 ml-2 h-4 w-4" fill="currentColor" viewBox="0 0 20 20" xmlns="http://www.w3.org/2000/svg"><path fill-rule="evenodd" d="M10.293 3.293a1 1 0 011.414 1.414L14.586 11H3a1 1 0 10-2 0L11.586 14.293a1 1 0 010 1.414z" clip-rule="evenodd"></path></svg>
      </a>
      <a href="#agenda" class="inline-flex items-center justify-center rounded-lg border border-white px-5 py-3 text-center text-base font-medium text-white hover:bg-gray-100 hover:text-gray-900 focus:ring-4 focus:ring-gray-400"> Learn more </a>
    </div>
  </div>
</section>

```

```

<div id="agenda">
  <div class="mt-16 text-center">
    <h2 class="text-2xl md:text-4xl font-bold dark:text-white">What You Will Learn</h2>
    <p class="text-gray-500 text-lg mt-4 mb-8 dark:text-gray-400">Topics that will be covered in this webinar</p>
  </div>

  <div class="flex flex-wrap justify-center mx-auto py-8 px-4 md:mb-16">

```

```

<div class="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-3 gap-8">

  <div class="w-full sm:w-80 mb-4 bg-white rounded-lg shadow-lg">
    
    <div class="py-4 px-6">
      <h2 class="hover:cursor-pointer mt-2 text-gray-900 font-bold text-xl sm:text-2xl tracking-tight">Front-End Development</h2>
      <p class="hover:cursor-pointer py-2 text-gray-600 leading-5">HTML, CSS, JavaScript, and frameworks like React and Vue.js - Learn to craft stunning user interfaces and create responsive websites that leave a lasting impression.</p>
    </div>
  </div>

  <div class="w-full sm:w-80 mb-4 bg-white rounded-lg shadow-lg">
    
    <div class="py-4 px-6">
      <h2 class="hover:cursor-pointer mt-2 text-gray-900 font-bold text-xl sm:text-2xl tracking-tight">Back-End Development</h2>
      <p class="hover:cursor-pointer py-2 text-gray-600 leading-5">Node.js, Python, MongoDB, MySQL, Express.js, and Django - Discover the magic of server-side programming and build scalable web applications.</p>
    </div>
  </div>

  <div class="w-full sm:w-80 mb-4 bg-white rounded-lg shadow-lg">
    
    <div class="py-4 px-6">
      <h2 class="hover:cursor-pointer mt-2 text-gray-900 font-bold text-xl sm:text-2xl tracking-tight">Becoming a Full-Stack Developer</h2>
      <p class="hover:cursor-pointer py-2 text-gray-600 leading-5">Front-end to back-end, APIs, development tools, and optimization - Elevate your coding skills and become a versatile web development maestro.</p>
    </div>
  </div>

</div>
</div>
</div>

```

```

<div class="flex flex-col md:flex-row items-center justify-between bg-indigo-500 text-white p-8 md:p-16 space-y-4 md:space-y-0 md:space-x-8 font-semibold text-lg">
  <div class="flex flex-col items-center space-y-4 text-xl">
    <i class="far fa-calendar-alt text-2xl"></i>
    <p>August 12th 2023</p>
  </div>
</div>

```

```

<div class="flex flex-col items-center space-y-4 text-xl">
  <i class="far fa-clock text-2xl"></i>
  <p>09:00 am GMT</p>
</div>
<div class="flex flex-col items-center space-y-4 text-xl">
  <i class="far fa-hourglass text-2xl"></i>
  <p>Duration: 8 Hour</p>
</div>
<a href="#register">
  <button class="bg-white text-black px-6 py-2 rounded-md md:text-2xl text-xl">Book Seat
Now</button>
</a>
</div>

<div id="host" class="bg-white py-6 sm:py-8 lg:py-12 ">
<div class="mx-auto max-w-screen-xl px-4 md:px-8 mt-10">

  <div class="mb-8 md:mb-10">
    <h2 class="mb-4 text-center text-3xl font-bold text-gray-800 md:mb-6 lg:text-3xl">About
The Host</h2>
    <p class="mx-auto max-w-screen-md text-center font-semibold text-gray-600 md:text-
lg">Expert who will be conducting this webinar</p>
  </div>

  <div class="grid grid-cols-1 gap-4 sm:grid-cols-2 p-8">

    <div class="flex flex-col items-center justify-center rounded-lg p-4 lg:p-8">
      
    </div>

    <div class="flex flex-col rounded-lg sm:p-8 p-4">
      <div class="text-xl font-bold text-indigo-500 sm:text-2xl md:text-3xl">John Doe</div>
      <div class="text-sm font-semibold sm:text-base mb-6 mt-2">CEO, Evento</div>

      <p class="text-base font-serif text-gray-500 text-justify sm:leading-relaxed sm:mr-8 mb-8
mt-8">
        Meet John Doe, an experienced web developer and tech enthusiast who is passionate
about sharing his knowledge with aspiring developers. As the host of our upcoming webinar on
Web Development, John will take you on an exciting journey into the world of web development.
      </p>
      <p class="hidden md:text-justify md:block text-base font-serif text-gray-500 leading-
relaxed sm:mr-8 mb-12">
        During the webinar, John will cover various topics, including front-end and back-end
development, popular programming languages, essential tools and frameworks, best practices,
and tips for building responsive and user-friendly websites.
      </p>

```

```

<div class="flex gap-4">
  <a href="#" target="_blank" class="text-gray-400 transition duration-100 hover:text-gray-500 active:text-gray-600">
    <svg class="h-5 w-5" width="24" height="24" viewBox="0 0 24 24" fill="currentColor"
    xmlns="http://www.w3.org/2000/svg">
      <path d="M12 2.163c3.204 0 3.584.012 4.85.07 3.252.148 4.771 1.691 4.919 4.919.058
      1.265.069 1.645.069 4.849 0 3.205-.012 3.584-.069 4.849-.149 3.225-1.664 4.771-4.919 4.919-
      1.266.058-1.644.07-4.85.07-3.204 0-3.584-.012-4.849-.07-3.26-.149-4.771-1.699-4.919-4.92-
      .058-1.265-.07-1.644-.07-4.849 0-3.204.013-3.583.07-4.849.149-3.227 1.664-4.771 4.919-4.919
      1.266-.057 1.645-.069 4.849-.069zm0-2.163c-3.259 0-3.667.014-4.947.072-4.358.2-6.78 2.618-
      6.98 6.98-.059 1.281-.073 1.689-.073 4.948 0 3.259.014 3.668.072 4.948.2 4.358 2.618 6.78 6.98
      6.98 1.281.058 1.689.072 4.948.072 3.259 0 3.668-.014 4.948-.072 4.354-.2 6.782-2.618 6.979-
      6.98.059-1.28.073-1.689.073-4.948 0-3.259-.014-3.667-.072-4.947-.196-4.354-2.617-6.78-
      6.979-6.98-1.281-.059-1.69-.073-4.949-.073zm0 5.838c-3.403 0-6.162 2.759-6.162 6.162s2.759
      6.163 6.162 6.163 6.162-2.759 6.162-6.163c0-3.403-2.759-6.162-6.162-6.162zm0 10.162c-
      2.209 0-4-1.79-4-4 0-2.209 1.791-4 4-4s4 1.791 4 4c0 2.21-1.791 4-4 4zm6.406-11.845c-.796 0-
      1.441.645-1.441 1.44s.645 1.44 1.441 1.44c.795 0 1.439-.645 1.439-1.44s-.644-1.44-1.439-
      1.44z" />
    </svg>
  </a>

  <a href="#" target="_blank" class="text-gray-400 transition duration-100 hover:text-gray-500 active:text-gray-600">
    <svg class="h-5 w-5" width="24" height="24" viewBox="0 0 24 24" fill="currentColor"
    xmlns="http://www.w3.org/2000/svg">
      <path d="M24 4.557c-.883.392-1.832.656-2.828.775 1.017-.609 1.798-1.574 2.165-
      2.724-.951.564-2.005.974-3.127 1.195-.897-.957-2.178-1.555-3.594-1.555-3.179 0-5.515 2.966-
      4.797 6.045-4.091-.205-7.719-2.165-10.148-5.144-1.29 2.213-.669 5.108 1.523 6.574-.806-.026-
      1.566-.247-2.229-.616-.054 2.281 1.581 4.415 3.949 4.89-.693.188-1.452.232-2.224.084.626
      1.956 2.444 3.379 4.6 3.419-2.07 1.623-4.678 2.348-7.29 2.04 2.179 1.397 4.768 2.212 7.548
      2.212 9.142 0 14.307-7.721 13.995-14.646.962-.695 1.797-1.562 2.457-2.549z" />
    </svg>
  </a>

  <a href="#" target="_blank" class="text-gray-400 transition duration-100 hover:text-gray-500 active:text-gray-600">
    <svg class="h-5 w-5" width="24" height="24" viewBox="0 0 24 24" fill="currentColor"
    xmlns="http://www.w3.org/2000/svg">
      <path d="M19 0h-14c-2.761 0-5 2.239-5 5v14c0 2.761 2.239 5 5 5h14c2.762 0 5-2.239
      5-5v-14c0-2.761-2.238-5-5-5zm-11 19h-3v-11h3v11zm-1.5-12.268c-.966 0-1.75-.79-1.75-
      1.764s.784-1.764 1.75-1.764 1.75.79 1.75 1.764-.783 1.764-1.75 1.764zm13.5 12.268h-3v-
      5.604c0-3.368-4-3.113-4 0v5.604h-3v-11h3v1.765c1.396-2.586 7-2.777 7 2.476v6.759z" />
    </svg>
  </a>

  <a href="#" target="_blank" class="text-gray-400 transition duration-100 hover:text-gray-500 active:text-gray-600">
    <svg class="h-5 w-5" width="24" height="24" viewBox="0 0 24 24" fill="currentColor"
    xmlns="http://www.w3.org/2000/svg">
      <path d="M12 0c-6.626 0-12 5.373-12 12 0 5.302 3.438 9.8 8.207 11.387.599.111.793-
      .261.793-.577v-2.234c-3.338.726-4.033-1.416-4.033-1.416-.546-1.387-1.333-1.756-1.333-

```

1.756-1.089-.745.083-.729.083-.729 1.205.084 1.839 1.237 1.839 1.237 1.07 1.834 2.807 1.304
3.492.997.107-.775.418-1.305.762-1.604-2.665-.305-5.467-1.334-5.467-5.931 0-1.311.469-
2.381 1.236-3.221-.124-.303-.535-1.524.117-3.176 0 0 1.008-.322 3.301 1.23.957-.266 1.983-
.399 3.003-.404 1.02.005 2.047.138 3.006.404 2.291-1.552 3.297-1.23 3.297-1.23.653 1.653.242
2.874.118 3.176.77.84 1.235 1.911 1.235 3.221 0 4.609-2.807 5.624-5.479 5.921.43.372.823
1.102.823 2.222v3.293c0 .319.192.694.801.576 4.765-1.589 8.199-6.086 8.199-11.386 0-6.627-
5.373-12-12-12z" />

</svg>

</div>

</div>

</div>

</div>

</div>

<div class="bg-slate-100 py-6 sm:py-8 lg:py-12">

<div class="mx-auto max-w-screen-xl px-4 md:px-8">

<div class="grid grid-cols-2 gap-4 md:grid-cols-4 lg:gap-8">

<div class="flex flex-col items-center justify-center rounded-lg bg-gray-200 p-4 lg:p-8">

<div class="text-xl font-bold text-indigo-500 sm:text-2xl md:text-3xl">50+</div>

<div class="text-sm font-semibold sm:text-base">Webinar</div>

</div>

<div class="flex flex-col items-center justify-center rounded-lg bg-gray-200 p-4 md:p-8">

<div class="text-xl font-bold text-indigo-500 sm:text-2xl md:text-3xl">5000+</div>

<div class="text-sm font-semibold sm:text-base">Attended</div>

</div>

<div class="flex flex-col items-center justify-center rounded-lg bg-gray-200 p-4 md:p-8">

<div class="text-xl font-bold text-indigo-500 sm:text-2xl md:text-3xl">400+</div>

<div class="text-sm font-semibold sm:text-base">Hours</div>

</div>

<div class="flex flex-col items-center justify-center rounded-lg bg-gray-200 p-4 md:p-8">

<div class="text-xl font-bold text-indigo-500 sm:text-2xl md:text-3xl">6000+</div>

<div class="text-sm font-semibold sm:text-base">Subscriber</div>

</div>

</div>

</div>

</div>

<div id="review" class="bg-white py-6 sm:py-8 lg:py-12">

<div class="mx-auto max-w-screen-xl px-4 md:px-8 md:mt-16 md:mb-16">

<h2 class="mb-16 text-center text-2xl font-bold text-gray-800 md:mb-12 lg:text-3xl">What others say about us</h2>

<div class="grid gap-y-10 sm:grid-cols-2 sm:gap-y-12 lg:grid-cols-3 lg:divide-x">

<div class="flex flex-col items-center gap-4 sm:px-4 md:gap-6 lg:px-8">

<div class="text-center text-gray-600">“The webinar on web development conducted by John was exceptional. He explained complex concepts in a simple and engaging manner. I learned a lot and feel more confident in my web development skills now.”</div>

<div class="flex flex-col items-center gap-2 sm:flex-row md:gap-3">

<div class="h-12 w-12 overflow-hidden rounded-full bg-gray-100 shadow-lg md:h-14 md:w-14">

</div>

<div>

<div class="text-center text-sm font-bold text-indigo-500 sm:text-left md:text-base">Sarah Thompson</div>

<p class="text-center text-sm text-gray-500 sm:text-left md:text-sm">Lead Developer / TechPro Solutions</p>

</div>

</div>

</div>

<div class="flex flex-col items-center gap-4 sm:px-4 md:gap-6 lg:px-8">

<div class="text-center text-gray-600">“I thoroughly enjoyed the webinar hosted by Michael. His expertise in web development is evident, and he shared valuable insights and tips. It was a great learning experience, and I would highly recommend it to others.”</div>

<div class="flex flex-col items-center gap-2 sm:flex-row md:gap-3">

<div class="h-12 w-12 overflow-hidden rounded-full bg-gray-100 shadow-lg md:h-14 md:w-14">

</div>

<div>

<div class="text-center text-sm font-bold text-indigo-500 sm:text-left md:text-base">Kate Berg</div>

<p class="text-center text-sm text-gray-500 sm:text-left md:text-sm">Chief Technology Officer / InnovateX</p>

</div>

</div>

</div>

<div class="flex flex-col items-center gap-4 sm:px-4 md:gap-6 lg:px-8">

```
<div class="text-center text-gray-600">Attending Emily's webinar on web development was a game-changer for me. His knowledge and passion for the subject were inspiring. The practical examples and hands-on helped me improve my coding skills."</div>
```

```
<div class="flex flex-col items-center gap-2 sm:flex-row md:gap-3">  
  <div class="h-12 w-12 overflow-hidden rounded-full bg-gray-100 shadow-lg md:h-14 md:w-14">
```

```
    
```

```
</div>
```

```
<div>
```

```
  <div class="text-center text-sm font-bold text-indigo-500 sm:text-left md:text-base">Greg Jackson</div>
```

```
  <p class="text-center text-sm text-gray-500 sm:text-left md:text-sm">Frontend Developer / CodeCrafters</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</>
```

```
)
```

```
}
```

```
export default App
```