🔷 ubuntu@ip-172-31-5-117: ~ Nitin.S@DESKTOP-HF82NIK MINGW64 \$ ssh -i "C:\Users\Nitin.S\Downloads\keypairs-123.pem" ubuntu@13.203.156.88
The authenticity of host '13.203.156.88 (13.203.156.88)' can't be established.
ED25519 key fingerprint is SHA256:1g7b6+hTSDTbKCutheqUcz24ABRhNcusoz7exBIQOCC.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '13.203.156.88' (ED25519) to the list of known hosts.
Welcome to Ubuntu 24.04.1 LTS (GNU/Linux 6.8.0-1021-aws x86_64) * Documentation: https://help.ubuntu.com * Management: https://landscape.canonical.com * Support: https://ubuntu.com/pro System information as of Thu Jan 16 14:01:15 UTC 2025 System load: 0.0 Usage of /: 24.9% of 6.71GB Memory usage: 20% Swap usage: 0% Processes: 103 Users logged in: 0 IPv4 address for enX0: 172.31.5.117 Expanded Security Maintenance for Applications is not enabled. O updates can be applied immediately. Enable ESM Apps to receive additional future security updates. See https://ubuntu.com/esm or run: sudo pro status The programs included with the Ubuntu system are free software; the exact distribution terms for each program are described in the individual files in /usr/share/doc/*/copyright. Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by applicable law. To run a command as administrator (user "root"), use "sudo <command>". See "man sudo_root" for details. ubuntu@ip-172-31-5-117:-\$ sudo apt update && sudo apt upgrade -y
Hit:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Get:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease [126 k
B]
Get:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease [126
kB]
Get:4 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Packages
[15.0 MB] 25°C Haze 🐚 💷 👺 🥰 🗞 📜 Q Search

The programs included with the ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/sham-doo/>copy/optyfight.


Ubuntu comes with AssOuTELY NO WARRANTY, to the extent permitted by
applicable law.

To run a command as addrinistrator (user "root"), use "sudo ccommando".

See "man usdo_root" for detail composition of the state of the stat

ō


🚸 ubuntu@ip-172-31-5-117: ~



```
Top Stories
12 Naxalites kille...
                        🕟 🖃 💕 🧳 🐞 🔚
                                      Q Search
```

ð

🔷 ubuntu@ip-172-31-5-117: -




```
🔷 ubuntu@ip-172-31-5-117: -
★ ubuntu@ip-172-31-5-117: ~
usr/bin/jstat (jstat) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jstatd to provide
/usr/bin/jstatd (jstatd) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/serialver to provide
/usr/bin/serialver (serialver) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jhsdb to provide /
usr/bin/jhsdb (jhsdb) in auto mode
Setting up openjdk-17-jre:amd64 (17.0.13+11-2ubuntul~24.04) ...
Setting up openjdk-17-jdk:amd64 (17.0.13+11-2ubuntul~24.04) ...
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jconsole to provide
/ usr/bin/jconsole (jconsole) in auto mode
Processing triggers for libgdk-pixbuf-2.0-0:amd64 (2.42.10+dfsg-3ubuntu3.1) ...
Scanning processes...
Running kernel seems to be up-to-date.
No services need to be restarted.
No containers need to be restarted.
No user sessions are running outdated binaries.
No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-5-117:-$ sudo update-alternatives --config java
There are 2 choices for the alternative java (providing /usr/bin/java).
  Selection
                              Path
                                                                                                                               Priority Status
                              1711
1111
1711
                                                                                                                                                       auto mode
                                                                                                                                                       manual mode
manual mode
Press <enter> to keep the current choice[*], or type selection number:
There are 2 choices for the alternative java (providing /usr/bin/java)
  Selection
                             Path
                                                                                                                                                      Status
                              Patn
-/usr/lib/jvm/java-17-openjdk-amd64/bin/java
/usr/lib/jvm/java-11-openjdk-amd64/bin/java
/usr/lib/jvm/java-17-openjdk-amd64/bin/java
                                                                                                                               1711
1111
1711
                                                                                                                                                       auto mode
                                                                                                                                                       manual mode
Press <enter> to keep the current choice[*], or type selection number: 
There are 2 choices for the alternative java (providing /usr/bin/java).
  Selection
                          Path
                                                                                                                               Priority Status
                           /usr/lib/jvm/java-17-openjdk-amd64/bin/java 1711
                                                                                                                                                       auto mode
    Top Stories
12 Naxalites kille...
                                                                                                                                                                                                                                                                                               🕟 🖃 💕 🧳 🐚
                                                                                                                                Q Search
```

```
Press <enter> to keep the current choice[*], or type selection number: 17 There are 2 choices for the alternative java (providing /usr/bin/java).
                      /usr/lib/jvm/java-17-openjdk-amd64/bin/java
/usr/lib/jvm/java-11-openjdk-amd64/bin/java
/usr/lib/jvm/java-17-openjdk-amd64/bin/java
                                                                                               1711
1111
1711
                                                                                                               auto mode
manual mode
manual mode
Press <enter> to keep the current choice[*], or type selection number: 17
There are 2 choices for the alternative java (providing /usr/bin/java).
  Selection Path
                                                                                           1711
111
                      /usr/lib/jvm/java-17-openjdk-amd64/bin/java
/usr/lib/jvm/java-11-openjdk-amd64/bin/java
/usr/lib/jvm/java-17-openjdk-amd64/bin/java
                                                                                                               auto mode
manual mode
manual mode
Press <enter> to keep the current choice[*], or type selection number: 2
ubuntu@ip-172-31-5-117:~$ java -version
openjdk version "17.0.13" 2024-10-15
OpenJDK Runtime Environment (build 17.0.13+11-Ubuntu-2ubuntu124.04)
OpenJDK 64-Bit Server VM (build 17.0.13+11-Ubuntu-2ubuntu124.04, mixed mode, sharing
Top Stories
12 Naxalites kille...
                                                                                                                                                                                                                    🏬 💻 😏 🗳 🔖 🔚
```

Q Search

🔷 ubuntu@ip-172-31-5-117: ~



```
♦ ubuntu@ip-172-31-5-117: ~
hint: osing master as the configure the initial branch name to use in all hint: is subject to change. To configure the initial branch name to use in all hint: of your new repositories, which will suppress this warning, call: hint: hint: git config --global init.defaultBranch <name> hint: hint: bint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint: 'development'. The just-created branch can be renamed via this comhint:
hint: git branch -m <name>
Initialized empty Git repository in /home/ubuntu/.git/
ubuntu@ip-172-31-5-117:-$ git add hello.sh
ubuntu@ip-172-31-5-117:-$ git commit -m "Initial commit"
[master (root-commit) ed7a760] Initial commit"
committer: Ubuntu <ubuntu@ip-172-31-5-117.ap-south-1.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
       git config --global --edit
After doing this, you may fix the identity used for this commit with:
        git commit --amend --reset-author
     Top Stories
12 Naxalites kille..
                                                                                                                                                                                                               🏬 📮 💕 🧳 🐚
```

Q Search

```
🔷 ubuntu@ip-172-31-5-117:
w dustatemp-172-31-5-117:-$ ubuntu@ip-172-31-5-117:-$ https://github.com/NITINSRIG ANESH/MyProjectRep ubuntu@ip-172-31-5-117:-$: command not found ubuntu@ip-172-31-5-117:-$: git push -u origin main Username for 'https://github.com': https://github.com/NITINSRIGANESH/MyProjectRe
ubuntuëjp-172-31-5-117:-$ (pithub.com': https://github.com/NITINSRIGANESH/MyProjectReppop assword for 'https://github.com': https://github.com/SPNITINSRIGANESH/MyProjectReppop assword for 'https://dithub.com': remote: Support for password authentication was removed on August 13, 2021. remote: Please see https://docs.github.com/get-started/getting-started-with-git/about-remote-repositories#cloining-with-https-urls for information on currently recommended modes of authentication. The formation of authentication failed for 'https://github.com/NITINSRIGANESH/MyProjectRepo o'.

ubuntuëjp-172-31-5-117:-$ git push -u origin main
Username for 'https://github.com': NITINSRIGANESH
Password for 'https://github.com': NITINSRIGANESH
Password for 'https://github.com': NITINSRIGANESH
Password for 'https://github.com': NITINSRIGANESH/MyProjectRepo.git denied to NITINSRIGANESH.
fatal: unable to access 'https://github.com/NITINSRIGANESH/MyProjectRepo/': The requested URL returned error: 403
ubuntuëjp-172-31-5-117:-$ git push -u origin main
Username for 'https://github.com': ^C
ubuntuëjp-172-31-5-117:-$ of ubuntuëjp-172-31-5-117:-$ git push -u origin main
Username for 'https://github.com': NITINSRIGANESH
Password for 'https://joithub.com': NITINSRIGANESH
Password for 'https://joithub.com': NITINSRIGANESH
Password for 'https://joithub.com': NITINSRIGANESH
Password for 'https://github.com': NITINSRIGANESH/WyProjectRepo/pull/new/main remote: https://github.com/NITINSRIGANESH/WyProje
```

Q Search

🏬 💷 💕 🧳 🐚

Top Stories
12 Naxalites kille...

