

MINGW64:/c/Users/Nitin.S/jenkins-github-demo2

```
Nitin.S@DESKTOP-HF82NIK MINGW64 ~  
$ git clone https://github.com/NITINSRIGANESH/jenkins-github-demo2  
Cloning into 'jenkins-github-demo2'...  
remote: Enumerating objects: 3, done.  
remote: Counting objects: 100% (3/3), done.  
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)  
Receiving objects: 100% (3/3), done.
```

```
Nitin.S@DESKTOP-HF82NIK MINGW64 ~  
$ cd jenkins-github-demo2
```

```
Nitin.S@DESKTOP-HF82NIK MINGW64 ~/jenkins-github-demo2 (main)  
$ nano script.sh
```

```
Nitin.S@DESKTOP-HF82NIK MINGW64 ~/jenkins-github-demo2 (main)  
$ chmod +x script.sh
```

```
Nitin.S@DESKTOP-HF82NIK MINGW64 ~/jenkins-github-demo2 (main)  
$ git add script.sh  
warning: in the working copy of 'script.sh', LF will be replaced by CRLF the next time Git touches it
```

```
Nitin.S@DESKTOP-HF82NIK MINGW64 ~/jenkins-github-demo2 (main)  
$ git commit -m "Added script.sh"  
[main 4931d1e] Added script.sh  
1 file changed, 2 insertions(+)  
create mode 100644 script.sh
```

```
Nitin.S@DESKTOP-HF82NIK MINGW64 ~/jenkins-github-demo2 (main)  
$ git push origin main  
Enumerating objects: 4, done.  
Counting objects: 100% (4/4), done.  
Delta compression using up to 8 threads  
Compressing objects: 100% (2/2), done.  
Writing objects: 100% (3/3), 320 bytes | 320.00 KiB/s, done.  
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)  
To https://github.com/NITINSRIGANESH/jenkins-github-demo2  
2620655..4931d1e main -> main
```

```
Nitin.S@DESKTOP-HF82NIK MINGW64 ~/jenkins-github-demo2 (main)  
$ cd jenkins-github-demo  
bash: cd: jenkins-github-demo: No such file or directory
```

```
Nitin.S@DESKTOP-HF82NIK MINGW64 ~/jenkins-github-demo2 (main)  
$ cd jenkins-github-demo2  
bash: cd: jenkins-github-demo2: No such file or directory
```

5 30°C
Mostly cloudy



Search



ENG
IN



08:22 PM
31-01-2025



MINGW64:/c/Users/Nitin.S/jenkins-github-demo2

Nitin.S@DESKTOP-HF82NIK MINGW64 ~/jenkins-github-demo2 (main)

\$ cd jenkins-github-demo

bash: cd: jenkins-github-demo: No such file or directory

Nitin.S@DESKTOP-HF82NIK MINGW64 ~/jenkins-github-demo2 (main)

\$ cd jenkins-github-demo2

bash: cd: jenkins-github-demo2: No such file or directory

Nitin.S@DESKTOP-HF82NIK MINGW64 ~/jenkins-github-demo2 (main)

\$

Nitin.S@DESKTOP-HF82NIK MINGW64 ~/jenkins-github-demo2 (main)

\$ echo "Testing Webhook Trigger" >> testfile.txt

Nitin.S@DESKTOP-HF82NIK MINGW64 ~/jenkins-github-demo2 (main)

\$ git add testfile.txt

warning: in the working copy of 'testfile.txt', LF will be replaced by CRLF the next time Git touches it

Nitin.S@DESKTOP-HF82NIK MINGW64 ~/jenkins-github-demo2 (main)

\$ ^C

Nitin.S@DESKTOP-HF82NIK MINGW64 ~/jenkins-github-demo2 (main)

\$ git config --global core.autocrlf true

Nitin.S@DESKTOP-HF82NIK MINGW64 ~/jenkins-github-demo2 (main)

\$ git add testfile.txt

Nitin.S@DESKTOP-HF82NIK MINGW64 ~/jenkins-github-demo2 (main)

\$ git commit -m "Testing Jenkins Webhook Trigger"

[main 13853a0] Testing Jenkins Webhook Trigger

1 file changed, 1 insertion(+)

create mode 100644 testfile.txt

Nitin.S@DESKTOP-HF82NIK MINGW64 ~/jenkins-github-demo2 (main)

\$ git push origin main

Enumerating objects: 4, done.

Counting objects: 100% (4/4), done.

Delta compression using up to 8 threads

Compressing objects: 100% (2/2), done.

Writing objects: 100% (3/3), 358 bytes | 179.00 KiB/s, done.

Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)

To https://github.com/NITINSRIGANESH/jenkins-github-demo2

4931d1e..13853a0 main -> main

Nitin.S@DESKTOP-HF82NIK MINGW64 ~/jenkins-github-demo2 (main)

\$

5 30°C
Mostly cloudy



Search



ENG
IN



08:22 PM
31-01-2025



Status

Changes

Console Output

Edit Build Information

Delete build '#4'

Polling Log

Timings

Git Build Data

Previous Build

🟢 Console Output

Download



Copy

View as plain text

```
Started by GitHub push by NITINSRIGANESH
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/GitHub-Auto-Build
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/GitHub-Auto-Build/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/NITINSRIGANESH/jenkins-github-demo2 # timeout=10
Fetching upstream changes from https://github.com/NITINSRIGANESH/jenkins-github-demo2
> git --version # timeout=10
> git --version # 'git version 2.43.0'
> git fetch --tags --force --progress -- https://github.com/NITINSRIGANESH/jenkins-github-demo2 +refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision 13853a0f68addfed0dade2237c2c970495bda632 (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f 13853a0f68addfed0dade2237c2c970495bda632 # timeout=10
Commit message: "Testing Jenkins Webhook Trigger"
First time build. Skipping changelog.
[GitHub-Auto-Build] $ /bin/sh -xe /tmp/jenkins10955978098024816269.sh
+ chmod +x script.sh
+ ./script.sh
Hello, Jenkins!
Finished: SUCCESS
```

 Add description

All +

S	W	Name ↓	Last Success	Last Failure	Last Duration
		GitHub-Auto-Build	6 min 11 sec #4	12 min #3	3.7 sec 

Icon: S M L

0/2 ✓

NITINSRIGANESH Create nitin 29a6ef2 · 4 minutes ago History

Name	Last commit message	Last commit date
README.md	Initial commit	39 minutes ago
nitin	Create nitin	4 minutes ago
script.sh	Added script.sh	35 minutes ago
testfile.txt	Testing Jenkins Webhook Trigger	14 minutes ago

README.md

jenkins-github-demo2

⚙️ General

Access

👤 Collaborators

💬 Moderation options ▾

Code and automation

🔗 Branches

🏷️ Tags

📄 Rules ▾

🎬 Actions ▾

🔗 Webhooks

📁 Environments

💻 Codespaces

Webhooks

[Add webhook](#)

Webhooks allow external services to be notified when certain events happen. When the specified events happen, we'll send a POST request to each of the URLs you provide. Learn more in our [Webhooks Guide](#).

✓ [http://13.233.119.106:8080/github-... \(push\)](#)

Edit Delete

Last delivery was successful.