CHAPTER 1: INTRODUCTION TO DATABASE MANAGEMENT SYSTEM

Q1. Unorganized facts, figures, and raw details related to people, places, or events are called:

A) Information B) Metadata C) Data D) Data Model

Q2. When raw data is passed through a transformation process to become structured, relevant, and meaningful, it is called:

A) Raw Record B) Information C) Form D) Macro

Q3. A collection of multiple related data items stored in a properly organized manner is defined as a:

A) Spreadsheet B) Flat File C) Database D) Query

Q4. Which data model represents data as a single, two-dimensional table with no defined connections?

A) Relational Model B) Network Model C) Hierarchical Model
D) Flat Data Model

Q5. Which file format is a classic everyday example of a flat data model?

A) .sql B) .csv (Comma-Separated Values)

C) .exe D) .html

Q6. What drawback occurs when the exact same data is unnecessarily repeated multiple times in a flat database?

A) Data Integrity B) Data Redundancy C) Limited Modularity
D) Analytical Difficulty

Q7. The relational data model organizes and arranges data into structures called:

A) Trees B) Hierarchies

C) Tables (Relationships) D) Flat files

Zenith

Q8. Which English-like declarative statements are extensively used for querying complex relational databases?

A) C++ Scripting B) HTML Tags C) Structured Query Language (SQL) D) Python Functions

Q9. Enforcing validation rules to ensure data remains consistently accurate across operations highlights the need for:

A) Concurrent Access B) Data Integrity and Consistency C) Reporting dashboards D) High redundancy

Q10. Which feature allows a database to let multiple stakeholders access and modify data simultaneously without conflicts?

A) Access Control B) Data Redundancy

C) Concurrent Access D) System Restore

Q11. A software application that serves as an efficient bridge between database users and the actual stored database is a:

A) Operating System

B) Database Management System (DBMS)

C) Spreadsheet Matrix

D) Flat Interface

Q12. Which of the following is a well-known example of an Open Source DBMS?

A) Oracle B) Microsoft Access C) IBM DB2 D) LibreOffice Base / MySQL

Q13. In standard database terminology, a table column is referred to as a _____ and a row is referred to as a _____.

A) Record, Field B) Field, Record C) Entity, Attribute D) Macro, Form

Zenith

Q14. A specific real-world object or instance about which data is structurally collected (like a person or student) is an:

A) Field B) Attribute C) Entity D) Component

Q15. Which basic DBMS object provides a customized Graphical User Interface (GUI) to add, edit, or delete records easily?

A) Query B) Form C) Report D) Table

Q16. A question formed and structurally asked within a database to filter or find target information is called a:

A) Query B) Macro C) Form D) Schema

Q17. Which component presents database information in a neatly formatted, highly organized, and human-readable print format?

A) Table Matrix B) Query Filter

C) Report D) Access Input

Q18. A sequence of commands that automates highly repetitive database tasks with a single click is a:

A) Attribute B) Macro C) Schema

D) Relationship Key

Q19. A field that uniquely identifies every single row in a relational table is strictly defined as a:

A) Foreign Key B) Candidate Key C) Primary Key

D) Alternate Key

Q20. If a table combines more than one field together to uniquely identify a single record, this combination is a:

A) Compound Variant B) Composite Key C) Secondary Link

D) Alternate Option

Zenith

Q21. The key field in one table used to link and uniquely identify records in another related table is called a:

A) Primary Key B) Foreign Key C) Candidate Key
D) Alternate Key

Q.22 Which of the following is an example of a DBMS?

A). MS Word B). Paint C). MySQL
D).Calculator

Q.23 What is the main purpose of a DBMS?

A) To create presentations

B) To manage and organize data efficiently

C) To browse the internet

D) To design graphics

Q.24 In a student table, "Roll Number" is usually an example of:

A) Foreign Key B) Primary Key C) Record
D) Query

Q.25 A row in a database table is called a:

A) Field
B) Record
C) Query
D) Form

Zenith

CHAPTER 2: INTRODUCTION TO LIBREOFFICE BASE

Q1. What type of software application is LibreOffice Base?

(A) Word Processor (B) Spreadsheet Tool

(C) Relational Database Management System (D) Presentation Software

Q2. LibreOffice Base is provided as a part of which software suite?

(A) Microsoft Office (B) OpenOffice Suite

(C) LibreOffice Suite (D) Google Workspace

Q3. Which of the following database engines is supported by LibreOffice Base?

(A) MySQL (B) MS Access (C) PostgreSQL (D) All of the above

Q4.In a table representing a school 'Teacher' entity, which field is the most appropriate choice for a Primary Key?

(A) FirstName (B) TeacherID (C) SubjectTaught (D) Salary

Q5. Which component of LibreOffice Base is primarily used to store actual structured data?

(A) Forms (B) Queries (C) Tables (D) Reports

Q6. Which component provides a user-friendly graphical interface to easily enter, view, and edit data in tables?

(A) Queries (B) Forms (C) Reports (D) Relations

Q7. Which component is used to retrieve specific data from a database based on specific conditions or criteria?

(A) Table (B) Form (C) Query (D) Macro

Q8. Which component of LibreOffice Base is used to present data in a professionally formatted, printable layout?

(A) Document (B) Form (C) Query (D) Report

Q9. What extension is used to save a LibreOffice Base database file?

(A) .odb (B) .odt (C) .ods (D) .odp

Q10. Which view allows full customization and manual control over creating fields, data types, and properties for a table?

(A) Wizard View (B) Design View (C) Datasheet View (D) Layout View

Q11. When creating a table in Design View, which of the following columns is NOT part of the field definition table grid?

(A) Field Name (B) Field Type (C) Description (D) Field Formula

Q12. Which property can be enabled to automatically generate sequential numeric values (e.g., 1, 2, 3...) for a Primary Key field?

(A) Default Value (B) Format Example (C) Auto Value (D) Entry Required

Q13. Which field property allows you to pre-define a standard value that automatically appears in the field for every new record?

(A) Auto Value (B) Default Value (C) Length (D) Format

Q14. In LibreOffice Base, which key uniquely identifies each record or row in a table?

(A) Primary Key (B) Foreign Key (C) Alternate Key (D) Composite Key

Q15. Which data type would be best suited for storing a person's first name?

(A) Integer [INTEGER] (B) Text [VARCHAR]

(C) Date [DATE] (D) Boolean [BOOLEAN]

Q16. Which data type should be selected to store values that can only be True or False (Yes or No)?

(A) Numeric (B) Boolean [BOOLEAN] (C) Text (D) Memo

Q17. Which field property restricts the maximum number of characters that a user can type into a VARCHAR field?

(A) Size/Length (B) Default Value (C) Format Example (D) Decimal Places

Q18. To establish a link or relationship between two tables, the primary key of the parent table is added to the child table as a:

(A) Primary Key (B) Candidate Key (C) Foreign Key (D) Unique Key

Q19. Which tool or feature provides step-by-step guidance using pre-defined sample tables and fields to make table creation easier for beginners?

(A) Table Wizard (B) Table Design View

(C) SQL Query Builder (D) Form Design View

Q20. The lower section of the Table Design View window displays which of the following?

(A) Table Data Rows (B) Field Properties

(C) Relationship Diagrams (D) SQL Commands

Q21. Which view is used to view, add, or edit the actual data records inside an already created table?

(A) Design View (B) Relationship View

(C) Datasheet View / Data View (D) Structure View

Q22. Which of the following database tools is open source and entirely free to use?

(A) Microsoft Access (B) Oracle Database Enterprise

(C) LibreOffice Base (D) IBM DB2

Q23. Which icon/symbol is typically shown next to a field name in Table Design View to indicate that it is the primary key?

(A) A star symbol (B) A small key icon

(C) A green checkmark (D) A padlock icon

zenith

Q1. Which free and open-source relational database management system (RDBMS) provides a graphical interface to create databases as discussed in the text?

A. MySQL
B. LibreOffice Base
C. Microsoft Access
D. Oracle Database

Q2. In LibreOffice Base, data is stored structurally in which of the following forms?

A. Hierarchical form
B. Tabular form
C. Network form
D. Unstructured text files

Q3. What is the primary language medium through which interactions and operational commands are passed to the database?

A. Machine Language
B. High-Level Spreadsheet Language
C. Query Language
D. Markup Language

Q4. Which of the following describes the core definition of a database query?

A. A temporary backup file created automatically by the database management system
B. A request made to a database to retrieve, modify, or manage data
C. A specific validation rule applied strictly to primary keys
D. The internal layout configuration schema of physical storage media

Q5. What does the abbreviation SQL stand for in database management applications?

A. System Query Logic
B. Structured Query Language
C. Standard Sequential Linkage
D. Schema Query Layout

Q6. Which of the following commands is categorized exclusively as a data retrieval operation in SQL?

A. INSERT
B. UPDATE
C. DELETE
D. SELECT

Zenith

Q7. What will the specific query command 'SELECT * FROM STUDENT;' do when executed?

A. Create a brand-new table named STUDENT with default configuration attributes
B. Delete all existing data from the STUDENT table permanently
C. Retrieve and display all columns and rows of data from the STUDENT table
D. Filter only those records that contain missing primary keys

Q8. Examine the statement: 'INSERT INTO SUBJECT (SubjectID, SubjectName, ClassID) VALUES (1, "Science", 9);'. What is its specific function?

A. It alters an existing row where SubjectID is equal to 1
B. It inserts a completely new record into the Subject table
C. It filters the table to show records matching Class 9
D. It drops the table column named SubjectName

Q9. Which SQL statement keyword must be used if a user wants to modify or change existing records within a table?

A. CHANGE
B. MODIFY
C. ALTER
D. UPDATE

Q10. What happens if a user executes the command 'DELETE FROM SUBJECT;' without adding a WHERE clause condition?

A. Only the first row of the Subject table is deleted
B. All rows of the Subject table are deleted from the system
C. An immediate compilation error is thrown by the RDBMS engine
D. The physical schema definition of the table is dropped from the database

Q11. In what structural format is the final output of a successfully processed query returned to a LibreOffice Base user?

A. A flat text document
B. An unformatted chart graphic
C. A table structured into rows and columns
D. A nested hierarchical tree configuration

Q12. When a database file is opened inside LibreOffice Base, on which panel interface element can a user locate the icon to work with queries?

A. Top menu bar drop-down system
B. Left side pane options layout
C. Bottom status display ribbon
D. Right side contextual properties drawer

Zenith

Q13. According to the textbook, which of the following is identified as the easiest method for a beginner to query a database?

A. Query Design View
B. SQL View Direct Entry
C. The Query Wizard
D. CommandLine Script Tool

Q14. How many distinctive conceptual setup steps are listed within the left pane framework of the LibreOffice Base Query Wizard dialog box?

A. Four steps
B. Six steps
C. Eight steps
D. Ten steps

Q15. Out of all the configuration milestones in the Query Wizard, which step is strictly mandatory or compulsory?

A. Step 1: Field selection
B. Step 2: Sorting order
C. Step 3: Search conditions
D. Step 7: Aliases

Q16. Up to how many individual database fields can a user select to structure advanced sorting hierarchies in Step 2 of the Query Wizard?

A. Two fields
B. Three fields
C. Four fields
D. Unlimited fields

Q17. Which wildcard character placeholder is explicitly used in LibreOffice Base to substitute for a single individual character?

A. Asterisk (*)
B. Question Mark (?)
C. Ampersand (&)
D. Dollar Sign ($)

Q18. What three crucial parameters must be configured by a user when setting up custom filter rules in Step 3 (Search Conditions) of the Wizard?

A. Name, Type, Length
B. Fields, Condition, Value
C. Alias, Sort, Visible
D. Primary Key, Foreign Key, Check Constraint

Zenith

Q19. Under what circumstance will the Query Wizard automatically skip steps involving numerical calculations or summarization options?

A. If the database file contains more than five relational entities
B. If the selected tables contain absolutely no numeric fields
C. If the primary key is established on an auto-incrementing integer attribute
D. If the design environment runs purely on an open-source framework

Q20. What is the core purpose of introducing an 'Alias' for a field name during Step 7 of the Query Wizard?

A. To establish an underlying secondary encrypted security identifier code
B. To change the permanent field name saved inside the primary database schema table
C. To display the column field headers in a more human-readable or user-friendly form
D. To link matching fields between different entity relationship diagrams

Q21. What primary operational advantage does Query Design View provide over the basic Query Wizard?

A. It uses less memory
B. It offers advanced control and customization options for complex queries
C. It completely eliminates the requirement for structural logic validation rules
D. It automatically translates relational tables into hierarchical flat files

Q22. Which grid element inside the Design View interface controls whether a column is hidden or displayed within the processed outputs?

A. Alias row
B. Function row
C. Visible checkbox row
D. Or criteria layout row

Q23. When typing structural text string criteria within the Design View criterion cell, what delimiters must encapsulate the target text value?

A. Curly brackets { }
B. Hash marks # #
C. Quotation marks ' '
D. Percent signs % %

Q24. What will LibreOffice Base do automatically if a user forgets to type the required string delimiters around a text criterion?

A. Terminate the active software instance immediately and lose changes
B. Trigger an uncompiled syntax warning error message block
C. Apply the appropriate quotation delimiters on its own layout grid automatically
D. Convert the text field character set into an integer value dynamically

Q25. How must explicit date literal constants be formatted when setting up a criterion filter in the Design View grid?

A. Encapsulated inside parentheses marks like (01/01/2001)

B. Surrounded by specific hash character markers like #01/01/2001#

C. Separated using forward-facing arrow indicators like ->01/01/2001<-

D. Set within strict math bracket parameters like [01/01/2001]

Q26. Which logical operator should a teacher combine inside a criteria cell to isolate records falling inclusively between two dates?

A. OR

B. NOT

C. AND

D. EXCEPT

Q27. What specific operational keyword does Base offer to specify range boundaries without writing lengthy logical operators?

A. WITHIN

B. BETWEEN

C. RANGING

D. INSIDE

Q28. What is the correct definition of a 'wildcard character' used within database query context criteria?

A. A key token constraint used to encrypt database structural tables

B. A symbol that represents any character or structural combination of characters

C. An index reference tag assigned exclusively to primary field properties

D. A system command that clears out invalid records from a workspace

Q29. If a query criterion is configured as LIKE 'K*', what kind of values will the processed output record list return?

A. Words that have exactly two characters total and end with K

B. Words whose first letter is K, followed by any group or combination of characters

C. Records that contain the character K located anywhere inside the data string

D. Data items that omit the letter K from their structural sequence entirely

Zenith

Chapter 4: Working with Forms and Reports

1. Which element acts as a user-friendly window into a database to view, enter, edit, and delete data?
   a. Table b. Query c. Form d. Report
2. Forms act as the _____ for data entry and editing in a database.
   a. Back-end b. Front-end c. Database engine d. Data model
3. How many total steps are involved in the Form Wizard in LibreOffice Base?
   a. 6 b. 7 c. 8 d.10
4. Which button in the Form Wizard is used to add ALL available fields to the form at once?
   a. > b. >> c. < d. <<
5. Which form layout arranges fields in a row with labels as column headings, resembling a spreadsheet?
   a. Columnar b. Tabular c. Justified d. 3D Look
6. What is the primary purpose of Step 6 ("Set data entry") in the Form Wizard?
   a. To apply background colors
   b. To define user permissions for viewing, adding, modifying, and deleting records
   c. To set primary key rules
   d. To rename form controls
7. Which option in the Form Wizard creates a form exclusively for adding new records without showing existing data?
   a. "The form is to display all data"
   b. "Modify the form"
   c. "The form is to be used for entering new data only"
   d. "Work with the form"
8. If you select "Modify the form" in the final step of the Form Wizard, the form opens in:
   a. Form View b. Datasheet View c. Design View d. Report View
9. To open an existing form in Design View, right-click the form name in the Database Window and select:
   a. Open b. Edit c. Properties d. Format
10. A control in Form Design View typically consists of which two components?
    a. Header and Footer b. Label and Textbox c. Table and Query d. Primary Key and Foreign Key
11. To change the solid background color of a form, you right-click blank space in Form Design View and open:
    a. Form Properties b. Page Style c. Background Wizard d. Palette Editor
12. To use an image as a form background, what setting should be selected in the "As" dropdown menu under the Background tab?
    a. Color b. Graphic c. Picture d. Wallpaper
13. Where is the navigation bar located when viewing a form in Form View?
    a. At the top menu bar c. At the bottom of the screen
    b. On the left panel d. On the right sidebar
14. Which button on the Form navigation bar opens a blank record for entering new data?
    a. First Record b. Add Entry c. New Record d. Insert Field
15. Which tool on the navigation bar allows users to locate specific entries using a keyword search?
    a. Filter Record b. Find Record c. Search Wizard d. Query Finder
16. What is a Database Report primarily designed for?
    a. Entering daily transactional data
    b. Formatting and presenting retrieved information, often for printing/hard copy
    c. Modifying table structure and data types
    d. Designing user navigation forms

17. Reports in LibreOffice Base can be created using:

a. Tables only
c. Queries only
b. table, a query, or a combination of both
d. Forms only

18. How many main steps are involved in the Report Wizard?

a. 6 b. 7 c. 8 d.10

19. Which button in the Report Wizard is used to remove a single selected field from the report list?

a. > b. >> c. < d. <<

20. What does "Grouping" in a report accomplish?

a. It deletes duplicate records
b. It collects rows with identical values in a specific field together under a header
c. It sorts data alphabetically
d. It merges multiple tables into one single field

21. Step 4 of the Report Wizard controls:

a. Field selection b. Sort options c. Database connection d. Header styles

22. In which step of the Report Wizard can you choose the page layout orientation (Landscape or Portrait)?

a. Step 3 b. Step 4 c. Step 5 (Choose layout) d. Step 6

23. What type of report does NOT update its displayed content when the underlying table data changes?

a. Dynamic report b. Static report c. Programmatic report d. Interactive report

24. What type of report automatically updates its displayed content when underlying data is modified?

a. Static report b. Dynamic report c. Formatted report d. Fixed report

25. Where do created Form and Report objects appear in the LibreOffice Base interface?

a. In the top main menu bar
b. In the left pane of the Database Window
c. In the status bar at the bottom
d. In a separate external pop-up window

zenith

CLASS 11: CHAPTER 5: PROBLEM SOLVING- FLOWCHART AND ALGORITHM

1. What is problem solving?

A. A random method of finding an answer
B. A step-wise solution of a problem
C. A programming language
D. A type of computer hardware

2. Which of the following is a broader step in problem solving?

A. Defining the problem with all details
B. Drawing only pictures
C. Installing software
D. Formatting a disk

3. Which processing element means performing steps one by one?

A. Decision making
B. Repetition
C. Sequence
D. Connector

4. Which processing element is used to choose between alternatives?

A. Sequence
B. Decision making
C. Output
D. Connector

5. Which processing element means performing a set of steps again and again?

A. Repetition/Looping
B. Sequence
C. Input
D. Start/End

6. What is a flowchart?

A. A textual programming language
B. A pictorial representation of a problem solution
C. A database table
D. A computer network

7. Which symbol represents the Start and End of a flowchart?

A. Rectangle
B. Diamond
C. Oval
D. Circle

8. What is the main purpose of arrows in a flowchart?

A. To store data
B. To connect symbols and show the direction of flow
C. To perform calculations
D. To represent decisions

9. Which symbol is used for Input and Output?

A. Oval B. Rectangle C. Diamond
D. Parallelogram

CLASS 11: CHAPTER 5: PROBLEM SOLVING- FLOWCHART AND ALGORITHM

10. Which symbol represents a process in a flowchart?

A. Rectangle B. Circle C. Oval D. Diamond

11. Which symbol is used for decision making?

A. Parallelogram B. Diamond C. Rectangle D. Oval

12. Which symbol is used as a connector in a flowchart?

A. Small circle with a capital letter
B. Rectangle with a number
C. Diamond with a letter
D. Oval with an arrow

13. Why are connectors useful in a large flowchart?

A. They perform calculations
B. They connect different parts of a flowchart
C. They replace all arrows
D. They show input values

14. Which operation would normally be placed in a process box?

A. Receiving input
B. Arithmetic computation
C. Showing Start
D. Showing End

15. In the example of adding two numbers, which variables are accepted as input?

A. A and B
B. P and R
C. N1 and N2
D. Sum and Count

16. In the algorithm for finding the area of a rectangle, how is Area computed?

A. Length + Breadth
B. Length × Breadth
C. Length − Breadth
D. Length ÷ Breadth

17. What is the formula for simple interest given in the chapter?

A. I = P + R + N
B. I = (P × R × N) / 100
C. I = P × N / R
D. I = P − R − N

18. What condition is used in the flowchart to find the maximum of two numbers?

A. N1 = N2
B. N1 < N2
C. N1 > N2
D. N1 + N2

19. If the condition N1 > N2 is false when finding the maximum, which number is printed?

A. N1
B. N2
C. N1 + N2

D. Neither

20. Which operator gives the remainder after division?

A. +
B. /
C. %
D. *

21. If Max % 2 = 0, the maximum number is considered:

A. Odd
B. Even
C. Negative
D. Prime

22. What is a nested condition?

A. A condition inside another condition
B. Two programs running together
C. A process inside an input box
D. A connector inside a circle

23. To find the minimum of three numbers, which variables are accepted as input in the chapter's example?

A. N1 and N2
B. N1, N2 and N3
C. Min and Max
D. Sum, Count and Even

24. In the same example, what is the initial value of Even?

A. 0 B. 1 C. 2 D. 100

25. How much is Even increased after each even number is added to Sum?

A. 1 B. 2 C. 10 D. 100

26. What is the role of Count in the first-100-even-numbers example?

A. To store the sum
B. To store the next even number
C. To keep track of when the repetition should finish
D. To store the radius

27. What is an algorithm?

A. A pictorial diagram only
B. A stepwise solution of a problem in logical order
C. A flowchart symbol
D. A computer device

28. Which notation is commonly used in an algorithm to represent operations or steps?

A. Pseudo codes/instructions
B. Flowchart symbols only
C. Machine language only
D. HTML tags

29. What is the first step of the chapter's algorithm for finding the square of a number?

A. STOP B. Input N C. START D. Print Square

30. Why is writing an algorithm before developing a computer program useful?

A. It removes the need for testing
B. It provides clarity and correctness of the program
C. It replaces all programming languages
D. It makes flowcharts unnecessary

31. Which statement correctly compares flowcharts and algorithms?

A. Both use only pictures
B. Flowcharts provide visual representation, while algorithms use pseudo codes/instructions
C. Algorithms show all paths visually, while flowcharts hide them
D. Flowcharts are only for programmers

32. Which of the following is not an advantage of a flowchart?

A. Better communication B. Efficient coding C. Systematic testing
D. Improper documentation