

Frame check of the CMSSW emu output against an independent helix projection (projector convention)


IL2-4 cotAlpha: emitted (CMSSW emu, class T) - projected




IL1 cotAlpha: emitted (CMSSW emu, class T) - projected




ID1-4 cotAlpha: emitted (CMSSW emu, class T) - projected




IL2-4 cotBeta: emitted (CMSSW emu, class T) - projected



IL1 cotBeta: emitted (CMSSW emu, class T) - projected



ID1-4 cotBeta: emitted (CMSSW emu, class T) - projected



orientation -1, side -1 orientation -1, side +1 orientation +1, side -1 orientation +1, side +1

Frame check statistics - cotalpha

surface	orient	side	n	proj minus truth median deg	proj minus truth max abs d	innovation median deg	innovation smad deg	sign agree big	saturated
ID1-4	-1	-1	26951	-0.0	0.0	-0.7588	5.1074	0.9784	0
ID1-4	-1	1	26409	0.0	0.0001	-0.7454	4.6027	0.9786	0
ID1-4	1	-1	26854	-0.0	0.0	-0.8275	4.5607	0.976	0
ID1-4	1	1	26491	0.0	0.0	-0.7895	5.0701	0.9847	0
IL1	-1	-1	7643	-0.0	0.0	-0.0376	3.9133	0.9821	1
IL1	-1	1	7681	-0.0	0.0	-0.001	3.8628	0.9812	0
IL1	1	-1	5983	0.0	0.0	-0.1049	3.6619	0.9878	0
IL1	1	1	6056	0.0	0.0	-0.1231	3.87	0.9832	0
IL2-4	-1	-1	11604	0.0	0.0	-0.2859	4.9219	0.9659	0
IL2-4	-1	1	11512	-0.0	0.0	-0.2823	4.7282	0.9752	0
IL2-4	1	-1	10229	0.0	0.0	-0.1094	4.7037	0.9859	0
IL2-4	1	1	10512	-0.0	0.0	-0.2066	4.7113	0.9798	0

Frame check statistics - cotbeta

surface	orient	side	n	proj minus truth median deg	proj minus truth max abs d	innovation median deg	innovation smad deg	sign agree big	saturated
ID1-4	-1	-1	26951	-0.0	0.0	8.668	17.6054	0.5864	4
ID1-4	-1	1	26409	0.0	0.0	-2.1884	13.2977	0.7729	0
ID1-4	1	-1	26854	0.0	0.0	-2.225	13.4486	0.7664	0
ID1-4	1	1	26491	-0.0	0.0	8.0385	18.0883	0.5986	5
IL1	-1	-1	7643	-0.0	0.0	0.0632	2.3176	0.9566	1
IL1	-1	1	7681	0.0	0.0	-0.1068	2.5131	0.9486	3
IL1	1	-1	5983	0.0	0.0	-0.1426	2.917	0.9488	4
IL1	1	1	6056	-0.0	0.0	0.1586	2.8192	0.9468	0
IL2-4	-1	-1	11604	-0.0	0.0	0.3011	8.049	0.9097	1
IL2-4	-1	1	11512	0.0	0.0	-0.8542	8.3274	0.891	3
IL2-4	1	-1	10229	0.0	0.0	-0.9713	8.4174	0.8935	3
IL2-4	1	1	10512	-0.0	0.0	0.3344	8.647	0.9063	0