# 互联网酒店

**Hotel Reservation System Online** 

# 耦合度量文档

南京大学ASI

ASI of Nanjing University

2016-11-13

## 一、Depth of Inheritance(dit)的度量

#### 1、 HRSClient 模块的度量数据:

Metric	Total	Mean	Std. D	Maxim	Resource causing Maximum	Method
Depth of Inheritance Tree (avg/max per ty		1.109	0.312	2	/Client/src/businessLogic/creditBL/MockCredit.ja	
∨ src		1.109	0.312	2	/Client/src/businessLogic/creditBL/MockCredit.ja	
> businessLogic.creditBL		1.25	0.433	2	/Client/src/businessLogic/creditBL/MockCredit.ja	
> businessLogic.hotelBL		1.25	0.433	2	/Client/src/businessLogic/hotelBL/MockHotel.java	
> businessLogic.logInBL		1.25	0.433	2	/Client/src/businessLogic/logInBL/MockLogIn.java	
> businessLogic.marketBL		1.333	0.471		/Client/src/businessLogic/marketBL/MockMarke	
> businessLogic.memberBL		1.333	0.471		/Client/src/businessLogic/memberBL/MockMem	
> businessLogic.orderBL		1.25	0.433		/Client/src/businessLogic/orderBL/MockOrder.ja	
> businessLogic.promotionBL		1.333	0.471		/Client/src/businessLogic/promotionBL/MockPr	
> businessLogic.userBL		1,25	0.433		/Client/src/businessLogic/userBL/MockUser.java	
> po		1.105	0.307		/Client/src/po/WebPromotionPO.java	
> presentation.signUpUI.view		1.5	0.5		/Client/src/presentation/signUpUI/view/Main.java	
> vo		1.211	0.408		/Client/src/vo/WebMarketerVO.java	
> businessLogic.creditBL.stub		1	0.400		/Client/src/businessLogic/creditBL/stub/CreditBL	
		1	0		/Client/src/businessLogic/hotelBL/driver/HotelD	
> businessLogic.hotelBL.driver > businessLogic.hotelBL.stub		1	0		/Client/src/businessLogic/noteIBL/stub/HoteIBLS	
<u> </u>		1	0			
> businessLogic.logInBL.stub		1	0		/Client/src/businessLogic/logInBL/stub/LogInBLS	
> businessLogic.marketBL.driver					/Client/src/businessLogic/marketBL/driver/Mark	
> businessLogic.marketBL.stub		1	0		/Client/src/businessLogic/marketBL/stub/Market	
> businessLogic.memberBL.stub		1	0		/Client/src/businessLogic/memberBL/stub/Mem	
> businessLogic.orderBL.driver		1	0		/Client/src/businessLogic/orderBL/driver/Order	
> businessLogic.orderBL.stub		1	0		/Client/src/businessLogic/orderBL/stub/OrderBL	
> businessLogic.promotionBL.driver		- 1	0		/Client/src/businessLogic/promotionBL/driver/Pr	
> businessLogic.promotionBL.stub		1	0	1	/ Client/src/business Logic/promotion BL/stub/Pro	
> businessLogic.userBL.driver		1	0	1	/Client/src/businessLogic/userBL/driver/GuestDa	
> businessLogic.userBL.stub		1	0	1	/Client/src/businessLogic/userBL/stub/UserBLSe	
> dataService.guestDataService		1	0	1	/Client/src/dataService/guestDataService/GuestD	
> dataService.hotelDataService		1	0	1	/Client/src/dataService/hotelDataService/HotelD	
1etric	Total	Mean	Std. D	Maxim	Resource causing Maximum	Method
> dataService.hotelWorkerDataService		1	0	1	/Client/src/dataService/hotelWorkerDataService/	
> dataService.marketDataService		1	0	1	/Client/src/dataService/marketDataService/Mark	
> dataService.orderDataService		1	0	1	/Client/src/dataService/orderDataService/Order	
> dataService.promotionDataService		1	0	1	/Client/src/dataService/promotionDataService/Pr	
> dataService.webManagerDataServic		- 1	0	- 1	/Client/src/dataService/webManagerDataService	
> dataService.webMarketerDataServic		- 1	0	- 1	/Client/src/dataService/webMarketerDataService	
> presentation.guestUI.driver		- 1	0	- 1	/Client/src/presentation/guestUI/driver/HotelBLS	
> presentation.hotelWorkerUI.driver		- 1	0		/Client/src/presentation/hotelWorkerUI/driver/L	
> presentation.signUpUI.driver		1	0		/Client/src/presentation/signUpUI/driver/LogInB	
> presentation.webManagerUI.driver		1	0		/Client/src/presentation/webManagerUI/driver/	
> presentation.webMarketerUI.driver		1	0		/Client/src/presentation/webMarketerUI/driver/	
> utilities		1	0		/Client/src/utilities/SortStrategy.java	
> businessLogicService.marketBLServi		0	0	'	/ Chiches of Guillines / Sort Strategy, Java	
			0			
> businessLogicService.memberBLSer		0	0			
> businessLogicService.orderBLServic		0				
> businessLogicService.promotionBLS		0	0			
> businessLogicService.userBLService		0	0			
> presentation.controller		0	0			
> businessLogicService.creditBLServic		0	0			
> businessLogicService.hotelBLService		0	0			
> businessLogicService.lioteIBLService		0	0			

#### 2、 HRSServer 模块的度量数据

<ul> <li>Depth of Inheritance Tree (avg/max per ty</li> </ul>	1.1	0.3	2	/Server/src/po/HotelPromotionPO.java	
✓ src	1.1	0.3	2	/Server/src/po/HotelPromotionPO.java	
> po	1.105	0.307	2	/Server/src/po/HotelPromotionPO.java	
> utilities	1	0	1	/Server/src/utilities/SortStrategy.java	
> dataService.guestDataService	0	0			
> dataService.hotelDataService	0	0			
> dataService.hotelWorkerDataService	0	0			
> dataService.marketDataService	0	0			
> dataService.orderDataService	0	0			
> dataService.promotionDataService	0	0			
> dataService.webManagerDataServic	0	0			
> dataService.webMarketerDataServic	0	0			

#### 二、Number of Children (noc) 的度量

#### 1、 HRSClient 模块的度量数据:

ric	Total	Mean	Std. D	Maxim	Resource causing Maximum	Method
Number of Children (avg/max per type)	14	0.102	0.44	4	/Client/src/vo/UserVO.java	
✓ src	14	0.102	0.44	4	/Client/src/vo/UserVO.java	
> vo	4	0.211	0.893	4	/Client/src/vo/UserVO.java	
> po	2	0.105	0.447	2	/Client/src/po/PromotionPO.java	
> businessLogic.creditBL	1	0.25	0.433	1	/Client/src/businessLogic/creditBL/Credit.java	
> businessLogic.hotelBL	- 1	0.25	0.433	1	/Client/src/businessLogic/hotelBL/Hotel.java	
> businessLogic.logInBL	1	0.25	0.433	1	/Client/src/businessLogic/logInBL/LogIn.java	
> businessLogic.marketBL	- 1	0.333	0.471	1	/Client/src/businessLogic/marketBL/Market.java	
> businessLogic.memberBL	- 1	0.333	0.471	1	/Client/src/businessLogic/memberBL/Member.ja	
> businessLogic.orderBL	1	0.25	0.433	1	/Client/src/businessLogic/orderBL/Order.java	
> businessLogic.promotionBL	1	0.333	0.471	1	/Client/src/businessLogic/promotionBL/Promoti	
> businessLogic.userBL	1	0.25	0.433	1	/Client/src/businessLogic/userBL/User.java	
> businessLogic.creditBL.stub	0	0	0	0	/Client/src/businessLogic/creditBL/stub/CreditBL	
> businessLogic.hotelBL.driver	0	0	0	0	/Client/src/businessLogic/hotelBL/driver/HotelD	
> businessLogic.hotelBL.stub	0	0	0	0	/Client/src/businessLogic/hotelBL/stub/HotelBLS	
> businessLogic.logInBL.stub	0	0	0	0	/Client/src/businessLogic/logInBL/stub/LogInBLS	
> businessLogic.marketBL.driver	0	0	0	0	/Client/src/businessLogic/marketBL/driver/Mark	
> businessLogic.marketBL.stub	0	0	0	0	/Client/src/businessLogic/marketBL/stub/Market	
> businessLogic.memberBL.stub	0	0	0	0	/Client/src/businessLogic/memberBL/stub/Mem	
> businessLogic.orderBL.driver	0	0	0	0	/Client/src/businessLogic/orderBL/driver/Order	
> businessLogic.orderBL.stub	0	0	0	0	/Client/src/businessLogic/orderBL/stub/OrderBL	
> businessLogic.promotionBL.driver	0	0	0	0	/Client/src/businessLogic/promotionBL/driver/Pr	
> businessLogic.promotionBL.stub	0	0	0		/Client/src/businessLogic/promotionBL/stub/Pro	
> businessLogic.userBL.driver	0	0	0		/Client/src/businessLogic/userBL/driver/GuestDa	
> businessLogic.userBL.stub	0	0	0		/Client/src/businessLogic/userBL/stub/UserBLSe	
> businessLogicService.creditBLServic	0	0	0		, ,	
> businessLogicService.hotelBLService	0	0	0			
> businessLogicService.logInBLService	0	0	0			
3 3						
> businessLogicService.marketBLServi	0	0	0			
> businessLogicService.memberBLSer	0	0	0			
> businessLogicService.orderBLServic	0	0	0			
> businessLogicService.promotionBLS	0	0	0			
> businessLogicService.userBLService	0	0	0			
> dataService.guestDataService	0	0	0	0	/Client/src/dataService/guestDataService/GuestD	
> dataService.hotelDataService	0	0	0	0	/Client/src/dataService/hotelDataService/HotelD	
> dataService.hotelWorkerDataService	0	0	0	0	/Client/src/dataService/hotelWorkerDataService/	
> dataService.marketDataService	0	0	0	0	/Client/src/dataService/marketDataService/Mark	
> dataService.orderDataService	0	0	0	0	/Client/src/dataService/orderDataService/Order	
> dataService.promotionDataService	0	0	0	0	/Client/src/dataService/promotionDataService/Pr	
> dataService.webManagerDataServic	0	0	0	0	/Client/src/dataService/webManagerDataService	
> dataService.webMarketerDataServic	0	0	0	0	/Client/src/dataService/webMarketerDataService	
> presentation.controller	0	0	0			
> presentation.guestUI.driver	0	0	0	0	/Client/src/presentation/guestUI/driver/HotelBLS	
> presentation.hotelWorkerUI.driver	0	0	0	0	/Client/src/presentation/hotelWorkerUI/driver/L	
> presentation.signUpUI.driver	0	0	0		/Client/src/presentation/signUpUI/driver/LogInB	
> presentation.signUpUI.view	0	0	0		/Client/src/presentation/signUpUI/view/LogInVie	
> presentation.webManagerUI.driver	0	0	0		/Client/src/presentation/webManagerUI/driver/	
		_				
> presentation.webMarketerUI.driver	0	0	0	0	/Client/src/presentation/webMarketerUI/driver/	

#### 2、 HRSServer 模块的度量数据

Number of Children (avg/max per type)	2	0.1	0.436	2	/Server/src/po/PromotionPO.java	
✓ src	2	0.1	0.436	2	/Server/src/po/PromotionPO.java	
> po	2	0.105	0.447	2	/Server/src/po/PromotionPO.java	
> dataService.guestDataService	0	0	0			
> dataService.hotelDataService	0	0	0			
> dataService.hotelWorkerDataService	0	0	0			
> dataService.marketDataService	0	0	0			
> dataService.orderDataService	0	0	0			
> dataService.promotionDataService	0	0	0			
> dataService.webManagerDataServic	0	0	0			
> dataService.webMarketerDataServic	0	0	0			
> utilities	0	0	0	0	/Server/src/utilities/SortStrategy.java	

## 三、Afferent coupling(dac)的度量

#### 1、 HRSClient 模块的度量数据:

Metric	Total	Mean	Std. D	Maxim	Resource causing Maximum	Method	
▼ Afferent Coupling (avg/max per packageF)		5.511	15.399	90	/Client/src/utilities		
✓ src		5,511	15,399		/Client/src/utilities		
utilities	90				,,,,		
vo	60						
po	24						
businessLogicService.logInBLService							
businessLogic.logInBL.stub	. 5						
businessLogic.promotionBL	5						
businessLogic.userBL	5						
businessLogicService.orderBLServic							
businessLogicService.hotelBLService							
businessLogicService.userBLService							
businessLogic.hotelBL	3						
businessLogic.orderBL.stub	3						
businessLogic.promotionBL.stub	3						
businessLogicService.creditBLServic							
businessLogicService.marketBLService							
businessLogicService.memberBLSer	_						
businessLogicService.promotionBLS							
businessLogic.hotelBL.stub	2						
businessLogic.marketBL	2						
businessLogic.orderBL	2						
businessLogic.userBL.stub	2						
dataService.guestDataService	2						
dataService.guestDataService	2						
dataService.hotelWorkerDataService							
dataService.mortelWorkerDataService	2						
dataService.orderDataService	2						
dataservice.orderDataservice	2						
Metric	Total	Mean	Std. D	Maxim	Resource causing Maximum	Method	
dataService.webMarketerDataService	2						
presentation.signUpUI.driver	2						
businessLogic.creditBL.stub	1						
businessLogic.hotelBL.stub	1						
businessLogic.logInBL.stub	- 1						
businessLogic.marketBL.stub	- 1						
businessLogic.memberBL.stub	- 1						
businessLogic.orderBL.stub	- 1						
businessLogic.promotionBL.stub	- 1						
businessLogic.userBL.stub	- 1						
businessLogicService.creditBLServic	- 1						
businessLogicService.hotelBLService							
businessLogicService.logInBLService							
businessLogicService.marketBLServi							
businessLogicService.memberBLSer							
businessLogicService.orderBLServic							
businessLogicService.promotionBLS							
businessLogicService.userBLService							
utilities	1						
presentation.controller	0						
presentation.signUpUI.view	0						

#### 2、 HRSServer 模块的度量数据

<ul> <li>Afferent Coupling (avg/max per packageF</li> </ul>		2	4.099	12	/Server/src/utilities	
✓ src		2	4.099	12	/Server/src/utilities	
utilities	12					
ро	8					
dataService.guestDataService	0					
dataService.hotelDataService	0					
dataService.hotelWorkerDataService	0					
dataService.marketDataService	0					
dataService.orderDataService	0					
dataService.promotionDataService	0					
dataService.webManagerDataServic	0					
dataService.webMarketerDataServic	0					

# 四、Efferent Coupling (cbo) 的度量

#### 1、 HRSClient 模块的度量数据:

Metric	Total	Mean	Std. D	Maxim	Resource causing Maximum	Method	
▼ Efferent Coupling (avg/max per packageF)		2.574	2.322	10	/Client/src/presentation/guestUI/driver		
∨ src		2.574	2.322	10	/Client/src/presentation/guestUI/driver		
presentation.guestUI.driver	10						
presentation.webMarketerUI.driver	10						
businessLogic.userBL.driver	8						
presentation.hotelWorkerUI.driver	8						
ро	6						
businessLogic.creditBL	4						
businessLogic.hotelBL	4						
businessLogic.logInBL	4						
businessLogic.orderBL	4						
businessLogic.userBL	4						
presentation.webManagerUI.driver	4						
business Logic.market BL	3						
businessLogic.memberBL	3						
businessLogic.promotionBL	3						
vo	3						
businessLogic.hotelBL.driver	2						
businessLogic.marketBL.driver	2						
businessLogic.orderBL.driver	2						
businessLogic.promotionBL.driver	2						
dataService.guestDataService	2						
dataService.hotelDataService	2						
dataService.hotelWorkerDataService	2						
dataService.marketDataService	2						
dataService.orderDataService	2						
dataService.promotionDataService	2						
dataService.webManagerDataServic	2						
Metric	Total	Mean	Ct-d D	Massina	Resource causing Maximum	Method	
		iviean	3tu. D	IVIAXIIII	resource causing Maximum	Method	
dataService.webMarketerDataServic	2						
presentation.signUpUI.driver	1						
businessLogic.creditBL.stub	1						
businessLogic.hotelBL.stub	1						
businessLogic.logInBL.stub	1						
businessLogic.marketBL.stub	1						
businessLogic.memberBL.stub							
businessLogic.orderBL.stub	1						
businessLogic.promotionBL.stub	1						
businessLogic.userBL.stub	1						
businessLogicService.creditBLServic							
businessLogicService.hotelBLService	1						
businessLogicService.logInBLService	1						
businessLogicService.marketBLServi	1						
businessLogicService.memberBLSer	1						
businessLogicService.orderBLServic	1						
businessLogicService.promotionBLS	1						
businessLogicService.userBLService	1						
utilities	1						
presentation.controller							

# 2、 HRSServer 模块的度量数据

<ul> <li>Efferent Coupling (avg/max per packageF)</li> </ul>		1.4	1.562	6	/Server/src/po	
∨ src		1.4	1.562	6	/Server/src/po	
ро	6					
dataService.guestDataService	1					
dataService.hotelDataService	1					
dataService.hotelWorkerDataService	1					
dataService.marketDataService	1					
dataService.orderDataService	1					
dataService.promotionDataService	1					
dataService.webManagerDataServic	1					
dataService.webMarketerDataServic	1					
utilities	0					