Visoka škola strukovnih studija za informacione I komunikacione tehnologije

Dokumentacija

http://www.the-tech-news.epizy.com/cms/index.php

TechNews

Sadržaj

1.Uvod	4
1.1 Korišćeni programski jezici I njihove biblioteke	4
1.2 Opis funkcionalnosti	4
1.2.1 Admin panel	4
1.2.2 Straničenje	4
1.2.3 Search, Blog Categories	4
1.2.4 Kontakt forma	5
1.2.5 Registracija i logovanje	5
1.2.6 Prikaz sadržaja	5
1.2.7 Dinamički meni	5
1.3 Template	5
2.Organizacija	5
2.1 Organizaciona šema	5
2.1.1 Šema sajta	5
2.1.1 Šema baze	6
2.2 Mapa sajta	6
2.3 robots.text	8
2.4 Stranice	8
2.4.1 register.php	8
2.4.2 login.php	8
2.4.3 index.php	9
2.4.4 postid.php	10
2.4.5 contact.php	11
2.4.6 author.php	11
2.4.7 admin/postovi.php	12
2.4.9 admin/kategorije.php	13
2.4.10 admin/komentariAdmin.php	13
2.4.11 admin/users.php	14
2.4.12 admin/insertUser.php	14
3.Kodovi	15
3.1 root	15
3.1.1 index.php	15
3.1.2 contact.php	17
3.1.3 author.php	19

3.1.4 register.php	20
3.1.5 login.php	22
3.1.7 logout.php	23
3.1.6 search.php	23
3.1.8 postcat.php	25
3.1.9 postid.php	27
3.1.10 require_php	30
3.2 admin	36
3.2.1 postovi.php	36
3.2.2 insertPost.php	40
3.2.3 kategorije.php	42
3.2.4 komentariAdmin.php	44
3.2.5 users.php	48
3.2.6 insertUser.php	51
3.3.7 require	54
3.3 CSS	57
3.3.1 style.css	58
3.3.2 stil.css (css za adminPanel)	61
3.4 JavaScript	61
3.4.1 main.is	61

1.Uvod

1.1 Korišćeni programski jezici I njihove biblioteke

HTML/HTML 5 • CSS/CSS 3 • JavaScript • Jquery • Bootstrap 4 • PHP

1.2 Opis funkcionalnosti

1.2.1 Admin panel

Postoje tri uloge korisnika (korisnik, autor, admin). Da bi neko postao autor ili admin, mora se registrovati I pri registraciji dobija naziv uloge 'korisnik', a zatim mu admin moze promeniti ulogu u autora ili admina.

Autoru je omogućen unos, ažuriranje i brisanje kategorija i postova, a na delu komentari autor moze odobriti ili odbiti komentare korisnika sajta i prikazati ih, a takođe ih može i brisati.

Admin ima iste pogodnosti kao i autor i takođe može brisati korisnike iz baze i menjati im uloge.

1.2.2 Straničenje

Straničenje se koristi na početnoj strani za prikaz blogova.

1.2.3 Search, Blog Categories

Search radi pretragu postova po tagovima koji su uneti za svaki post i prikazuje sve postove za uneti tag ili u slučaju da tag ne postoji ispisuje se poruka korisniku da traženi post za taj tag ne postoji.

Kategorije su ispisane dinamički. Klikom na kategorije prikazuju se sve stranice sa zadatom kategorijom.

Klikom na dugme ReadMore ili naslov posta otvara se zasebna stranica za pojedinačni post gde korisnici sajta mogu komentarisati objave.

1.2.4 Kontakt forma

Unosom podataka i submitovanjem forme vrši se provera podataka, a zatim salje mejl administratoru sajta.

1.2.5 Registracija i logovanje

Prilikom registrovanja korisnika i logovanja vrši se provera unetih podataka na klijentskoj i serverskoj strani. Uspešnom registracijom korisnik dobija ulogu 'korisnik' I zadatu profilnu sliku. Uspešnim logovanjem pravi se sesija koja sadrži sve podatke o korisniku. Ulogovani korisnik ima ograničenja u zavisnosti od njegove uloge (admin I autor mogu koristiti admin panel, takođe u granicama njihovih mogućnosti).

1.2.6 Prikaz sadržaja

Sav ključan sadržaj na sajtu se kreira dinamički.

1.2.7 Dinamički meni

Prilikom učitavanja stranice prikazuje se dinamiči meni, koji prikazuje odgovarajuće linkove za admina, autora, običnog autorizovanog ili neautorizovanog korisnika, u zavisnosti od aktivnosti i stanja korisničke sesije.

1.3 Template

Za izgled admin panela je korišćen templejt. Ostali delovi sajta su dizajnirani samostalno.


2.Organizacija


2.1 Organizaciona šema

2.1.1 Šema sajta

Van admin foldera se iz svake stranice može pristupiti svakoj stranici I admin panelu u zavisnosti od uloge korisnika. U admin se može pristupiti svakoj stranici iz admin foldera I index strani van admin foldera.

2.1.1 Šema baze





2.2 Mapa sajta

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
    <url>
        <loc>http://www.the-tech-news.epizy.com/cms/index.php</loc>
        <lastmod>2020-03-31</lastmod>
        <changefreq>daily</changefreq>
        <priority>1</priority>
   </url>
    <url>
        <loc>http://www.the-tech-news.epizy.com/cms/contact.php</loc>
        <lastmod>2020-03-31</lastmod>
        <changefreq>yearly</changefreq>
        <priority>0.8</priority>
    </url>
    <url>
        <loc>http://www.the-tech-news.epizy.com/cms/author.php</loc>
        <lastmod>2020-03-31</lastmod>
        <changefreq>yearly</changefreq>
        <priority>0.7</priority>
    </url>
```


```
<url>
      <loc>http://www.the-tech-news.epizy.com/cms/register.php</loc>
      <lastmod>2020-03-31</lastmod>
      <changefreq>yearly</changefreq>
      <priority>0.9</priority>
  </url>
  <url>
      <loc>http://www.the-tech-news.epizy.com/cms/login.php</loc>
      <lastmod>2020-03-31</lastmod>
      <changefreq>yearly</changefreq>
      <priority>0.9</priority>
  </url>
  <url>
      <loc>http://www.the-tech-news.epizy.com/cms/admin/postovi.php</loc>
      <lastmod>2020-03-31</lastmod>
      <changefreq>daily</changefreq>
      <priority>0.7</priority>
  </url>
  <url>
      <loc>http://www.the-tech-news.epizy.com/cms/admin/insertPost.php</loc>
      <lastmod>2020-03-31
      <changefreq>daily</changefreq>
      <priority>0.7</priority>
  </url>
  <url>
      <loc>http://www.the-tech-news.epizy.com/cms/admin/kategorije.php</loc>
      <lastmod>2020-03-31
      <changefreq>daily</changefreq>
      <priority>0.7</priority>
  </url>
  <url>
      <loc>http://www.the-tech-news.epizy.com/cms/admin/komentariAdmin.php</loc>
      <lastmod>2020-03-31</lastmod>
      <changefreq>daily</changefreq>
      <priority>0.7</priority>
  </url>
  <url>
      <loc>http://www.the-tech-news.epizy.com/cms/admin/users.php</loc>
      <lastmod>2020-03-31
      <changefreq>weekly</changefreq>
      <priority>0.8</priority>
  </url>
  <url>
      <loc>http://www.the-tech-news.epizy.com/cms/admin/insertUser.php</loc>
      <lastmod>2020-03-31</lastmod>
      <changefreq>weekly</changefreq>
      <priority>0.8</priority>
  </url>
/urlset>
```

2.3 robots.text


User-agent:* Disallow: /admin/

2.4 Stranice

2.4.1 register.php



2.4.2 login.php



2.4.3 index.php

TechNews The Tech News World



Artificial Intelligence in 2020: The Architecture and the Infrastructure by C. Fisher / Posted on 2020-04-01

Machine Learning and AI were hot in 2019, but what's next for AI in 2020? The software side of wor...

Read More







Dark Sky App Acquired by Apple, Will Kill Android App on July 1

Apple acquired the popular weather app Dark Sky yesterday. For iPhone users, the Dark Sky app will...

Read More



You can play Candy Crush with free, unlimited lives this week!

Mobile developer King is adding free, unlimited lives to Candy Crush Saga and a swath of other games...

1 2 3

0 0 4

TechNews The Tech News World





Artificial Intelligence in 2020: The Architecture and the Infrastructure

by C. Fisher / Posted on 2020-04-01


Machine Learning and AI were hot in 2019, but what's next for AI in 2020? The software side of working with AI improved a lot this year. But the hardware infrastructure side is still pretty complex, and for those who want to take advantage of GPU technology, that goes double. The truth is that AI hardware, both for fast training and effective inferencing, can be expensive, and its obsolescence cycles are quick. That's a blocker. But the cloud, container technology and smart software to orchestrate it all can help. Intelligent autoscaling can help as well. Economically efficient management of specialized hardware and multi-cloud container computing strategies are the next frontier in AI. They're also key to AI's continued journey to the mainstream.

Leave a Comment: Username Email Submit



Copyright © Nikola Jevric 78/18 2020 Documentation

2.4.5 contact.php



2.4.6 author.php

TechNews Home Contact Author Register Login


Copyright © Nikola Jevric 78/18 2020 Documentation

Nikola Jevric 78/18




Copyright © Nikola Jevric 78/18 2020 Documentation


2.4.7 admin/postovi.php




2.4.8 admin/insertPost.php




2.4.9 admin/kategorije.php




2.4.10 admin/komentariAdmin.php



2.4.11 admin/users.php



2.4.12 admin/insertUser.php



3.Kodovi

3.1 root

3.1.1 index.php

```
<?php session_start();?>
<!DOCTYPE html>
<html lang="en">
<?php require_once("php_require/header.php");</pre>
<body>
   <?php require_once("php_require/navigation.php"); ?>
    <div class="container">
    <h1>
                        TechNews
                        <small>The Tech News World</small>
        <div class="row">
            <div class="col-md-8 col-11 mx-auto mx-md-0">
            <?php
                if(isset($_GET['page'])){
                    $page=$_GET['page'];
                }
                else{
                    $page = "";
                if($page=="" || $page==1){
                    $page1=0;
                else{
                    page1 = (page * 3) - 3;
            $query = $konekcija->prepare("SELECT * FROM postovi");
            $rezultatBrojUpita = $query->execute();
            $brojUpita=$query->rowCount();
            $brojUpita = ceil($brojUpita/3);
```

```
$query = "SELECT p.idPost, p.naslovPost,p.autorPost,p.datumPost,p.tekst,ip
.srcPost FROM postovi p INNER JOIN imgpostovi ip ON p.idImgPost = ip.idImgPost ORDER BY da
tumPost DESC LIMIT $page1,3";
               $rezultat = $konekcija->query($query)->fetchAll();
               foreach($rezultat as $i):?>
                   <?php
                       $idPost=$i['idPost'];
                       $skraceniTekst=substr($i['tekst'],0,100);
                <div class="blog">
                   <img class="img-fluid mb-</pre>
4" src="img/<?=$i['srcPost']?>" alt="<?=$i['altPost']?>">
                   <h2>
                       <a href="postid.php?id=<?=$idPost?>"><?=$i['naslovPost']?></a>
                   </h2>
                   <div class="d-flex">
                       by <a href="index.php"><?=$i['autorPost']?></a> /&nbsp;
                    Posted on <?=$i['datumPost']?>
                 </div>
                   <div class="row my-3">
                       <div class="col-lg-12 text-justify blogTekst">
                           <?=$skraceniTekst?>...
                       </div>
                   </div>
                   <div class="row">
                       <div class="col-lg-12 text-center mb-4">
                           <a class="btn dugme" href="postid.php?id=<?=$idPost?>">Read Mo
re </a>
                       </div>
                   </div>
                   <hr>>
               </div>
               <?php endforeach;?>
               <div id="pagination" class="d-flex float-right">
                   <?php
                       for($i=1;$i<=$brojUpita;$i++){</pre>
                           echo "<li class='d-
flex'><a href='index.php?page={$i}'>{$i}</a>";
                       ?>
                   </div>
```

```
</div>
            <?php require_once("php_require/desniBlok.php")?>
    </div>
    <div class="backToTop">
    <a href="#nav"><i class="fas fa-arrow-up"></i></a>
                </div>
    <?php require_once("php_require/footer.php")?>
    <!-- jQuery -->
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></scrip</pre>
        <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"</pre>
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo" crossorigin="anonymous">
</script>
        <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.j</pre>
s" integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl30g8ifwB6" crossorigin="anonymous">
    <script src="js/main.js"></script>
</body>
</html>
```

3.1.2 contact.php

```
<strong>Telefon</strong> : <a href="tel:+0621175230">062/113343</a>
</a>
                      <strong>Email</strong> : <a href="mailto:njevric9@gmail.com">in
fo@technews.com</a>
                      <?php
                          if (isset($_POST['submitContact'])){
                              $ime=$ POST['ime'];
                              $prezime=$_POST['prezime'];
                              $email=$ POST['email'];
                              $tekst=$_POST['tekst'];
                              $to="nikola9@gmail.com";
                              mail($to,$ime,$prezime,$tekst);
                      <form id="kontaktForma" class="mb-0 mb-md-</pre>
5" onsubmit="return proveraKontaktForma()" action="" method="post">
                          <div class="form-group">
                                  <input type="text" class="form-</pre>
control" id="ime" name="ime" placeholder="Name">
                                  </div>
                          <div class="form-group">
                                 <input type="text" class="form-</pre>
control" id="prezime" name="prezime" placeholder="Lastname">
                                  </div>
                          <div class="form-group">
                              <input type="email" class="form-</pre>
control" id="email" name="email" placeholder="Email">
                              <div class="form-group">
                              <textarea class="form-
control" rows="5" id="comment" name="tekst" placeholder="Your Comment (max characters 200)
"></textarea>
                              </div>
                          <input type="submit" class="btn btn-</pre>
primary" id="btnSubmit" name="submitContact"/>
                          <div id="greskaKontakt" class="float-none mt-4"></div>
                      </form>
</div>
</div>
</main>
```

3.1.3 author.php

```
<!DOCTYPE html>
<html lang="en">
<?php require_once("php_require/header.php"); ?>
<body>
   <?php require once("php require/navigation.php"); ?>
   <main id="autor">
        <div class="container py-4">
            <div class="row">
                <div class="col-lg-10 col-8 mx-auto">
                    <h2 class="text-center font-weight-bold my-5">Nikola Jevric 78/18</h2>
                    <div class="slikaA d-flex justify-content-center">
                    <img src="img/profilnaS.png" alt="autor" class="img-fluid mb-5"/>
                </div>
            </div>
        </div>
    </main>
   <?php require_once("php_require/footer.php")?>
    <!-- jQuery -->
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></scrip</pre>
        <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"</pre>
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo" crossorigin="anonymous">
</script>
        <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.j</pre>
s" integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl30g8ifwB6" crossorigin="anonymous">
</script>
```

```
<script src="js/main.js"></script>
</body>
</html>
```

3.1.4 register.php

```
<?php
   session_start();
<!DOCTYPE html>
<html>
   <head>
       <meta name="viewport" content="width=device-width, initial-scale=1">
       <meta charset="utf-8"/>
       <title>Photos for everyone / Register</title>
       <link rel="stylesheet" type="text/css" href="css/style.css"/>
       <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/cs</pre>
s/bootstrap.min.css" integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh" crossorigin="anonymous">
   </head>
   <body>
   <header id="register login">
       <div class="container-fluid">
           <div class="row">
               <div class="col-x1-6 col-md-12 my-auto mx-auto zaVeceEkrane">
                   <div class="row">
                      <div class="col-lg-8 mx-auto">
                          <h1 class="text-center mb-4 text-
uppercase profilna">Join our team</h1>
                          5">Already have an account? <a href="login.php">Login</a>
                          <form action="php require/registerCheck.php" method="POST" onS</pre>
ubmit="return proveraRegistracija();" id="kontaktForma">
                              <div class="form-group row">
                                  <div class="col-lg-6 col-10 mb-0 mx-auto">
                                      <input type="text" class="form-</pre>
control" id="ime" name="ime" placeholder="Name">
                                      </div>
                                  <div class="col-lg-6 col-10 mb-0 mx-auto">
                                      <input type="text" class="form-</pre>
control" name="prezime" id="prezime" placeholder="Last Name"/>
                                      </div>
                                  <div class="col-lg-12 col-10 mb-0 mx-auto">
                                      <input type="text" class="form-</pre>
control" name="email" id="email" placeholder="Email"/>
```

```
</div>
                                   <div class="col-lg-12 col-10 mb-0 mx-auto">
                                       <input type="text" class="form-</pre>
control" name="username" id="username" placeholder="Username"/>
                                       </div>
                                   <div class="col-lg-6 col-10 mb-0 mx-auto">
                                       <input type="password" class="form-</pre>
control" name="lozinka" id="lozinka" placeholder="Password"/>
                                       </div>
                                   <div class="col-lg-6 col-10 mb-0 mx-auto">
                                       <input type="password" class="form-</pre>
control" name="lozinkaPotvrdi" id="lozinkaPotvrdi" placeholder="Confirm Password"/>
                                       </div>
                                   <div class="col-lg-12 col-10 mb-0 mx-auto">
                                       <input type="submit" class="btn-primary form-</pre>
control" name="btnRegistruj" value="Register"/>
                                   </div>
                                   <?php
                                       if(isset($_SESSION['greske'])){
                                          foreach($_SESSION['greske'] as $greska){
                                              echo "$greska";
                                          unset($ SESSION['greske']);
                               </div>
                           </form>
                       </div>
                   </div>
               </div>
           </div>
       </div>
   </header>
    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js" integrity="sha384-</pre>
J6qa4849b1E2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n" crossorigin="anonymous">
</script>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js" int</pre>
egrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo" crossorigin="anonymous">
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js" i</pre>
ntegrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl30g8ifwB6" crossorigin="anonymous">
</script>
    <script type="text/javascript" src="js/main.js"></script>
    </body>
</html>
```

3.1.5 login.php

```
<?php
    session_start();
<!DOCTYPE html>
<html>
        <meta name="viewport" content="width=device-width, initial-scale=1">
       <meta charset="utf-8"/>
       <title>Photos for everyone / Register</title>
       <link rel="stylesheet" type="text/css" href="css/style.css"/>
       <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/cs</pre>
s/bootstrap.min.css" integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh" crossorigin="anonymous">
    </head>
    <body>
    <header id="register login">
       <div class="container-fluid">
           <div class="row">
               <div class="col-lg-6 mx-auto my-auto">
                   <div class="row">
                       <div class="col-lg-8 mx-auto">
                           <h1 class="text-center mb-4 text-
uppercase profilna">Login</h1>
                           <?php
                               if(isset($ SESSION['uspeh'])){
                                   echo "<h3 class='text-center mb-
5'>" . $_SESSION['uspeh'] . "</h3>";
                                   unset($ SESSION['uspeh']);
                               }
                           ?>
                           Welcome back
                           <form action="php require/loginCheck.php" method="POST" onSubm</pre>
it="return proveraLogin();">
                               <div class="form-group row">
                                   <div class="col-lg-12 col-10 mb-0 mb-md-0 mx-auto">
                                       <input type="text" class="form-</pre>
control" name="usernameLog" id="usernameLog" placeholder="Username"/>
                                        </div>
                                   <div class="col-lg-12 col-10 mb-3 mb-md-0 mx-auto">
                                       <input type="password" class="form-</pre>
control" name="passLog" id="passLog" placeholder="Password"/>
                                       <div class="col-lg-12 col-10 mb-3 mb-md-0 mx-auto">
                                       <input type="submit" class="btn-primary form-</pre>
control" name="btnLogin" value="Login"/>
```

```
4">Don't have an account? <a href="register.php">Join</a>
                                    </div>
                                    <?php
                                        if (isset($_SESSION['greskeLog'])){
                                            foreach($_SESSION['greskeLog'] as $greska){
                                                echo "$greska";
                                            unset($_SESSION["greskeLog"]);
                                </div>
                            </form>
                        </div>
                    </div>
               </div>
           </div>
        </div>
    </header>
    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js" integrity="sha384-</pre>
J6qa4849b1E2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n" crossorigin="anonymous">
</script>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js" int</pre>
egrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo" crossorigin="anonymous">
</script>
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js" i</pre>
ntegrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6" crossorigin="anonymous">
</script>
    <script type="text/javascript" src="js/main.js"></script>
    </body>
```

3.1.7 logout.php

```
<?php
session_start();
if(isset($_SESSION['korisnik'])){
    unset($_SESSION['korisnik']);
    session_destroy();
    header("Location:index.php");
}
</pre>
```

3.1.6 search.php

```
<?php session_start();?>
<!DOCTYPE html>
<html lang="en">
```

```
<?php require_once("php_require/header.php"); ?>
<body>
   <?php require once("php require/navigation.php"); ?>
    <div class="container">
        <div class="row">
        <h1>
                        TechNews
                        <small>The Tech News World</small>
                    </h1>
            <div class="col-md-8">
            <?php
                if(isset($_POST['submitSearch'])){
                    $search = $_POST['search'];
                    $query = $konekcija-
>prepare("SELECT * FROM postovi WHERE tagPost LIKE '%$search%'");
                    $rezultatBrojUpita = $query->execute();
                    $brojUpita=$query->rowCount();
                    if($brojUpita==0){
                        echo "<h1>No results for this Tag</h1>";
                    else{?>
                        <?php
                         $query = "SELECT p.idPost,p.naslovPost,p.autorPost,p.datumPost,p.
tekst,ip.srcPost FROM postovi p INNER JOIN imgpostovi ip ON p.idImgPost = ip.idImgPost WHE
RE p.tagPost LIKE '%$search%'";
                         $rezultat = $konekcija->query($query)->fetchAll();
                        foreach( $rezultat as $i):?>
                        <?php $idPost=$i['idPost'];?>
                            <div class="blog">
                                <img class="img-fluid mb-</pre>
4" src="img/<?=$i['srcPost']?>" alt="<?=$i['altPost']?>">
                                <h2>
                                    <a href="#"><?=$i['naslovPost']?></a>
                                </h2>
                                <div class="d-flex">
                                    by <a href="#"><?=$i['autorPost']?></a> /&nbsp;
                                     Posted on <?=$i['datumPost']?>
                                </div>
                                <div class="row my-3">
                                    <div class="col-lg-12 text-justify blogTekst">
                                        <?=$i['tekst']?>
                                    </div>
                                </div>
```

```
<div class="row">
                                      <div class="col-lg-12 text-center mb-4">
                                          <a class="btn dugme" href="postid.php?id=<?=$idPos</pre>
t?>">Read More </a>
                                     </div>
                                 </div>
                                 <hr>>
                             </div>
                         <?php endforeach;?>
                    <?php }
                }?>
            </div>
            <?php require_once("php_require/desniBlok.php")?>
    </div>
    <!-- /.container -->
    <?php require once("php require/footer.php")?>
    <!-- jQuery -->
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></scrip</pre>
        <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"</pre>
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo" crossorigin="anonymous">
</script>
        <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.j</pre>
s" integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl30g8ifwB6" crossorigin="anonymous">
    <script src="js/main.js"></script>
</body>
</html>
```

3.1.8 postcat.php

```
<?php session_start();?>
<!DOCTYPE html>
<html lang="en">
<?php require_once("php_require/header.php"); ?>
```

```
<body>
   <?php require once("php require/navigation.php"); ?>
    <div class="container">
                <h1>TechNews<small> The Tech News World</small></h1>
        <div class="row">
        <div class="col-md-8 col-11 mx-auto mx-md-0">
            <?php
            if(isset($_GET['idKat'])){
                $idKat=$_GET['idKat'];
                $query = "SELECT p.idPost, p.naslovPost,p.autorPost,p.datumPost,p.tekst,ip
.srcPost FROM postovi p INNER JOIN imgpostovi ip ON p.idImgPost = ip.idImgPost INNER JOIN
kategorije k ON p.idKat = k.idKat WHERE p.idKat = $idKat ORDER BY datumPost DESC";
                $rezultat = $konekcija->query($query)->fetchAll();
                if(count($rezultat)==0){
                    echo "<h1>No posts in this category</h1>";
                foreach($rezultat as $i):?>
                    <?php $idPost=$i['idPost'];</pre>
                      $skraceniTekst=substr($i['tekst'],0,60);
                 <div class="blog">
                    <img class="img-fluid mb-</pre>
4" src="img/<?=$i['srcPost']?>" alt="<?=$i['altPost']?>">
                    <h2>
                        <a href="postid.php?id=<?=$idPost?>"><?=$i['naslovPost']?></a>
                    </h2>
                    <div class="d-flex">
                        by <a href="index.php"><?=$i['autorPost']?></a> /&nbsp;
                     Posted on <?=$i['datumPost']?>
                  </div>
                    <div class="row my-3">
                        <div class="col-lg-12 text-justify blogTekst">
                            <?=$skraceniTekst?>...
                        </div>
                    </div>
                    <div class="row">
                        <div class="col-lg-12 text-center mb-4">
                            <a class="btn dugme" href="postid.php?id=<?=$idPost?>">Read Mo
re </a>
                        </div>
```

```
</div>
                     <hr>>
                </div>
                <?php endforeach;?>
                <?php }
            </div>
            <?php require_once("php_require/desniBlok.php")?>
    </div>
    <div class="backToTop">
    <a href="#nav"><i class="fas fa-arrow-up"></i></a>
                </div>
    <?php require_once("php_require/footer.php")?>
    <!-- jQuery -->
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></scrip</pre>
        <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"</pre>
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo" crossorigin="anonymous">
</script>
        <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.j</pre>
s" integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl30g8ifwB6" crossorigin="anonymous">
</script>
    <script src="js/main.js"></script>
</body>
</html>
```

3.1.9 postid.php

```
<div class="col-md-8 col-11 mx-auto mx-md-0">
                <?php
                    if(isset($ GET['id'])){
                    $idPost=$ GET['id'];
                    $query = "SELECT p.naslovPost,p.autorPost,p.datumPost,p.tekst,ip.srcPo
st FROM postovi p INNER JOIN imgpostovi ip ON p.idImgPost = ip.idImgPost WHERE idPost=$idP
ost";
                    $rezultat=$konekcija->query($query)->fetch();
                    <div class="blog">
                        <img class="img-fluid mb-</pre>
4" src="img/<?=$rezultat['srcPost']?>" alt="Opis">
                        <h2><a href="#"><?=$rezultat['naslovPost']?></a></h2>
                        <div class="d-flex">
                            by <a href="index.php"><?=$rezultat['autorPost']?></a> /&nb
sp;
                             Posted on <?=$rezultat['datumPost']?>
                        </div>
                        <div class="row my-3">
                            <div class="col-lg-12 text-justify blogTekst">
                                 <?=$rezultat['tekst']?>
                            </div>
                        </div>
                        <div class="row">
                            <div class="col-lg-12">
                                 <div class="well">
                                     <h4>Leave a Comment:</h4>
                                     <form action="" method="post">
                                         <div class="form-group">
                                             <div class="row">
                                                 <div class="col-lg-6">
                                                 <input type="text" class="form-</pre>
control" name="imeAutor" placeholder="Username">
                                                 </div>
                                                 <div class="col-lg-6">
                                                 <input type="text" class="form-</pre>
control" name="emailAutor" placeholder="Email">
                                                 </div>
                                         </div>
                                         </div>
                                         <div class="form-group">
                                             <textarea class="form-
control" rows="3" name="tekstKomentar"></textarea>
                                         </div>
                                         <input type="submit" class="btn btn-primary mb-</pre>
5" name="submitKomentar">
                                     </form>
                                     <!-- INSERT KOMENTARI -->
```

```
<?php
                                         if(isset($_POST['submitKomentar'])){
                                        $idPost=$ GET['id'];
                                        $imeAutor=$_POST['imeAutor'];
                                        $emailAutor=$ POST['emailAutor'];
                                        $tekstKomentar=$_POST['tekstKomentar'];
                                        $queryKomentarInsert="INSERT INTO komentari VALUE
S (NULL,$idPost,'$imeAutor','$emailAutor','$tekstKomentar','Unapproved',now())";
                                        $rezultatKomentarInsert = $konekcija-
>exec($queryKomentarInsert);
                                </div>
                                <?php
                                     $queryKomentari="SELECT * FROM komentari k INNER JOIN
postovi p ON k.postId=p.idPost WHERE k.postId = $idPost AND komentarStatus='Approved' ORDE
R BY idKomentar DESC";
                                    $rezultatKomentari=$konekcija->query($queryKomentari)-
>fetchAll();
                                    foreach($rezultatKomentari as $i):?>
                                              <div class="media">
                                                 <a class="pull-left" href="#">
                                                     <img class="media-</pre>
object" src="http://placehold.it/64x64" alt="">
                                                  </a>
                                                 <div class="media-body mb-4 ml-4">
                                                     <h4 class="media-heading mb-
3"><?=$i['komentarAutor']?>
                                                     <small><?=$i['komentarDatum']?></small</pre>
                                                     </h4>
                                                     <?=$i['komentarTekst']?> 
                                                 </div>
                                             </div>
                                     <?php endforeach;?>
                            </div>
                        </div>
                        <hr>>
                    </div>
                <?php }
```

```
</div>
            <?php require once("php require/desniBlok.php")?>
    </div>
    <?php require_once("php_require/footer.php")?>
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></scrip</pre>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js" int</pre>
egrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo" crossorigin="anonymous">
</script>
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js" i</pre>
ntegrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl30g8ifwB6" crossorigin="anonymous">
</script>
    <script src="js/main.js"></script>
</body>
</html>
```

3.1.10 require_php

3.1.10.1 konekcija.php

3.1.10.2 registerCheck.php

```
<?php
   session_start();
   if(isset($_POST["btnRegistruj"])){
    $ime=$_POST["ime"];</pre>
```

```
$prezime=$ POST["prezime"];
    $email=$ POST["email"];
    $username=$ POST["username"];
    $lozinka=$_POST["lozinka"];
    $lozinkaPotvrdi=$_POST["lozinkaPotvrdi"];
    $greske=[];
    if(!preg_match("/^[A-Z][a-z]{2,24}$/", $ime)){
        $greske[]="Ime nije ok";
    }
    if(!preg_match("/^[A-Z][a-z]{2,24}$/", $prezime)){
        $greske[]="Prezime nije ok";
    if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
        $greske[]="Email nije ok";
    if(!preg_match("/^.{5,50}/", $username)){
        $greske[]="Username greska";
    if(!preg_match("/^.{5,60}$/", $lozinka)){
        $greske[]="Lozinka nije ok";
    if($lozinka!=$lozinkaPotvrdi){
        $greske[]="Lozinke nisu iste";
    if(count($greske)){
        $_SESSION["greske"]=$greske;
        header("Location: ../join.php");
    }else{
        require("konekcija.php");
        $upit= "INSERT INTO users VALUES(NULL, :ime, :prezime, :username, :email, :pass, :
datum, :uloga,:idImg)";
        $priprema=$konekcija->prepare($upit);
        $pass=md5($lozinka);
        $priprema->bindParam(":ime", $ime);
        $priprema->bindParam(":prezime", $prezime);
        $priprema->bindParam(":email", $email);
        $priprema->bindParam(":username", $username);
        $priprema->bindParam(":pass", $pass);
        $datum =date("Y-m-d H:i:s");
        $priprema->bindParam(":datum",$datum);
        $uloga=3;
        $priprema->bindParam(":uloga",$uloga);
        $idImg=36;
        $priprema->bindParam(":idImg",$idImg);
```

3.1.10.3 loginCheck.php

```
<?php
    session_start();
    if(isset($_POST["btnLogin"])){
        $username=$_POST["usernameLog"];
        $lozinka=$ POST["passLog"];
        $greske=[];
        if(!preg_match("/^.{5,50}/", $username)){
            $greske[]="Enter valid username format (min 5 / max 60 characters)";
        if(!preg_match("/^.{5,60}$/", $lozinka)){
            $greske[]="Enter valid password format (min 5 / max 50 characters)";
        if(count($greske)){
            $_SESSION["greskeLog"]=$greske;
            header("Location: ../login.php");
        else{
            require("konekcija.php");
            $priprema = $konekcija-
>prepare("SELECT * from users u inner join uloge ul on u.idUloga=ul.idUloga where username
=:username and password=:pass");
            $priprema->bindParam(":username",$username);
            $pass = md5($lozinka);
            $priprema->bindParam(":pass", $pass);
            $priprema->execute();
            if($priprema->rowCount()==1){
                $korisnik=$priprema->fetch();
```

```
$_SESSION['korisnik']=$korisnik;

header("Location: ../index.php");
}else{
    $_SESSION["greskeLog"]=["Korisnik sa unetim podacima ne postoji"];
    header("location: ../login.php");
}
}
}
else{
    $_SESSION['greskeLog'] = $greske;
}
```

3.1.10.4 header.php

3.1.10.5 navigation.php

```
$rezultat = $konekcija->query($query)->fetchAll();
             <?php
             foreach( $rezultat as $i):?>
               <?php $navNaslov = $i['naslov'];</pre>
               if(!isset($_SESSION['korisnik'])){
                 if($i['naslov']=='Logout'){continue;}
                 if($i['naslov']=='AdminPanel'){continue;}
               if(isset($_SESSION['korisnik'])){
                 if($i['naslov']=='Login'){continue;}
                 if($i['naslov']=='Register'){continue;}
               if (isset($ SESSION['korisnik']) && $ SESSION['korisnik']['imeUloga']=='ko
risnik'){
                 if($i['naslov']=='AdminPanel'){continue;}
               <a href="<?=$i['link']?>"><?=$navNaslov?></a>
             <?php endforeach;?>
         </div>
   </div>
     </nav>
```

3.1.10.6 desniBlok.php

```
<?php require_once("php_require/konekcija.php"); ?>
<div class="col-md-3 col-11 mx-auto mx-md-0 ml-md-auto desniInfo">
                <div class="desniBlok">
                     <h4 class="mb-3 text-uppercase">Search</h4>
                     <form action="search.php" method="post">
                         <div class="input-group my-4">
                             <input type="text" name="search" class="form-</pre>
control" placeholder="Search">
                             <span class="input-group-btn">
                                 <button name="submitSearch" class="btn btn-</pre>
primary searchIcon" type="submit">
                                     <i class="fas fa-search"></i></i>
                                 </button>
                             </span>
                         </div>
                     </form>
                </div>
```

```
<div class="desniBlok">
                  <h4 class="mb-3 text-uppercase">Blog Categories</h4>
                  <div class="row my-4">
                     <div class="col-lg-10 text-left">
                         <?php
                            $query = "SELECT * FROM kategorije";
                            $rezultat = $konekcija->query($query)->fetchAll();
                            foreach($rezultat as $i):?>
                            <a href="postcat.php?idKat=<?=$i['idKat'] ?>"><?=$i['n</pre>
aslovKat'] ?></a>
                            <?php endforeach;?>
                         </div>
                  </div>
              </div>
          </div>
       </div>
```

3.1.10.7 footer.php

```
<footer>
     <div class="container">
    <div class="row">
        <div class="icons col-lg-12">
            <i class="fab fa-facebook"></i></i>
            <i class="fab fa-instagram"></i></i>
            <i class="fab fa-twitter"></i></i>
            <i class="fab fa-youtube"></i></i>
        </div>
        <div class="col-lg-12 mt-4">
            Copyright © Nikola Jevric 78/18 2020 <a href="dokumentacija.pdf" targe</p>
t="_blank">Documentation</a>
        </div>
    </div>
</div>
</footer>
```

3.2 admin

3.2.1 postovi.php

```
<?php
session start();
if(!isset($_SESSION['korisnik']) || $_SESSION['korisnik']['imeUloga']=='korisnik'){
   header("Location:403.php");
ob_start();
<!DOCTYPE html>
<html lang="en">
<?php require_once("require/headerAdmin.php");</pre>
require_once("require/funkcijeAdmin.php");
<body>
<div class="wrapper d-flex align-items-stretch adminPanel">
       <?php require_once("require/navigacijaAdmin.php");?>
       <div class="container">
       <!-- Page Heading -->
          <div class="row">
              <div class="col-lg-12">
                  <h2 class="mb-4">Posts</h2>
              </div>
              <div class="col-lg-12 col-11 table-responsive mx-auto tabele">
              <thead>
                  Id
                     Author
                     Title
                     Category
                     Image
                     Tags
                     Date
                     Edit
                     Delete
                  </thead>
              <?php
                  $query = "SELECT p.idPost, p.naslovPost,p.autorPost,p.datumPost,p.teks
t,p.tagPost,ip.srcPost,k.naslovKat FROM postovi p INNER JOIN imgpostovi ip ON p.idImgPost
= ip.idImgPost INNER JOIN kategorije k ON p.idKat = k.idKat";
                  $rezultat = $konekcija->query($query)->fetchAll();
```

```
<?php foreach($rezultat as $i):?>
                     <?php $idPost=$i['idPost']?>
                 <?=$i['idPost']?>
                     <?=$i['autorPost']?>
                     <?=$i['naslovKat']?>
                     <img src="../img/<?=$i['srcPost']?>" class="slikaPostTabela"><
/td>
                     <\td><\?=\$i['tagPost']?>
                     <?=$i['datumPost']?>
                     <a href="postovi.php?edit=<?=$idPost?>">Edit</a>
                     <a href="postovi.php?delete=<?=$idPost?>">Delete</a>
                 <?php endforeach;?>
                 <?php
                     if(isset($_GET['delete'])){
                     $delete = $_GET['delete'];
                     $query="DELETE FROM postovi WHERE idPost = $delete";
                     $obrisiPost = $konekcija->exec($query);
                 }?>
              </div>
              <?php if (isset($_GET['edit'])):?>
                 <?php
                 $editId=$_GET['edit'];
                 // echo $editId;
                 $queryEdit = "SELECT * FROM postovi WHERE idPost=$editId";
                 $rezultatEdit = $konekcija->query($queryEdit)->fetch();
                 <?php
                     $postNaslov=$rezultatEdit['naslovPost'];
                     $autorIme=$rezultatEdit['autorPost'];
                     $tag=$rezultatEdit['tagPost'];
                     $tekst=$rezultatEdit['tekst'];
                     $idImg=$rezultatEdit['idImgPost'];
             <div class="col-lg-6 col-11 table-responsive mr-auto">
```

```
<h2 class="mt-5 mb-4">Edit Post</h2>
                  <form action="" method="post" enctype="multipart/form-data">
                  <div class="form-group">
                      <label for="naslov">Post Title</label>
                       <input type="text" class="form-</pre>
control" name="naslov" value="<?=$postNaslov ?>">
                  </div>
                  <div class="form-group">
                      <label for="postKat">Post Category ID</label>
                       <select class="form-control" name="postKat">
                               <?php $query1="SELECT * FROM kategorije";</pre>
                               $rezultat=$konekcija->query($query1)->fetchAll();
                               foreach($rezultat as $i):?>
                                   <option value="<?=$i['idKat'] ?>"><?=$i['naslovKat'] ?>
option>
                               <?php endforeach;?>
                       </select>
                  </div>
                  <div class="form-group">
                      <label for="autor">Post Author</label>
                      <input type="text" class="form-</pre>
control" name="autor" value="<?= $autorIme ?>">
                  </div>
                  <div class="form-group">
                       <label for="slika">Post Image</label>
                       <img src=""/>
                       <input type="file" class="form-control" name="slika" >
                  <div class="form-group">
                      <label for="tag">Post Tags</label>
                      <input type="text" class="form-</pre>
control" name="tag" value="<?= $tag ?>">
                  </div>
                  <div class="form-group">
                      <label for="tekst">Post Content</label>
                       <textarea class="form-control" name="tekst" ><?=$tekst?></textarea>
                  </div>
                  <div class="form-group">
                      <input type="submit" class="btn btn-</pre>
danger" name="editPost" value="Publish">
                  </div>
              </form>
              </div>
              <?php if (isset($_POST['editPost'])){</pre>
                     $naslov=$_POST['naslov'];
                      $postKat=$_POST['postKat'];
                      $autor=$_POST['autor'];
```

```
// $status=$_POST['status'];
                     $tag=$_POST['tag'];
                     $tekst=$ POST['tekst'];
                     $datum = date('d-m-y');
                     $slika=$_FILES['slika']['name'];
                        $temp_slika = $_FILES['slika']['tmp_name'];
                        if(isset($slika) and !empty($slika)){
                            $location = '../img/';
                            if(move_uploaded_file($temp_slika, $location.$slika)){
                                echo 'File uploaded successfully';
                            }
                        } else {
                            echo 'You should select a file to upload !!';
                        $queryImgPost="UPDATE imgpostovi i INNER JOIN postovi p ON i.idImg
Post = p.idImgPost SET srcPost='$slika' WHERE i.idImgPost = $idImg";
                        if ($konekcija->query($queryImgPost)) {
                            $last_id = $konekcija->lastInsertId();
                            $queryUpdate = "UPDATE postovi SET naslovPost = '$naslov', aut
orPost = '$autor', datumPost=now(), tagPost='$tag', tekst='$tekst' , idKat=$postKat WHERE
idPost = $editId";
                    // $queryUpdate = "UPDATE postovi SET naslovPost = '$naslov', autorPos
t = '$autor', status='$status', datumPost=now(), tagPost='$tag', tekst='$tekst', idKat=$
postKat WHERE idPost = $editId";
                    // $queryUpdate = "UPDATE kategorije SET naslovKat = 'Telefoni' WHERE
idKat = $editId";
                    $rezultatImgPost = $konekcija->exec($queryImgPost);
                    $rezultatUpdate = $konekcija->exec($queryUpdate);
                    header("Location:postovi.php");
                <?php endif;?>
            </div>
        </div>
    </div>
   <script src="js/jquery.min.js"></script>
   <script src="js/popper.js"></script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/main.js"></script>
  </body>
 /html>
```

3.2.2 insertPost.php

```
<?php
session start();
if(!isset($_SESSION['korisnik']) || $_SESSION['korisnik']['imeUloga']=='korisnik'){
    header("Location:403.php");
ob_start();
<!DOCTYPE html>
<html lang="en">
<?php require_once("require/headerAdmin.php");</pre>
// require_once("require/funkcijeAdmin.php");
<body>
<div class="wrapper d-flex align-items-stretch adminPanel">
        <?php require once("require/navigacijaAdmin.php");?>
        <div class="container">
        <!-- Page Heading -->
            <div class="row">
                <div class="col-lg-12">
                    <!-- <h2 class="mb-4">Add Post</h2> -->
                </div>
                <div class="col-lg-6 col-11 table-responsive mr-auto">
                <?php
                     if (isset($_POST['insertPost'])){
                        $naslov=$_POST['naslov'];
                        $postKat=$_POST['postKat'];
                        $autor=$_POST['autor'];
                        $tag=$_POST['tag'];
                        $tekst=$_POST['tekst'];
                        $datum = date('d-m-y');
                       $slika=$_FILES['slika']['name'];
                           $temp_slika = $_FILES['slika']['tmp_name'];
                           if(isset($slika) and !empty($slika)){
                               $location = '../img/';
                               if(move_uploaded_file($temp_slika, $location.$slika)){
                                    echo 'File uploaded successfully';
                           } else
```

```
echo 'You should select a file to upload !!';
                            $queryImgPost="INSERT INTO imgpostovi (srcPost,altPost) VALUES
 ('$slika','Opis Slike')";
                            if ($konekcija->query($queryImgPost)){
                            $last id = $konekcija->lastInsertId();
                            $queryInsert="INSERT INTO postovi (idPost,naslovPost,tekst,aut
orPost,datumPost,tagPost,idImgPost,idKat) VALUES (NULL,'$naslov','$tekst','$autor',now(),'
$tag',$last id,$postKat)";
                        $rezultatImgPost = $konekcija->exec($queryImgPost);
                        $rezultat=$konekcija->exec($queryInsert);
       <h2 class="mb-4">Add Post</h2>
<form action="insertPost.php" method="post" enctype="multipart/form-data">
    <div class="form-group">
        <label for="naslov">Post Title</label>
        <input type="text" class="form-control" name="naslov">
    </div>
    <div class="form-group">
        <label for="postKat">Post Category ID</label>
        <select class="form-control" name="postKat">
                <?php $query1="SELECT * FROM kategorije";</pre>
                $rezultat=$konekcija->query($query1);
                foreach($rezultat as $i):?>
                    <option value="<?=$i['idKat'] ?>"><?=$i['naslovKat'] ?></option>
                <?php endforeach;?>
        </select>
        <!-- <input type="text" class="form-control" name="postKat"> -->
    </div>
    <div class="form-group">
        <label for="autor">Post Author</label>
        <input type="text" class="form-control" name="autor">
    </div>
    <div class="form-group">
        <label for="slika">Post Image</label>
        <input type="file" class="form-control" name="slika">
    </div>
    <div class="form-group">
        <label for="tag">Post Tags</label>
        <input type="text" class="form-control" name="tag">
    <div class="form-group">
```

3.2.3 kategorije.php

```
<?php
session_start();
if(!isset($_SESSION['korisnik']) || $_SESSION['korisnik']['imeUloga']=='korisnik'){
    header("Location:403.php");
ob_start();
<!DOCTYPE html>
<html lang="en">
<?php require once("require/headerAdmin.php");</pre>
require_once("require/funkcijeAdmin.php");
<body>
    <div class="wrapper d-flex align-items-stretch adminPanel">
        <?php require_once("require/navigacijaAdmin.php");?>
        <div class="container">
        <!-- Page Heading -->
            <div class="row">
                <div class="col-lg-12">
                    <h2 class="mb-4">Categories</h2>
                </div>
            </div>
            <div class="row">
                <div class="col-lg-4">
                <?php
```

```
if(isset($_SESSION['greska'])){
                      echo "<h4 class='mb-2'>" . $_SESSION['greska'] . "</h4>";
                      unset($_SESSION['greska']);
              <form action="require/insertKat.php" method="post">
                  <div class="form-group">
                      <label for="naslov">Add Category</label>
                      <input type="text" class="form-control" name="naslovKat">
                  <div class="form-group">
                     <input class="btn btn-</pre>
danger" type="submit" name="submitKat" value="Add Category">
                  </div>
              </form>
              <form action="" method="post">
                      <div class="form-group">
                         <label for="naslov">Edit Category</label>
                         <?php updateKat(); ?>
                      <div class="form-group">
                         <input class="btn btn-</pre>
danger" type="submit" name="updateKat" value="Edit Category">
                     </div>
              </form>
              </div>
          </div>
           <div class="col-lg-6 mx-auto">
          <thead>
                  Id
                     Category Title
                     Edit
                      Delete
                  </thead>
              <?php
                     prikaziSveKat();
                     deleteKat();
              </div>
```

3.2.4 komentariAdmin.php

```
<?php
session start();
if(!isset($_SESSION['korisnik']) || $_SESSION['korisnik']['imeUloga']=='korisnik'){
   header("Location:403.php");
ob start();
<!DOCTYPE html>
<html lang="en">
<?php require_once("require/headerAdmin.php");</pre>
require_once("require/funkcijeAdmin.php");
<body>
<div class="wrapper d-flex align-items-stretch adminPanel">
       <?php require_once("require/navigacijaAdmin.php");?>
      <div class="container">
      <!-- Page Heading -->
          <div class="row">
             <div class="col-lg-12">
                 <h2 class="mb-4">Comments</h2>
             </div>
             <div class="col-lg-12 col-11 table-responsive mx-auto tabele">
             <thead>
                 Id
                    Author
                    Comment
                    Email
                    Status
                    Date
                    Response
                    Approve
                    Unapprove
```

```
Delete
                 </thead>
              <?php
                 $query="SELECT * FROM komentari INNER JOIN postovi ON komentari.postId
=postovi.idPost";
                 $rezultat=$konekcija->query($query);
                 <?php foreach($rezultat as $i):?>
                   <?php $idKom=$i['idKomentar'];?>
                     <\td><\?=\$i['idKomentar']?>
                     <?=$i['komentarAutor']?>
                     <?=$i['komentarTekst']?>
                     <?=$i['komentarEmail']?>
                     <?=$i['komentarStatus']?>
                     <?=$i['komentarDatum']?>
                     <a href="komentariAdmin.php?approve<<?=$idKom?>">Approve</a></
                     <a href="komentariAdmin.php?unapprove=<?=$idKom?>">Unapprove</
a>
                     <a href="komentariAdmin.php?delete=<?=$idKom?>">Delete</a></td
                 <?php endforeach;?>
                 <?php
                     if(isset($_GET['delete'])){
                     $delete = $ GET['delete'];
                     $queryKomentarDelete="DELETE FROM komentari WHERE idKomentar=$dele
te";
                     $rezultatKomentarDelete=$konekcija->query($queryKomentarDelete);
                     header("Location: komentariAdmin.php");
                 }?>
                 <?php
                     if(isset($_GET['unapprove'])){
                     $unapprove = $_GET['unapprove'];
                     $queryKomentarUnapprove="UPDATE komentari SET komentarStatus='Unap
proved' WHERE idKomentar=$unapprove";
                     $rezultatKomentarUnapprove=$konekcija-
>exec($queryKomentarUnapprove);
                     header("Location: komentariAdmin.php");
```

```
}?>
                     <?php
                        if(isset($ GET['approve'])){
                        $approve = $ GET['approve'];
                        $queryKomentarApprove="UPDATE komentari SET komentarStatus='Approv
ed' WHERE idKomentar=$approve";
                        $rezultatKomentarApprove=$konekcija->exec($queryKomentarApprove);
                        header("Location: komentariAdmin.php");
                    }?>
                </div>
                <?php if (isset($_GET['edit'])):?>
                    <?php
                    $editId=$_GET['edit'];
                    // echo $editId;
                    $queryEdit = "SELECT * FROM postovi WHERE idPost=$editId";
                    $rezultatEdit = mysqli_query($konekcija, $queryEdit);
                    <?php while($row = mysqli fetch assoc($rezultatEdit)){</pre>
                        $postNaslov=$row['naslovPost'];
                        $autorIme=$row['autorPost'];
                        $status=$row['status'];
                        $tag=$row['tagPost'];
                        $tekst=$row['tekst'];
                        $idImg=$row['idImgPost'];
                    }?>
               <div class="col-lg-6 col-11 table-responsive mr-auto">
               <h2 class="mt-5 mb-4">Edit Post</h2>
                  <form action="" method="post" enctype="multipart/form-data">
                  <div class="form-group">
                      <label for="naslov">Post Title</label>
                      <input type="text" class="form-</pre>
control" name="naslov" value="<?=$postNaslov ?>">
                  </div>
                  <div class="form-group">
                      <label for="postKat">Post Category ID</label>
                      <select class="form-control" name="postKat">
                              <?php $query1="SELECT * FROM kategorije";</pre>
                              $rezultat=mysqli_query($konekcija,$query1);
                              while($row=mysqli_fetch_assoc($rezultat)):?>
                                   <option value="<?=$row['idKat'] ?>"><?=$row['naslovKat']</pre>
 ?></option>
                              <?php endwhile;?>
                      </select>
                  </div>
                  <div class="form-group">
```

```
<label for="autor">Post Author</label>
                       <input type="text" class="form-</pre>
control" name="autor" value="<?= $autorIme ?>">
                  </div>
                  <div class="form-group">
                      <label for="status">Post Status</label>
                       <input type="text" class="form-</pre>
control" name="status" value="<?= $status ?>">
                  </div>
                  <div class="form-group">
                      <label for="slika">Post Image</label>
                      <img src=""/>
                       <input type="file" class="form-control" name="slika" >
                  </div>
                  <div class="form-group">
                       <label for="tag">Post Tags</label>
                      <input type="text" class="form-</pre>
control" name="tag" value="<?= $tag ?>">
                  </div>
                  <div class="form-group">
                      <label for="tekst">Post Content</label>
                       <textarea class="form-control" name="tekst" ><?=$tekst?></textarea>
                  </div>
                  <div class="form-group">
                      <input type="submit" class="btn btn-</pre>
danger" name="editPost" value="Publish">
                  </div>
              </form>
              </div>
              <?php if (isset($_POST['editPost'])){</pre>
                     $naslov=$_POST['naslov'];
                     $postKat=$_POST['postKat'];
                     $autor=$_POST['autor'];
                     $status=$_POST['status'];
                     $tag=$_POST['tag'];
                     $tekst=$_POST['tekst'];
                     $datum = date('d-m-y');
                    $slika=$_FILES['slika']['name'];
                         $temp_slika = $_FILES['slika']['tmp_name'];
                        if(isset($slika) and !empty($slika)){
                             $location = '../img/';
                             if(move_uploaded_file($temp_slika, $location.$slika)){
                                 echo 'File uploaded successfully';
```

```
} else {
                            echo 'You should select a file to upload !!';
                        $queryImgPost="UPDATE imgpostovi i INNER JOIN postovi p ON i.idImg
Post = p.idImgPost SET srcPost='$slika' WHERE i.idImgPost = $idImg";
                        if (mysqli_query($konekcija, $queryImgPost)) {
                            $last_id = mysqli_insert_id($konekcija);
                            $queryUpdate = "UPDATE postovi SET naslovPost = '$naslov', aut
orPost = '$autor', status='$status', datumPost=now(), tagPost='$tag', tekst='$tekst', id
Kat=$postKat WHERE idPost = $editId";
                    // $queryUpdate = "UPDATE postovi SET naslovPost = '$naslov', autorPos
t = '$autor', status='$status', datumPost=now(), tagPost='$tag', tekst='$tekst', idKat=$
postKat WHERE idPost = $editId";
                    // $queryUpdate = "UPDATE kategorije SET naslovKat = 'Telefoni' WHERE
idKat = $editId";
                    $rezultatImgPost = mysqli_query($konekcija,$queryImgPost);
                    $rezultatUpdate = mysqli_query($konekcija,$queryUpdate);
                    header("Location:postovi.php");
                }?>
                <?php endif;?>
            </div>
        </div>
    </div>
    <script src="js/jquery.min.js"></script>
    <script src="js/popper.js"></script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/main.js"></script>
  </body>
</html>
```

3.2.5 users.php

```
<?php
session_start();
if(!isset($_SESSION['korisnik']) || $_SESSION['korisnik']['imeUloga']!='admin'){
    header("Location:403.php");
}
ob_start();
?>
<!DOCTYPE html>
<html lang="en">
<?php require_once("require/headerAdmin.php");
require_once("require/funkcijeAdmin.php");</pre>
```

```
<body>
<div class="wrapper d-flex align-items-stretch adminPanel">
      <?php require once("require/navigacijaAdmin.php");?>
      <div class="container">
      <!-- Page Heading -->
         <div class="row">
            <div class="col-lg-12">
                <h2 class="mb-4">Users</h2>
            </div>
            <div class="col-lg-12 col-11 table-responsive mx-auto tabele">
            Id
                   Profile
                   Username
                   Firstname
                   Lastname
                   Email
                   Role
                   Date
                   Edit
                   Delete
                </thead>
            <?php
                $query="SELECT * FROM users u INNER JOIN uloge ul on u.idUloga=ul.idUl
oga INNER JOIN userimg ui ON u.idUserImg=ui.idUserImg";
                $rezultat = $konekcija->query($query);
                <?php foreach($rezultat as $i):?>
                   <?php $idUser=$i['idUser']?>
                <?=$i['idUser']?>
                   <img src="../img/<?=$i['srcUser']?>" class="img-
fluid slikaUserTabela">
                   <\td><\!ref{td}</td>
                   <?=$i['ime']?>
                   <?=$i['prezime']?>
                   <?=$i['email']?>
                   <?=$i['imeUloga']?>
                   <?=$i['datumRegister']?>
                   <a href="users.php?edit=<?=$idUser?>">Edit</a>
```

```
<a href="users.php?delete=<?=$idUser?>">Delete</a>
                    <?php endforeach;?>
                    <div class="row">
                        <div class="col-lg-4">
                        <form action="" method="post">
                            <div class="form-group">
                                 <label for="naslov">Edit User Role</label>
                                 <?php if(isset($_GET['edit'])){</pre>
                                     $idUser=$ GET['edit'];?>
                                     <?php
                                         $queryEdit = "SELECT * FROM users INNER JOIN uloge
 ON users.idUloga=uloge.idUloga WHERE idUser = $idUser";
                                         $rezultatEdit = $konekcija->query($queryEdit)-
>fetch();
                                         <?php $role= $rezultatEdit['imeUloga'];?>
                                         <select class="form-control mb-3" name="uloga">
                                             <?php $query="SELECT * FROM uloge";</pre>
                                                 $rezultat=$konekcija->query($query);
                                                 foreach($rezultat as $i):?>
                                                     <option value="<?=$i['idUloga'] ?>"><?</pre>
=$i['imeUloga'] ?></option>
                                                 <?php endforeach;?>
                                             </select>
                                         <?php
                                         if(isset($_POST['updateUser'])){
                                             $uloga=$_POST['uloga'];
                                             $updateUser = $_POST['updateUser'];
                                             $queryUpdate = "UPDATE users SET idUloga=$ulog
a WHERE idUser = $idUser";
                                             $rezultatUpdate = $konekcija-
>exec($queryUpdate);
                                             header("Location:users.php");
                                         <?php } ?>
                            <div class="form-group">
                                 <input class="btn btn-</pre>
danger" type="submit" name="updateUser" value="Edit Role">
                            </div>
                        </form>
                        </div>
                    </div>
```

```
<?php
                       if(isset($_GET['delete'])){
                       $delete = $_GET['delete'];
                       $query="DELETE FROM users WHERE idUser = $delete";
                       $obrisiPost =$konekcija->exec($query);
                       header("Location:users.php");
                   }?>
               </div>
           </div>
       </div>
   </div>
   <script src="js/jquery.min.js"></script>
   <script src="js/popper.js"></script>
   <script src="js/bootstrap.min.js"></script>
   <script src="js/main.js"></script>
 </body>
</html>
```

3.2.6 insertUser.php

```
<?php
session_start();
if(!isset($_SESSION['korisnik']) || $_SESSION['korisnik']['imeUloga']!='admin'){
    header("Location:403.php");
ob start();
<!DOCTYPE html>
<html lang="en">
<?php require_once("require/headerAdmin.php");</pre>
// require_once("require/funkcijeAdmin.php");
<body>
<div class="wrapper d-flex align-items-stretch adminPanel">
        <?php require once("require/navigacijaAdmin.php");?>
        <div class="container">
        <!-- Page Heading -->
            <div class="row">
                <div class="col-lg-12">
                    <!-- <h2 class="mb-4">Add Post</h2> -->
                <div class="col-lg-6 col-11 table-responsive mr-auto">
                <?php
```

```
if(isset($ POST['insertUser'])){
                        $ime=$ POST['ime'];
                        $prezime=$_POST['prezime'];
                        $username=$ POST['username'];
                        $ulogaId=$_POST['uloga'];
                        $email=$_POST['email'];
                        $password=$_POST['password'];
                       $lozinka=md5($password);
                        $slika=$ FILES['slika']['name'];
                        $temp_slika = $_FILES['slika']['tmp_name'];
                        if(isset($slika) and !empty($slika)){
                            $location = '../img/';
                            if(move_uploaded_file($temp_slika, $location.$slika)){
                                echo 'File uploaded successfully';
                        } else {
                            echo 'You should select a file to upload !!';
                        // $queryNaslovKat = "INSERT INTO kategorije (naslovKat) VALUES ('
$postKat')";
                        $queryImgPost="INSERT INTO userimg (srcUser,altUser) VALUES ('$sli
ka','User Profile Picture')";
                        if ($konekcija->query($queryImgPost)) {
                            $last_id = $konekcija->lastInsertId();
                            $query="INSERT INTO users VALUES (NULL, '$ime', '$prezime', '$use
rname','$email','$lozinka',now(),$ulogaId,$last_id)";
                        $rezultatImgPost = $konekcija->exec($queryImgPost);
                        $rezultat = $konekcija->exec($query);
       <h2 class="mb-4">Add Usser</h2>
        <form action="" method="post" enctype="multipart/form-data">
            <div class="form-group">
                <label for="ime">First Name</label>
                <input type="text" class="form-control" name="ime">
            </div>
            <div class="form-group">
                <label for="prezime">Last Name</label>
```

```
<input type="text" class="form-control" name="prezime">
            </div>
            <div class="form-group">
                <label for="uloga">Role</label>
                <select class="form-control" name="uloga">
                    <?php $query1="SELECT * FROM uloge";</pre>
                    $rezultat=$konekcija->query($query1);
                    foreach($rezultat as $i):?>
                        <option value="<?=$i['idUloga'] ?>"><?=$i['imeUloga'] ?></option>
                    <?php endforeach;?>
                 </select>
            </div>
            <div class="form-group">
                <label for="username">Username</label>
                <input type="text" class="form-control" name="username">
            <div class="form-group">
                <label for="email">Email</label>
                <input type="text" class="form-control" name="email">
            </div>
            <div class="form-group">
                <label for="password">Password</label>
                <input type="password" class="form-control" name="password">
            </div>
            <div class="form-group">
                <label for="slika">Profile Image</label>
                <input type="file" class="form-control" name="slika">
            </div>
            <div class="form-group">
                <input type="submit" class="btn btn-</pre>
danger" name="insertUser" value="Publish">
            </div>
        </form>
</div>
        </div>
    </div>
    <script src="js/jquery.min.js"></script>
    <script src="js/popper.js"></script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/main.js"></script>
  </body>
 /html>
```

3.3.7 require

3.3.7.1 headerAdmin.php

```
<?php require_once("../php_require/konekcija.php");?>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="admin panel">
    <meta name="author" content="Nikola 78/18">
    <title>TechNews AdminPanel</title>
    <link rel="stylesheet" type="text/css" href="../css/style.css"/>
    <link href="https://fonts.googleapis.com/css?family=Poppins:300,400,500,600,700,800,90</pre>
0" rel="stylesheet">
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" href="css/stil.css">
    <link rel="stylesheet" href="css/style.css">
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.8.2/css/all.css"/</pre>
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bo</pre>
otstrap.min.css" integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh" crossorigin="anonymous">
</head>
```

3.3.7.2 navigacijaAdmin.php

```
<nav id="sidebar">
              <div class="p-4 pt-5">
              <!-- <a href="#" class="img logo rounded-circle mb-5" style="background-
image: url(images/logo.jpg);"></a> -->
          <1i>>
                     <a href="javascript:;" data-toggle="collapse" data-</pre>
target="#demo"><i class="fas fa-arrows-alt-v"></i> Posts <i class="fa fa-fw fa-caret-
down"></i>></a>
                     ul id="demo" class="collapse">
                         <1i>>
                            <a href="postovi.php">View All Posts</a>
                         <1i>>
                             <a href="insertPost.php">Add Posts</a>
                         class="">
```

```
<a href="kategorije.php"><i class="fa fa-fw fa-</pre>
file"></i> Categories</a>
                  class="">
                      <a href="komentariAdmin.php"><i class="fas fa-</pre>
comment"></i> Comments</a>
                  <?php if (isset($_SESSION['korisnik']) && $_SESSION['korisnik']['imeUl</pre>
oga']=='admin'):?>
                      <1i>>
                      <a href="javascript:;" data-toggle="collapse" data-</pre>
target="#demo1"><i class="fas fa-arrows-alt-v"></i> Users <i class="fa fa-fw fa-caret-
down"></i>></a>
                      <a href="users.php">View All Users</a>
                          <
                              <a href="insertUser.php">Add User</a>
                          <?php endif;?>
           </div>
       </nav>
     <div id="content" class="">
       <nav class="navbar navbar-expand-lg navbar-light bg-light">
         <div class="container-fluid">
           <button type="button" id="sidebarCollapse" class="btn btn-primary">
             <i class="fa fa-bars"></i></i>
             <span class="sr-only">Toggle Menu</span>
           </button>
           <button class="btn btn-dark d-inline-block d-lg-none ml-</pre>
auto" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
              <i class="fa fa-bars"></i></i>
           </hutton>
           <div class="collapse navbar-collapse" id="navbarSupportedContent">
             <a href="../index.php">Home</a>
```

3.3.7.3 insertKat.php

3.3.7.4 funkcijeAdmin.php

```
<?php
    require_once("../php_require/konekcija.php");
?>
<?php
function prikaziSveKat(){

    global $konekcija;
    $query = "SELECT * FROM kategorije";
    $rezultat =$konekcija->query($query)->fetchAll();
    ?>

        <?php foreach($rezultat as $i):?>
        <?php $idKat= $i['idKat']?>
```

```
<?=$idKat?>
           <?=$i['naslovKat']?>
           <a href="kategorije.php?delete=<?=$idKat?>">Delete</a>
           <a href="kategorije.php?edit=<?=$idKat?>">Edit</a>
       <?php endforeach;?>
   <?php } ?>
<?php
   function deleteKat(){
       global $konekcija;
       if(isset($_GET['delete'])){
           $delete = $ GET['delete'];
           $query="DELETE FROM kategorije WHERE idKat = $delete";
           $konekcija->exec($query);
   }
   function updateKat(){
       global $konekcija;
       if(isset($_GET['edit'])){
           $idKat=$_GET['edit'];?>
           $queryEdit = "SELECT * FROM kategorije WHERE idKat = $idKat";
           $rezultatEdit = $konekcija->query($queryEdit)->fetch();
           <?php $naslovKat= $rezultatEdit['naslovKat'];?>
            <input type="text" class="form-control mb-</pre>
4" name="naslovKat" value="<?= $naslovKat ?>">
      <?php }?>
      <?php
           if(isset($_POST['updateKat'])){
               $naslovKat = $_POST['naslovKat'];
               $queryUpdate = "UPDATE kategorije SET naslovKat = '$naslovKat' WHERE idKat
= $idKat";
               $rezultatUpdate = $konekcija->exec($queryUpdate);
               header("Location:kategorije.php");
           }
   }
```

3.3 CSS

3.3.1 style.css

```
padding:0px;
    margin:0px;
    scroll-behavior: smooth;
hr{
    margin: 30px 0px!important;
nav ul li{
    margin-right: 20px;
.navbar-toggler{
    border:0px!important;
.navbar-light .navbar-nav .nav-link {
    color: rgba(0,0,0,1)!important;
h1{
    margin:80px 0px!important;
.dugme{
    border-radius: 0px!important;
    transition:.3s ease;
    border:1px solid #007bff!important;
.dugme:hover{
    color:#fff!important;
    background:#007bff;;
}
.desniBlok h4{
    background:#2B2B2B;
    color:#fff;
    text-align: center;
    padding:10px 0px;
    font-size:1em;
.searchIcon{
    border-radius: 0px 5px 5px 0px!important;
.kategorije li{
    padding:5px 10px;
    font-size:1.2em;
    transition: .3s ease;
.kategorije li a:hover{
```

```
text-decoration: none;
.blogTekst{
    font-size:1.15em;
#pagination i{
    font-size:1.4em;
footer{
    margin-top:50px;
    padding-top: 30px;
    padding-bottom: 20px;
    /* border-top:1px solid rgba(43, 43, 43,0.2); */
    background:#f8f9fa;
.icons{
    font-size:1.5em;
.icons i{
    padding:7px;
    color:#2B2B2B;
    /* background:#2B2B2B; */
    transition:.3s ease;
    border:1px solid #2B2B2B;
.icons i:hover{
    background: #2B2B2B;
    color:#fff;
.backToTop a{
    position: fixed;
    right: 30px;
    bottom:70px;
    border:1px solid #2b2b2b;
    padding:5px 10px;
    transition:.3s ease;
    display: none;
.backToTop a:hover{
    background: #2b2b2b;
    color:#fff;
/* REGISTER */
#register_login{
    background:url(../img/blogRegister.jpg);
    background-size:cover;
    background-repeat: no-repeat;
    height: 100vh;
```

```
background-position: center;
.profilna{
    font-size:3em;
    padding-top:20%;
#pagination ul{
    list-style: none;
#pagination ul li{
    margin:0px 5px;
    font-size:18px;
@media screen and (max-width: 400px) {
    .kategorije{
        text-align: center;
    footer{
        text-align:center;
    nav ul{
        margin-top:20px;
        text-align: left;
    nav ul li{
        margin-bottom: 15px;
    }
    h1{
        margin:40px 0px!important;
        font-size:2em!important;
        width:300px;
        margin-left: 20px!important;
    header{
      background:url(../img/register1.jpg);
  .profilna{
      height: inherit;
      background:none;
  .naslov{
        font-size:2em;
  .profilna h2{
      color:#fff;
      font-size:2.2em;
      margin-top:15%;
  .zaManjeEkrane{
    display: none;
```

}

3.3.2 stil.css (css za adminPanel)

```
.adminPanel{
    height: 100vh;
}
.trenutnaPozicija li{
    list-style: none;
}
.slikaPostTabela{
    width:100px;
}
.tekstKomentar{
    min-width:250px;
}
.slikaUserTabela{
    width:50px;
}
.tabele{
    height:600px;
}
@media screen and (max-width: 400px) {
    .tabele{
        height:400px;
    }
}
```

3.4 JavaScript

3.4.1 main.js

```
$(".ham").toggleClass("hamClick");
  });
  console.log("navigacija");
function proveraRegistracija(){
    let ime=document.getElementById("ime").value;
   let prezime=document.getElementById("prezime").value;
   let email=document.getElementById("email").value;
    let username = document.getElementById("username").value;
   let lozinka=document.getElementById("lozinka").value;
    let lozinkaPotvrdi=document.getElementById("lozinkaPotvrdi").value;
   let greska=document.getElementsByClassName("greskaKontakt");
   let regExpIme=/^[A-Z][a-z]{2,24}$/;
    let regExpPrezime=/^[A-Z][a-z]{2,24}$/;
   let regExpEmail=/^\w+((\,|\-|\_)?\w+)*@\w{2,6}\.\w{2,3}$/;
   let regExpPass=/^.{5,60}$/;
    let regExpUsername=/^.{5,50}$/;
   let greske=[];
    if(!regExpIme.test(ime)){
        greska[0].innerHTML="First letter must be uppercase, max 25 characters *";
        greske.push(1);
    if(!regExpPrezime.test(prezime)){
        greska[1].innerHTML="First letter must be uppercase, max 25 characters *";
        greske.push(2);
    if(!regExpEmail.test(email)){
        greska[2].innerHTML="Invalid email address*";
        greske.push(3);
    }
    if(!regExpUsername.test(username)){
        greska[3].innerHTML="Username must have 5 charackters";
        greske.push(4);
    if(!regExpPass.test(lozinka)){
        greska[4].innerHTML="Password must have 5 charackters*";
        greske.push(5);
    if(lozinka!=lozinkaPotvrdi){
        greska[5].innerHTML="Passwords do not match *";
        greske.push(6);
    if(greske.length){
        return false;
    else{
```

```
return true;
function proveraLogin(){
let username=document.getElementById("usernameLog").value;
let pass=document.getElementById("passLog").value;
let greska=document.getElementsByClassName("greskaKontakt");
let regExpUsername=/^.{5,50}$/;
let regExpPass=/^.{5,60}$/;
let greske=[];
if(!regExpUsername.test(username)){
    greska[0].innerHTML="Enter valid username format (min 5 / max 60 characters)"
    greske.push(1);
if(!regExpPass.test(pass)){
    greska[1].innerHTML="Enter valid password format (min 5 / max 50 characters)"
    greske.push(2);
if(greske.length){
    return false;
else{
    return true;
if(url.indexOf("contact.php")!=-1){
    function proveraKontaktForma(){
        let ime=document.getElementById("ime").value;
        let prezime=document.getElementById("prezime").value;
        let email=document.getElementById("email").value;
        let comment=document.getElementById("comment").value;
        let greska=document.getElementsByClassName("greskaKontakt");
        let forma=document.getElementById("kontaktForma");
        let regIme=/^[A-Z][a-z]{2,19}$/;
        let regPrezime=/^[A-Z][a-z]{2,20}$/;
        let regEmail=/^\w+((\,|\-|\_)?\w+)*@\w{2,6}\.\w{2,3}$/;
        let greske =[];
       if(!ime.match(regIme)){
            greska[0].innerHTML="First letter must be uppercase, max 20 characters *";
            greske.push("1");
       if(!prezime.match(regPrezime)){
```

```
greska[1].innerHTML="First letter must be uppercase, max 20 characters *";
     greske.push("2");
if(!email.match(regEmail)){
     greska[2].innerHTML="Invalid email address*";
     greske.push("3");
 if(comment.length<15){</pre>
     greska[3].innerHTML="Min 15 characters *";
 if(comment.length>200){
     greska[4].innerHTML="Max 200 characters *";
     greske.push("4");
 if(greske.length){
     return false;
 else{
    alert("You successfully sent us a message");
    // forma.reset();
    return true;
```