## **API-DOCUMENT**


#### 登录注册界面

```
Client (Frontend)
                        Server (Backend)
x-www-form-urlencoded: username=&password=
         alt username exists ]
   json: {"code":2,"msg":"用户名已存在"}
        [|username doesn't exist|]
     json: {"code":0,"msg":"注册成功"}
        注册请求以及响应 URL: user/signup/
x-www-form-urlencoded: username=&password=
      [ authenticate user success ]
 json: { "code":1,"msg":"用户名或密码错误"}
        [ authenticate user fail ]
     json: {"code":0,"msg":"登录成功"}
        <mark>登录请求以及响应 URL: user/logi</mark>n/
Client (Frontend)
                        Server (Backend)
```

# 题目界面

```
Client (Frontend)
                         Server (Backend)
   x-www-form-urlencoded: questiontag=
json:{"code":0,"msg":"题目列表","data":{..}}
         <mark>根据 Tag 请求列表 URL: questio</mark>n/lst
    x-www+form-urlencoded: questionid=
json:{"code":0,"msg":"题目信息","data":{..}}
        根据 id 请求题目 URL: question/msg
       x-www-form-urlencoded: flag=
         a]{ check_flag True ]
    json: [{"code":0,"msg":"Flag 正确"}
           [ check_flag False ]
    json: {"code":3,"msg":"Flag 错误"}
        提交 Flag URL: question/flag
 Client (Frontend)
                         Server (Backend)
```

## 用户信息



```
查看战队信息 URL: user/team_info
     x-www-form-urlencoded: username=
json:{"code":0,"msg":"用户信息","data":{..}}
        查找用户信息 URL: user/search_user
     x-www-form-urlencoded: teammame=
json:{"code":0,"msg":"战队信息","data":{..}}
        查找战队信息 URL: user/search_team
     x-www-form-urlencoded: teamname=
        [ateamname doesn't exist]
     json: {"code":0,"msg":"创建成功"}
           [ teamname exists ]
   json: {"code":4,"msg":"战队名已存在"}
        创建战队 URL: user/create_team
     x-www-form-urlencoded: teamname=
        [ateamname doesn't exist]
   json: {"code":5,"msg":"战队名不存在"}
           [ teamname exists ]
  json: { "code":0,"msg":"加入邀请已发送"}
        加入战队 URL: user/join_team
 Client (Frontend)
                        Server (Backend)
```

## 排行榜

