File2 - MCQ

- 21. When implementing linear regression of some dependent variable y on the set of independent variables $\mathbf{x} = (x_1, ..., x_r)$, where r is the number of predictors, which of the following statements will be true?
 - a) β_0 , β_1 , ..., β_r are the regression coefficients.
 - b) Linear regression is about determining the best predicted weights by using the method of ordinary least squares.
 - c) E is the random interval
 - d) Both and b

Ans: a) β_0 , β_1 , ..., β_r are the regression coefficients.


- b) Linear regression is about determining the best predicted weights by using the method of ordinary least squares.
- 22. What indicates that you have a perfect fit in linear regression?
 - a) The value $R^2 < 1$, which corresponds to SSR = 0
 - b) The value $R^2 = 0$, which corresponds to SSR = 1
 - c) The value $R^2 > 0$, which corresponds to SSR = 1
 - d) The value $R^2 = 1$, which corresponds to SSR = 0

Ans: d) The value $R^2 = 1$, which corresponds to SSR = 0

- 23. In simple linear regression, the value of what shows the point where the estimated regression line crosses the *y* axis?
 - a) Y
 - b) B0
 - c) B1
 - d) F

Ans: d) F

24. Check out these four linear regression plots:



underfitted model?

- a) The bottom-left plot
- b) The top-right plot
- c) The bottom-right plot
- d) The top-left plot

Ans: c) The bottom-right plot

- 25. There are five basic steps when you're implementing linear regression:
 - a. Check the results of model fitting to know whether the model is satisfactory.
 - b. Provide data to work with, and eventually do appropriate transformations.
 - c. Apply the model for predictions.
 - d. Import the packages and classes that you need.
 - e. Create a regression model and fit it. with existing data

However, those steps are currently listed in the wrong order. What's the correct order?

- a) e, c, a, b, d
- b) e, d, b, a, c
- c) d, e, c, b, a
- d) d, b, e, a, c

Ans: d) d, b, e, a, c

	a) Fit b) fit_intercept c) normalize d) copy_X e) n_jobs f) reshape Ans: b) fit_intercept c) normalize d) copy_X e) n_jobs
27.	While working with scikit-learn, in which type of regression do you need to transform the array of inputs to include nonlinear terms such as x^2 ? a) Multiple linear regression
	b) Simple linear regression c) Polynomial regression
	Ans: c) Polynomial regression
28.	You should choose stats models over scikit-learn when:
	a) You want graphical representations of your data.b) You're working with nonlinear terms.c) You need more detailed results.d) You need to include optional parameters
	Ans: c) You need more detailed results.
	is a fundamental package for scientific computing with Python. It offers comprehensive mathematical functions, random number generators, linear algebra routines, Fourier transforms, and more. It provides a high-level syntax that makes it accessible and productive.
l (a) Pandas b) Numpy c) Statsmodel d) scipy
1	Ans: b) Numpy

26. Which of the following are optional parameters to LinearRegression in scikit-learn?

- 30. ______ is a Python data visualization library based on Matplotlib. It provides a high level interface for drawing attractive and informative statistical graphics that allow you to explore and understand your data. It integrates closely with pandas data structures.
 - a) Bokeh
 - b) Seaborn
 - c) Matplotlib
 - d) Dash

Ans: b) Seaborn