
Практическое занятие №1

Установка инструментария и настройка среды разработки мобильных приложений. Настройка режима терминала.

Система: MacOS 15.6



```
⌥⌘2                    ~/D/programming-of-corporate-systems

…  ~/Dow/programming-of-corporate-systems  practice-1  docker-desktop
❯ flutter devices
Found 2 connected devices:
  macOS (desktop) • macos  • darwin-arm64   • macOS 15.6 24G84 darwin-arm64
  Chrome (web)    • chrome • web-javascript • Google Chrome 139.0.7258.128

No wireless devices were found.

Run "flutter emulators" to list and start any available device emulators.


If you expected another device to be detected, please run "flutter doctor" to
diagnose potential issues. You may also try increasing the time to wait for
connected devices with the "--device-timeout" flag. Visit
https://flutter.dev/setup/ for troubleshooting tips.
…ow/programming-of-corporate-systems  practice-1  5s  docker-desktop
❯ flutter emulators
3 available emulators:


Id                          • Name                       • Manufacturer • Platform


apple_ios_simulator         • iOS Simulator              • Apple        • ios
Pixel_3a_API_33_arm64-v8a   • Pixel_3a_API_33_arm64-v8a  • Google       • android
Pixel_9_Pro                 • Pixel 9 Pro                • Google       • android

To run an emulator, run 'flutter emulators --launch <emulator id>'.
To create a new emulator, run 'flutter emulators --create [--name xyz]'.

You can find more information on managing emulators at the links below:
  https://developer.android.com/studio/run/managing-avds
  https://developer.android.com/studio/command-line/avdmanager
…  ~/Dow/programming-of-corporate-systems  practice-1  docker-desktop
❯
```




main.dart > MyApp > build
class MyApp extends StatelessWidget {
const MyApp({super.key});
// This widget is the root of your application.
flutter run ~/D/p/flutter_application_1
R Hot restart.
h List all available interactive commands.
d Detach (terminate "flutter run" but leave application running).
c Clear the screen
q Quit (terminate the application on the device).
A Dart VM Service on sdk gphone64 arm64 is available at:
http://127.0.0.1:53268/xO2bSjJKilQ=/
The Flutter DevTools debugger and profiler on sdk gphone64 arm64 is available at: http://127.0.0.1:9101?uri=http://127.0.0.1:53268/xO2bSjJKilQ=/
I/Choreographer(5579): Skipped 38 frames! The application may be doing too much work on its main thread.
I/WindowExtensionsImpl(5579): Initializing Window Extensions, vendor API level=9, activity embedding enabled=true
I/r_application_1(5579): Compiler allocated 5111KB to compile void android.view.ViewRootImpl.performTraversals()
D/WindowLayoutComponentImpl(5579): Register WindowLayoutInfoListener on Context=com.example.flutter_application_1.MainActivity@fe5f017, of which baseContext=android.app.ContextImpl@62173e9
D/InsetsController(5579): hide(ime(), fromIme=false)
I/ImeTracker(5579): com.example.flutter_application_1:73a2afd6: onCancelled at PHASE_CLIENT_ALREADY_HIDDEN
D/ProfileInstaller(5579): Installing profile for com.example.flutter_application_1
// restart instead.
//
// This works for code too, not just values: Most code changes can be
// tested with just a hot reload.
colorScheme: ColorScheme.fromSeed(seedColor: Colors.deepPurple),
), // ThemeData
home: const MyHomePage(title: 'Калинин Никита ЭФБО-09-23'),
); // MaterialApp
}
Калинин Никита ЭФБО-09-23
You have pushed the button this many times:
0


~/D/p/flutter_application_1
…e-systems/flutter_application_1 git practice-1 ?1 32s docker-desktop
flutter build apk
Resolving dependencies...
Downloading packages...
characters 1.4.0 (1.4.1 available)
flutter_lints 5.0.0 (6.0.0 available)
lints 5.1.1 (6.0.0 available)
material_color_utilities 0.11.1 (0.13.0 available)
meta 1.16.0 (1.17.0 available)
test_api 0.7.6 (0.7.7 available)
Got dependencies!
6 packages have newer versions incompatible with dependency constraints.
Try `flutter pub outdated` for more information.
Font asset "MaterialIcons-Regular.otf" was tree-shaken, reducing it from 1645184 to 1368 bytes (99.9% reduction). Tree-shaking can be disabled by providing the --no-tree-shake-icons flag when building your app.
Running Gradle task 'assembleRelease'... 35.5s
✓ Built build/app/outputs/flutter-apk/app-release.apk (41.3MB)
…e-systems/flutter_application_1 git practice-1 ?1 36s docker-desktop
ls
analysis_options.yaml ios pubspec.lock web
android lib pubspec.yaml windows
build linux README.md
flutter_application_1.iml macos test
…corporate-systems/flutter_application_1 git practice-1 ?1 docker-desktop
ls build/app/outputs/flutter-apk/
app-debug.apk app-release.apk
app-debug.apk.sha1 app-release.apk.sha1
…corporate-systems/flutter_application_1 git practice-1 ?1 docker-desktop