

Table: comments		
Column	Data type	Constraints
id	INTEGER	•PRIMARY KEY AUTOINCREMENT
paper_id	INTEGER	•NOT NULL •REFERENCES papers (id) ON DELETE CASCADE
author_id	INTEGER	•NOT NULL •REFERENCES users (id) ON DELETE RESTRICT
parent_comment_id	INTEGER	•REFERENCES comments (id) ON DELETE CASCADE
body	TEXT	•NOT NULL
created_at	TEXT	•NOT NULL •DEFAULT (strftime('%Y-%m-%dT%H:%M:%SZ','now'))

Table: events		
Column	Data type	Constraints
id	INTEGER	•PRIMARY KEY AUTOINCREMENT
title	TEXT	•NOT NULL
date	TEXT	•NOT NULL
time	TEXT	
location	TEXT	
description	TEXT	
image	TEXT	
created_by	INTEGER	
created	TEXT	•DEFAULT (datetime('now'))
Global table constraints		
•FOREIGN KEY (created_by) REFERENCES Users(id)		

Table: modules		
Column	Data type	Constraints
id	INTEGER	•PRIMARY KEY AUTOINCREMENT
title	TEXT	•NOT NULL
description	TEXT	
prices	INTEGER	•NOT NULL •DEFAULT 0

Table: news		
Column	Data type	Constraints
id	INTEGER	•PRIMARY KEY AUTOINCREMENT
title	TEXT	•NOT NULL
body	TEXT	•NOT NULL
author	INTEGER	•NOT NULL •REFERENCES users(id)
created	TEXT	•NOT NULL •DEFAULT (strftime('%Y-%m-%dT%H:%M:%SZ','now'))
company	TEXT	

Table: papers		
Column	Data type	Constraints
id	INTEGER	•PRIMARY KEY AUTOINCREMENT
author_id	INTEGER	•NOT NULL •REFERENCES users (id) ON DELETE RESTRICT
title	TEXT	•NOT NULL
body	TEXT	
file_url	TEXT	
status	TEXT	•NOT NULL •DEFAULT 'pending' •CHECK (status IN ('pending','approved','rejected'))
reviewed_by	INTEGER	•REFERENCES users (id) ON DELETE SET NULL
review_note	TEXT	
created_at	TEXT	•NOT NULL •DEFAULT (strftime('%Y-%m-%dT%H:%M:%SZ','now'))
reviewed_at	TEXT	

Table: question_answers		
Column	Data type	Constraints
id	INTEGER	•PRIMARY KEY AUTOINCREMENT
question_id	INTEGER	•NOT NULL •REFERENCES questions (id) ON DELETE CASCADE
author_id	INTEGER	•NOT NULL •REFERENCES users (id) ON DELETE RESTRICT

body	TEXT	•NOT NULL
is_accepted	INTEGER	•NOT NULL •DEFAULT 0 •CHECK (is_accepted IN (0,1))
created_at	TEXT	•NOT NULL •DEFAULT (strftime('%Y-%m-%dT%H:%M:%SZ','now'))

Table: questions		
Column	Data type	Constraints
id	INTEGER	•PRIMARY KEY AUTOINCREMENT
author_id	INTEGER	•NOT NULL •REFERENCES users (id) ON DELETE RESTRICT
title	TEXT	•NOT NULL
body	TEXT	•NOT NULL
is_resolved	INTEGER	•NOT NULL •DEFAULT 0 •CHECK (is_resolved IN (0,1))
created_at	TEXT	•NOT NULL •DEFAULT (strftime('%Y-%m-%dT%H:%M:%SZ','now'))

Table: user_modules		
Column	Data type	Constraints
id	INTEGER	•PRIMARY KEY AUTOINCREMENT
user_id	INTEGER	•NOT NULL •REFERENCES users (id) ON DELETE CASCADE
module_id	INTEGER	•NOT NULL •REFERENCES modules (id) ON DELETE RESTRICT
status	TEXT	•NOT NULL •DEFAULT 'purchased' •CHECK (status IN ('purchased','completed'))
score	INTEGER	•CHECK (score BETWEEN 0 AND 100)
purchased_at	TEXT	•NOT NULL •DEFAULT (strftime('%Y-%m-%dT%H:%M:%SZ','now'))
completed_at	TEXT	
Global table constraints		

•UNIQUE (user_id,module_id)

Table: users		
Column	Data type	Constraints
id	INTEGER	•PRIMARY KEY AUTOINCREMENT
role	TEXT	•NOT NULL •DEFAULT 'regular' •CHECK (role IN ('regular','admin'))
is_paid	INTEGER	•NOT NULL •DEFAULT 0 •CHECK (is_paid IN (0,1))
first_name	TEXT	•NOT NULL
last_name	TEXT	•NOT NULL
email	TEXT	•NOT NULL •UNIQUE •COLLATE NOCASE
password_has h	TEXT	•NOT NULL
bio	TEXT	
created_at	TEXT	•NOT NULL •DEFAULT (strftime('%Y-%m-%dT%H:%M:%SZ', 'now'))
avatar	TEXT	

Document generated with SQLiteStudio v3.4.4