



DCSFM_DataWarehouseFeed 20.1

Technical Reference

Amadeus IT Group, S.A.

485, Route du Pin Montard

BP 69

06902 Sophia-Antipolis Cedex

(Amadeus Proprietary and Confidential Information: unauthorized use and disclosure strictly forbidden - Amadeus IT Group SA | (c) Copyright 2015 - All Rights Reserved.)

Introduction

This document is the technical reference for an Amadeus functional interface. This reference is not directly bundled to Amadeus Programming Interface development or any other development flavour. It is just a generic description of the interface through all the services it publishes.

Structure hierarchy

- * A service contains an input message and an output message.
- * A query/reply structure contains a list of simple structures and a list of grouped structures.
- * A grouped structure contains a list of simple structures and a list of grouped structures.
- * A simple structure contains a list of data elements and grouped data elements.
- * A data element can be coded, therefore a code list is described in a separate table.

Document structure

- * Service overview.
- * Query and output messages for the service, with their corresponding description.
- * For each query/reply structure, a table describing its higher level entities of the query/reply structure.
- * For each grouped or simple structure, a table describing the entities they are built with.
- * For each coded entity, a table describing the possible coded values it can take.

Grouped structures introduces the 'level' concept within a structure. This level is reflected in the structure tables via indentation.

Document navigation

The document uses internal links to quickly navigate between referenced entities and its corresponding structure and substructures (if any).

Glossary of terms

Entity definition

Every entity in this document is defined by:

- * **Entity** : the entity reference name.
- * **Structure** : the entity long name plus the corresponding reference.
- * **Rep (Repetitions)** : the entity number of repetitions within its parent structure.
- * **St (Status)** : the requirement status for the entity: C (Conditional), M (Mandatory), M* (Mandatory for the implementation).
- * **Comments** : description of the usage of the entity within the service.
- * **Fmt (Format, Representation)** : for leaf entities transporting the information, this field explains the type and length of the data transported.

Repetitions and statuses

Following table explains the meaning of possible repetition/status combinations of an entity within its parent structure.

Status	Repetitions	Meaning
C	n	Represents "0 or up to n" cardinality.
M	n	Represents "1 or up to n" cardinality.

M* (Mandatory) : This indicates that the status differs from the IATA PADIS Data Dictionary. If an entity is defined as conditional in the IATA approved message but must be mandatory to complete a business function, the entity will be indicated with an M for Mandatory along with an asterix (*).

Representation

Following table explains the meaning of possible representations for a leaf entity.

Representation	Meaning
ax	The entity is conveying a fix number(x) of alphabetic elements.
nx	The entity is conveying a fix number(x) of numeric elements.
anx	The entity is conveying a fix number(x) of alphanumeric elements.
a..x	The entity is conveying a variable number(1..x) of alphabetic elements.
n..x	The entity is conveying a variable number(1..x) of numeric elements.
an..x	The entity is conveying a variable number(1..x) of alphanumeric elements.

Table of contents

Operation: DCSFM_DataWarehouseFeed.....	1
Query message	2
Grouped structures	12
Simple structures	20
Codesets	48

Operation: DCSFM_DataWarehouseFeed .

Query message: ArchiveDepartureRequest 20.1.1A

Send Departure Plan information (Server FM to Operation WareHouse).Sends the Departure Plan information to Operation Warehouse for archiving purpose. Content of the archive message: -Flight and flight legs data - Passenger/Baggage/Seats information -Pantry/Crew/SWA information -Flight events (departure plan) -Record event -Documentation -Deadload/DWS/SLDG/Load distribution New version to add aircraft owner data to the message .

Query message reference: ArchiveDepartureRequest 20.1.1A

Entity	Structure	St	Rep	Comments
load	Group	C	200	
fuelFigureDetails	Group	C	1	Contains the non-error part of the message.
currentSpecificDensity	Measurements	M	1	To convey - the current specific density(6311 : CSG) - the measurement unit: kg/L, lb/Gallon, lb/usGallon (6411:KLT/LBG/LUG)
csgUpdated	Structured date time information	C	1	To convey the last date (UTC) the current specific gravity was updated (2005:SGD).
supplInfo	Interactive free text	C	3	To convey supplementary information for port Site: Possible values of 9980 SUP Supplementary Information FSC Fuel Supplier Code PIN User PIN Code
fuelFigures	Quantity	M	1	To convey: - the ramp fuel weight (6063 : RFW) - the taxi fuel weight (6063 : TAF) - the trip fuel weight (6063 : TRF) - the maximum top-up fuel (6063 : MTF) - the usable fuel weight (6063:USF) - the take-off fuel weight (6063:TOF) - the ballast fuel weight (6063:BTF) - the trapped fuel weight (6063:TFW) - the Reported Fuel Density (6063:RFD) - the Reported Fuel (6063:RPF) - the Uplift Fuel Volume (6063:UFV) - weight unit for weights(6411 : K/L) - density unit (6411: KLT/LGA/) - volume unit (6411: LTR/GLL/GLI)
fuelIndicators	Status details	M	1	To convey: - The Limiting factor is zero fuel weight (1245:ZFW/ 1229:1/0) - The Limiting factor is take off weight (1245:TOW / 1229:1/0) - The Limiting factor is landing weight (1245:LDW / 1229:1/0) - Standard fuel distribution for the flight (1245:FSD / 1229:1/0) - Fuel figure status : provisional,final or historical (1245:SFP/SFF/SFH) - The top up fuel requested (1245:TPU/1229:1/0) - If Specific gravity updates are allowed(1245:NGS/1229:1/0) - If specific gravity was manually updated (1245:AGS/1229:1/0)
aCRegulatedWeights	Quantity	C	1	To convey: - the regulated landing weight (6063 : RLW) - the regulated take off weight (6063 : RTO) - the regulated zero fuel weight (6063 : RZF) - weight units for the weights weight.(6411 : K/L)
originSystem	System details info	C	1	To convey the external system that sent the final figures if applicable
aCMaxWeights	Group	M	99	This group contains: - Aircraft Max Weights Name - Aircraft Max Weights (MTOW, MLDW, MZFW) - Flag to indicate if a given max weights name is being applied.

aCMaxWeightsName	Interactive free text	M	1	To convey the freetext name give to the set of AC Max Weights which included the MZF,MTO and MLW. (4451:2)
aCMaxWeightsValues	Quantity	M	1	To convey: - the maximum zero fuel weight (6063: MZF) - the maximum landing weight (6063: MLW) - the maximum take off weight (6063: MTO) - weight unit for the weights.(6411 : K/L)
selectedACMaxWeightsFlag	Status details	C	1	To convey: - if the max weights name given in IFT is the one that is being used. (1245:AMW/ 1229:1/0)
stdOrNstdTankInfo	Group	C	2	To convey : - in the first repetition the non-standard tank information - in the second repetition the standard tank information
option	Action identification	M	1	To specify the meaning of the data being either: - the standard tank information (1229 : STD) - or the non-standard tank information (1229 : NST)
fuellingOptionTankInfo	Group	C	99	To convey: - standard fuelling option and their corresponding tank information - non-standard tank information. The standard fuelling code will be 0 for non-standard tank information.
unserviceableHolds	Load location and index	C	99	To convey: - the location of the hold in the aircraft configuration : FWD, AFT and MAIN (9970 : HLD)
flightLegInformation	Group	M	1	To convey information about the flight
flightDetailsInfo	Flight details response	M	1	To convey departure details for the flight: - Date at which the flight departs in local time (2281) - Departure port of the flight leg - Carrier/flight number/suffix
flightNumber	Quantity	M	1	To Convey the flight Leg number of the flight(6063:FNU)
timeConveyed	Structured date time information	C	20	To convey : - The local standard time of departure (2005:STD/2005:L) - The local estimated time of departure (2005:ETD/2005:L) - The local actual time of departure off-blocks (2005:ATD/2005:L) - The local standard time of arrival (2005:STA/2005:L) - The local estimated time of arrival (2005:ETA/2005:L) - The local actual time of arrival (2005:ATA/2005:L) - the UTC standard Time of departure (2005:STD/2005:U) - The local advice time of departure (2005:ADV/2005:L) - The local actual time of departure airborne (2005:ATW/2005:U) - The actual touch-down time (2005:ATT/2005:L)
domainStatus	Status details	C	2	To convey: in the 1st repetition: - the flight general status(9015:GN) - the load control status(9015:LC) - Acceptance status(9015:AC) - Boarding status(9015:BO) -

				Ramp status(9015:RA) All statuses can have a set of the following values : Open,NotOpen,suspended,locked,departed,cancelled,load sheet finalised,finalised, provisional, closed,Plan Status ignored for Check in (1245:OP/NO/SPD/GL/FD/SO/LSF/FI/PR/CL/IG/...) -Flight released Status (1245:FLR/1229:1/0) - Is Ramp Clearance Necessary(1245:RCN/1229:1/0) in 2d repetition: - the activity type process :(Integrated online flight/Online W&B CI offline/Online W&B only/Online CI W&B offline/Online CI only/Offline) (1245:FHT:1299: B-Integrated both Altea fly CI and W&B, W-Altea fly W&B other CI, F-Altea fly W&B only, A-Altea fly CI, other W&B C-Altea fly CI only O- Offline)
equipmentFlightInfo	Equipment information	M	1	To convey aircraft details: - IATA Service type code (8067) - Type of the aircraft (8179) - The aircraft Subtype (8260) - Registration number (8212)
fittedConfigFlightInfo	Equipment information	C	1	To convey the fitted configuration of an aircraft: - the cabin of the passenger ie. 1st class,business class and economy class - The number of seats per class
domainName	Coded attribute	C	1	To convey the flight Domain Name like 'QFA MEL RLC' (905 : DOM)
saleableConfig	Equipment information	C	1	To convey: - The cabin class of the passengers on the flight. ie) first class, business class and economy class - The breakdown per cabin class of the passenger figures for the flight. Note this figure can be different from the Seating Configuration
fittedInteriorName	Reference information	C	1	To convey the name identifying the fitted interior. (1153:FIN)
acLocationRadio	Terminal location	C	1	To convey: - in first repetition: the aircraft location (9932:DAL) - in second repetition: the departure gates (9932:GTE) - All data is stored in C22K/9934
statusFlagFlightInfo	Status details	C	1	To convey all statuses and flags: - Fuel figure are historical/provisional/final (1245 : SFH/SFP/SFF) - the top-up fuel is required (1245:TPU/1229:1/0) - standard fuel distribution for the flight (1245 : FS / 1229 : 1/0) - aircraft has multiple Tanks for Standard Fuelling (1245 : MTF/1229:1/0) - the limiting factor is the zero Fuel Weight (1245:ZFW/1229:1/0) - the limiting factor is the take off weight (1245:TOW/1229:1/0) - the limiting factor is the Landing Weight (1245:LDW/1229:1/0) - the pantry is standard (1245:PAN/1229:1/0) - the crew is standard (1245:CRW/1229:1/0) - the aircraft is containerised or non- containerised(1245:CON/1229:1/0) - Flag to indicate if NIL transit Pax have been set for this flight (1245:NIL/1229:1/0) - Flag to indicate that there are no allotement on this flight (1245:NAL/1229:1/0) - Flag to convey the type

				of operating weight and operating index that is used1245:OPT/B-baisc, D-DOW, I-ITW) - Flag to convey if W & B info is just for this flight leg or all flight legs(1245:WIC/1229:1(this flight leg)/0(All flight legs) - Indicates if ITW information was entered by the Load Controller(1245:MIT/1229:1/0) - The status of the partial allocation of this flight(1245:SPA/1229:1/0) - The seating config (1245:SCT/1229:S- Seat row, Z -zone or cabin-area seating, C- Class seating)
routingFlightInfo	Terminal/time information	M	10	To convey the routing details of the flight:(3225) Each repetition corresponds to a port of the flight which is part of the route leg ie MEL - SYD - LON
baggageFlightInfo	Passenger baggage information	C	1	To convey : -the number of baggage pieces accepted (6806) -The total baggage weight (6803) - a Flag: Yes, this is a pieces and weight flight (7365 : BTY)
indexFlightInfo	Load location and index	C	8	To convey the index for: - Ballast trapped fuel (9970 : BTF) - Basic weight index for a flight (9970 : BSI) - Pantry (9970 : PAN) - Total crew (9970 : TCW) - Service Weight Adjustment (9970 : SWA) - Dry Operating Weight (9970 : DOW) - The index value of the ITW weight (9970:ITW) - Usable Ramp Fuel Index (9970 : URI)
staffName	Traveller information	C	1	To convey: - last name of the Load Controller assigned to this flight - first name of the Load Controller assigned to this flight
userId	User identification	C	1	To convey the Staff ID of the Load Controller assigned to this flight.
configurationInformation	Interactive free text	C	2	To convey: Rept1 : Weight and Index supporting information (9980:WIS) Rept2 : ULD configuration (99820:ULD)(not this will only appear when an external feed has been used)
configInfo	Item description	C	4	To convey: - Carrier ULD Capacity category(7081:UCC) - Carrier ULD Capacity ULD type(7081:UCT) - ITW config code(7081:ICC) - Pax Weight Type(7081:PWT)
dum	Dummy segment	M	1	to remove an ambiguity
ownerDetails	Transport identifier	C	1	Added aircraft owner information (FARCRQ 19.1)
disruptionDetails	Coded attribute	C	20	To convey : - The delay information eg. Delay Code, Delay Duration - Flix type and comment
weightOrPercentage	Group	C	4	To convey - in the 1st repetition : weights for aircraft objects on which we gave the index - in the 2d repetition : some weights - in the 3rd repetition : more weights - in the 4th repetition: time to departure

optionChosen	Action identification	M	1	To indicate the meaning of the following data: - convey weights to be coupled with index (1229 : WIX) - convey weights (1229 : WGH) - convey time to departure (1229 : TIM)
percentageWeightDeck	Quantity	M	1	
departurePlanEvent	Group	C	99	To convey all the events in a flight
eventDetails	Departure plan event	M	1	To convey: - the record id of the event(1154) For Event description name please refer to appendix A. - the status of the event with the following values: > completed ok (1245:OK) > not completed (1245:NC) > rescheduled (1245 : RS) > cancelled (1245 : E) > suspended (1245 : S) > in progress (1245: IP) > failed (1245 : F) - the timing reference of the period : actual time, estimated time, scheduled time(2005:A-Acutal/E- estimatd/ S-Scheduled) - the activity code (950K:activity in codeset) - the Error severity of the event (A016-950K:OK/WA/ER) where OK = ok, WA = warning, ER = Error - the event error message text(A016-9018) - the number of execution(6350)
eventFlags	Status details	C	1	To convey: - Port type : Arrival/Departure(1245:FA/ FD) - This activity is to be displayed to the Load controller (1245:LCD)
activityCodes	Coded attribute	C	1	To convey: - the list of activity codes that this activity is dependant on (9017:DAC/950K:activity code in codeset)
dailyTime	Structured date time information	C	1	To convey: - the daily date and time in local(2005:DDT/2005:L) (Please note that Daily Time functionality is currently not being used and it being retained for future use)
processTime	Timing specification	C	1	To convey either: - the timing in minutes for the event to occur before or after the reference time of arrival/departure (C25K-303K/304K:MIN)
activityParameter	Attribute	C	1	This parameter holds specific information for the releated activity. Only 1 parameter is allowed. to Convey: attributeType (PAR) attributeDescription - free text
passengerInformation	Group	C	1	To convey: -the pax figures by class -the pax figures by zone -the pax figures by seat row
dum	Dummy segment	M	1	to remove an ambiguity
crewSeatPsg	Number of units	M	1	To convey: - the number of crew seats occupied by passengers in the flight deck (6353 : CWD) - the number of crew seats occupied by passengers in the cabin (6353 : CWC)

paxFigByClass	Group	C	20	To convey the passenger figures by class. Including: -breakdown by Male Female Child Infant -bag weight -pax weight
destinationPort	Terminal/time information	M	1	To convey the destination port of the passengers or the passenger baggages. (3225)
paxClassDetails	Cabin details	C	1	To convey the Passenger Cabin (9854): -P (first) - J (business) -Y (economy)
paxFigures	Group	M	12	Passenger figures by Acceptance type
numberOfPax	Number of units	M	1	To convey per cabin: - The total number of male passengers (6353 : M) if the flight is MFCI - The total number of female passengers (6353 : F) if the flight is MFCI - The total number of child passengers (6353 : C) - The total number of infant passengers (6353 : IN) - The total number of Adult passengers (6353 : A) if the flight is ACI - The total number of passengers excluding the infants (6353 : TOT) Note: only the accepted and transit accepted passenger figures will have the breakdown per gender all the other acceptance type will only have a total passenger number.
passengerWeight	Quantity	C	1	To convey the weight of all the Passenger(6063:PGS) for the Accepted and transit accepted passengers
acceptanceType	Status details	M	1	To convey the passenger acceptance type: - BOOKED 1245: BOO - TRANSIT BOOKED 1245:TBO - ACCEPTED 1245:CUA - ACCEPTED STANDBY 1245:CUS - ACCEPTED TRANSIT 1245:TCA - LISTED SUB LOAD 1245:PSL - ACCEPTED SUB LOAD 1245:PSA - STANDBY SUB LOAD 1245:PSS - ESTIMATED TO BOARD 1245:ETB - ESTIMATED TO BOARD TRANSIT 1245:ETR - ESTIMATED TO BOARD TRANSFER 1245: ETF - ESTIMATED TO BOARD SUBLOAD 1245: ETS
paxFiguresBySeatRow	Group	C	150	To convey - a breakdown of passengers per Seat Row
seatRow	Row details	M	1	To convey the seat row number (9830)
seatPassengerNb	Number of units	M	1	To convey: - the maximum capacity that can fit in each Seat Row (6353 : TC) - the number of passengers for each seat row (6353 :PNB)
paxFiguresbyZone	Group	C	10	To convey - a breakdown of passengers per cabin zone
cabinZone	Cabin details	M	1	To convey either: - the cabin zone (113L)

cabinPassengerNb	Number of units	M	1	To convey: - the maximum capacity that can fit in each zone (6353 :TC) - the number of passengers for each zone (6353 :PNB)
baggagesByCommodity	Group	C	99	To convey the baggage figures by commodity.
baggagesCommodity	Traveller baggage details	M	1	To convey the commodity for the bags
destinationPort	Origin and destination details	M*	1	specifies the destination port of this baggage
bagsFigures	Group	M	5	To convey the figures for accepted and transit accepted bags (Pieces and Weights)
baggageInfo	Passenger baggage information	M	1	To convey for 'Accepted passenger' only: - The total number of baggage pieces (6806) - The total passenger baggage weight (6803)
acceptanceType	Status details	M	1	To convey the passenger acceptance type (can only be CUA/TCA) - ACCEPTED 1245:CUA - ACCEPTED TRANSIT 1245:TCA - FM Recorded - Rush Bags - To Come
documentInformation	Group	C	999	The convey the document information: -Document type -Document version -Document content -If ARCARS is sent
documentType	Item description	M	1	To convey the type of document to be printed (7077:NTP/NTF/BGD/CCD/DUO/FFF/FLT/FLA/FLR/DGA/SLS/ PLS/CPM/LDM/LIR/UCM/CGO/ICM/ILM/ACR...)
documentEdition	Document information details	C	1	To convey the version of the document.
acarsSentInd	Status details	C	1	To convey - If the ACARS is sent of received(1245:ACA/1229:1/0) - If the document is sent via ACARS, encode the status of the ACARS transmission. 1245:ATS, 1229: T(Transmitted)/F(Rejected or Timeout)/N(Refused)/R(Received)/Y(Validated)
documentContent	Binary data	M	1	To convey: - The details of the document as a block of characters with special chars such as carriage return.. (the length of the data in 6168/116Z:T)
pantryAvailable	Group	C	1	To convey a list of all available pantry codes/details for the flight.
pantryCode	Reference information	M	1	To convey the pantry code (1153:PAN)
totalPantryIndex	Load location and index	M	1	To convey for a given pantry code : - the total pantry index (9970:PAN)

totalPantryWeight	Quantity	M	1	To convey for a given pantry code : - the total pantry weight (6063: PAN)
selectPantryFlag	Status details	M	1	To convey - the pantry selected for the flight (1245 : PAN / 1229:1/0) -the pantry selected for the flight is standard (1245:STD / 1229:1/0)
pantryDistribution	Group	C	99	To specify the pantry distribution in the plane and give the weight and index details for each location.
pantryLocationIndex	Load location and index	M	1	To convey for a given pantry code : -The pantry index for this location in the plane (9970: PAN) -The pantry location(103L, 6315)
pantryWeight	Quantity	M	1	To convey for this location in the plane - the pantry weight (6063: PAN)
crewDistribution	Group	C	1	To convey the crew distribution chosen for the flight
crewBaggageWeight	Quantity	M	1	To convey the crew baggage weight breakdown into : - The total crew weight (6063 : TCW) - the quantity unit for the weights (6411)
crewDistributionName	Item description	C	1	To convey the name of the crew distribution(7081 : CDN)
totalCrewNumber	Number of units	M	1	To convey the total crew number breakdown into: - The number of technical crew (6353 : TCW) - The number of Cabin Crew (6353 : CCW)
crewBaggagePieces	Group	C	2	To convey either: - the technical crew - or the cabin crew baggage weight and pieces
option	Action identification	M	1	To indicate the type of information following: - Either the technical crew baggage weight and pieces(1229:TCW) - or the cabin crew baggage weight and pieces(1229:CCW)
crewTechCabinBag	Passenger baggage information	M	1	To convey: - The weight of the technical crew Baggage OR - The weight of the cabin crew Baggage
crewIndexBagLocation	Load location and index	M	4	In first/second repetition to convey - The total crew index unit (9970 : TCW) - The total index for the crew baggages(tech and cabin) (9970:CBI) (Please note only first 2 repetitions are currently being used, this will be update with next version release)
crewFlag	Status details	C	1	To convey a flag : - crew distribution selected (1245 : CDS / 1229 : 1/0) - Crew Distribution is a Standard Distribution (1245:CST/1229:1/0)
staffDetailsCrew	Traveller information	C	1	To convey staff details : - surname of the captain (9936) - first name of the captain (9942)

crewBreakdown	Group	C	99	To convey the crew breakdown for a given crew distribution
crewLocationCode	Reference information	M	1	To convey the crew location code (1153:CLO)
locTotalWeight	Quantity	M	1	To convey - the total crew weight for this location (6063 : TCW) - the quantity unit (6411)
locTotalIndex	Load location and index	M	1	To convey the total crew index for this location (9970 : TCW)
otherLocationFlag	Status details	M	1	To convey: - This location is not part of the normal distribution (1245: OLT / 1229: 1/0) - This location type is crew seat/crew location...(1245 : LCS/LCL)
techCabinNumbers	Number of units	M	1	To convey : - The number of female tech crew (6353 : FTC) - The number of male tech crew (6353 : MTC) - The number of male cabin crew (6353 : MCC - NoOfFemaleCabinCrew (6353 : FCC) - The maximum number of crew (6353 : CRW)
recordEvents	Group	M	99999	convey the list of actions that occurred on the flight legs
actionMessage	Free text information	M	1	Contain the event message description 4451:3 - literal text 9890:M - Manual 0133:2 ASCII 8 bit
userId	User identification	C	1	To convey information on the user who performed the action: -the user ID of the staff(9904) -the office of the staff (9902_1) -the office sign (9902_2) -the terminal id (9902_3)
applicationName	Status details	C	1	To convey the application name.
categoryName	Coded attribute	C	1	To convey category or subcategory of the event.
actionTime	Structured date time information	M	1	Time at which the action occurred (2005:U-UTC)
stdNonStdSWA	Group	C	99	To convey the list of standard and non-standard service weight adjustments assigned to the flight.
swaIndexLocation	Load location and index	M	1	To convey - the index (105L) - the underload location (103L) - the location type (6313: BAY/GLY/DIP) of the service weight adjustments(9970 : SWA)
destinationInfo	Origin and destination details	C	1	To convey the destination port code of the service weight adjustments.(3225)
swaVolumeWeight	Quantity	C	1	To convey : - the weight of the service weight adjustment(6063 : SWA) - the weight unit(6411)

uniqueIdSWANS	Reference information	C	1	To convey unique identifier of the non-standard service weight adjustment (4451:SWA)
sWAName	Free text information	C	1	To convey the name of the standard or non-standard Service Weight adjustments (e.g stretcher). The textSubjectQualifier is set to '3', source is set to 'M' and encoding '2'; freeText contains the name of the Service Weight Adjustment.
sWAFlag	Status details	M	1	To convey: - Service weight adjustments is standard (1245 : SWS / 1229 : 1/0))

Grouped structures reference

Grouped structure ref: ALOADDETAILS

Entity	Structure	St	Rep	Comments
loadTypeAndData	Reference information	M	1	UBL(1153) : Existing Load number. AID(1153) : Unique ID sent by Aquarius for External Cargo Figures. One of ULD/BLK/CBN allowed - not all. ----- BLK(1153) : To indicate Bulk or Barrow load (put BLK in both 1153 and 1154) CBN(1153) : To indicate Cabin load (put CBN in both 1153 and 1154) ULD(1153) : To indicate ULD(Container / Pallet) For 'ULD', the following is sent too: EquipmentCode or Serial number - this is the minimum information required. Can also send : HEI(1153) : Height code for ULD PGY(1153) : Piggy backed ULD number. More than 1 PGY element can be present. - To convey the parent deadload Number (1153:PDN)
loadPosition	Load location and index	C	3	-The position applicable to the Load item. BAY - bay pallet position (9970) PAL - Pallet (9970) DID - Cabin Load (9970) Applicable for cabin load only: SER - seat row (103L) Seat row value (6313) -The hold of the load position (9970:FWD/BLK/AFT) -The hold/compartement number (9970:HCN /103L - Hold number)
barrowID	Item description	C	1	The Barrow ID if Load item is part of a Barrow.(7081:BAR) e.g. 1, 2
loadTareWeight	Quantity	C	1	UTW(6063) : To indicate the ULD Tare Weight. UGW(6063) : To indicate the ULD Gross Weight. Output for ULDs created by specifying a Gross Weight Units to be conveyed in 6411
loadVolume	Load details information	C	2	To convey: ULD Remaining Volume Code (6303:RVC). Percentage Of Fullness (6303:POF).
loadDimensions	Dimensions	C	1	This segment is no longer populated (refer to PTR 1703025). Dimensions in case of a ULD: (6145:DIM) units:6411 lenght:6168 width:6140 height:6008
loadIndicators	Status details	C	1	Indicators for Load: NSR : Not seen at Ramp SDO : Offloaded LCV : Load Controller entered Volume DIP :

				in Dip Locker ROB : Remaining on Board AUT : Autoloaded EXC : Frozen TRS : Transit CRB : Created By FLO : Floating Pallet (0/1) RGD : Rigidity (Y/N/U) SRC : Ramp Cleared (0/1) Action code for Load: AAD : Create AUP : Update ADL : Delete
loadFlights	Flight details query	C	1	
loadDescription	Free text information	C	2	SUP(9980) : Any Comments for the Load. ATI(9980) : Arrival Terminal Information for Baggage ULDs in case of Change of Gauge For both repetitions: textSubjectQualifier -(9980:3) Source -(9890:M) Manual Encoding - (0133:2) ASCII 8 Bit
carrier	Transport identifier	C	1	Carrier Code for Unassigned Freight (Ground Handling)(9906)
loadOriginDest	Origin and destination details	M	1	The Actual Origin (3225) and Actual Destination (3225) of Load.
deadloadForLoad	Group	C	200	
palletDetails	Group	C	1	Conveys Information about 'Floating' Pallets or Pallets over 10 feet long (such as 16 or 20 foot Pallets)
uldSideGroup	Group	C	4	Conveys information about each side of a ULD Pallet.
dummy	Dummy segment	M	1	

Grouped structure ref: DGSLDETAILS

Entity	Structure	St	Rep	Comments
dgslCode	Special load details	M	1	1)IATA Code (e.g. ICE, AVI), Mandatory (C205-8351) 2)AirwayBill number, Optional (1004) 3)UNorID number, Optional (7124) 4)Proper Shipping Name, Optional (4022) 5)PackingGroup, Optional (8339) 6)Class or Division, Optional (C235-8158) 7)Subrisk Group, Optional (C205-8078) 8)Radioactive Category, Optional (C205-8092) 9)Emergency response code, Optional(4079)
dgslNbr	Reference information	M	1	SLD(1153) : Existing number AID(1153) : Unique ID sent by Aquarius for External Cargo Figures. PSN(1153) : The parent SLDG number

sldgWeight	Quantity	M	1	DNW(6063) : The actual SLDG weight Units are to be conveyed in 6411
dgslPieces	Number of units	C	1	Number of pieces for the DGSL item. (6353:SLD)
dgslIndicators	Status details	C	1	Indicators for DGSL: MAN(1245) : Whether it is missing any Mandatory items (1229:1/0) DDG(1245) : Whether it is a Dangerous Good or DSL(1245) : Whether it is a Special Load CAO(1245) : If allowed on Cargo Aircraft only. (1229:1/0) CRB(1245) : Created by (1229:A-Agent, 1229:C-Capacity Calculation, 1229:T-Inbound LDM/CPM, 1229:E-External Cargo Feed, 1229:L-External Capacity Calculation) Next 15 are for the mandatory items specified but the SL/DG IAC(1245): IATA Code(1229:1/0) PSC(1245): PSN Content(1229:1/0) ERC(1245): ICAO Emergency Response Code(1229:1/0) RA(1245): Radioactive Category(1229:1/0) NPK(1245): Nbr of Packages(1229:1/0) CLI(1245): Class / Division(1229:1/0) SNW(1245): SLDG Net Weight(1229:1/0) UNI(1245): UN / ID Number(1229:1/0) PGN(1245): Packing Group(1229:1/0) ABN(1245): AirwayBill Number(1229:1/0) SRG(1245): Subrisk Group(1229:1/0) BTN(1245): Bag Tag Number(1229:1/0) TI(1245): TI(1229:1/0) Note that this should be checked ONLY if an item is Radioactive QUA(1245): Quantity(1229:1/0) Note that this should be checked ONLY for non-Radioactive items
dgslDescription	Free text information	C	3	1st TXF : Supplementary Information or DGSL Comments(9980:SUP) 2nd TXF : to convey the bag tag number(9980:BTN) 3rd TXF : Quantity or Transport Index(9980:QTI)

Grouped structure ref: DGSLDETAILS

Entity	Structure	St	Rep	Comments
dgslCode	Special load details	M	1	
dgslNbr	Reference information	M	1	SLD(1153) : Existing number AID(1153) : Unique ID sent by

				Aquarius for External Cargo Figures. PSN(1153) : The parent SLDG number
sldgWeight	Quantity	M	1	DNW(6063) : The actual SLDG weight Units are to be conveyed in 6411
dgslPieces	Number of units	C	1	Number of pieces for the DGSL item. (6353:SLD)
dgslIndicators	Status details	C	1	Indicators for DGSL: MAN(1245) : Whether it is missing any Mandatory items (1229:1/0) DDG(1245) : Whether it is a Dangerous Good or DSL(1245) : Whether it is a Special Load CAO(1245) : If allowed on Cargo Aircraft only. (1229:1/0) CRB(1245) : Created by (1229:A-Agent, 1229:C-Capacity Calculation, 1229:T-Inbound LDM/ CPM, 1229:E-External Cargo Feed, 1229:L-External Capacity Calculation) Next 15 are for the mandatory items specified but the SL/DG IAC(1245): IATA Code(1229:1/0) PSC(1245): PSN Content(1229:1/0) ERC(1245): ICAO Emergency Response Code(1229:1/0) RA(1245): Radioactive Category(1229:1/0) NPK(1245): Nbr of Packages(1229:1/0) CLI(1245): Class / Division(1229:1/0) SNW(1245): SLDG Net Weight(1229:1/0) UNI(1245): UN / ID Number(1229:1/0) PGN(1245): Packing Group(1229:1/0) ABN(1245): AirwayBill Number(1229:1/0) SRG(1245): Subrisk Group(1229:1/0) BTN(1245): Bag Tag Number(1229:1/0) TI(1245): TI(1229:1/0) Note that this should be checked ONLY if an item is Radioactive QUA(1245): Quantity(1229:1/0) Note that this should be checked ONLY for non- Radioactive items
dgslDescription	Free text information	C	3	1st TXF : Supplementary Information or DGSL Comments(9980:SUP) 2nd TXF : to convey the bag tag number(9980:BTN) 3rd TXF : Quantity or Transport Index(9980:QTI)

Grouped structure ref: DEADLOADDETAILS

Entity	Structure	St	Rep	Comments
deadloadType	Load details information	M	1	Has the following: Deadload Type(Mandatory)(7085:C -Cargo, B- Baggage, M-Mail, D-Crew Baggage,

				Q-Courier, X-empty ULD, E-Equipment, S-sort, Z-Mixed Load by Dest) Deadload Subtype (Optional) (111L) Priority Applicable (Optional) (112L)
deadloadNbr	Reference information	M	1	DID(1153) : Existing Deadload number AID(1153) : Unique ID sent by Aquarius for External Cargo Figures.SAME as that sent for the Load,as Multiple Commodities/ Deadloads are not allowed via External Cargo Figures. - to convey the parent Load number(1153:PLN) Adding Airway Bill Number (AWB)
deadloadOriginDest	Origin and destination details	M	1	The Actual Origin(3225) and Actual Destination(3225) of Deadload.
deadloadWeight	Quantity	M	1	DNW(6063) : Total Deadload weight INCLUDING SLDG POD(6063) : Deadload Pieces (Optional) BVU(6063): Deadload Volume (Note this will only be found with BULK Load) Units to be conveyed in 6411
deadloadSeat	Row details	C	1	Seat occupied in case of Cabin Load on Seat. (Due to deadload redesign this segment will not be populated)
deadloadFlights	Flight details query	C	1	This can have : 1) Inbound Flight number 2) Outbound Flight number and Destination.
deadloadIndicators	Status details	C	1	Indicators for Deadload: RLS(1245) : Rest (1229:1/0) TRS(1245) : Transit (1229:1/0) PRC(1245) : Primary (1229:1/0) AUT(1245) : Autoloaded (1229:1/0) SDE(1245) : Provisional/ Estimated or SDF : Final DWD(1245) : Part of DOW (1229:1/0) CRB(1245) : Created by (1229:A-Agent, 1229:C-Capacity Calculation, 1229:T-Inbound LDM/CPM, 1229:E-External Cargo Feed, 1229:L-External Capacity Calculation) FIN(1245) : Baggage Commodities have the pieces Firmed by a Load Controller (1229:1/0)
deadloadDescription	Free text information	C	1	SUP(4451):Any Comments for the Deadload. Source -(9890:M) Manual Encoding - (0133:2) ASCII 8 Bit For both
dgsIForDeadload	Group	C	999	
allPackedInOneForDeadload	Group	C	200	

overpackForDeadload	Group	C	200	
-------------------------------------	-------	---	-----	--

Grouped structure ref: EDIFUELOPTIONGROUPCOMMON_FM

Entity	Structure	St	Rep	Comments
standardFuellingName	Reference information	M	1	To convey the standard fuelling option name (1153 : SFO).
tankInformation	Group	C	99	To convey either: - for each standard fuelling option the standard tank information. - or the non-standard tank information.

Grouped structure ref: ALLPACKEDINONE

Entity	Structure	St	Rep	Comments
allPackedInOneIdentifier	All packed in one load details	M	1	Contains : 1)AirwayBill number, Optional 2)Proper Shipping Name, Optional
allPackedInOneNbr	Reference information	M	1	API : Existing number or -1 to indicate Create APIO item. AID : Unique ID sent by an External Cargo System for External Cargo Figures. (optional)
weightAndHeightOfAPIO	Quantity	C	1	DNW : The actual all packed in one weight (optional) HEI : all packed in one Height (optional)
piecesOfAPIO	Number of units	C	1	Number of All Packed In One pieces
supplementaryInfoForAPIO	Interactive free text	C	1	Convey Supplementary information about the all packed in one item. SUP: Supplementary info
dgslForDeadload	Group	C	999	

Grouped structure ref: OVERPACKFORDEADLOAD

Entity	Structure	St	Rep	Comments
overpackIdentifier	Overpack load details	M	1	Contains : 1)AirwayBill number, Optional 2)Proper Shipping Name, Optional

overpackNbr	Reference information	M	1	API : Existing number or -1 to indicate Create OVP item. AID : Unique ID sent by an External Cargo System for External Cargo Figures. (optional)
weightAndHeightOfOVP	Quantity	C	1	DNW : The actual overpack weight (optional) HEI : overpack Height (optional)
piecesOfOVP	Number of units	C	1	Number of Overpack pieces.
supplementaryInfoForOVP	Interactive free text	C	1	Convey Supplementary information about the overpack. SUP: Supplementary info
dgslForDeadload	Group	C	999	
allPackedInOneForDeadload	Group	C	200	

Grouped structure ref: PALLETDETAILSGROUP

Entity	Structure	St	Rep	Comments
fwdBalanceArm	Measurements	M	1	To convey: - the forward balance arm of the pallet (6311:FBA). - the length unit(6411:IN/M/MM).
palletOrientation	Status details	C	1	To indicate the Pallet Orientation: - Longitudinal (1245:LON, 1229:L/OL/C/OR/R) - Lateral (1245:LAT)
loadPoints	Quantity	C	99	Conveys Load Point info for Freighter Pallets, relative to Short Side 1 of the pallet (SS1). - Distance of Load Point from Short Side 1 (6063:DST,6411:IN/M/MM/CM etc) - Net Weight (6063:NWT)

Grouped structure ref: PALLETSSIDEGROUP

Entity	Structure	St	Rep	Comments
sideIdentifier	Item references and versions	M	1	To convey: - The ULD side identifier. (1153:SID, 1154:SS1 -Short Side 1) (1153:SID, 1154:SS2 -Short Side 2) (1153:SID, 1154:LS1 -Long Side 1) (1153:SID, 1154:LS2 -Long Side 2)
linkedUldId	Reference information	C	1	To convey: - Load ID of linked ULD Pallet on this side, if one exists. (1153:LID)

overhangIndent	Quantity	C	1	Overhang or Indent Length & Units (6063:OIL, 6411:IN/M/MM/CM etc) Overhang or Indent Height & Units (6063:OIH, 6411:IN/M/MM/CM etc)
--------------------------------	----------	---	---	--

Grouped structure ref: EDITANKGROUPCOMMON_FM

Entity	Structure	St	Rep	Comments
weightTank	Quantity	M	1	To convey for both standard and non standard tank information: - the weight of the usable fuel for that tank (6063:USF) only for standard tank info: - the ballast trapped (unusable) fuel (6063:BTF) - the weight of Fuel remaining at landing (6063:LAN) - the maximum weight of the fuel tank (6063:TNK) - Tank trapped Fuel (6063:TTF) - Tank standard burn sequence (6063:TSS) - Tank Non-Standard burn sequence (6063:NSS) - Taxi Burn sequence (6063:TBS) - Maximum Allowable Fuel Weight of the fuel tank (6063:AFW) - the weight for the weights (6411: K/L)
typeOfTank	Interactive free text	M	1	The description of the type of tank. For instance Centre Tank, Wing Tank, Tail Tank(4451:2)
tankCode	Item references and versions	M	1	To convey The tank code (1153:TNK).

Simple structures reference

Structure: MEASUREMENTS

Entity	Structure	St	Rep	Fmt	Comments
measurementQualifier	Measurement application qualifier	M	1	an .. 3	Specify the type of measurement. Codeset list: 6311 IA 01.2.2
valueDetails	Value/range	C	1	" "	To convey the value and its properties
valueUnit	Measure unit qualifier	M	1	an .. 3	To specify the measurement unit.. Codeset list: 6411 IA 01.2.122
value	Measurement value	C	1	n .. 18	The value of the measurement.

Structure: STRUCTURED DATE TIME INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
businessSemantic	Date/Time/Period qualifer	M*	1	an .. 3	This data element can be used to provide the semantic of the information provided. Examples : - Impacted period - Departure date - Estimated arrival date and time. Codeset list: 2005 IA 01.2.84
timeMode	Date/Time/Period qualifer	C	1	an .. 3	Indicate if the time is expressed in UTC or in local time mode (Codes U and L). In the last case, the time zone information can be provided in the composite C89K.. Codeset list: 2005 IA 01.2.84
dateTime	Structured date time information	M*	1	" "	Convey date and/or time.
year	Year number	C	1	n4	Year number. The format is a little long for short term usage but it can be reduced by implementation if required..
month	Month number	C	1	n .. 2	Month number in the year (begins to 1).
day	Day number	C	1	n .. 2	Day number in the month (begins to 1).
hour	Hours	C	1	n .. 2	Hour between 0 and 23.
minutes	Minutes	C	1	n .. 2	Minutes between 0 and 59.

seconds	Seconds	C	1	n .. 2	Seconds between 0 and 59.
---------	---------	---	---	--------	---------------------------

Structure: INTERACTIVE FREE TEXT

Entity	Structure	St	Rep	Fmt	Comments
freeTextQualification	Free text qualification	C	1	" "	Free text qualification.
textSubjectQualifier	Text subject qualifier	M	1	an .. 3	Indicates whether the free text is coded or not coded.. Codeset list: 4451 IA 96.1.149
informationType	Information type	C	1	an .. 4	Coded text or specifies type of information in 4440. FSC Fuel Supplier Code PIN User PIN Code SUP Supplementary Information . Codeset list: 9980 1A 01.2.1
language	Language, coded	C	1	an .. 3	ISO code for language of free text.. Codeset list: 3453 IA 96.1.382
freeText	Free text	C	99	an .. 70	Free text message..

Structure: QUANTITY

Entity	Structure	St	Rep	Fmt	Comments
quantityDetails	Quantity details	M	23	" "	To specify an appropriate quantity.
qualifier	Quantity qualifier	M	1	an .. 3	Code qualifying the quantity in the 6060.. Codeset list: 6063 1A 01.2.1
value	Quantity	M	1	n .. 15	The quantity itself..
unit	Measure unit qualifier	C	1	an .. 3	Unit used to express the quantity.. Codeset list: 6411 IA 01.2.122

Structure: STATUS DETAILS

Entity	Structure	St	Rep	Fmt	Comments
statusDetails	Status details	M	19	" "	Status Information, Indicators.
indicator	Status indicator, coded	C	1	an .. 3	StatusIndicator. Codeset list: 1245 IA 01.2.81
action	Action request / notification, coded	C	1	an .. 3	To Specify Yes or No.. Codeset list: 1229 IA 01.2.127

type	Status type, coded	C	1	an .. 3	To specify the type of the status designated by 1245.. Codeset list: 9015 IA 01.2.56
description	Free text	C	1	an .. 70	free text.

Structure: QUANTITY

Entity	Structure	St	Rep	Fmt	Comments
quantityDetails	Quantity details	M	20	" "	To specify an appropriate quantity.
qualifier	Quantity qualifier	M	1	an .. 3	Code qualifying the quantity in the 6060.. Codeset list: 6063 IA 01.2.14
value	Quantity	M	1	n .. 15	The quantity itself..
unit	Measure unit qualifier	C	1	an .. 3	Unit used to express the quantity.. Codeset list: 6411 IA 01.2.122

Structure: SYSTEM DETAILS INFO

Entity	Structure	St	Rep	Fmt	Comments
communicationNumber	Communication number	C	1	an .. 25	LNIATA as sent in the AGT..
systemDetails	System details	C	2	" "	System Details
companyId	Company identification	M*	1	an .. 35	2-3 characters airline/CRS code, or bilaterally agreed code, of the system that originates the message when different from the originating system.. Codeset list: 9906 IA 01.2.766
locationId	Place/location identification	C	1	an .. 25	3 characters ATA/IATA airport/city code of the originating system.. Codeset list: 3225 IA 01.2.409
location	Place/location	C	1	an .. 17	Location of the originating system..

Structure: INTERACTIVE FREE TEXT

Entity	Structure	St	Rep	Fmt	Comments
freeTextQualification	Free text qualification	C	1	" "	Free text qualification.
textSubjectQualifier	Text subject qualifier	M	1	an .. 3	Indicates whether the free text is coded or not coded.. Codeset list: 4451 IA 96.1.149

informationType	Information type	C	1	an .. 4	Coded text or specifies type of information in 4440.. Codeset list: 9980 IA 01.2.178
language	Language, coded	C	1	an .. 3	ISO code for language of free text.. Codeset list: 3453 IA 96.1.382
freeText	Free text	C	99	an .. 70	Free text message..

Structure: ACTION IDENTIFICATION

Entity	Structure	St	Rep	Fmt	Comments
actionRequestCode	Action request / notification, coded	M	1	an .. 3	to specify an option. Codeset list: 1229 IA 01.2.127

Structure: LOAD LOCATION AND INDEX

Entity	Structure	St	Rep	Fmt	Comments
indexLocationQualifier	Product details qualifier	C	1	an .. 3	The qualifier to describe the index and location.. Codeset list: 9970 IA 01.2.54
indexDetails	Index details	C	1	" "	To convey index details of an aircraft for the weight and balance calculation
indexUnit	Index Unit	C	1	n .. 10	The index on the aircraft for the given weight.
indexEffect	Index Effect	C	1	n .. 10	The index effect on the aircraft per weight unit.
locationDetails	Load location details	C	1	" "	To convey the location details : location for loading purpose and the type of the position
loadLocation	Load location	C	1	an .. 11	To convey a location within an aircraft for loading purpose. It will be a code such as 12P..
positionType	Measurement dimension, coded	C	1	an .. 3	Give the type of the position: Bay, pallet. Codeset list: 6313 IA 01.2.6

Structure: FLIGHT DETAILS RESPONSE

Entity	Structure	St	Rep	Fmt	Comments
carrierDetails	Outbound carrier details	M	1	" "	Carrier details

marketingCarrier	Carrier identification	M	1	an .. 3	The carrier code.
otherCarrier	Carrier identification	C	1	an .. 3	This data element is used to send the second carrier is case of OPEN segment..
flightDetails	Outbound flight number details	M	1	" "	Toc specify the flight number details
flightNumber	Flight number	M	1	an .. 4	The flight number.
operationalSuffix	Operational suffix to the carrier code	C	1	a1	The operational suffix.
departureDate	Departure date and time	M	1	n .. 8	Departure date. Note that DCS format has been set to "No Check". This is to prevent DSC from removing leading 0 in a date (for example when date format is DDMMYYYY with date = 04062005).
boardPoint	Place of departure, coded	C	1	a .. 5	Departure location.
offPoint	Place of destination, coded	C	1	a .. 5	Arrival location.
arrivalDate	Arrival date and time	C	1	n .. 8	Arrival Date.
continuationFlag	Outbound flight continuation indicator	C	1	a1	To convey the Outbound Flight Continuation Indicator. Codeset list: 9856 IA 01.2.24
dateAndTimeRange	Product date/time	C	2	" "	To specify various Dates and Times of a flight or a leg.
depDate	First date	C	1	an .. 35	To provide a departure date.
depTime	First time	C	1	n .. 4	Departure time.
arrDate	Second date	C	1	an .. 35	To provide an arrival date.
arrTime	Second time	C	1	n .. 4	Arrival time.

Structure: STRUCTURED DATE TIME INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
businessSemantic	Date/Time/Period qualifier	M*	1	an .. 3	. Codeset list: 2005 1A 10.1.1305
timeMode	Date/Time/Period qualifier	M*	1	an .. 3	Indicate if the time is expressed in UTC or in local time mode (Codes

					U and L). Codeset list: 2005 1A 10.1.1305
dateTime	Structured date time information	M*	1	" "	Convey date and/or time.
year	Year number	M*	1	n4	Year number..
month	Month number	M*	1	n .. 2	Month number in the year (begins to 1).
day	Day number	M*	1	n .. 2	Day number in the month (begins to 1).
hour	Hours	C	1	n .. 2	Hour between 0 and 23.
minutes	Minutes	C	1	n .. 2	Minutes between 0 and 59.

Structure: STATUS DETAILS

Entity	Structure	St	Rep	Fmt	Comments
statusDetails	Status details	M	19	" "	
indicator	Status indicator, coded	C	1	an .. 3	StatusIndicator. Codeset list: 1245 IA 01.2.81
action	Action request / notification, coded	C	1	an .. 3	To Specify Yes or No.. Codeset list: 1229 IA 01.2.127
type	Status type, coded	C	1	an .. 3	. Codeset list: 9015 IA 02.2.1991
description	Free text	C	1	an .. 70	free text.

Structure: EQUIPMENT INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
modeOfTransport	Mode of transport	C	1	" "	MODE OF TRANSPORT
serviceType	Mode of transport, coded	M	1	an .. 3	Service type code. See SSIM appendix C for code set.
equipmentDetails	Equipment identification	C	1	" "	EQUIPMENT IDENTIFICATION
aircraftType	Type of means of transport identification	C	1	an .. 8	Aircraft Type. See SSIM appendix A for code set eg.747-438. Codeset list: 8179 IA 96.1.51
eqtRegistrationNumber	Id of the means of transport	C	1	an .. 10	Aircraft registration number..

aircraftSubType	Equipment identification number	C	1	an .. 17	The sub-type of the aircraft eg. 747-438GE. Allows to convey different engine types.. Codeset list: 8260 IA 96.1.71
companyDetails	Company identification	C	1	" "	Company details
marketingCompany	Company identification	C	1	an .. 3	To convey the Marketing Carrier on the Flight. Codeset list: 9906 IA 02.1.15
operatingCompany	Company identification	C	1	an .. 3	To convey the Operating Carrier on the Flight. Codeset list: 9906 IA 02.1.15

Structure: EQUIPMENT INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
cabinClassDetails	Configuration details	C	5	" "	
classDesignator	Cabin class designator	M	1	a1	.
numberOfSeats	Seats - number of seats	M	1	n .. 3	.
configVersionDescription	Free text	C	1	an .. 70	.

Structure: CODED ATTRIBUTE

Entity	Structure	St	Rep	Fmt	Comments
attributeFunction	Attribute Function Code Qualifier	C	1	an .. 3	provides the function of the attribute. Codeset list: 9017 UN 02.1.14
attributeDetails	Coded attribute information	M	99	" "	provides details for the Attribute
attributeType	Attribute type identification, coded	M	1	an .. 3	provides the attribute Type. Codeset list: 950K 1A 02.1.20
attributeDescription	Attribute description	C	1	an .. 256	provides a description for the attribute.

Structure: EQUIPMENT INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
configurationDetails	Configuration details	C	5	" "	The configuration details : cabin codes and capacities.

classDesignator	Cabin class designator	M	1	a1	designator To indicate cabin class and not an RBD..
numberOfSeats	Seats - number of seats	M	1	n .. 3	Total number of seats in the cabin class. Can be set to 0 if the information is not pertinent..
cabinVersion	Aircraft cabin version identification	C	1	an .. 12	To convey the Aircraft Cabin Version Identification.
description	Free text	C	1	an .. 70	The description of the saleable configuration..

Structure: REFERENCE INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
referenceDetails	Referencing details	M*	99	" "	Reference details
type	Reference qualifier	C	1	an .. 3	To specify the type of Identifier conveyed in the 1154. Codeset list: 1153 IA 01.2.110
value	Reference number	M*	1	an .. 35	To specify a DCS Internal Unique Identifier.

Structure: TERMINAL LOCATION

Entity	Structure	St	Rep	Fmt	Comments
zoneDetails	Terminal zone information	C	1	" "	To convey details on a Zone in a Terminal. (i.e. a physical subdivision of the terminal)
zoneCode	Zone code	C	1	a .. 3	Code referencing the Zone inside a given Terminal. E.g.: - SA. - FF - IB There is not fixed codeset for this element, as the zone codes might be different each Terminal (depending on the size of the terminal, the subdivisions are not the same).
zoneDescription	Zone Description	C	1	an .. 35	To convey the full text description of the Zone. E.g.: - South Area - First Floor - International Boarding Area.
facilityInformation	Facility information	C	9	" "	To convey information related to a specific Facility.
facilityType	Facility type, coded	M	1	an .. 3	Type of the Facility, coded. E.g.: - Check-In Desk - Gate... The codeset

					is not yet defined.. Codeset list: 9932 IA 01.2.83
facilityId	Facility Identifier	C	1	an .. 5	Unique Reference to a Facility of a given Type in a terminal. This can be several kind of values. E.g.: - 25 (means Gate 25 when associated Facility Type= Gate, or Check-in Desk 25 when associated Facility Type= Check-In Desk) - BAEXC: means Ba-Executive Club Lounge when associated to.
facilityDescription	Facility description, text	C	1	an .. 70	Full text description of the facility. E.g.: - 'LHR Terminal 1 Gate 25' - 'LHR Terminal 1 Check-In Desk 25' - 'British Airways Executive Club Lounge'.
workstationId	WORKSTATION ID	C	1	an .. 25	This Id is used to identify the desk where user is setting.

Structure: TERMINAL/TIME INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
locationDetails	Location identification	M	1	" "	LOCATION IDENTIFICATION
locationCode	Place/location identification	M	1	a3	To specify either a City Code or an Airport Code. See IATA Airline Coding directory. IATA 3 letter city/aircode code. Codeset list: 3225 IA 01.2.410
arrivalTimeDetails	Time information	C	1	" "	Arrival time details
aircraftTime	First time	M	1	n .. 4	Scheduled Time of Aircraft Arrival/ Departure (STA/STD).
otherTime	Second time	C	1	n .. 4	Passenger STA/STD.
utcLocalTimeVariation	UTC/local time variation	C	1	n4	UTC/Local Time Variation.
dateVariation	Date variation	C	1	n1	Date Variation of Scheduled Time of Aircraft Departure.
departureTimeDetails	Time information	C	1	" "	Departure time details
aircraftTime	First time	M	1	n .. 4	Scheduled Time of Aircraft Arrival/ Departure (STA/STD).
otherTime	Second time	C	1	n .. 4	Passenger STA/STD.
utcLocalTimeVariation	UTC/local time variation	C	1	n4	UTC/Local Time Variation.

dateVariation	Date variation	C	1	n1	Date Variation of Scheduled Time of Aircraft Departure.
terminalInformation	Terminal information	C	2	" "	To specify the Terminals of: Arrival (1st repetition) Departure (2nd repetition)
name	Related place/location one identification	C	2	an .. 5	To convey the terminal name.. Codeset list: 3223 IA 01.2.115

Structure: PASSENGER BAGGAGE INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
checkedBaggageDetails	Checked baggage details	C	1	" "	To specify the total number and total weight of checked baggage (Hold Baggage) in the aircraft
noOfBaggagePieces	Number of pieces	C	1	n .. 4	To specify the total number of Hold Baggage in the aircraft..
totalBaggageWeight	Weight	C	1	n .. 8	To specify the total baggage weight in the aircraft.
handBaggageDetails	Hand baggage details	C	1	" "	To specify the total number and total weight of Hand baggage in the aircraft
noOfHandBaggagePieces	Number of pieces	C	1	n .. 4	To specify the total number of Hand Baggage..
totalHandBaggageWeight	Weight	C	1	n .. 8	To specify the total Weight of Hand Baggage in the aircraft..
baggageRefDetails	Baggage reference details	C	1	" "	To specify details on the processing of the baggages
baggageProcessIndicator	Processing indicator, coded	C	1	an .. 3	To specify the type of processing.. Codeset list: 7365 IA 01.2.204
bagTagDetails	Bag tag details	C	1	" "	To specify the information printed on the Bag Tag.
bagTagSerialNumber	Tag serial number	M	1	n .. 16	6-digit number associated to a hold bag.

Structure: TRAVELLER INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
paxDetails	Traveller surname information	C	1	" "	Traveller Surname Information

surname	Traveller surname	C	1	an .. 70	Passenger name.
type	Number of units qualifier	C	1	an .. 3	Customer type: A=adult C=child IN = infant. Codeset list: 6353 IA 01.2.210
quantity	Quantity	C	1	n .. 2	Age of the unaccompanied minor.
otherPaxDetails	Traveller details	C	1	" "	First Name
givenName	Traveller given name	C	1	an .. 70	Passenger given name and title.
type	Number of units qualifier	C	1	an1	Gender of the Customer. Codeset list: 6353 IA 01.2.210
uniqueCustomerIdentifier	Traveller reference number	C	1	an .. 20	To convey the Unique Customer Identifier..
title	Other names	C	1	an .. 20	Title of the Customer..

Structure: USER IDENTIFICATION

Entity	Structure	St	Rep	Fmt	Comments
originIdentification	Originator identification details	C	1	" "	Originator Identification Details
originatorId	Travel agent identification details	C	1	n .. 9	.
inHouseIdentification1	In-house identification	C	1	an .. 9	.
inHouseIdentification2	In-house identification	C	1	an .. 9	.
inHouseIdentification3	In-house identification	C	1	an .. 9	.
originatorTypeCode	Originator type code	C	1	an1	Used to specify which kind of info is given in DE 9900.. Codeset list: 9972 IA 01.2.92
originator	Originator's authority request code	C	1	an .. 30	originator - sign of the user.

Structure: ITEM DESCRIPTION

Entity	Structure	St	Rep	Fmt	Comments
type	Item description type, coded	C	1	an .. 3	Item description type. Codeset list: 7077 IA 01.2.16
characteristic	Item characteristic, coded	C	1	an .. 3	Qualify the item being described. Codeset list: 7081 IA 01.2.50

descriptionDetails	Item description	C	1	" "	Description of the item
description	Item description	C	1	an .. 35	First description of the item.
otherDescription	Item description	C	1	an .. 35	Additional description of the item.

Structure: DUMMY SEGMENT

Entity	Structure	St	Rep	Fmt	Comments
--------	-----------	----	-----	-----	----------

Structure: TRANSPORT IDENTIFIER

Entity	Structure	St	Rep	Fmt	Comments
companyIdentification	Company identification	C	1	" "	
marketingCompany	Company identification	C	1	an .. 3	. Codeset list: 9906 IA 02.2.21920
operatingCompany	Company identification	C	1	an .. 3	. Codeset list: 9906 IA 02.2.21920
otherCompany	Company identification	C	1	an .. 3	. Codeset list: 9906 IA 02.2.21920

Structure: CODED ATTRIBUTE

Entity	Structure	St	Rep	Fmt	Comments
attributeDetails	Coded attribute information	M	99	" "	
attributeType	Attribute type identification, coded	M	1	an .. 5	. Codeset list: 950K 1A 12.1.719
attributeDescription	Attribute description	C	1	an .. 256	.

Structure: QUANTITY

Entity	Structure	St	Rep	Fmt	Comments
quantityDetails	Quantity details	C	30	" "	
qualifier	Quantity qualifier	M	1	an .. 3	. Codeset list: 6063 IA 01.2.117
value	Quantity	M	1	n .. 15	The quantity itself..

unit	Measure unit qualifier	C	1	an .. 3	Unit used to express the quantity.. Codeset list: 6411 IA 01.2.433
----------------------	------------------------	---	---	---------	---

Structure: DEPARTURE PLAN EVENT

Entity	Structure	St	Rep	Fmt	Comments
eventReference	Event reference	M	1	" "	Event and activity references.
eventId	Reference number	M	1	n .. 10	Event unique identifier.
statusEvent	Status indicator, coded	C	1	an .. 3	Status of the event (completed ok,not completed,rescheduled,cancelled,...). Codeset list: 1245 IA 01.2.81
activityTypeProcess	Status indicator, coded	C	1	an .. 3	Activity type process (Weight and balance/check-in/both). Codeset list: 1245 IA 01.2.81
portType	Status indicator, coded	C	1	an .. 3	The port type such as first original arrival, all original arrival, transit original arrival and the same for departure... Codeset list: 1245 IA 01.2.81
loadControllerDisplay	Status indicator, coded	C	1	an .. 3	To indicate that the Load controller checkbox is selected.. Codeset list: 1245 IA 01.2.81
mandatory	Status indicator, coded	C	1	an .. 3	To indicate that this event is mandatory and can not be modified via a propagation.. Codeset list: 1245 IA 01.2.81
eventTimingReference	Date/Time/Period qualifier	C	1	an .. 3	Timing Reference for the execution time of the event : estimated, scheduled, actual.... Codeset list: 2005 IA 01.2.84
nbOfExecution	Number of units	C	1	n .. 2	The number of times an event has been executed..
activityCode	Attribute type identification, coded	C	1	an .. 3	Activity code (see codeset). Codeset list: 950K 1A 02.1.20
activityDependencyCode	Attribute type identification, coded	C	99	an .. 3	Dependant activity code of an activity (see codeset). Codeset list: 950K 1A 02.1.20
eventSeverityDetails	Coded attribute information	C	1	" "	To convey error severity details (code and error description) of the event.
attributeType	Attribute type identification, coded	M	1	an .. 3	provides the attribute Type. Codeset list: 950K 1A 02.1.20

attributeDescription	Attribute description	C	1	an .. 256	provides a description for the attribute.
effectiveEventDateTime	Structured date time information	C	1	" "	Effective Date and time at which the event is effective.
eventYear	Year number	C	1	n .. 6	Year of effective or discontinue date of an event..
eventMonth	Month number	C	1	n .. 2	Month of effective or discontinue date of an event..
eventDay	Day number	C	1	n .. 2	Day of effective or discontinue date of an event..
eventHour	Hours	C	1	n .. 6	Time(hour)of effective or discontinue time of an event..
eventMinutes	Minutes	C	1	n .. 6	Time(minutes)of effective or discontinue time of an event..
discontinueEventDateTime	Structured date time information	C	1	" "	Discontinue Date and Time at which the event is no longer effective.
eventYear	Year number	C	1	n .. 6	Year of effective or discontinue date of an event..
eventMonth	Month number	C	1	n .. 2	Month of effective or discontinue date of an event..
eventDay	Day number	C	1	n .. 2	Day of effective or discontinue date of an event..
eventHour	Hours	C	1	n .. 6	Time(hour)of effective or discontinue time of an event..
eventMinutes	Minutes	C	1	n .. 6	Time(minutes)of effective or discontinue time of an event..
flightRange	Product range	C	99	" "	To specify a flight range of flights impacted by an event.
carrierRange	Company identification	C	1	an .. 3	Carrier code for the flight range.
startingFlightNumber	Product identification	M	1	n .. 4	Starting flight number.
startingSuffix	Product identification characteristic	C	1	an1	Suffix of starting flight number..
endingFlightNumber	Product identification	M	1	n .. 4	Ending the flight number..
endingSuffix	Product identification characteristic	C	1	an1	Ending suffix of the ending flight number.

Structure: TIMING SPECIFICATION

Entity	Structure	St	Rep	Fmt	Comments
relativeTiming	Relative timing	C	1	" "	Timing relative to a flight event.
timeOffset	time offset	M	1	n .. 7	Time offset relative to the flight event specified..
timeOffsetUnit	time offset unit, coded	M	1	an .. 4	Unit used for the time offset.. Codeset list: 304K 1A 02.1.6

Structure: ATTRIBUTE

Entity	Structure	St	Rep	Fmt	Comments
criteriaDetails	Attribute information	M	99	" "	Details for the message criteria (name, value).
attributeType	Attribute type identification	M	1	an .. 3	Convey the type of data attributeDescription holds. PAR: parameter.
attributeDescription	Attribute description	M*	1	an .. 99	Free text. Interpretation of this data depends on the context provided by attributeType.

Structure: NUMBER OF UNITS

Entity	Structure	St	Rep	Fmt	Comments
quantityDetails	Number of unit details	M	20	" "	Number of Unit Details
numberOfUnit	Number of units	M*	1	n .. 15	Number of Units..
unitQualifier	Number of units qualifier	C	1	an .. 3	Qualifier of the type of Units. Codeset list: 6353 IA 01.2.210

Structure: CABIN DETAILS

Entity	Structure	St	Rep	Fmt	Comments
cabinDetails	Cabin class designation	M*	1	" "	Cabin class designation
classDesignator	Cabin class designator	C	1	a1	Designates the class of service on the means of transport in which the passenger will travel.
bookingClass	Characteristic identification	C	1	an .. 2	Reservation booking designator. Codeset list: 7037 IA 01.2.124

cabinClass	Cabin class of service, coded	C	1	n1	Cabin class of service (first, business...). Codeset list: 9873 IA 96.1.32
seatRowRange	Cabin class seat row range details	C	1	" "	Cabin class seat row range details
number	Seat row number	M	2	n .. 3	Seat row number or Seat Row Number Range..
cabinZoneCode	Cabin class location	C	1	a1	Cabin area/zone. Codeset list: 9863 IA 96.1.13
smokingSeatRowRange	Smoking area seat row range details	C	1	" "	Smoking area seat row range details
number	Seat row number	M	2	n .. 3	Seat row numbers.
columnDetails	Cabin width and column details	C	12	" "	Cabin width and column details
seatColumn	Seat column	M	1	an1	Seat column.
description	Column description	C	2	an .. 2	Seat column description. Codeset list: 9882 IA 96.1.12

Structure: QUANTITY

Entity	Structure	St	Rep	Fmt	Comments
quantityDetails	Quantity details	M	20	" "	To specify an appropriate quantity.
qualifier	Quantity qualifier	M	1	an .. 3	. Codeset list: 6063 1A 11.2.205
value	Quantity	M	1	n .. 15	.
unit	Measure unit qualifier	C	1	an .. 3	Unit used to express the quantity.. Codeset list: 6411 1A 11.1.522

Structure: ROW DETAILS

Entity	Structure	St	Rep	Fmt	Comments
seatRowNumber	Seat row number	M	1	n .. 3	Seat row number.
rowCharacteristicDetails	Row characteristics details	C	1	" "	Row characteristic details
rowCharacteristic	Row characteristic	M	9	an .. 3	Characteristic which relates to all seats within the specified row number.. Codeset list: 9864 IA 96.1.9

seatOccupationDetails	Seat occupation details	C	12	" "	Seat occupation details
seatColumn	Seat column	M	1	an1	Seat column.
seatOccupation	Seat occupation	C	1	a1	To indicate seat availability.. Codeset list: 9865 IA 96.1.16
seatCharacteristic	Seat characteristic, coded	C	38	an .. 10	Seat characteristic. Codeset list: 9825 IA 01.2.40

Structure: CABIN DETAILS

Entity	Structure	St	Rep	Fmt	Comments
cabinClassDesignation	Cabin class designation	M*	1	" "	Cabin class designation
cabinCode	Cabin class designator	C	1	a1	Designates the class of service on the means of transport in which the passenger will travel.
cabinSection	Cabin section	C	1	an .. 2	Identify the cabin section of an aircraft. It is composed of -the cabin number starting with zero -the applicable section starting with 'A' from the front to the rear. ex: '0A'.

Structure: TRAVELLER BAGGAGE DETAILS

Entity	Structure	St	Rep	Fmt	Comments
baggageDetails	Baggage details	M	1	" "	
processIndicator	Processing indicator, coded	M*	1	an .. 3	class or category.. Codeset list: 7365 IA 02.2.926

Structure: ORIGIN AND DESTINATION DETAILS

Entity	Structure	St	Rep	Fmt	Comments
destination	Place/location identification	M*	1	an .. 3	. Codeset list: 3225 IA 02.2.4470

Structure: STATUS DETAILS

Entity	Structure	St	Rep	Fmt	Comments
statusDetails	Status details	M	19	" "	Status Information, Indicators.

indicator	Status indicator, coded	C	1	an .. 3	list of status/qualifiers Either His for Historical or Crt for Current. Codeset list: 1245 1A 11.1.1571
action	Action request / notification, coded	C	1	an .. 3	. Codeset list: 1229 1A 02.2.1654

Structure: ITEM DESCRIPTION

Entity	Structure	St	Rep	Fmt	Comments
itemDescripType	Item description type, coded	C	1	an .. 3	Item description type. Codeset list: 7077 1A 02.1.157
itemQualifier	Item characteristic, coded	C	1	an .. 3	Qualify the item being described. Codeset list: 7081 1A 12.1.63
itemDescription	Item description	C	1	" "	Description of the item
itemFirstDesc	Item description	C	1	an .. 35	First Description of item..
itemSecondDesc	Item description	C	1	an .. 35	First Description of item..

Structure: DOCUMENT INFORMATION DETAILS

Entity	Structure	St	Rep	Fmt	Comments
documentDetails	Document details	M*	2	" "	Document information For LMC documents: conveys in second repetition the Loadsheet version it is attached to.
documentNumber	Document/message number	M*	1	n .. 10	.
status	Status, coded	C	1	n .. 3	. Codeset list: 4405 1A 02.2.7045
processDetails	Processing details	C	10	" "	Processing details
description	Free text	M*	1	an .. 70	Document or message description..

Structure: BINARY DATA

Entity	Structure	St	Rep	Fmt	Comments
dataLength	Length dimension	M	1	n .. 15	Length of 114Z.
dataType	DATA TYPE	C	1	an1	type of the data. Codeset list: 116Z 1A 02.1.10

binaryData	Binary data	M	1	an .. 99999	used to store binary data.
------------	-------------	---	---	-------------	----------------------------

Structure: FREE TEXT INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
freeTextDetails	Free text information	M	1	" "	Free text qualification.
textSubjectQualifier	Text subject qualifier	M	1	an .. 3	Indicates whether the free text is coded or not coded.. Codeset list: 4451 IA 02.2.284
informationType	Information type	C	1	an .. 4	Coded text or specifies type of information in 101C.. Codeset list: 9980 IA 02.2.268
language	Language, coded	C	1	an .. 3	ISO code for language of free text.. Codeset list: 3453 IA 02.2.633
source	Source, coded	M	1	an .. 3	code specifying the source. Codeset list: 9890 IA 02.2.75
encoding	Encoding	M	1	an .. 3	specify the type of encoding. Codeset list: 0133 1A 03.1.45
freeText	Long Free Text	M	99	an .. 199	Free text and message sequence numbers of the remarks..

Structure: STATUS DETAILS

Entity	Structure	St	Rep	Fmt	Comments
statusInformation	Status details	M	9	" "	STATUS DETAILS
indicator	Status indicator, coded	M*	1	an .. 3	Application name. Codeset list: 1245 1A 10.1.4

Structure: CODED ATTRIBUTE

Entity	Structure	St	Rep	Fmt	Comments
attributeDetails	Coded attribute information	M	2	" "	Conveys the category and/or subcategory for history item.
attributeType	Attribute type identification, coded	M	1	an .. 3	Indicates if the value refers to a category or subcategory.. Codeset list: 950K 1A 10.1.42

attributeDescription	Attribute description	M*	1	an .. 50	Indicates the category or subcategory.
----------------------	-----------------------	----	---	----------	--

Structure: ORIGIN AND DESTINATION DETAILS

Entity	Structure	St	Rep	Fmt	Comments
origin	Place/location identification	C	1	a3	Origin or destination port. Codeset list: 3225 IA 01.2.410
destination	Place/location identification	C	1	a3	Origin or destination port. Codeset list: 3225 IA 01.2.410

Structure: REFERENCE INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
numericReference	Referencing details	C	99	" "	To specify the numeric reference details
numericIdType	Reference qualifier	C	1	an .. 3	To specify the type of the numeric Identifier conveyed in the 1154. Codeset list: 1153 IA 01.2.110
numericIdentifier	Reference number	M*	1	n .. 32	To specify a DCS Internal Unique numeric Identifier.

Structure: REFERENCE INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
referenceDetails	Referencing details	M*	99	" "	
type	Reference qualifier	C	1	an .. 3	. Codeset list: 1153 IA 11.1.1484
value	Reference number	M*	1	an .. 35	.

Structure: LOAD DETAILS INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
cargoDetails	Cargo details	C	1	" "	Cargo identification
natureCargo	Nature of cargo, coded	C	1	an .. 3	To specify the category code of this load.. Codeset list: 7085 IA 01.2.4
cargoSubtype	Cargo Subtype	C	1	an .. 10	This is a commodity type such as economy baggage or priority mail..

loadDetails	Load details	C	1	" "	Give details on the way the load will be performed
dimensionType	Measurement dimension, coded	C	1	an .. 3	Type of container in order to give an idea on the size of it (pallet, container...). Codeset list: 6313 IA 01.2.6
percentageFull	Full/empty indicator, coded	C	1	an .. 3	To specify the volume left in an equipment(0: no volume,1:25% of volume available,2:50%,3:75%).. Codeset list: 8169 IA 01.2.2
equipmentDescription	Equipment size and type	C	1	an .. 35	Type of an equipment such as a container/pallet can be an AV/DQ/PP....
priorityNumber	Priority Number	C	1	n .. 2	To specify in what priority a deadload item will be loaded..

Structure: DIMENSIONS

Entity	Structure	St	Rep	Fmt	Comments
qualifier	Dimension qualifier	M	1	an .. 3	To specify the type of dimension.. Codeset list: 6145 IA 01.2.3
details	Dimensions	M	1	" "	To convey the dimension details of an equipment such as the height, length, and width.
unit	Measure unit qualifier	C	1	an .. 3	The unit used for the dimensions.. Codeset list: 6411 IA 01.2.122
length	Length dimension	C	1	n .. 15	Length of the equipment..
width	Width dimension	C	1	n .. 15	The width of the equipment.
height	Height dimension	C	1	n .. 15	The height of the equipment..

Structure: STATUS DETAILS

Entity	Structure	St	Rep	Fmt	Comments
statusDetails	Status details	M	19	" "	STATUS DETAILS
indicator	Status indicator, coded	C	1	an .. 3	list of status/qualifiers Either His for Historical or Crt for Current. Codeset list: 1245 1A 11.1.1759

action	Action request / notification, coded	C	1	an .. 3	. Codeset list: 1229 1A 02.2.1816
type	Status type, coded	C	1	an .. 3	. Codeset list: 9015 IA 02.2.5563
description	Free text	C	1	an .. 70	.

Structure: FLIGHT DETAILS QUERY

Entity	Structure	St	Rep	Fmt	Comments
carrierDetails	Outbound carrier details	C	1	" "	provide information on the oncarriage flight carrier
marketingCarrier	Carrier identification	M	1	an .. 3	.
otherCarrier	Carrier identification	C	1	an .. 3	.
flightDetails	Outbound flight number details	C	1	" "	Reference of the oncarriage Flight
flightNumber	Flight number	M	1	an .. 4	.
operationalSuffix	Operational suffix to the carrier code	C	1	a1	.
departureDate	Departure date and time	C	1	n .. 10	To convey the Departure Date of the Flight..
boardPoint	Place of departure, coded	C	1	a .. 5	The port of departure code of the oncarriage flight.
offPoint	Place of destination, coded	C	1	a .. 5	The port of destination code of the oncarriage flight.
continuationFlag	Outbound flight continuation indicator	C	1	a1	. Codeset list: 9856 IA 02.2.1129
inboundCarrierDetails	Inbound carrier details	C	1	" "	To provide information on the incarriage flight carrier
carrier	Carrier identification	M	1	an .. 3	.
inboundFlightDetails	Inbound flight number details	C	1	" "	Reference of the incarriage flight
flightNumber	Flight number	M	1	n .. 4	.
operationalSuffix	Operational suffix to the carrier code	C	1	a1	.
inboundDepartureDate	Departure date and time	C	1	n .. 10	.

inboundArrivalDate	Arrival date and time	C	1	n .. 10	.
inboundBoardPoint	Place of departure, coded	C	1	a .. 5	The port of departure of the incarriage flight.
inboundOffPoint	Place of destination, coded	C	1	a .. 5	The port of destination of the incarriage flight.

Structure: TRANSPORT IDENTIFIER

Entity	Structure	St	Rep	Fmt	Comments
carrier	Company identification	M*	1	" "	Carrier code
marketingCompany	Company identification	C	1	an .. 3	To convey the Marketing Carrier on the Flight. Codeset list: 9906 IA 02.1.15
operatingCompany	Company identification	C	1	an .. 3	To convey the Operating Carrier on the Flight. Codeset list: 9906 IA 02.1.15

Structure: ORIGIN AND DESTINATION DETAILS

Entity	Structure	St	Rep	Fmt	Comments
origin	Place/location identification	M	1	a3	Origin or destination port. Codeset list: 3225 IA 01.2.410
destination	Place/location identification	M	1	a3	Origin or destination port. Codeset list: 3225 IA 01.2.410

Structure: DUMMY SEGMENT

Entity	Structure	St	Rep	Fmt	Comments
--------	-----------	----	-----	-----	----------

Structure: SPECIAL LOAD DETAILS

Entity	Structure	St	Rep	Fmt	Comments
emergencyRespCode	Handling instructions, coded	C	1	an .. 9	Emergency Response Code. Codeset list: 4079 IA 02.2.5
airwayBillNbr	Document/message number	C	1	an .. 12	Airway Bill Number.

uNOriDNbr	UNDG number	C	1	n4	UN or ID Number.
description	Business description	C	1	an .. 70	Proper Shipping Name/Description.
sldgPackingGroup	Packing group, coded	C	1	an .. 3	Packing Group. Codeset list: 8339 IA 02.2.3
hazardID	Hazard identification	C	1	" "	ClassDivision info (8158)
hazardCategory	Hazard identification number, upper part	C	1	an .. 4	.
hazardReference	Hazard code	C	1	" "	SLDG IATA Code, Radioactive category and subsidiary risk.
sldgIATACode	Hazard code identification	M	1	an .. 3	SLDG IATA code. Codeset list: 8351 IA 02.2.3
radioactiveCategory	Hazard code version number	C	1	an .. 10	SLDG RadioActive Category..
subsidiaryRiskGrp	Hazard substance/item/ page number	C	3	an .. 3	SLDG subsidiary risk group.

Structure: REFERENCE INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
referenceDetails	Referencing details	M*	99	" "	Airway Bill Number (AWB)
type	Reference qualifier	C	1	an .. 3	To Specify the type of Identifier conveyed in the 1154. Codeset list: 1153 1A 11.1.1003
value	Reference number	M*	1	an .. 35	To specify a DCS Internal Unique Identifier.

Structure: FLIGHT DETAILS QUERY

Entity	Structure	St	Rep	Fmt	Comments
carrierDetails	Outbound carrier details	C	1	" "	provide information on the oncarriage flight carrier
marketingCarrier	Carrier identification	M	1	an .. 3	The carrier code.
otherCarrier	Carrier identification	C	1	an .. 3	This data element is used to send the second carrier is case of OPEN segment..

flightDetails	Outbound flight number details	C	1	" "	Reference of the oncarriage Flight
flightNumber	Flight number	M	1	an .. 4	The flight number.
operationalSuffix	Operational suffix to the carrier code	C	1	a1	The operational suffix.
departureDate	Departure date and time	C	1	n .. 10	To convey the Departure Date of the Flight..
boardPoint	Place of departure, coded	C	1	a .. 5	The port of departure code of the oncarriage flight.
offPoint	Place of destination, coded	C	1	a .. 5	The port of destination code of the oncarriage flight.
continuationFlag	Outbound flight continuation indicator	C	1	a1	To convey the Outbound Flight Continuation Indicator. Codeset list: 9856 IA 01.2.23
inboundCarrierDetails	Inbound carrier details	C	1	" "	To provide information on the incarriage flight carrier
carrier	Carrier identification	M	1	an .. 3	Carrier code.
inboundFlightDetails	Inbound flight number details	C	1	" "	Reference of the incarriage flight
flightNumber	Flight number	M	1	n .. 4	The flight number.
operationalSuffix	Operational suffix to the carrier code	C	1	a1	The operational suffix.
inboundDepartureDate	Departure date and time	C	1	n .. 10	To convey the departure date of the inbound Flight..
inboundArrivalDate	Arrival date and time	C	1	n .. 10	To convey the Arrival Date/Time of the current Flight..
inboundBoardPoint	Place of departure, coded	C	1	a .. 5	The port of departure of the incarriage flight.
inboundOffPoint	Place of destination, coded	C	1	a .. 5	The port of destination of the incarriage flight.

Structure: ALL PACKED IN ONE LOAD DETAILS

Entity	Structure	St	Rep	Fmt	Comments
airwayBillNbr	Document/message number	C	1	an .. 12	Airway Bill Number.

description	Long Free Text	C	1	an .. 256	Proper Shipping Name/Description.
-------------	----------------	---	---	-----------	-----------------------------------

Structure: REFERENCE INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
referenceDetails	Referencing details	M*	99	" "	Reference details
type	Reference qualifier	C	1	an .. 3	To specify the type of Identifier conveyed in the 1154. Codeset list: 1153 1A 11.1.1633
value	Reference number	M*	1	an .. 35	To specify a DCS Internal Unique Identifier.

Structure: QUANTITY

Entity	Structure	St	Rep	Fmt	Comments
quantityDetails	Quantity details	M	2	" "	To specify an appropriate quantity.
qualifier	Quantity qualifier	M	1	an .. 3	. Codeset list: 6063 1A 11.2.187
value	Quantity	M	1	n .. 15	.

Structure: NUMBER OF UNITS

Entity	Structure	St	Rep	Fmt	Comments
quantityDetails	Number of unit details	M	1	" "	Number of Unit Details
numberOfUnit	Number of units	M*	1	n .. 4	.
unitQualifier	Number of units qualifier	M*	1	an .. 3	. Codeset list: 6353 1A 10.1.3468

Structure: INTERACTIVE FREE TEXT

Entity	Structure	St	Rep	Fmt	Comments
freeTextQualification	Free text qualification	M*	1	" "	Free text qualification
textSubjectQualifier	Text subject qualifier	M	1	an .. 3	. Codeset list: 4451 IA 02.2.6005

freeText	Free text	M*	1	an .. 256	Free text.
----------	-----------	----	---	-----------	------------

Structure: OVERPACK LOAD DETAILS

Entity	Structure	St	Rep	Fmt	Comments
airwayBillNbr	Document/message number	C	1	an .. 12	Airway Bill Number.
description	Long Free Text	C	1	an .. 256	Proper Shipping Name/Description.

Structure: QUANTITY

Entity	Structure	St	Rep	Fmt	Comments
quantityDetails	Quantity details	M	2	" "	To specify an appropriate quantity.
qualifier	Quantity qualifier	M	1	an .. 3	. Codeset list: 6063 1A 11.2.189
value	Quantity	M	1	n .. 15	.

Structure: NUMBER OF UNITS

Entity	Structure	St	Rep	Fmt	Comments
quantityDetails	Number of unit details	M	1	" "	Number of Unit Details
numberOfUnit	Number of units	M*	1	n .. 4	.
unitQualifier	Number of units qualifier	M*	1	an .. 3	. Codeset list: 6353 1A 10.1.3469

Structure: INTERACTIVE FREE TEXT

Entity	Structure	St	Rep	Fmt	Comments
freeTextQualification	Free text qualification	M*	1	" "	Free text qualification
textSubjectQualifier	Text subject qualifier	M	1	an .. 3	. Codeset list: 4451 IA 02.2.6009
freeText	Free text	M*	1	an .. 256	Free text.

Structure: ITEM REFERENCES AND VERSIONS

Entity	Structure	St	Rep	Fmt	Comments
referenceType	Reference qualifier	C	1	an .. 3	qualifies the type of the reference used. Code set to define. Codeset list: 1153 IA 02.2.64
uniqueReference	Reference number	C	1	an .. 35	The value of the reference.

Structure: QUANTITY

Entity	Structure	St	Rep	Fmt	Comments
quantityDetails	Quantity details	M	20	" "	To specify an appropriate quantity.
qualifier	Quantity qualifier	M	1	an .. 3	qualifier. Codeset list: 6063 1A 02.2.2
value	Quantity	M	1	n .. 15	.
unit	Measure unit qualifier	C	1	an .. 3	. Codeset list: 6411 1A 02.2.5

Codesets

Codeset for Action request / notification, coded (Ref: 1229 1A 02.2.1654)

Value	Description
0	No
1	Yes
A	Agent initiated
AO	Acceptance of an offer
B	Account data verification
BH	Restore clearance held
BKS	Blockspace Partnership
C	Product data verification
CH	Schedule to be changed
CS	Clear status
D	Free ticket authorization
DC	Decrease counts
DS	Delete schedule
E	Free ticket issuance
ES	Eliminate schedule
F	OK reply with reply identical to request for product
FS	Historic schedule
G	OK reply with reply partially identical to request for product
H	OK reply with additional product information provided to create new fare discount
HH	Holding
I	OK reply with additional product for other passenger(s)
IC	Increase counts
IM	Schedule movement information
IRU	Interactive Redemption and Upgrade
J	OK reply with warning for product
K	Not OK reply with warning - additional information provided to create new fare discount
KK	Confirmation
L	Not OK reply with error for product
LS	Revised historic schedule
M	Not OKAY reply with warning for product
MAC	Miles Accrual
MS	Change of historic schedule

N	OK reply with additional product information provided to create new FQTV
NA	OK reply with additional product information provided to create new FQTR
NE	New entrant schedule
NS	New schedule
O	Frequent Flyer Product
OO	Offer
P	Frequent Flyer Product with additional products
PP	Pending
Q	Product other than Frequent Flyer
QA	Request for arrival schedule information
QD	Request for departure schedule information
QS	Request for schedule information
R	Product other than Frequent Flyer with additional products
RPL	RPL (Replace) message type requested
RS	Revised schedule
S	System initiated
SKN	SKD_NEW (deletion/creation) message type requested
SR	Reply to request for schedule information
SS	Set status
T	Third party initiated
TO	Agent inactivity time out
TS	Historic slot with flight information to be modified
U	Additional products only
UU	Refusal
V	Retrieve Frequent Flyer name for record build
W	Verify Frequent Flyer name
WW	Unable to reconcile flight information
X	Award data verification
XX	Cancellation
Y	Retrieve Frequent Flyer name for display
YY	Year-round schedule
Z	Not OK - Resend Request
ZZ	Decline offer

Codeset for Action request / notification, coded (Ref: 1229 1A 02.2.1816)

Value	Description
0	Not Integrated, not emulated

1	Integrated
2	FDP Emulated
AAL	Arrival Aircraft Location
DAL	Departure Aircraft Location

Codeset for Action request / notification, coded (Ref: 1229 IA 01.2.127)

Value	Description
0	Not Integrated, not emulated
1	Integrated
2	FDP Emulated
AAL	Arrival Aircraft Location
DAL	Departure Aircraft Location

Codeset for Attribute Function Code Qualifier (Ref: 9017 UN 02.1.14)

Value	Description
1	Member
10	Financial statement
11	Payment manner
12	Loan Information
13	Contract
14	Funding
15	Acquisition Phase
16	Monetary appropriation
17	Laboratory investigation
18	Clinical investigation
19	Reason for Request
2	Person
20	Reason for Prescription
21	Comment to Prescription
22	Observation
23	Comment to a Request
24	Event
3	Array structure component
4	University degree
5	Professional title
6	Courtesy title
7	Directory set definition
8	Structure Object Attribute

9	Account
ACT	Activity code
DAC	Activity dependency code of the activity
EVS	Event severity status
ZZZ	Mutualy defined

Codeset for Attribute type identification, coded (Ref: 950K 1A 12.1.719)

Value	Description
DLY	Delay Codes
FD	Flight Delayed
FX	Flight Cancelled
LX	Landing Cancelled

Codeset for Attribute type identification, coded (Ref: 950K 1A 02.1.20)

Value	Description
ADP	Activity Archive Departure Plan
AGC	AvlForGroupCapped (External System)
ATO	Activity ACARS time out
AUP	Activity Accept Flight From Upline Port
AVC	AvailabilityCap (External System)
BAR	BatchAvsRefresh (External System)
BAT	BidPriceAvlThreshold (Airline)
BAV	BatchAvs (External System)
BGD	Activity Send Baggage Figures Document
BPT	BidPriceProrationTolerance (Airline)
CAI	Activity Check Aircraft Information
CAO	Cabins order (Airline)
CCA	Activity Compute Capacity
CCC	CarrierCurrencyCode (Airline)
CCD	Activity Send Capacity Calculation Document
CCP	Activity Check CPM
CCS	CrossCabinGlobalSwitch (Airline)
CDI	Activity Compute Distribution
CFF	Activity Check Fuel Figures
CGO	Activity Send Cargo Offer
CLD	Activity Check load message
CLO	Classes order (Airline)
CPG	ConfirmPgAvlOk (External System)

CPM	Activity Send Container Pallet Message
CSG	ConfirmSgAvlOk (External System)
DGA	Activity Send Operations Control Dangerous Goods Advice
DUO	Activity Send Deadload Uplift Offload Message
EER	Event Severity Error
EML	EotAcceptMI (External System)
EOK	Event Severity OK
EWA	Event Severity Warning
EYM	EffectiveYieldMthd (Airline)
FCT	FlightConnectionTimeLimit (Airline)
FFF	Activity Send Final Fuel Figures Document
FLA	Activity Send ACARS Final Loadsheet
FLR	Activity Send Radio Final Loadsheet
FLT	Activity Send Final Loadsheet
GEC	Activity Get External Capacity Estimation
GFL	Activity Graphical Final Loadsheet
GLR	Activity Graphical LIR
GNC	Activity Graphical NOTOC
GPL	Activity Graphical Provisional Loadsheet
IB	InterpolateBetweenBuckets (Airline)
LDM	Activity Send Load Message
LIR	Activity Send Load Instruction Report
LOC	Location (External System)
MET	MIEnforcmentTimeLimit (External System)
ML	MaxLines (External System)
MLE	MIEnforced (External System)
MLT	SetMIWithTTY (External System)
NAF	NavsFormat (External System)
NAP	Activity Send NOTOC all provisional
NJF	Activity Send NOTOC Joining Final
NJP	Activity Send NOTOC Joining Provisional
NOF	Activity Send NOTOC All final
NTF	Activity Send NOTOC transit final Document
NTP	Activity Send NOTOC Transit Provisional
OAS	OndAvailabilityGlobalSwitch (Airline)
PLS	Activity Send Provisional Loadsheet
PO	ProtectForOversale (Airline)

PPS	Activity Predict Passenger Seating Allocation
PWP	Activity population of wnb plan data
QUB	Activity Query ULD and Bulk Load Details
RBP	RevenueControlBidPriceMethod (Airline)
RCS	RevenueControlGlobalSwitch (Airline)
REC	Activity Retrieve External Cargo Figures
RRC	Regrade Reason Code
RSE	RejectSsAtEOT (Airline)
RSH	RejectSsAllowedHours (Airline)
SAS	SendAvsPerSegment (External System)
SEZ	Activity Send EZFW
SLS	Activity Send Statistical Load Summary Message
SPF	SelectivePollingFormat (External System)
SWC	SendWaitlistClosed (ExternalSystem)
TAD	TtyAddress (External System and Airline)
TLV	TimingChangeLowerValue (Airline)
TMF	TimingChangeMctFactor (Airline)
TUV	TimingChangeUpperValue (Airline)
TYP	Type (External System)
UCM	Activity Send ULD Control Message

Codeset for Attribute type identification, coded (Ref: 950K 1A 10.1.42)

Value	Description
CAT	Indicates that the value refers to a category
SUB	Indicates that the value refers to a subcategory

Codeset for Cabin class location (Ref: 9863 IA 96.1.13)

Value	Description
L	Lowerdeck
M	Maindeck
U	Upperdeck

Codeset for Cabin class of service, coded (Ref: 9873 IA 96.1.32)

Value	Description
1	First class
2	Second class
3	Third class

Codeset for Characteristic identification (Ref: 7037 IA 01.2.124)

Value	Description
No specific codeset defined for this data element.	

Codeset for Column description (Ref: 9882 IA 96.1.12)

Value	Description
9	Center seat (not window, not aisle)
A	Aisle seat
W	Window seat

Codeset for Company identification (Ref: 9906 IA 02.2.21920)

Value	Description
7CC	Industry Car Rental Companies
7HH	Industry Hotel Chains

Codeset for Company identification (Ref: 9906 IA 02.1.15)

Value	Description
No specific codeset defined for this data element.	

Codeset for Company identification (Ref: 9906 IA 01.2.766)

Value	Description
7YY	Industry fares for all carriers

Codeset for DATA TYPE (Ref: 116Z 1A 02.1.10)

Value	Description
B	BINARY DATA
E	EDIFACT DATA
T	Text with special character (CR + LF)

Codeset for Date/Time/Period qualifer (Ref: 2005 1A 10.1.1305)

Value	Description
ADV	Advice time
ATA	Actual time of arrival
ATD	Actual time of departure, Off-blocks
ATT	Actual touch-down time
ATW	Actual time of departure, airborne
ETA	Estimated time of arrival
ETD	Estimated time of departure
L	Local Time
STA	Standard time of arrival
STD	Standard time of departure
U	UTC Time

Codeset for Date/Time/Period qualifer (Ref: 2005 IA 01.2.84)

Value	Description
ADV	Advice time of departure
ALL	Allocated time, in local
ALT	Allocated time
ATA	Actual time of arrival
ATD	Actual time of departure
ETA	Estimated time of arrival
ETD	Estimated time of departure
FDT	Range from date
LBT	Latest Boarding Time
LDT	Log date
MAT	Message Arrival Time
PDT	Purge date
SDT	Search Date Time Range
STA	Standard time of arrival
STD	Standard time of departure
TDT	Range to date
VDT	Validity date range

Codeset for Dimension qualifier (Ref: 6145 IA 01.2.3)

Value	Description
CON	Maximum Height of a container or pallet in this Bay/Pallet Position
HW	Hold width
ULB	ULD Base
ULD	Unit Load Device
ULT	ULD Top

Codeset for Encoding (Ref: 0133 1A 03.1.45)

Value	Description
1	ASCII 7 bit
2	ASCII 8 bit
3	Code page 500 (EBCDIC Multinational no. 5)
4	Code page 850 (IBM PC Multinational)
5	UCS-2
6	UCS-4
7	UTF-8

8	UTF-16
ZZZ	Mutually agreed

Codeset for Equipment identification number (Ref: 8260 IA 96.1.71)

Value	Description
No specific codeset defined for this data element.	

Codeset for Facility type, coded (Ref: 9932 IA 01.2.83)

Value	Description
1	Movie
10	Short feature video
11	No duty free sales
12	In-seat power source
13	Internet access
14	E-Mail
15	Inseat Video Player/Library
2	Telephone
3	Telex
4	Audio programming
5	Television
6	Reservation booking service
7	Duty free sales
700	Meal service
701	Entertainment
8	Smoking
9	Non-smoking
ABU	Aerobus
BAG	Baggage Area
BEL	Conveyor Belt
BUS	Bus
CAT	Catering
CHK	Check-in area
CLN	Cleaning
COU	Check-in counter
CRW	crew bus
FIR	fire-engine equipment
FUE	Re-Fuelling

GAN	Gangway
GTE	Gate area
ICE	De-icing equipment
JET	Jetway
LIT	Lighting
LOC	Location
LOU	Boarding Lounge
LUG	Luggage
PAR	Parking area or stand
PIE	Pier
POW	Ground Power
SAT	Satellite
SHU	Shuttle
STD	Stand
TAN	tank truck
TER	Terminal
TOW	Tow tractor with towbar
TWB	Tow tractor without towbar
WAS	A/C washing equipment
WAT	Fresh water equipment

Codeset for Full/empty indicator, coded (Ref: 8169 IA 01.2.2)

Value	Description
0	No volume available
1	Quarter volume available
2	Half volume available
3	Three quarters volume available

Codeset for Handling instructions, coded (Ref: 4079 IA 02.2.5)

Value	Description
No specific codeset defined for this data element.	

Codeset for Hazard code identification (Ref: 8351 IA 02.2.3)

Value	Description
I	Category 1
II	Category 2
III	Category 3

Codeset for Information type (Ref: 9980 IA 01.2.178)

Value	Description
1	Fifo Exists
10	Endorsement information
101	Passenger terminal segment override - arrival
102	Passenger terminal segment override - departure
11	Commission information
12	Tour number
13	Special remarks (may contain coded information followed by free text)
14	Fare quoted at time of booking
15	Fare calculation at time of ticketing
16	Form of payment information (non prepaid ticket advice (PTA))
17	Ticketing information
18	Invoice information
19	Historical information
2	Address (home or hotel)
20	PNR grouping remark
21	Wholesaler address
22	Document delivery address
23	Ticketing remarks
24	Booking party details
25	Traveler ticketed
26	Ticket issue date information
27	Ticketing time limit
28	Other service information (OSI)
29	Supplementary flight information
3	Business telephone number
30	Time of next information
31	AIRIMP record locator details
32	Endorsement box text information
33	Pricing/ticketing warning information
34	Total Fare amount too large, text information included
35	Issue separate tickets, text information included
36	Payment Restrictions
37	Horizontal Fare Calculation
38	Non-segment related itinerary remarks

39	Issuing agency/airline-name and place of issue
4	Home telephone number
40	Name of service provider to present to
41	Passenger specific information
42	Location of service provider to present at
43	Sponsor information
45	Original issue information
46	Party to be billed
47	Reason for issuance description
5	Telephone nature not known
50	Header Information
51	Trailer Information
52	Tour Option (entertainment, transfers, insurance, etc.)
53	Tour name
54	Queue Placement Information
55	Supplier agent Information
56	Office identification code and confidential remarks
6	Travel agent telephone number
7	Remarks (free text information)
700	Agent Alert
701	Fare Warning Message
702	TAG 8 Message
703	Validity Message
704	VAT Type Message
705	Override booking agents reference
706	Driving license details
707	Car information
708	Hotel information
709	Auxiliary information
710	Itinerary remarks
711	Reference sell token
712	Display more token
713	Percentage discount override - verify all rules
714	Amount discount override applied to base
715	Amount discount override applied to total fare
716	Amount/percent discount override applied to total fare
717	Amount/percent discount override applied to base fare

718	Ticket by fare basis
719	Manual manipulation of taxes
720	Negotiated rates used
721	Not fared at passenger type required
722	Hip may apply /unable to verify
723	Pricing override used
724	Booking date override used
725	Point of sale date/time when pricing transaction performed
726	Restrictions
7EX	ET coupon(s) may be used, exchange recommended
7FC	ET coupon(s) may be used but was not updated with new/modified itinerary
7NU	ET coupon(s) may not be used for new/modified itinerary
7NV	ET coupon(s) may be used, further action may be required
7RV	ET coupon(s) updated with new or modified itinerary
8	Indication to reference complete party information
9	Ticket number
AHS	Arrival high security flight
BAG	Baggage Figures
BD	Domestic at board point
BI	International at board point
BME	Broadcast message
COM	Comments
CON	Consignement note
CPI	Cargo Pax Information
DBW	The description of the basic weight
DHS	Departure high security flight
DNT	Dangerous goods net quantity or transport index
EN	Not electronic ticketing candidate
ET	Electronic ticketing candidate
FAA	FAA check-in rules apply
FAX	Fax number
ISR	Israeli check-in rules apply
MAN	List of mandatory fields
MR	Message Received
MS	Message Sent
OD	Domestic at off point
OI	International at off point

ONC	oncarriage details
SCO	Send Cargo Offer
SSI	Stab Setting description
STA	Status name
SUP	Supplementary information
TXT	Other conditions - see text
ULD	ULD configuration
UPO	Uplift Offload message

Codeset for Information type (Ref: 9980 IA 02.2.268)

Value	Description
1	Fifo Exists
10	Endorsement information
101	Passenger terminal segment override - arrival
102	Passenger terminal segment override - departure
11	Commission information
12	Tour number
13	Special remarks (may contain coded information followed by free text)
14	Fare quoted at time of booking
15	Fare calculation at time of ticketing
16	Form of payment information (non prepaid ticket advice (PTA))
17	Ticketing information
18	Invoice information
19	Historical information
2	Address (home or hotel)
20	PNR grouping remark
21	Wholesaler address
22	Document delivery address
23	Ticketing remarks
24	Booking party details
25	Traveler ticketed
26	Ticket issue date information
27	Ticketing time limit
28	Other service information (OSI)
29	Supplementary flight information
3	Business telephone number
30	Time of next information

31	AIRIMP record locator details
32	Endorsement box text information
33	Pricing/ticketing warning information
34	Total Fare amount too large, text information included
35	Issue separate tickets, text information included
36	Payment Restrictions
37	Horizontal Fare Calculation
38	Non-segment related itinerary remarks
39	Issuing agency/airline-name and place of issue
4	Home telephone number
40	Name of service provider to present to
41	Passenger specific information
42	Location of service provider to present at
43	Sponsor information
45	Original issue information
46	Party to be billed
47	Reason for issuance description
5	Telephone nature not known
50	Header Information
51	Trailer Information
52	Tour Option (entertainment, transfers, insurance, etc.)
53	Tour name
54	Queue Placement Information
55	Supplier agent Information
56	Office identification code and confidential remarks
6	Travel agent telephone number
7	Remarks (free text information)
700	Agent Alert
701	Fare Warning Message
702	TAG 8 Message
703	Validity Message
704	VAT Type Message
705	Override booking agents reference
706	Driving license details
707	Car information
708	Hotel information
709	Auxiliary information

710	Itinerary remarks
711	Reference sell token
712	Display more token
713	Percentage discount override - verify all rules
714	Amount discount override applied to base
715	Amount discount override applied to total fare
716	Amount/percent discount override applied to total fare
717	Amount/percent discount override applied to base fare
718	Ticket by fare basis
719	Manual manipulation of taxes
720	Negotiated rates used
721	Not fared at passenger type required
722	Hip may apply /unable to verify
723	Pricing override used
724	Booking date override used
725	Point of sale date/time when pricing transaction performed
726	Restrictions
727	Fare rules token
728	Segment related remarks
7EX	ET coupon(s) may be used, exchange recommended
7FC	ET coupon(s) may be used but was not updated with new/modified itinerary
7NU	ET coupon(s) may not be used for new/modified itinerary
7NV	ET coupon(s) may be used, further action may be required
7RV	ET coupon(s) updated with new or modified itinerary
8	Indication to reference complete party information
9	Ticket number
AHS	Arrival high security flight
BD	Domestic at board point
BI	International at board point
DHS	Departure high security flight
ELR	Left ULD Group Code
EN	Not electronic ticketing candidate
ET	Electronic ticketing candidate
FAA	FAA check-in rules apply
ISR	Israeli check-in rules apply
OD	Domestic at off point
OI	International at off point

TXT	Other conditions - see text
UGC	ULD Group Code
ULB	Right ULD Group Code
ULL	Double ULD Group Code
UOG	The Overlay ULD Group
USG	The Source ULD Group

Codeset for Information type (Ref: 9980 1A 01.2.1)

Value	Description
1	Fifo Exists
10	Endorsement information
101	Passenger terminal segment override - arrival
102	Passenger terminal segment override - departure
11	Commission information
12	Tour number
13	Special remarks (may contain coded information followed by free text)
14	Fare quoted at time of booking
15	Fare calculation at time of ticketing
16	Form of payment information (non prepaid ticket advice (PTA))
17	Ticketing information
18	Invoice information
19	Historical information
2	Address (home or hotel)
20	PNR grouping remark
21	Wholesaler address
22	Document delivery address
23	Ticketing remarks
24	Booking party details
25	Traveler ticketed
26	Ticket issue date information
27	Ticketing time limit
28	Other service information (OSI)
29	Supplementary flight information
3	Business telephone number
30	Time of next information
31	AIRIMP record locator details
32	Endorsement box text information

33	Pricing/ticketing warning information
34	Total Fare amount too large, text information included
35	Issue separate tickets, text information included
36	Payment Restrictions
37	Horizontal Fare Calculation
38	Non-segment related itinerary remarks
39	Issuing agency/airline-name and place of issue
4	Home telephone number
40	Name of service provider to present to
41	Passenger specific information
42	Location of service provider to present at
43	Sponsor information
45	Original issue information
46	Party to be billed
47	Reason for issuance description
5	Telephone nature not known
50	Header Information
51	Trailer Information
52	Tour Option (entertainment, transfers, insurance, etc.)
53	Tour name
54	Queue Placement Information
55	Supplier agent Information
56	Office identification code and confidential remarks
6	Travel agent telephone number
7	Remarks (free text information)
700	Agent Alert
701	Fare Warning Message
702	TAG 8 Message
703	Validity Message
704	VAT Type Message
705	Override booking agents reference
706	Driving license details
707	Car information
708	Hotel information
709	Auxiliary information
710	Itinerary remarks
711	Reference sell token

712	Display more token
713	Percentage discount override - verify all rules
714	Amount discount override applied to base
715	Amount discount override applied to total fare
716	Amount/percent discount override applied to total fare
717	Amount/percent discount override applied to base fare
718	Ticket by fare basis
719	Manual manipulation of taxes
720	Negotiated rates used
721	Not fared at passenger type required
722	Hip may apply /unable to verify
723	Pricing override used
724	Booking date override used
725	Point of sale date/time when pricing transaction performed
726	Restrictions
7EX	ET coupon(s) may be used, exchange recommended
7FC	ET coupon(s) may be used but was not updated with new/modified itinerary
7NU	ET coupon(s) may not be used for new/modified itinerary
7NV	ET coupon(s) may be used, further action may be required
7RV	ET coupon(s) updated with new or modified itinerary
8	Indication to reference complete party information
9	Ticket number
AHS	Arrival high security flight
BAG	Baggage Figures
BD	Domestic at board point
BI	International at board point
BME	Broadcast message
COM	Comments
CON	Consignement note
CPI	Cargo Pax Information
DBW	The description of the basic weight
DHS	Departure high security flight
DNT	Dangerous goods net quantity or transport index
EN	Not electronic ticketing candidate
ET	Electronic ticketing candidate
FAA	FAA check-in rules apply
FAX	Fax number

FSC	Fuel Supplier Code
ISR	Israeli check-in rules apply
MAN	List of mandatory fields
MR	Message Received
MS	Message Sent
OD	Domestic at off point
OI	International at off point
ONC	oncarriage details
PIN	User PIN Code
SCO	Send Cargo Offer
SSI	Stab Setting description
STA	Status name
SUP	Supplementary information
TXT	Other conditions - see text
ULD	ULD configuration
UPO	Uplift Offload message

Codeset for Item characteristic, coded (Ref: 7081 1A 12.1.63)

Value	Description
AT	Bagtag Number Automatically produced
B	Cabin baggage
C	Courier Seat
COM	Commercial stopover
CT	Crew tag
E	Extra Seat
FD	FLIX-Disruption
FX	FLIX-FX
L	Limited release tag
LT	Late checked baggage
LX	FLIX-LX
M	Medical Seat
MT	Bagtag Number Manually Entered
NCM	Non-commercial flight
SC	Transform ASM CNL to FLIX
STP	Technical stopover
TSA	Bag tag source type is Automatique
TSB	Bag tag source type is BTM

TSI	Bag tag source type is IATCI
TSM	Bag tag source type is Manual
U	Unknown
USR	User input

Codeset for Item characteristic, coded (Ref: 7081 IA 01.2.50)

Value	Description
AIR	Aircraft Description
AT	Bagtag Number Automatically produced
B	Cabin baggage
BAR	Barrow ID
C	Courier Seat
CAN	The carrier name
COM	Commercial stopover
CT	Crew tag
DCK	The name of the deck
E	Extra Seat
HLD	Hold name
L	Limited release tag
LCK	Lock
LT	Late checked baggage
M	Medical Seat
MGS	Magic carpet status
MT	Bagtag Number Manually Entered
NCM	Non-commercial flight
SFO	The standard fuelling option name
STA	Status name
STP	Technical stopover
STY	Service type name
TNK	The tank type name
U	Unknown

Codeset for Item description type, coded (Ref: 7077 1A 02.1.157)

Value	Description
AC	The Type of Aerodynamic Chord used
AN	Aircraft Name
APS	APS Form Description
AT	Autoload Theme

ATN	Autoload Theme Name
BAC	Bag Weight Category
BAG	Bag Weight Description
BAN	The Band that this CG Envelope applies to
BAR	Barrow Name
BGD	Baggage Figures Document - TTY
CAR	Carrier Regulation Authority
CC	Cabin Crew
CCD	Capacity Calculation Document - TTY
CD	Retractable Doorway Centre Guide
CDI	Crew Distribution Name
CDN	Default Crew Distribution Name
CF	Female crew
CG	Centre Guides
CGE	Centre of Gravity Envelope Name
CGO	Cargo Offer - TTY
CM	Male crew
CN	Carrier Name
CPM	Container Pallet Message - TTY
CRT	Carrier Type
CS	Container Stops
CT	Curtailment Type
CTD	Curtailment Description
DCD	Deck Description
DCK	Deck Name
DDL	Default density of deadload
DGA	Operations Control Dangerous Goods Advice - TTY
DOM	The domain where this authorisation is obtained.
DOS	Staff Domain Name
DP	Double Pallet
DT	Deadload Type of the deadload subtype
DTV	Data type and value
DUO	Deadload Uplift Offload Message - TTY
ECS	Captain Electronic Signature
FBA	Final Brief ACARS Loadsheets
FDC	Fuel Density Units used by Carrier
FE	Fixed End

FEA	Final Extended ACARS Loadsheet
FFF	Final Fuel Figures Document - TTY
FIN	Final Loadsheet
FLA	ACARS Final Loadsheet - ACARS
FLR	Radio Final Loadsheet - Radio
FLT	TTY Final Loadsheet - TTY
FV	Fuel Vector Information
FVI	Fuel Vector ID
FVN	Fuel Vector Name
GFL	Graphical Final Loadsheet
GLR	Graphical LIR
GNC	Graphical NOTOC
GPL	Graphical Provisional Loadsheet
HL	Hold Location
ICM	Inbound Container Pallet message
ILM	Inbound Load Message
ITE	Description of the ITE Configuration
LA	Reason the Licence was assigned
LCK	Lock Name
LD	Location Description
LDM	Load Message - TTY
LG	Lateral Guide
LIR	Load Instruction Report - TTY
LLC	Linear (Length) Units used by this Carrier
LLU	Liquid volume units used by this aircraft type/subtype.
LOC	Location Name
LOT	Location Type
LS	Left Side Guides
LT	Lock Type
LTC	Lock Type Category
LTD	Lock Type Description
LTF	Load And Trim Data Final
LTN	Location Type Name
LTP	Load And Trim Data Provisional
LU	Linear (length) units used by this aircraft type/subtype
LVC	Liquid Volume Units used by this Carrier
MW	Name of Max Weights entry

NAP	NOTOC All Provisional
NDF	NOTOC DATA FINAL
NDP	NOTOC DATA PROVISIONAL
NJF	NOTOC Joining Final
NJP	NOTOC Joining Provisional
NOF	NOTOC All Final
NTF	NOTOC Transit Final
NTP	NOTOC Transit Provisional
PD	Default Pantry
PL	Partial Load
PLS	Provisional Loadsheet - TTY
PT	Port Name
PWC	The category of this Pax Weight entry
RD	Retractable Doorsill Restraint
RI	Restraint Impact (Opp. Doorway)
RS	Right Side Guides
SCN	Seat Config Name
SD	Semi-Automatic Doorsill Restraint
SDN	Standard Distribution Name
SDV	Standard Distribution Volume ID
SLS	Statistical Load Summary Message - TTY
SP	Single Pallet
SR	Number of Seats/Pax in Row
STC	Service Type Code Description
STY	Service Type Description
SWA	SWA Name
TC	Technical Crew
TFC	Taxi Fuel Category Description
TFI	The Taxi Fuel Category ID
TNK	Fuel Tank Name
UCC	Category of uld type capacity
UCD	ULD type capacity description
UCM	ULD Control Message - TTY
VU	Volume units used by this aircraft type/subtype
VUC	Deadload Volume Unit used by Carrier
WT	Weight type of Carrier
WU	Weight units used by this aircraft type/subtype

WUC	Weight Unit Type used by Carrier
-----	----------------------------------

Codeset for Item description type, coded (Ref: 7077 IA 01.2.16)

Value	Description
BAR	Barrow

Codeset for Language, coded (Ref: 3453 IA 96.1.382)

Value	Description
No specific codeset defined for this data element.	

Codeset for Language, coded (Ref: 3453 IA 02.2.633)

Value	Description
No specific codeset defined for this data element.	

Codeset for Measurement application qualifier (Ref: 6311 IA 01.2.2)

Value	Description
AFT	AFT value
BAC	Balance Arm of the Compartment
BAH	Balance arm of Hold
BAL	Balance arm of Lock
BAN	The Band that this Center of Gravity applies to
BAS	The Balance Arm of the Seat Row
BAU	Starting Balance Arm of the ULD Group
BAV	End Balance Arm of the ULD Group
BAW	Balance arm that weight measurement is for
BAX	Balance arm that changed weight measurement is for
BAZ	Balance arm for the Zone
BDL	The balance arm of the DIP locker (if fitted in the cabin)
BFL	Balance arm of total fuel
BGS	The Ground Stability Balance Arm
BLE	The balance arm of the Leading Edge of the Mean Aerodynamic Chord
BLL	The Balance Arm of this Load Location
BSL	Balance Arm for this Stowage Location
BST	Balance arm of stabiliser setting

BTV	The Balance Arm at a givenTank Volume
CBA	Centroid Balance Arm associated with the galley
CBS	The centroid balance of the seats at this location
CCA	The C Constant of the aircraft subtype
CCI	The C-Const used for reducing the scale of the index values
CCN	C constant for trim calculation
CFI	Centroid for the Aircraft fitted interior
COG	Centre of gravity
CON	The New Centre of gravity
CSG	Current Specific Gravity
FWD	FWD value
KC	The kConstant Number used to reduce Index units to a more manageable value
KST	The K Constant of the aircraft subtype
LBA	Lateral Balance Arm
LLD	Load Location Descriptor Code
LLU	Type of liquid volume units used when describing or working with this aircraft type/ subtype
LU	Type of linear (length) units used when describing or working with this aircraft type/ subtype
MBA	Mean balance arm
RSS	The reference station of the aircraft Subtype
RST	Reference station
SG	The specific Gravity (SG) used to calculate maximum weight
SGF	Minimum Fuel Density Range for Specific Gravity
SGT	Specific Gravity Threshold
SGX	Maximum Fuel Density Range for Specific Gravity
STB	Stabiliser trim setting
STS	Stab Trim Setting For The Configuration
VU	Type of volume units used when describing or working with this aircraft type/subtype
WU	Type of weight units used when describing or working with this aircraft type/subtype

Codeset for Measurement dimension, coded (Ref: 6313 IA 01.2.6)

Value	Description
ACS	Aircraft Subtype
BAD	Back door
BAY	Bay
BLK	Bulk

BPP	Bay Pallet Position
CON	Container
CPT	Compartment
CRS	Crew Seat
DIP	Dip Locker
DU	Default ULD Type
FRD	Front door
FUL	Full width
GLY	Galley
HLD	Hold
LEF	Left
LSD	Left side door
NCD	Nose Cargo Door
PAL	Pallet
PLD	Lower Deck Pallet
PMD	Main Deck Pallet
PWG	Pallet with Extensions
RIG	Right
RSD	Right side door
SCD	Side Cargo Door
SEA	Seat
SER	Seat Row

Codeset for Measure unit qualifier (Ref: 6411 1A 11.1.522)

Value	Description
700	Data not available
701	Amount is a Percentage
702	Specified routing may apply - check carrier and/or connection
703	TPM deduction may apply - check carrier and/or connection
704	TPM deduction applied
A	Age
B	Alternate Seat
C	Coupon
CM	Centimeter
DAY	Duration in day
EBA	End Balance arm

FR	First number in range of seats
G	Kilometers
GLI	Imperial gallons (4,546092 dm3)
GLL	Liquid Gallon (US) (3,78541 dm3)
IN	Inch
K	Kilograms
KLT	kg/L
L	Pounds
LBA	Balance arm
LBG	lb/Gallon
LR	Last number in range of seats
LTR	Litres
LUG	lb/usGallon
M	Mileage
MHZ	MegaHertz
MIN	Duration in minutes
ONZ	Ounce GB, US (28,349523 g)
OZA	Fluid Ounce (29,5735 cm3)
OZI	Fluid Ounce (28,413 cm3)
P	Points
PRT	The relative priority for the theme
S	Seat number
SBA	Start Balance arm
SEC	Duration in seconds

Codeset for Measure unit qualifier (Ref: 6411 IA 01.2.122)

Value	Description
700	Data not available
701	Amount is a Percentage
702	Specified routing may apply - check carrier and/or connection
703	TPM deduction may apply - check carrier and/or connection
704	TPM deduction applied
A	Age
B	Alternate Seat
C	Coupon
CM	Centimeter

DAY	Duration in day
EBA	End Balance arm
FR	First number in range of seats
G	Kilometers
GLI	Imperial gallons (4,546092 dm3)
GLL	Liquid Gallon (US) (3,78541 dm3)
IN	Inch
K	Kilograms
KLT	kg/L
L	Pounds
LBA	Balance arm
LBG	lb/Gallon
LR	Last number in range of seats
LTR	Litres
LUG	lb/usGallon
M	Mileage
MHZ	MegaHertz
MIN	Duration in minutes
ONZ	Ounce GB, US (28,349523 g)
OZA	Fluid Ounce (29,5735 cm3)
OZI	Fluid Ounce (28,413 cm3)
P	Points
PRT	The relative priority for the theme
S	Seat number
SBA	Start Balance arm
SEC	Duration in seconds

Codeset for Measure unit qualifier (Ref: 6411 1A 02.2.5)

Value	Description
K	Kg
L	Pounds

Codeset for Measure unit qualifier (Ref: 6411 IA 01.2.433)

Value	Description
700	Data not available

701	Amount is a Percentage
702	Specified routing may apply - check carrier and/or connection
703	TPM deduction may apply - check carrier and/or connection
704	TPM deduction applied
A	Age
B	Alternate Seat
C	Coupon
CM	Centimeter
DAY	Duration in day
EBA	End Balance arm
FR	First number in range of seats
G	Kilometers
GLI	Imperial gallons (4,546092 dm3)
GLL	Liquid Gallon (US) (3,78541 dm3)
IN	Inch
K	Kilograms
KLT	kg/L
L	Pounds
LBA	Balance arm
LBG	lb/Gallon
LR	Last number in range of seats
LTR	Litres
LUG	lb/usGallon
M	Mileage
MHZ	MegaHertz
MIN	Duration in minutes
ONZ	Ounce GB, US (28,349523 g)
OZA	Fluid Ounce (29,5735 cm3)
OZI	Fluid Ounce (28,413 cm3)
P	Points
PRT	The relative priority for the theme
S	Seat number
SBA	Start Balance arm
SEC	Duration in seconds

Codeset for Nature of cargo, coded (Ref: 7085 IA 01.2.4)

Value	Description
BAG	Baggage Default Type
C	Cargo
D	Crew Bag
DP	Deadload Priority
DSC	Deadload Subtype Code
DT	Deadload type
E	Equipment
M	Mail
O	Others
T	Transit

Codeset for Number of units qualifier (Ref: 6353 1A 10.1.3468)

Value	Description
APO	Total number of All Packed In One pieces
OVP	Total number of Overpack pieces

Codeset for Number of units qualifier (Ref: 6353 1A 10.1.3469)

Value	Description
APO	Total number of All Packed In One pieces
OVP	Total number of Overpack pieces

Codeset for Number of units qualifier (Ref: 6353 IA 01.2.210)

Value	Description
AVL	Availability
AVS	Available
BCF	The total number of booked in pax for the specified class for the specified flight leg
BOO	Booked
CAP	Capacity
CAT	Catering Figures
CCF	The total number of pax checked-in for the specified class for the specified flight leg
CDN	Commodity destination number
CUA	Accepted
CUS	Standby

DIS	Disembarking
NCP	Non Commercial Passenger
PSA	Subload accepted
PSL	Subload listed
PSS	Subload Standby
SAO	Number of Seats after onload
SBO	Number of Seats before Onload
SCC	Saleable Configuration
SLD	The number of pieces of SLDG
TBO	Transit Booked
TCA	Transit Accepted
TND	Autoload theme number of destinations
WWF	The ratio of booked in to checked in pax. The WhatWentFactor

Codeset for Originator type code (Ref: 9972 IA 01.2.92)

Value	Description
A	Airline
B	Business (Corporate) account
C	Consolidator
D	Direct consumer
E	Electronic selling system (e.g. Minitel, Compuserve)
G	General Sales Agent
I	Internal CRS locations (sales, development, etc.)
N	Non IATA Agents
P	Pending IATA Agents
S	Self service machine
T	Travel Agent
V	Vendor (car, hotel, airline, travel supplier, etc.)
W	Wholesaler (Tour operator)
X	Bogus subscribers, used for testing

Codeset for Outbound flight continuation indicator (Ref: 9856 IA 02.2.1129)

Value	Description
A	All subsequent flights to 1st flight nominated in outbound
T	This particular flight only

Codeset for Outbound flight continuation indicator (Ref: 9856 IA 01.2.23)

Value	Description
A	All subsequent flights to 1st flight nominated in outbound
T	This particular flight only

Codeset for Outbound flight continuation indicator (Ref: 9856 IA 01.2.24)

Value	Description
A	All subsequent flights to 1st flight nominated in outbound
T	This particular flight only

Codeset for Packing group, coded (Ref: 8339 IA 02.2.3)

Value	Description
1	Belonging to Category 1: Great Danger
2	Belonging to Category 2: Medium Danger
3	Belonging to Category 3: Minor Danger

Codeset for Place/location identification (Ref: 3225 IA 02.2.4470)

Value	Description
No specific codeset defined for this data element.	

Codeset for Place/location identification (Ref: 3225 IA 01.2.409)

Value	Description
ARNK	ARNK (for RTG use only)
ZZZ	ZZZ (used to designate all cities)

Codeset for Place/location identification (Ref: 3225 IA 01.2.410)

Value	Description
ARNK	ARNK (for RTG use only)
ZZZ	ZZZ (used to designate all cities)

Codeset for Processing indicator, coded (Ref: 7365 IA 02.2.926)

Value	Description
700	Request is expanded to exclude connection point(s)
701	Request is expanded to exclude carriers
702	Before connection
703	After connection
704	Board point used as airport code only
705	Off point used as airport code only
706	Board point and off point used as airport code only
7SR	Stateless/refugee/etc
7TR	Transit visa
ACK	Acknowledgment
AF	All flights to be processed
AI	Additional information
AT	Alternate flight
B	Boarding pass may not be issued until the mutually agreed time period.
BS	Blind sell
C	Contact information
CD	Change of date
CM1	Change date minus 1 day
CN	Cascading not allowed
CP2	Change date plus 2 days
CY	Cascading allowed
DP	Diplomatic
EC	Excess bags charged
EI	Excess bags identified
EW	Excess bags waived
F	Form of payment details
FA	First available
FE	Bagtag issuance required by querying system
FN	No, seat request not fulfilled
FT	Fare/tax/total details
FY	Yes, seat request fulfilled
GC	Green card/alien resident permit
HP	Head of Baggage Pool
J	Action based on journey

MH	Bagtag issuance required by responding system
MI	Military ID
MP	Member of Baggage Pool
MPP	Multi passenger passport
N	No action required
NB	No a boarding pass may not be issued
NP	Not pooled
NS	Requested city pair, no seat data applies
P	Action required
PC	Purchaser ticketing restriction/conditions
PI	Partial passenger indicator
PP	Partial passenger/partial segment indicator
PS	Partial segment indicator
PT	Passport
R	Routing information
RD	Reservations details
SA	Seat assignment association - desires seating together
SS	Seaman/ Sailor
T	Total amount collected
TF	This flight only to be processed
TP	Action required and candidate for special Yield Management processing
VI	Visa
Y	Yes a boarding pass may be issued
YP	Pooled

Codeset for Processing indicator, coded (Ref: 7365 IA 01.2.204)

Value	Description
700	Request is expanded to exclude connection point(s)
701	Request is expanded to exclude carriers
702	Before connection
703	After connection
704	Board point used as airport code only
705	Off point used as airport code only
706	Board point and off point used as airport code only
7SR	Stateless/refugee/etc
7TR	Transit visa
ACK	Acknowledgment

AF	All flights to be processed
AI	Additional information
AT	Alternate flight
B	Boarding pass may not be issued until the mutually agreed time period.
BS	Blind sell
BTY	This is a pieces and weight flight
C	Contact information
CD	Change of date
CM1	Change date minus 1 day
CN	Cascading not allowed
CP2	Change date plus 2 days
CY	Cascading allowed
DP	Diplomatic
EC	Excess bags charged
EI	Excess bags identified
EW	Excess bags waived
F	Form of payment details
FA	First available
FE	Bagtag issuance required by querying system
FN	No, seat request not fulfilled
FT	Fare/tax/total details
FY	Yes, seat request fulfilled
GC	Green card/alien resident permit
HP	Head of Baggage Pool
J	Action based on journey
MH	Bagtag issuance required by responding system
MI	Military ID
MP	Member of Baggage Pool
MPP	Multi passenger passport
N	No action required
NB	No a boarding pass may not be issued
NP	Not pooled
NS	Requested city pair, no seat data applies
P	Action required
PC	Purchaser ticketing restriction/conditions
PI	Partial passenger indicator
PP	Partial passenger/partial segment indicator

PS	Partial segment indicator
PT	Passport
R	Routing information
RD	Reservations details
SA	Seat assignment association - desires seating together
SS	Seaman/ Sailor
T	Total amount collected
TF	This flight only to be processed
TP	Action required and candidate for special Yield Management processing
VI	Visa
WK	Weight known
WUK	Weight unknown
Y	Yes a boarding pass may be issued
YP	Pooled

Codeset for Product details qualifier (Ref: 9970 IA 01.2.54)

Value	Description
1	Reservations classes (PRBD)
2	Physical configuration (ACV)
3	Blocked Seats and/or blocked unit load devices
AL	Aircraft Location
ALN	Aircraft Location - New
AMT	The aft index unit of the MTOW
AMW	Aft index unit of the MLDW
AMZ	The maximum zero fuel weight aft index unit
ART	The index unit of the RTOW Aft
ARW	Aft index unit of the RLDW
ARZ	The index unit of the RZFW Aft
ATO	TOW Aft Index
AZF	The index unit of the ZFW Aft
BAG	The baggage location
BAS	Base
BPP	Bay/Pallet Position
BSI	Basic weight or index for a flight
BTF	Ballast trapped fuel
CBC	Cabin Crew Bag - Default Location Type Code
CBD	Default location for the Cabin Crew bags

CBI	Crew baggage index
CBL	The location of the cabin crew Baggage
CBT	Default location for the Tech Crew bags
CLB	Club Class
CSL	Crew Seat Location
CT	Tech Crew Bags- Default Location Type Code
CTA	Common Tariff Area
DID	deadload
DLI	Dry laden index
DOI	Dry Operating Index
DOM	Domestic
DOW	Dry Operating Weight
ECO	Economy Class
ENV	Envelope
EQP	Equipment
FHD	First Hold Location
FMT	The fwd index unit of the MTOW
FMW	Forward index unit of the MLDW
FMZ	The maximum zero fuel weight fwd index unit
FRT	Index unit of the RTOW Fwd
FRW	Forward index unit of the RLDW
FST	First Class
FTO	TOW Fwd Index
FVD	The fuel vector point index Difference
FZF	Index unit of the ZFW Fwd
GL	Galley Location
GLP	Galley Location at which this part of the Pantry is Allocated
HLD	Hold
ID	Index Difference
INT	International
ITW	IncludesTare Weight
IV	Operating Index
LDI	Landing Index
LOC	Location Type
LOL	Location for Location Type
LOR	Location for this Rule
LTO	Laden index at take-off weight

LZF	Laden index at Zero fuel weight
NEW	New position
OB	Offered by booking class
OC	Offered by cabin class
OLD	Old position
OOD	Default Operating Index
OWI	Operating Weight and Index
PAN	Pantry
PAR	Parking
PER	Personnel
POS	Position
POW	Potable Water Index
SB	Sold by booking class
SC	Sold by cabin class
SCH	Schengen
SHD	Second Hold Location
SHU	Shuttle
SLD	SLDG Location
SWA	Service Weight Adjustment
TBL	The location of the technical crew Baggage
TBP	Bay / Pallet Position Type
TCW	Total crew
TIX	The transport Index
TOI	The take off index
TOW	Take off weight
ULD	ULD,Bulk
ZFI	The zero fuel index
ZFW	Zero fuel weight

Codeset for Quantity qualifier (Ref: 6063 1A 11.2.187)

Value	Description
DNW	SLDG Weight
HEI	SLDG Height

Codeset for Quantity qualifier (Ref: 6063 1A 11.2.189)

Value	Description
DNW	SLDG Weight
HEI	SLDG Height

Codeset for Quantity qualifier (Ref: 6063 1A 11.2.205)

Value	Description
1ST	Highest class of service
2ND	Intermediate class of service
3RD	Normal class of service
700	Maximum Permitted Mileage
701	Ticketed Point Mileage
702	Five per cent premium
703	Ten per cent premium
704	Fifteen per cent premium
705	Twenty per cent premium
706	Twenty-five per cent premium
707	Exception routing
708	Cumulative (current plus previous legs)
709	Lower Level Mileage
710	Higher level Mileage
711	TPM deduction
712	MPM deduction
713	Mileage Exceeds Twenty-five percent premium
714	Mileage does not exceed
715	Total number of flights in a group (including sub-sets)
716	Total number of flights in a sub-set of a group
717	Number of items remaining on queue
A	Period referenced to Actual time of departure
ABW	Accepted baggage weight
AC	Actual Credit (Mileage Balance)
ACO	ICAO Acoustic Group Number
ACW	Lateral imbalance the automatic check weight
ASW	Associated Seat Weight
AUW	The actual underload weight
AVL	The available weight
B	Bonus credits
BAG	Baggage
BAS	Basic weight or index for a flight
BAW	Bag weight
BLK	Bulk weight

BT	Ballast/Trapped Allowed
BTF	Ballast trapped fuel
BVA	The amount of bulk volume available
BVU	The amount of bulk volume used
BWA	The amount of bulk weight available
BWU	The amount of bulk weight used
C	Current period
CAR	Cargo capacity
CBW	the crew baggage weight
CC	Number of Containers in the Configuration
CCD	Default number of cabin crew on this distribution
CCW	Current to come weight
CGN	The New weight value
CGW	Weight value
CHT	Temperature of compartment during flight when it is heated
CN	Compartment Number
CNB	The compartment number for the Bay/Pallet Position
CNM	The compartment number for the maxima
COA	the number of index units this curtailment moves the AFT C of G limit for the configuration
COF	the number of index units this curtailment moves the FWD C of G limit for the configuration
CPM	Container Pallet Message
CPT	Compartment
CST	Standard temperature of compartment during flight
CTD	Default number of technical crew on this distribution
CTL	Current Traffic Load
DAI	DOI Adjustment for this ITWE Configuration
DAW	DOW Adjustment for this ITWE Configuration
DB	Default density of a bag for the carrier
DBW	LIR document box width
DC	Default density of cargo for the carrier
DCC	Default density of courier deadload for the carrier
DDL	Default density of deadload for the carrier
DEN	The default density
DFW	Default Bag Weight
DIF	Fleet DOI Adjustment

DM	Default density of mail for the carrier
DNW	The net weight of the deadload
DOA	DOW Adjustment
DOF	Fleet DOW Adjustment
DOI	DOI Adjustment
DOW	Dry Operating Weight
DW	Default Operating Weight
E	Period reference to Estimated time of departure
ECS	number of seconds to wait for Capacity Calculations from External Cargo system
ECW	The estimated nett weight of any courier cargo
EFP	EZFW sent to Flight Planning
EFW	The estimated nett weight of any freight
EMW	The estimated nett weight of any mail
ENV	Envelope
EPL	EZFW on provisional loadsheet
EZF	Estimated Zero Fuel Weight
EZT	EZFW changed
FC	The fuel smoothing constant used in calculations for this carrier
FDD	Default fuel density
FIT	Fuel in Tank
FLD	Fuel remaining at landing
FLT	Float value
FWT	Fuel Split Total Fuel
H	Previous period
HLD	Hold
IG	Imperial Gallons
ITW	ITW (Includes Tare Weight)
KG	Kilos
L	Lifetime period
LAN	Landing weight
LB	Pounds
LDM	Load Message
LFW	latest forecast EZFW
LOP	Autoload theme load order priority
LPC	Cabin crew baggage pieces - Long haul
LPT	Technical crew baggage pieces - Long haul
LT	Liters

LU	Length unit
LWC	Cabin crew baggage weight - Long haul
LWT	Technical crew baggage weight - Long haul
MAN	Manifest Weight
MAP	The % MAC of the Point
MAR	Manifest non-revenue cargo Weight
MAW	The maximum allowance weight
MBW	Maximum passenger baggage weight
MCL	Length of Mean Aerodynamic Chord
MCT	Fuel Split Target TOMAC
MCZ	Fuel Split Zero Fuel Weight MAC
MGW	Maximum weight of the Galley
MHN	The new max weight of the HGW pallet that the associated ZFW is valid for
MHW	The max weight of the HGW pallet that the associated ZFW is valid for
MLL	Autoload theme multileg loading
MLW	Maximum landing weight
MM	Lateral imbalance the maximum moment
MOD	Percentage allowed for MOD
MPO	The maximum position weight
MRF	Maximum Ramp Fuel Weight
MS	The maximum number of seats at location
MST	The maximum structural weight
MSV	Minimum split value
MSW	The maximum seat weight for this aircraft
MTF	the maximum top-up fuel
MTO	Maximum Take-off weight
MTR	Lateral imbalance the moment threshold for recalculation
MTW	The current Maximum Taxi Weight value
MTX	Maximum taxi fuel weight
MUW	Maximum ULD Weight
MVU	The maximum volume allowance
MWC	The maximum weight the compartment can hold
MWL	The maximum weight of seats at location
MZF	Maximum Zero Fuel weight
MZH	The ZFW that applies to the specified HGW pallet for weights up to the specified weight
N	Credit accumulated towards next award

NPL	The number of people using this licence
NSL	Autoload theme no splitting of load
NUL	Number of Unserviceable Locks
OTH	Other weights
OZ	Ounces
PA	Average pax weight
PAN	Pantry
PAT	Total passenger weight
PAW	The weight of this part of the pantry at this location
PAX	Passenger capacity
PAY	The default payload for aircraft type/route
PCA	Number of 88 inch Pallets in the Configuration
PCB	Number of 96 inch Pallets in the Configuration
PCF	Number full width pallets or containers in the configuration
PDR	period
PGS	Passenger
PLW	The % Mean Aerodynamic Cord of the Landing Weight
PMM	The minimum % MAC that is valid for this aircraft type
POD	the number of pieces of Deadload
POS	position
POW	The potable water weight
PST	The % Mean Aerodynamic Cord of stab setting
PT	Total per passenger
PUW	The predicted underload weight
PWS	Pax Weight Sample Size
PZF	The % Mean Aerodynamic Cord of the Zero Fuel Weight.
R	Credits required for next award
RAD	Radio Frequency Unit
RDE	Recency Days To Expire
REP	Recency Error Period
RFW	Ramp Fuel Weight
RLW	Regulated landing weight
RNQ	Number of rows to retrieve in a query
RNR	Number of rows retrieved in a reply
RPD	Recency Period Days
RTO	Regulated take off weight
RW	Restricted Weight

RWP	Recency Warning Period
RZF	Regulated Zero Fuel Weight
S	Period reference to Schedule time of departure (local)
SA	Amount required this segment
SAW	Adult weight
SBS	Baggage Sample Size
SCB	Standard crew bag weight for this carrier.
SCR	Standard crew weight for this carrier.
SCW	Child passenger weight
SDS	The Standard Deviation of these statistics
SFS	Fuel Sample Size
SFW	Female passenger weight
SIW	Infant passenger weight
SLD	DGSL item
SMW	Male passenger weight
SPB	Standard passenger bag weight for this carrier.
SPC	Cabin crew baggage pieces - Short haul
SPP	Standard passenger bag pieces
SPS	Pax Sample Size
SPT	Technical crew baggage pieces - Short haul
SPW	Standard passenger weight
STB	stab setting weight
SWA	Service Weight Adjustment
SWC	Cabin crew baggage weight - Short haul
SWT	Technical crew baggage weight - Short haul
SWV	the service weight adjustment volume
T	Total
TAF	Taxi Fuel Weight
TCP	Total number of checked-in passengers for the specified class for the specified flight leg
TCW	Total crew
TFQ	Taxi Fuel Quantity
TFW	Trapped Fuel
TIP	Autoload theme tipping
TNK	Tank
TOF	Take-off fuel weight
TOP	take off performance limit

TOW	Take off weight
TPL	Target percentage MAC Band
TPS	Total number of booked passengers for the specified class for the specified flight leg
TRA	Transit deadload weight
TRF	Trip Fuel Weight
TSL	Autoload theme spread load
TV	Value to round Top-up Fuel figure to nearest
TWE	Total weight
UG	US Gallons
UGW	ULD Gross Weight
UM	The unique combination number for the maxima
USF	the weight of the usable fuel
USV	Usable Fuel Volume
UTW	the weight of the ULD when it is empty (tare weight)
VEP	Validity Error Period
VP	Validity Period
VU	Volume unit
VWP	Validity Warning Period
WCG	The Weight at the CG Point
WCN	maximum time to wait to regain control
WCT	The change amount of the Take Off Weight
WFC	Female cabin crew weight
WFT	Female technical crew weight
WMC	Male cabin crew weight
WMT	Male technical crew weight
WPG	maximum time to wait for Passenger / Baggage information
WU	Weight unit
WV	Weight Value
WWF	The ratio of booked in to checked in pax. The WhatWentFactor
WWN	The ratio of booked in to checked in non-transit pax. The WhatWentFactor
WWT	The ratio of booked in to checked in transit pax. The WhatWentFactor
Y	Year-to-date period
ZFW	Zero Fuel Weight

Codeset for Quantity qualifier (Ref: 6063 IA 01.2.117)

Value	Description
ATO	ATOW - Allowed Traffic Load

ATZ	ATOWZF
AUW	The actual underload weight
BAS	Basic weight or index for a flight
BTF	Ballast trapped fuel
CCW	Current to come weight
CTL	Current Traffic Load
DOW	Dry Operating Weight
EFP	EZFW sent to Flight Planning
EPL	EZFW on provisional loadsheet
EZF	Estimated Zero Fuel Weight
IT	IT
ITI	ITI
ITW	ITW (Includes Tare Weight)
LAN	Landing weight
LDF	Lower Deck Difference between Left Lane weight and Right Lane Weight
LDI	LDI
LFW	latest forecast EZFW
LLT	Lower Deck Left Lane Weight
LRT	Lower Deck Right Lane Weight
MDF	Main Deck Difference between Left Lane weight and Right Lane Weight
MLT	Main Deck Left Lane Weight
MLW	Maximum landing weight
MRT	Main Deck Right Lane Weight
MTO	Maximum Take-off weight
MZF	Maximum Zero Fuel weight
PAN	Pantry
POT	POT
PUW	The predicted underload weight
PWI	PWI
RFW	Ramp Fuel Weight
RLW	Regulated landing weight
RTL	Restricted Traffic Load Weight
RTO	Regulated take off weight
RZF	Regulated Zero Fuel Weight
SWA	Service Weight Adjustment
TAF	Taxi Fuel Weight
TCW	Total crew

TFW	Trapped Fuel
TMC	Take off % MAC
TOI	TOI
TOW	Take off weight
TRF	Trip Fuel Weight
TW	Taxi weight
UDF	Upper Deck Difference between Left Lane Weight and Right Lane Weight
ULT	Upper Deck Left Lane Weight
URT	Upper Deck Right Lane Weight
USF	the weight of the usable fuel
ZFI	ZFI
ZFW	Zero Fuel Weight

Codeset for Quantity qualifier (Ref: 6063 IA 01.2.14)

Value	Description
1ST	Highest class of service
2ND	Intermediate class of service
3RD	Normal class of service
700	Maximum Permitted Mileage
701	Ticketed Point Mileage
702	Five per cent premium
703	Ten per cent premium
704	Fifteen per cent premium
705	Twenty per cent premium
706	Twenty-five per cent premium
707	Exception routing
708	Cumulative (current plus previous legs)
709	Lower Level Mileage
710	Higher level Mileage
711	TPM deduction
712	MPM deduction
713	Mileage Exceeds Twenty-five percent premium
714	Mileage does not exceed
715	Total number of flights in a group (including sub-sets)
716	Total number of flights in a sub-set of a group
717	Number of items remaining on queue
A	Period referenced to Actual time of departure

ABW	Accepted baggage weight
AC	Actual Credit (Mileage Balance)
ACO	ICAO Acoustic Group Number
ACW	Lateral imbalance the automatic check weight
ASW	Associated Seat Weight
AUW	The actual underload weight
AVL	The available weight
B	Bonus credits
BAG	Baggage
BAS	Basic weight or index for a flight
BAW	Bag weight
BLK	Bulk weight
BT	Ballast/Trapped Allowed
BTF	Ballast trapped fuel
BVA	The amount of bulk volume available
BVU	The amount of bulk volume used
BWA	The amount of bulk weight available
BWU	The amount of bulk weight used
C	Current period
CAR	Cargo capacity
CBW	the crew baggage weight
CC	Number of Containers in the Configuration
CCD	Default number of cabin crew on this distribution
CCW	Current to come weight
CGN	The New weight value
CGW	Weight value
CHT	Temperature of compartment during flight when it is heated
CN	Compartment Number
CNB	The compartment number for the Bay/Pallet Position
CNM	The compartment number for the maxima
COA	the number of index units this curtailment moves the AFT C of G limit for the configuration
COF	the number of index units this curtailment moves the FWD C of G limit for the configuration
CPM	Container Pallet Message
CPT	Compartment
CST	Standard temperature of compartment during flight

CTD	Default number of technical crew on this distribution
CTL	Current Traffic Load
DAI	DOI Adjustment for this ITWE Configuration
DAW	DOW Adjustment for this ITWE Configuration
DB	Default density of a bag for the carrier
DBW	LIR document box width
DC	Default density of cargo for the carrier
DCC	Default density of courier deadload for the carrier
DDL	Default density of deadload for the carrier
DEN	The default density
DFW	Default Bag Weight
DIF	Fleet DOI Adjustment
DM	Default density of mail for the carrier
DNW	The net weight of the deadload
DOA	DOW Adjustment
DOF	Fleet DOW Adjustment
DOI	DOI Adjustment
DOW	Dry Operating Weight
DW	Default Operating Weight
E	Period reference to Estimated time of departure
ECS	number of seconds to wait for Capacity Calculations from External Cargo system
ECW	The estimated nett weight of any courier cargo
EFP	EZFW sent to Flight Planning
EFW	The estimated nett weight of any freight
EMW	The estimated nett weight of any mail
ENV	Envelope
EPL	EZFW on provisional loadsheet
EZF	Estimated Zero Fuel Weight
EZT	EZFW changed
FC	The fuel smoothing constant used in calculations for this carrier
FDD	Default fuel density
FIT	Fuel in Tank
FLD	Fuel remaining at landing
FLT	Float value
FWT	Fuel Split Total Fuel
H	Previous period
HLD	Hold

IG	Imperial Gallons
ITW	ITW (Includes Tare Weight)
KG	Kilos
L	Lifetime period
LAN	Landing weight
LB	Pounds
LDM	Load Message
LFW	latest forecast EZFW
LOP	Autoload theme load order priority
LPC	Cabin crew baggage pieces - Long haul
LPT	Technical crew baggage pieces - Long haul
LT	Liters
LU	Length unit
LWC	Cabin crew baggage weight - Long haul
LWT	Technical crew baggage weight - Long haul
MAN	Manifest Weight
MAP	The % MAC of the Point
MAR	Manifest non-revenue cargo Weight
MAW	The maximum allowance weight
MBW	Maximum passenger baggage weight
MCL	Length of Mean Aerodynamic Chord
MCT	Fuel Split Target TOMAC
MCZ	Fuel Split Zero Fuel Weight MAC
MGW	Maximum weight of the Galley
MHN	The new max weight of the HGW pallet that the associated ZFW is valid for
MHW	The max weight of the HGW pallet that the associated ZFW is valid for
MLL	Autoload theme mult-leg loading
MLW	Maximum landing weight
MM	Lateral imbalance the maximum moment
MOD	Percentage allowed for MOD
MPO	The maximum position weight
MRF	Maximum Ramp Fuel Weight
MS	The maximum number of seats at location
MST	The maximum structural weight
MSV	Minimum split value
MSW	The maximum seat weight for this aircraft
MTF	the maximum top-up fuel

MTO	Maximum Take-off weight
MTR	Lateral imbalance the moment threshold for recalculation
MTW	The current Maximum Taxi Weight value
MTX	Maximum taxi fuel weight
MUW	Maximum ULD Weight
MVU	The maximum volume allowance
MWC	The maximum weight the compartment can hold
MWL	The maximum weight of seats at location
MZF	Maximum Zero Fuel weight
MZH	The ZFW that applies to the specified HGW pallet for weights up to the specified weight
N	Credit accumulated towards next award
NPL	The number of people using this licence
NSL	Autoload theme no splitting of load
NUL	Number of Unserviceable Locks
OTH	Other weights
OZ	Ounces
PA	Average pax weight
PAN	Pantry
PAT	Total passenger weight
PAW	The weight of this part of the pantry at this location
PAX	Passenger capacity
PAY	The default payload for aircraft type/route
PCA	Number of 88 inch Pallets in the Configuration
PCB	Number of 96 inch Pallets in the Configuration
PCF	Number full width pallets or containers in the configuration
PDR	period
PLW	The % Mean Aerodynamic Cord of the Landing Weight
PMM	The minimum % MAC that is valid for this aircraft type
POD	the number of pieces of Deadload
POS	position
POW	The potable water weight
PSG	Passenger
PST	The % Mean Aerodynamic Cord of stab setting
PT	Total per passenger
PUW	The predicted underload weight
PWS	Pax Weight Sample Size

PZF	The % Mean Aerodynamic Cord of the Zero Fuel Weight.
R	Credits required for next award
RAD	Radio Frequency Unit
RDE	Recency Days To Expire
REP	Recency Error Period
RFW	Ramp Fuel Weight
RLW	Regulated landing weight
RNQ	Number of rows to retrieve in a query
RNR	Number of rows retrieved in a reply
RPD	Recency Period Days
RTO	Regulated take off weight
RW	Restricted Weight
RWP	Recency Warning Period
RZF	Regulated Zero Fuel Weight
S	Period reference to Schedule time of departure (local)
SA	Amount required this segment
SAW	Adult weight
SBS	Baggage Sample Size
SCB	Standard crew bag weight for this carrier.
SCR	Standard crew weight for this carrier.
SCW	Child passenger weight
SDS	The Standard Deviation of these statistics
SFS	Fuel Sample Size
SFW	Female passenger weight
SIW	Infant passenger weight
SLD	DGSL item
SMW	Male passenger weight
SPB	Standard passenger bag weight for this carrier.
SPC	Cabin crew baggage pieces - Short haul
SPP	Standard passenger bag pieces
SPS	Pax Sample Size
SPT	Technical crew baggage pieces - Short haul
SPW	Standard passenger weight
STB	stab setting weight
SWA	Service Weight Adjustment
SWC	Cabin crew baggage weight - Short haul
SWT	Technical crew baggage weight - Short haul

SWV	the service weight adjustment volume
T	Total
TAF	Taxi Fuel Weight
TCP	Total number of checked-in passengers for the specified class for the specified flight leg
TCW	Total crew
TFQ	Taxi Fuel Quantity
TFW	Trapped Fuel
TIP	Autoload theme tipping
TNK	Tank
TOF	Take-off fuel weight
TOP	take off performance limit
TOW	Take off weight
TPL	Target percentage MAC Band
TPS	Total number of booked passengers for the specified class for the specified flight leg
TRA	Transit deadload weight
TRF	Trip Fuel Weight
TSL	Autoload theme spread load
TV	Value to round Top-up Fuel figure to nearest
TWE	Total weight
UG	US Gallons
UGW	ULD Gross Weight
UM	The unique combination number for the maxima
USF	the weight of the usable fuel
USV	Usable Fuel Volume
UTW	the weight of the ULD when it is empty (tare weight)
VEP	Validity Error Period
VP	Validity Period
VU	Volume unit
VWP	Validity Warning Period
WCG	The Weight at the CG Point
WCN	maximum time to wait to regain control
WCT	The change amount of the Take Off Weight
WFC	Female cabin crew weight
WFT	Female technical crew weight
WMC	Male cabin crew weight
WMT	Male technical crew weight

WPG	maximum time to wait for Passenger / Baggage information
WU	Weight unit
WV	Weight Value
WWF	The ratio of booked in to checked in pax. The WhatWentFactor
WWN	The ratio of booked in to checked in non-transit pax. The WhatWentFactor
WWT	The ratio of booked in to checked in transit pax. The WhatWentFactor
Y	Year-to-date period
ZFW	Zero Fuel Weight

Codeset for Quantity qualifier (Ref: 6063 1A 02.2.2)

Value	Description
AFW	maximum Allowable Fuel Weight of the fuel tank
BTF	the ballast trapped (unusable) fuel
LAN	the weight of Fuel remaining at landing
NSS	Tank Non-Standard burn sequence
TBS	Taxi Burn sequence
TNK	the maximum weight of the fuel tank
TSS	Tank standard burn sequence
TTF	Tank trapped Fuel
USF	the weight of the usable fuel for that tank

Codeset for Quantity qualifier (Ref: 6063 1A 01.2.1)

Value	Description
1ST	Highest class of service
2ND	Intermediate class of service
3RD	Normal class of service
700	Maximum Permitted Mileage
701	Ticketed Point Mileage
702	Five per cent premium
703	Ten per cent premium
704	Fifteen per cent premium
705	Twenty per cent premium
706	Twenty-five per cent premium
707	Exception routing
708	Cumulative (current plus previous legs)
709	Lower Level Mileage
710	Higher level Mileage
711	TPM deduction

712	MPM deduction
713	Mileage Exceeds Twenty-five percent premium
714	Mileage does not exceed
715	Total number of flights in a group (including sub-sets)
716	Total number of flights in a sub-set of a group
717	Number of items remaining on queue
A	Period referenced to Actual time of departure
ABW	Accepted baggage weight
AC	Actual Credit (Mileage Balance)
ACO	ICAO Acoustic Group Number
ACW	Lateral imbalance the automatic check weight
ASW	Associated Seat Weight
AUW	The actual underload weight
AVL	The available weight
B	Bonus credits
BAG	Baggage
BAS	Basic weight or index for a flight
BAW	Bag weight
BLK	Bulk weight
BT	Ballast/Trapped Allowed
BTF	Ballast trapped fuel
BVA	The amount of bulk volume available
BVU	The amount of bulk volume used
BWA	The amount of bulk weight available
BWU	The amount of bulk weight used
C	Current period
CAR	Cargo capacity
CBW	the crew baggage weight
CC	Number of Containers in the Configuration
CCD	Default number of cabin crew on this distribution
CCW	Current to come weight
CGN	The New weight value
CGW	Weight value
CHT	Temperature of compartment during flight when it is heated
CN	Compartment Number
CNB	The compartment number for the Bay/Pallet Position
CNM	The compartment number for the maxima

COA	the number of index units this curtailment moves the AFT C of G limit for the configuration
COF	the number of index units this curtailment moves the FWD C of G limit for the configuration
CPM	Container Pallet Message
CPT	Compartment
CST	Standard temperature of compartment during flight
CTD	Default number of technical crew on this distribution
CTL	Current Traffic Load
DAI	DOI Adjustment for this ITWE Configuration
DAW	DOW Adjustment for this ITWE Configuration
DB	Default density of a bag for the carrier
DBW	LIR document box width
DC	Default density of cargo for the carrier
DCC	Default density of courier deadload for the carrier
DDL	Default density of deadload for the carrier
DEN	The default density
DFW	Default Bag Weight
DIF	Fleet DOI Adjustment
DM	Default density of mail for the carrier
DNW	The net weight of the deadload
DOA	DOW Adjustment
DOF	Fleet DOW Adjustment
DOI	DOI Adjustment
DOW	Dry Operating Weight
DW	Default Operating Weight
E	Period reference to Estimated time of departure
ECS	number of seconds to wait for Capacity Calculations from External Cargo system
ECW	The estimated nett weight of any courier cargo
EFP	EZFW sent to Flight Planning
EFW	The estimated nett weight of any freight
EMW	The estimated nett weight of any mail
ENV	Envelope
EPL	EZFW on provisional loadsheet
EZF	Estimated Zero Fuel Weight
EZT	EZFW changed
FC	The fuel smoothing constant used in calculations for this carrier

FDD	Default fuel density
FIT	Fuel in Tank
FLD	Fuel remaining at landing
FLT	Float value
FWT	Fuel Split Total Fuel
H	Previous period
HLD	Hold
IG	Imperial Gallons
ITW	ITW (Includes Tare Weight)
KG	Kilos
L	Lifetime period
LAN	Landing weight
LB	Pounds
LDM	Load Message
LFW	latest forecast EZFW
LOP	Autoload theme load order priority
LPC	Cabin crew baggage pieces - Long haul
LPT	Technical crew baggage pieces - Long haul
LT	Liters
LU	Length unit
LWC	Cabin crew baggage weight - Long haul
LWT	Technical crew baggage weight - Long haul
MAN	Manifest Weight
MAP	The % MAC of the Point
MAR	Manifest non-revenue cargo Weight
MAW	The maximum allowance weight
MBW	Maximum passenger baggage weight
MCL	Length of Mean Aerodynamic Chord
MCT	Fuel Split Target TOMAC
MCZ	Fuel Split Zero Fuel Weight MAC
MGW	Maximum weight of the Galley
MHN	The new max weight of the HGW pallet that the associated ZFW is valid for
MHW	The max weight of the HGW pallet that the associated ZFW is valid for
MLL	Autoload theme mult-leg loading
MLW	Maximum landing weight
MM	Lateral imbalance the maximum moment
MOD	Percentage allowed for MOD

MPO	The maximum position weight
MRF	Maximum Ramp Fuel Weight
MS	The maximum number of seats at location
MST	The maximum structural weight
MSV	Minimum split value
MSW	The maximum seat weight for this aircraft
MTF	the maximum top-up fuel
MTO	Maximum Take-off weight
MTR	Lateral imbalance the moment threshold for recalculation
MTW	The current Maximum Taxi Weight value
MTX	Maximum taxi fuel weight
MUW	Maximum ULD Weight
MVU	The maximum volume allowance
MWC	The maximum weight the compartment can hold
MWL	The maximum weight of seats at location
MZF	Maximum Zero Fuel weight
MZH	The ZFW that applies to the specified HGW pallet for weights up to the specified weight
N	Credit accumulated towards next award
NPL	The number of people using this licence
NSL	Autoload theme no splitting of load
NUL	Number of Unserviceable Locks
OTH	Other weights
OZ	Ounces
PA	Average pax weight
PAN	Pantry
PAT	Total passenger weight
PAW	The weight of this part of the pantry at this location
PAX	Passenger capacity
PAY	The default payload for aircraft type/route
PCA	Number of 88 inch Pallets in the Configuration
PCB	Number of 96 inch Pallets in the Configuration
PCF	Number full width pallets or containers in the configuration
PDR	period
PLW	The % Mean Aerodynamic Cord of the Landing Weight
PMM	The minimum % MAC that is valid for this aircraft type
POD	the number of pieces of Deadload

POS	position
POW	The potable water weight
PSG	Passenger
PST	The % Mean Aerodynamic Cord of stab setting
PT	Total per passenger
PUW	The predicted underload weight
PWS	Pax Weight Sample Size
PZF	The % Mean Aerodynamic Cord of the Zero Fuel Weight.
R	Credits required for next award
RAD	Radio Frequency Unit
RDE	Recency Days To Expire
REP	Recency Error Period
RFD	Reported Fuel Density
RFW	Ramp Fuel Weight
RLW	Regulated landing weight
RNQ	Number of rows to retrieve in a query
RNR	Number of rows retrieved in a reply
RPD	Recency Period Days
RPF	Reported Fuel
RTO	Regulated take off weight
RW	Restricted Weight
RWP	Recency Warning Period
RZF	Regulated Zero Fuel Weight
S	Period reference to Schedule time of departure (local)
SA	Amount required this segment
SAW	Adult weight
SBS	Baggage Sample Size
SCB	Standard crew bag weight for this carrier.
SCR	Standard crew weight for this carrier.
SCW	Child passenger weight
SDS	The Standard Deviation of these statistics
SFS	Fuel Sample Size
SFW	Female passenger weight
SIW	Infant passenger weight
SLD	DGSL item
SMW	Male passenger weight
SPB	Standard passenger bag weight for this carrier.

SPC	Cabin crew baggage pieces - Short haul
SPP	Standard passenger bag pieces
SPS	Pax Sample Size
SPT	Technical crew baggage pieces - Short haul
SPW	Standard passenger weight
STB	stab setting weight
SWA	Service Weight Adjustment
SWC	Cabin crew baggage weight - Short haul
SWT	Technical crew baggage weight - Short haul
SWV	the service weight adjustment volume
T	Total
TAF	Taxi Fuel Weight
TCP	Total number of checked-in passengers for the specified class for the specified flight leg
TCW	Total crew
TFQ	Taxi Fuel Quantity
TFW	Trapped Fuel
TIP	Autoload theme tipping
TNK	Tank
TOF	Take-off fuel weight
TOP	take off performance limit
TOW	Take off weight
TPL	Target percentage MAC Band
TPS	Total number of booked passengers for the specified class for the specified flight leg
TRA	Transit deadload weight
TRF	Trip Fuel Weight
TSL	Autoload theme spread load
TV	Value to round Top-up Fuel figure to nearest
TWE	Total weight
UFV	Uplift Fuel Volume
UG	US Gallons
UGW	ULD Gross Weight
UM	The unique combination number for the maxima
USF	the weight of the usable fuel
USV	Usable Fuel Volume
UTW	the weight of the ULD when it is empty (tare weight)
VEP	Validity Error Period

VP	Validity Period
VU	Volume unit
VWP	Validity Warning Period
WCG	The Weight at the CG Point
WCN	maximum time to wait to regain control
WCT	The change amount of the Take Off Weight
WFC	Female cabin crew weight
WFT	Female technical crew weight
WMC	Male cabin crew weight
WMT	Male technical crew weight
WPG	maximum time to wait for Passenger / Baggage information
WU	Weight unit
WV	Weight Value
WWF	The ratio of booked in to checked in pax. The WhatWentFactor
WWN	The ratio of booked in to checked in non-transit pax. The WhatWentFactor
WWT	The ratio of booked in to checked in transit pax. The WhatWentFactor
Y	Year-to-date period
ZFW	Zero Fuel Weight

Codeset for Reference qualifier (Ref: 1153 1A 11.1.1484)

Value	Description
1	Unique passenger reference identification
14	Infant security number
2	Passenger sequence number
3	Passenger standby number
4	Passenger boarding security number
5	Passenger ticket number
6	Passenger confirmation number
ACV	Aircraft Configuration Version
BLK	Bulk
FIN	Fitted Interior
JSI	Jump Seat Identifier
MID	Message ID
OWN	Business User Field
T	Teletype address
UBI	Unique Bag Identifier
ULI	Unique Link Reference

Codeset for Reference qualifier (Ref: 1153 1A 11.1.1633)

Value	Description
AID	External Cargo Unique ID
API	External Parent Unique ID

Codeset for Reference qualifier (Ref: 1153 IA 02.2.64)

Value	Description
1	Unique passenger reference identification
2	Passenger sequence number
3	Passenger standby number
4	Passenger boarding security number
5	Passenger ticket number
6	Passenger confirmation number
7	Date of birth
700	Exceptional PNR Security Identification
701	Agency grouping identification
702	Ticketing data
703	Message number for free text
A	Account/Product reference number
AF	Aircraft Fleet code
API	APS Form ID
APS	Form Number of the APS Form associated to the Aircraft Weights
AR	Aircraft Registration Code
ASI	Aircraft Subtype Id
AZ	Aircraft Zone Code occupied by this SWA
B	Business
BAG	class of bag weight
BAR	Bulk Load Item on a barrow
BAT	Booked Acceptance Type
BLK	Bulk
BR	Baggage Reference
BRC	Barrow Code
BSN	Baggage/Allotment sequence number
CAR	Container Allocation Rule Number
CBN	Cabin
CC	Curtailment Code
CCR	Curtailment Code if Renamed

CDC	Cabin Crew Bags - Default Location Type Code
CDT	Technical Crew Bags - Default Location Type Code
CFI	Config Id
CG	Unique ID for the centre of gravity
CGE	Unique ID of this CG Envelope
CGO	Unique ID of the previous centre of gravity
CID	Unique id for the crew default
CN	Compartment number
CNC	Contour code for the ULD
COC	Code of the ITW Configuration
CON	The Contour Code that fits through this door
CPM	CPM Parsing Value
CPT	Compartment
CRW	Crew code
CT	The Curtailment type
CUI	Carrier default CAR unique ID
DC	Deck code
DDT	Indicates the Default Document Type for SI info
DID	The ID record of the Deadload item
DOC	Document code
DOM	Carrier Domain
DRH	Door number relative to Hold
DSC	Deadload Subtype code
DT	Deadload Type Code
EUI	Event unique ID
EZF	Estimated Zero Fuel Weight Identifier
F	Fax
FML	Unique identifier of FM license record
FRI	Unique ID for Flight Rule
FVI	Fuel Vector ID
FVP	Fuel Vector Point ID
H	Home
HC	Height code
HDI	Handling DCS Identifier (Used for FHS Bzr)
HDS	The side of the Hold the Door is on
HEI	Height code of a ULD
HIS	History item

HW	Hold Width code
HZC	The Compartment number of the Bay/Pallet Position for this HGW ZFW
IR	Aircraft fitted interior
ITW	Code of the ITW Config assoicated to the Aircraft Weight
LCD	Lock code
LDM	LDM Parsing Value
LDS	Lock Type Description
LEG	Leg number
LIC	Licence ID
LID	Limit ID
LIN	Licence number
LKN	Lock number
LSN	Sequence number
MAX	The Maxima that this combination is for
MCS	Magic Carpet Status
MWI	Max Weights ID
P	Passenger/traveller reference number
PAN	Pantry code
PC	Parent Aircraft Fleet code
PID	Point ID
PK	The Primary Key to the Max Weights record
POT	Unique ID of the Potable Water entry
POW	Acceptance Type for Potable Water SWA
PRA	All the printers that the staff member has access to
PRN	The Default Printer for Staff to obtain Printouts
PSN	Printer short name
PST	Parent Aircraft Subtype code
PT	Parent Aircraft Type code
PW	Pax Weight Type code
PWI	Pax Weight ID
PWT	Pax Weight title
S	Segment/service reference number
SAS	Source aircraft subtype id
SC	Unique Letter representing Seating Class
SCC	Saleable configuration code
SCD	Unique ID for Seating Configuration
SDO	Staff Domain

SDV	The standard distribution volume ID
SFO	Standard Fuelling Option
SH	The side of Hold the Door is on
SID	Staff ID in the Flight Management System
SLD	Special Load and Dangerous Goods (SLDG) ID
SOS	The Sum of the Squares
SSF	The sequence this tank appears in the Standard Fuel Distribution In-flight Fuel Burn list.
SSI	Stab Setting ID
SSN	The sequence this tank appears in the Non-Standard Distribution In-flight Burn List
SST	The sequence this tank appears in the Taxi Fuel Burn list
T	Teletype address
TID	Template ID
TLN	Template Layer Number
TNK	Tank code
TPI	Template Parent ID
TRI	Trip number
UAT	Unique ID for Autoload Theme
UBI	Unique ID for Bag
UBL	ULD/Bulk Load ID
UCI	Unique ID for Comment
UD	ULD Descriptor Code
UDL	Double ULD Group ID for a Load Location
UDS	ULD Sub-descriptor
UGI	Uld Group ID
UID	Unique ID for this default
ULD	ULD Serial Number
ULI	ULD Unique ID
ULK	Linked serial number of a ULD
ULL	Left ULD Group ID for a Load Location
UM	Unique Combination number for the Maxima
UOG	The ULD Group that is overlaying the Source ULD Group
URL	Right ULD Group ID for a Load Location
US	The US code (common type) for a ULD
USG	The source ULD group - the group that is overlaid
UTD	ULD Type Descriptor
UTI	Unique Teletype Message ID

WFC	Weight - Female Cabin Crew
WFT	Weight - Female Technician Crew
WMC	Weight - Male Cabin Crew
WMT	Weight - Male Technician Crew
XX	Not known
ZC	Zone code
ZCN	New zone code for renamed zone

Codeset for Reference qualifier (Ref: 1153 IA 01.2.110)

Value	Description
1	Unique passenger reference identification
14	Infant security number
2	Passenger sequence number
3	Passenger standby number
4	Passenger boarding security number
5	Passenger ticket number
6	Passenger confirmation number
ACV	Aircraft Configuration Version
BLK	Bulk
FIN	Fitted Interior
JSI	Jump Seat Identifier
MID	Message ID
T	Teletype address
UBI	Unique Bag Identifier
ULI	Unique Link Reference

Codeset for Reference qualifier (Ref: 1153 1A 11.1.1003)

Value	Description
1	Unique passenger reference identification
14	Infant security number
2	Passenger sequence number
3	Passenger standby number
4	Passenger boarding security number
5	Passenger ticket number
6	Passenger confirmation number
ACV	Aircraft Configuration Version
AWB	Airway Bill Number
BLK	Bulk

FIN	Fitted Interior
JSI	Jump Seat Identifier
MID	Message ID
T	Teletype address
UBI	Unique Bag Identifier
ULI	Unique Link Reference

Codeset for Related place/location one identification (Ref: 3223 IA 01.2.115)

Value	Description
No specific codeset defined for this data element.	

Codeset for Row characteristic (Ref: 9864 IA 96.1.9)

Value	Description
10	Row designated for RBD "A"
11	Row designated for RBD "B"
12	Row designated for RBD "C"
13	Row designated for RBD "D"
14	Row designated for RBD "F"
15	Row designated for RBD "H"
16	Row designated for RBD "J"
17	Row designated for RBD "K"
18	Row designated for RBD "L"
19	Row designated for RBD "M"
20	Row designated for RBD "P"
21	Row designated for RBD "Q"
23	Row designated for RBD "S"
24	Row designated for RBD "T"
25	Row designated for RBD "V"
26	Row designated for RBD "W"
27	Row designated for RBD "Y"
B	Buffer row
C	Row with cabin facilities in a designated column
CC	Row with cabin facilities in an undesignated column
E	Exit row
EC	Exit row with cabin facilities in a designated column
EL	Exit left
ER	Exit right
I	Indifferent row

K	Overwing row
L	Lowerdeck row
M	Maindeck row
MV	Row with movie screen
N	No-smoking row
RC	Class of Seat Row
RCC	Class of Seat Row (if changed)
RE	Ending Row number for the Seat Configuration
REC	Ending Row number for the Seat Configuration (if changed)
RS	Starting Row number for the Seat Configuration
RSC	Starting Row number for the Seat Configuration (if changed)
S	Smoking row
SR	Seat Row of the Seat
SRN	Seat Row Number for the Rule
SRO	The Original Seat Row Number of the Seat
SZ	Seating Zone of the Seat
U	Upperdeck row
X	Not overwing row
XC	Exit row with cabin facilities in an undesignated
Z	Row does not exist

Codeset for Seat characteristic, coded (Ref: 9825 IA 01.2.40)

Value	Description
1	Restricted seat - General
10	Seat designated for RBD "A"
11	Seat designated for RBD "B"
12	Seat designated for RBD "C"
13	Seat designated for RBD "D"
14	Seat designated for RBD "F"
15	Seat designated for RBD "H"
16	Seat designated for RBD "J"
17	Seat designated for RBD "K"
18	Seat designated for RBD "L"
19	Seat designated for RBD "M"
1A	Seat not allowed for infant
1B	Seat not allowed for medical
1C	Seat not allowed for unaccompanied minor

1D	Restricted recline seat
1M	Seat with movie view
1W	Window seat without window
2	Leg rest available
20	Seat designated for RBD "P"
21	Seat designated for RBD "Q"
22	Seat designated for RBD "R"
23	Seat designated for RBD "S"
24	Seat designated for RBD "T"
25	Seat designated for RBD "V"
26	Seat designated for RBD "W"
27	Seat designated for RBD "Y"
3	Individual video screen - Choice of movies
3A	Individual video screen - No choice of movie
3B	Individual video screen-Choice of movies, games, information, etc
4	Not a window seat
5	Not an aisle seat
6	Near galley seat
6A	In front of galley seat
6B	Behind galley seat
7	Near toilet seat
700	Individual video screen - services unspecified
701	No seat --access to handicapped lavatory
7A	In front of toilet seat
7B	Behind toilet seat
8	No seat at this location
9	Center seat (not window, not aisle)
A	Aisle seat
AA	All available aisle seats
AB	Seat adjacent to bar
AC	Seat adjacent to - closet
AG	Seat adjacent to galley
AJ	Adjacent aisle seats
AL	Seat adjacent to lavatory
AM	Individual movie screen - No choice of movie selection
AR	No seat - airphone
AS	Individual airphone

AT	Seat adjacent to table
AU	Seat adjacent to stairs to upper deck
AV	Only available seats
AW	All available window seats
B	Seat with bassinet facility
BA	No seat - bar
BK	Blocked Seat for preferred passenger in adjacent seat
C	Crew seat
CC	Center section seat(s)
CL	No seat - closet
CS	Conditional seat-contact airline
D	No seat - exit door
DE	Deportee
E	Exit row seat
EA	Not on exit seat
EC	Electronic connection for lap top or FAX machine
EX	No seat - emergency Exit
F	Added seat
FC	Front of cabin class/compartiment
G	Seat at forward end of cabin
GF	General facility
GN	No seat - galley
GR	Group seat - offered to travellers belonging to a group
H	Seat with facilities for handicapped/incapacitated passenger
I	Seat suitable for adult with an infant
IA	Inside aisle seats
IE	Seat not suitable for child
J	Rear facing seat
K	Bulkhead seat
KA	Bulkhead seat with movie screen
KN	Bulkhead, no seat
L	Leg space seat
LA	No seat - lavatory
LG	No seat - luggage storage
LH	Restricted seat - offered on long-haul segments
LS	Left side of aircraft
M	Seat without a movie view

MA	Medically OK to travel
N	No smoking seat
O	Preferential seat
OW	Overwing seat(s)
PC	Pet cabin
Q	Seat in a quiet zone
RS	Right side of aircraft
S	Smoking seat
SO	No seat - storage space
ST	No seat - stairs to upper deck
T	Rear/Tail section of aircraft
TA	No seat - table
U	Seat suitable for unaccompanied minors
UP	Upper deck
V	Seat to be left vacant or offered last
W	Window seat
WA	Window and aisle together
X	No facility seat (indifferent seat)
Z	Buffer zone seat

Codeset for Seat occupation (Ref: 9865 IA 96.1.16)

Value	Description
B	Broken Seat
C	Crew Rest Seat
D	Seat blocked for/with deadload
F	Seat is free
M	seat occupied for medical reasons
O	Seat is occupied
P	Protected seat
S	Seat protected for code sharing
T	Transit passenger - seat occupied by a transit pas
U	Upline protected seat
V	Downline protected seats
X	Seat is not available for partner airlines use
Y	Advanced seat selection seat
Z	Seat blocked for other reasons

Codeset for Source, coded (Ref: 9890 IA 02.2.75)

Value	Description
F	CRS Floor limit
M	Manual
S	Link

Codeset for Status, coded (Ref: 4405 IA 02.2.7045)

Value	Description
No specific codeset defined for this data element.	

Codeset for Status indicator, coded (Ref: 1245 1A 11.1.1571)

Value	Description
CUA	ACCEPTED
REC	FM RECORDED
RSH	RUSH BAGS
TCA	ACCEPTED TRANSIT
TCM	TO COME

Codeset for Status indicator, coded (Ref: 1245 1A 11.1.1759)

Value	Description
0	Direct
1	Indirect
700	Fare basis may vary by carrier
701	Fares based on passenger type and/or discount input
702	Fares include US transportation tax where applicable
703	More fares available
704	See GRPF (Group and Inclusive Tour fares)
705	Fares and/or rates for future ticketing are subject to change
706	More fares available in USD
707	More fares available in local currency
708	No IATA fares
709	Only NUCs for this fare type
710	More routes exist
711	City pair text exists
712	Unsaleable fares exist
713	No future date rates/todays rate used
714	No future date BSR/todays BSR used
715	No future date BBR/todays BBR used
716	No future date ICH/todays ICH used
717	No future date ROE/todays ROE used

718	BBR not stored
719	IATA number
720	ERSP
721	Pseudo city code
722	In-house Identification
723	No Office Identification other than the owner
724	Read
725	Both Read and Write
726	No access, neither read nor write
727	Involuntary downgrade - passenger compensated
728	Involuntary downgrade - passenger not compensated
729	Involuntary downgrade
730	Original issue fare information
731	Reissue fare information
732	Lower fare found
733	Special discount may apply
734	Lowest applicable fare already booked
735	Placed on queue
736	Queue empty
737	Removed from queue
A	All classes upgrade eligibility
AA	Port type is all original arrival
AAC	Advanced acceptance indicator
ABP	Automatic printing of Boarding Pass (ADP Bzr)
ABT	Automatic print of Bag Tags (ADP Bzr)
AC	This aircraft registration fitted with ACARS
ACA	ACARS Teletype category
ACK	Has acknowledged the previous response
ACN	ACARS Indicator Not Fitted
ACS	ACARS Indicator Serviceable
ACU	ACARS Indicator Unserviceable
AD	Port type is all original departure
ADS	Autoload Distribution selected indicator
AFD	Special handling list to display whether customers are Available For Disembarkation
AFF	Special handling list to display Alliance Frequent Flyer details summary
AFI	assigned flights information
AFP	Automatic Fallback Printing Indicator

AFS	Special handling list to display Acceptance Flight Status
AFT	Aft
AIR	Level of segregation - Aircraft
AKF	Aknowledge Final Fuel Figures before document sent
ALC	auto link indicator
ALS	Acknowledge final fuel figures before creating provisionnal loadsheet
AOC	Additional Onward Connection Required
AOI	Special handling list to display Alliance Oncarriage details Information
AOS	Special handling list to display Alliance Oncarriage details Summary
AP	Autoload Priority
APA	Automated PNR Address
APD	This distribution has an APS form for the aircraft subtype
API	APS Forms Indicator
APP	This pantry has a APS form for the aircraft subtype
APR	The distribution has been approved
APS	Carrier type is APS
AR	Aircraft Registration
ARF	Indicates if this is a rerun of autoload for this flight/flight leg
ARN	Special handling list to display Aircraft Registration
ARR	No LIR can be produced if aircraft registration does not exist
AS	Autoload Sequence
ASD	This aircraft Sub-type is the Default for the Aircraft type
ASF	This aircraft Sub-type has flights
ASL	All SLDG information required
ASV	Approved for Service
AT	Autoload Theme
ATB	The activity type process is weight and balance and check-in
ATC	The activity type process is check-in
ATF	This aircraft type has flights
ATP	Special handling list to display the Aircraft TyPe
ATW	The activity type process is weight and balance
AUT	The commdity has been autoloaded
AVR	Baggage Varaiation Acknowledgement
AW	Award Passenger
AW2	Cancellation with removal of ad hod schedules
AW3	New information with removal of ad hod schedules
AW5	Replacement with removal of ad hod schedules

AWC	Allow Basic Weight change for specific flight leg
AWM	Allowed Weight Mod Indicator
B	Business class only upgrade eligibility
BAA	Already Accepted Bags Prompt
BAC	The weight and balance arm value for increased cumulative load
BAP	Already Printed Bags Prompt
BAS	Basic Weight
BAT	Include Baggage Total
BBC	Bypass boarding check
BCA	Special handling list to display a Breakdown of Customer Acceptance type
BCB	Customer Boarded Baggage Prompt
BCI	Baggage Check Input Value Prompt
BDF	Summary list indicator for Boarding
BED	Boarding Pass Print Status is 'boarded'
BF	Indicates if SLDG information should display on the Baggage Figures document
BFA	Bag Acceptance Status is Fully Accepted
BFI	Include Ballast Fuel
BH	Indicates if the Bag History is requested
BI	Basic Index
BKB	Bookable Staff
BKF	passenger figures are booked (not accepted).
BLK	Information for bulk loading
BLS	Baggage Load Control Flight Status Prompt
BNA	Bag Acceptance Status is Not Accepted
BOD	Class one baggage separate to this destination
BOF	Class one baggage separate on this flight
BPA	Bag Acceptance Status is Provisionally Accepted
BPP	Bay/Pallet Position
BPR	Bonus Program Required
BS	Indicates if the Bag Stats is requested
BSA	Booked Staff Annotation Required
BSC	Blocked Space Codeshare
BSD	Special handling list Blocked Seats Display
BSI	Carrier type is basic weight
BSQ	Baggage Security Questions Prompt
BST	best effort - if one queuing action fails, still attempt the others
BTA	Baggage transfer separate to arrival ports

BTD	Class two baggage separate to this destination
BTF	Class two baggage separate on this flight
BTM	BTM Received Tags Missing prompt
BTT	Bag Tag Transfer indicator
BTY	Carrier type is weight and pieces
BV	Check the Baggage Variance
BVA	Baggage Variation Allowed
BVE	Baggage Variation Exists
BVK	Baggage Variation Acknowledged
BWI	Basic weight and index for current selected flight flag
BWL	Basic weight label in use
BWM	Basic weight manual flag
BXA	Cancel Accepted Bags Prompt
BXD	Cancel Detailed Bags Prompt
C	Connecting baggage
CAC	Target Acceptance Status is Accepted
CAD	Special handling list to display number of Customers Accepted per Destination
CAO	Cargo Aircraft Only
CAR	Include Cargo Total
CAT	Category
CBG	Cabin Baggage Indicator
CBI	Crew Bag Indicator
CBL	This bay/pallet position is the Crew Bag Location
CBS	Special handling list to display whether a Customers Seat is Broken or unusuable
CC	Crew Code
CCI	Show capacity calculation indicator
CCK	Special handling list to display Customer Comments and Keywords
CCL	Cargo cleared
CCP	Corrupt CPM
CCR	Class Codes Required
CDS	Crew distribution selected
CDT	A crew distribution exists for the selected subtype
CER	Capacity calculation information from External Cargo Capacity System required
CF	Include Crew effect
CFD	Confirm Delete
CFF	Capacity calculation should occur for new fuel figures
CFI	Cargo is finished for this flight

CFP	Catering Final Figure Prompt
CFS	Special handling list to display Catering Figures
CG	Centre of Gravity
CGD	Default CG Envelope for the aircraft subtype specified
CGL	This registration has specific CofG Limit info
CGR	Corporate Group Required
CGS	This registration has specific CofG Stab info
CGT	Centre of Gravity Targeting
CHD	Child Indicator
CHF	Change flag
CHG	Significant change since document edition
CHO	Allow over weight compartment or hold
CIL	Special handling list to display Customer Initial
CIU	Indicates if this curtailment is in use
CKF	Summary list indicator for CheckIn
CL	Cumulative Load
CLC	Closed for load change
CLD	Corrupt LDM
CLI	Cabin Loading indicator
CLK	Cancel Links Indicator
CLS	Cargo Loading is finished
CM	Combined Maxima
CMC	Special handling list to display Customers Marketing Carrier
CMF	There is a baggage feed from Customer Management
CMS	ignore check-marriage indicator
CN	Indicates if crew is notified
CNA	Customer Acceptance Status is Not Accepted
CNF	Configuration Required
CNM	Special handling list to display Customer first Name
CO	Telescopic Bulk Loading System covered
COG	Request for centre of gravity graph details
COM	Level of segregation - Compartment
CON	The flight is containerised
CPE	CPMs for this Carrier use the extended format
CPT	Compartment
CR	Baggage Type is Crew
CRD	Crew Distribution

CRF	The crew seat resides on the flight deck
CRI	Cancel regrade indicator
CRJ	Customer Acceptance Status is Rejected
CRQ	refinement of search criteria required
CRT	Current data
CRW	Crew Seat
CS	Carrier Aircraft SubType Rules
CSM	Special handling list to display Customer Special Meal requests
CSN	Special handling list to display Customer SurName
CSR	Special handling list to display Customer Seat number
CST	Crew distribution is standard
CT	Curtailments
CTC	Retrieve Curtailment Codes
CTL	Special handling list to display Customer Title
CTP	Special handling list to display Customer Type
CTR	Special handling list to display Customer is a Transit passenger
CTW	Carrier has ITW flights
CWI	the Aircraft Weight includes the Crew Weight
CWT	Carrier Weight Type
D	Diversion
DAC	This Aircraft Type is the default type used by the Carrier
DAF	This aircraft type is the Default for the Fleet
DAT	This is the default for the aircraft type
DAW	Display Loadsheet in the Alternate Weight units for this Aircraft Subtype
DBC	Display by codeshare
DCA	Update / Delete compensation data
DCD	Update / Delete comment details
DCG	Update / Delete customer gender
DCP	DOW Calculations include Crew Weight and Pantry Weight
DDB	Update customer Date of birth
DDF	Special handling list to be displayed in Downline Destination Format
DDG	Deadload is a dangerous good
DEC	Update / Delete Emergency contact details
DES	The port code and/or country code is for the destination
DFF	Update / Delete Frequent flyer details
DFT	Default
DGD	Information for dangerous goods

DID	Update / Delete Infant details
DLA	Display all deadload regardless of port
DLC	DIP locker is fitted to the cabin
DLF	ULD is DIP locker fitted
DLI	Deadload Index
DLK	The deadload is linked to another deadload item
DLM	Deadload MAC Percentage
DLS	Display Loadsheet Stab Settings
DMB	Disembarking Passenger
DMT	The default carrier for DMT
DNR	Document Not Required
DOC	DOW Calculations include Crew Weight
DOI	Dry Operating Index
DOM	Indicates whether this Domain is currently Active
DOP	DOW Calculations include Pantry Weight
DOW	Carrier type is Dry operating weight
DPC	Update / Delete Pre-defined comments
DPD	Update / Delete Product details (alternate destination)
DPT	Special handling list to display DeParture Time
DPV	Document must be previewed
DRB	Deadload item Remain on Board
DRD	Update / Delete Regulatory document details
DRL	Display Locks Raised
DS	Stab Description
DSB	Update / Delete Staff booking details
DSC	Special handling list to Display whether a Customer is Staff
DSD	Special handling list to display Downline Station Details
DSE	Duty Staff Excluded from restriction note (TRO Bzr)
DSF	Deadload weight statement is final
DSI	Deadload simulation
DSL	Deadload is a special load
DSP	Deadload weight statement is provisional
DSS	Update / Delete Service details
DST	Update / Delete Customer staff details
DTC	This document type is valid for the specified carrier code
DTD	Update / Delete Ticket details
DTP	Display capacity calculations for transit passengers

DTT	This is the default Autoload Theme for the specified Carrier and Aircraft Subtype
DUM	Special handling list to Display Unaccompanied Minors
DW	This weight is the default
DWD	Indicate if this Deadload's Weight is included in the DOW figure
E	Cancellation
EDE	The Licence Expiry date has been Extended
EEX	Emergency Exit Indicator
EMA	Exact match indicator
EMM	Notify Load Controller if EZFW issue number mismatch
ERR	Error
ESL	External Systems Locked Out
EST	Extra Seat Indicator
ETK	Source E-Ticket Record
EX	Excluded
EXC	Item to be excluded
EZF	EZFW to be sent
F	Stike/labor
FA	Port type is first original arrival
FAA	FWD, Actual and AFT Trim Limits
FAS	Acceptance Status Finalised
FBA	Forward balance arm
FBO	Fallback action is Fallback Only
FBR	Special handling list to display Flight Baggage Requirements
FBS	Fuel Burn Sequence
FCF	Final Catering Figures
FCT	Special Handling List to Display Flight Comment
FD	Flight Departed
FF	Frequent Flyer
FFD	Special handling list to display Frequent Flyer Details Summary
FFL	From Flight
FFW	Flow Forward
FI	Flight finalised
FL	Flight leg
FLF	This Fleet has flights
FLP	FLAP
FLR	Flight Leg Released
FNI	Filter Negation indicator

FNS	Non-standard fuelling is allowed for this aircraft
FO	Fule Order
FOR	Force indicator
FRZ	Freeze indicator
FS	Flight segment
FSD	Standard Fuel Distribution
FSI	Fuel Split
FSR	This registration has specific Fuel Std Distribution info
FUS	Indicates if the Fuel Stats is requested
FV	Fuel is in volume
FVC	Fuel Vector
FW	Fuel is in weight
FWD	Forward
FWI	Full Width
FWP	Full Width Positions
FWV	Carrier will enforce visibility of full width containers
G	Gross Weight
GAL	Galley
GDN	Special handling list to display Gate DescriptionN
GEN	General
GFS	General Flight Status
GI	Plan initialised
GL	Locked : flight is spiked
GLI	Allow Graphical LIR
GNO	GNO Code
GO	Gate only
GRP	Group Locks
GS	This field is used as part of the ground stability checks
GU	The flight leg disallows fuel specific gravity updates for the flight leg
HAN	Handled Flight
HBP	Hand Baggage Pieces required (BDR Bzr)
HBW	Hand Baggage Weight required (BDR Bzr)
HC	Holds Config
HD	Holds and Doors
HIS	Historical data
HLD	Level of segregation - Hold
HOP	Head of Pool indicator

HOW	Hold Baggage Weight required (BDR Bzr)
HUI	HUB Indicator
HW	Half Width
HZ	HGW/ZFW
I	Involuntary (no reason given)
IAR	Instant ADL Required
IC	Invalid Combinations
ICL	INFLIGHT limits are affected by this Curtailment
ICR	Inbound Connection Required
IDG	Display the Inbound DGSL information
IDT	Include Scheduled Departure Time
IFL	In carriage flight
IG	Involuntary Grade Change
IMC	Ignore MCT indicator
IN	Included
INC	Include Name Element per Class
INF	InFlight
IRL	Include SBR Locator
IRU	Include Redemption And Upgrade Info
ISC	Include Seat Configuration
ISD	TSM issued indicator
ISR	Index is specific to Registration
ISS	Is specific for the AC Subtype
ITD	This ITW Configuration is the default for the Aircraft Subtype
ITL	In Trim LDW Indicator
ITT	In Trim TOW Indicator
ITW	Basic Weight type is includes tare weight
ITZ	In Trim ZFW Indicator
JNG	Joining Passenger
L	Landing
LA	AFT points for the Limit Exist
LAF	Special handling list to be displayed in Left Aisle Format
LAL	Send LDS Before ACARS LDS
LBA	Lateral Imbalance Arm
LBL	Lateral Imbalance Limit
LCC	Load controller checkbox is selected
LCD	Activity is to be displayed

LCF	VHF Load Controller Radio Frequencies
LCI	Load Controller information
LCK	Lock-out is selected
LCL	This location is a crew location
LCS	This location is a crew seat location
LCV	Loac Control Volume
LD	Loadsheet Default
LDL	LDW Limits are affected by this Curtailment
LDM	Load Message
LDS	It is possible to create an LDS without trim
LDV	Load location is visible from doorway
LDW	Limiting factor is landing weight
LEF	Licence EnForcement check
LF	FWD points for the Limit Exist
LFT	Left
LI	This Aircraft Type requires that a landing index be calculated and adhered to
LIA	Carrier requires LIR to be Acknowledged
LIC	Licence
LID	LIR received button to be displayed
LIL	LIR creation if hold / compartment /position Limits are exceeded allowed by carrier
LIN	Linear Load
LIR	Licence report
LIU	Lock in use
LK	Locks
LKB	Lock is broken
LKM	Indicator to specify if the carrier allows locks to be modified or not
LKS	Lock side
LL	LILAW
LLD	Load Location is in the Doorway
LLL	Load Location Locks
LLV	Load Location is visible from the door
LLW	Load Location Weight Rest
LNP	LDM not processed
LOC	Load control acceptance
LOT	Location
LOW	Lower
LRD	Locks raised are displayed

LRF	LIRF
LS	Load Sheet
LSD	SL/DG to appear on the Load Sheet
LSF	Loadsheet should be sent for new fuel figures
LSM	Modify lock status flag
LSP	Load sheet status is provisional
LST	Can the Final Loadsheet be issued without the Aircraft being in Trim
LT	Location Type
LTi	LITOW
LVE	Licence validity has been extended
LW	Three-quarter width
LWC	Landing weight should be displayed on COG screens
LWD	Landing weight is to be displayed
LX	Baggage loaded
LZ	LIZFW
MAC	The compartment contains a magic carpet
MAI	Mandatory
MAN	Mandatory fields missing
MAS	Magic Carpet Status
MAT	Include Mail Total
MCP	LDM mismatched with CPM
MF	The crew is split by male/female
MFA	Pax Weights in inbound LDMS are split into Male/Female or Adult
MFC	Manual visual credit card check method
MFI	Marketing Flight Information Required
ML	MAC LAW
MM	Non Revenue Space Available
MOV	Miles override indicator
MPV	Manual Priority Value entered
MSC	Miscellaneous
MSF	Message status is final
MSP	Message status is provisional
MT	MAC TOW
MTF	Aircraft has multiple Tanks for Standard Fuelling
MW	The max weights for this registration are inherited from the aircraft subtype
MXW	Maximum Weights
MZ	MAC ZFW

N	Not authorized to load
NAI	The registration is a Non ACARS registration
NBD	Boarding Pass Print Status is 'not boarded'
NC	Not completed
NCA	Special handling list to display Number of Customers Accepted
NCC	Notify cargo agent, mail agent and baggage hall if capacity changed
NCF	Flight leg defaults to a non check-in flight leg
NCN	Name Clustering For Non-Commercial Passengers (in PNL/ADL)
NCP	Notice to captain
NCS	Name Clustering By Surname (in PNL/ADL)
NDS	Set 'NIL DG/SL' indicator for no notifiable load from NOTOC details
NEG	Negotiated fare indicator
NET	The ULD weight is netted
NFB	Fallback action is both fallback and standard
NLD	LDM not received
NO	Not open - ready to use
NOO	No Category or Licence
NOR	Norec indicator
NOS	Special handling list to display Number Of Seats
NOT	Operations control Dangerous Goods advice should be sent after NOTOC
NPT	Boarding Pass Print Status is 'not printed'
NR	Not Required
NRP	Boarding Pass Print Status is 'need reprint'
NS	Baggage unseen
NSA	Non-Booked Staff Annotation Required
NSF	The non standard fuelling indication
NSR	ULD, bulk load items not seen at the Ramp
NTC	NOTOC Teletype Category
NTL	No transit Load
NTP	No topping up at transit ports
NWB	A non weight and balance flight
O	Oversale
OCR	Onward Connection Required
OD	Port type is first / Original departure
ODE	Offline Documentation Expected
ODS	Special handling list to display Oncariage Details Summary
OFF	ULD is offloaded

OFL	On carriage flight
OK	Completed OK
OL	Baggage offloaded
OLT	This location is not part of the normal distribution
ONL	ULD is onload
OP	Open
OPB	Orientation Pallet Breadthwise
OPF	Orentation Pallet Offset lengthwise
OPL	Orientation Pallet Offset Left
OPR	Orientation Pallet Offset Right
ORI	The port code and/or country code is for the origin
OTL	Out of Trim LIR allowed by Carrier
OTP	Out of Trim Provisional load sheet
OTR	Out of trim
OVP	Ignore prompts indicator
OVR	Override (CSE Bzr)
OWL	Out of Weight LIR allowed by Carrier
OWP	Out of Weight Provisional load sheet allowed by Carrier
P1	Priority A
P2	Priority B
PA	Free seating
PAA	Partially Allocated Staff
PAB	PNL / ADL Booking Code (Booked Cabin Code or Reservations Booking Designator)
PAC	Process all customers indicator
PAD	PAD Required
PAF	Include Pantry effect
PAH	Indicates if the Pax History is requested
PAL	The ULD is a pallet
PAN	Pantry selected for the flight
PAS	Indicates if the Pax Stats is requested
PAT	Pantry
PAV	Available
PAX	Include passengers in calculations
PB	Name check-in
PBK	Booked passenger
PBT	Unprinted Tag Action
PC	Combination name and/or numeric check-in

PCD	This pantry code is used in any flight default
PCE	Previous Card Expired
PCF	Provisional Catering Figures Indicator
PCL	Propagate cancel indicator
PCS	Port Code Segment
PD	Numeric check-in
PDI	Default Pantry indicator
PE	Incoming through check-in
PER	Security permission applies
PF	Outgoing through check-in
PFD	Pre-formated layout
PFI	Display Bag Pieces for PW Flight Indicator
PFM	passenger figures are manual or feed from CM refused
PG	Closed for non-revenue passengers
PGT	Party / Group / Tour ID Required
PH	Closed for revenue passengers
PI	Seating not applicable for PAD (Pax Available for Disembarkation ID2)
PJ	Accept non-revenue passengers
PK	List non-revenue passengers
PLD	Pax should display on LDM
PLI	Print licence
PLT	Skip the Compute Trim functionality for the Provisional Loadsheets?
PM	Restrict non-revenue passengers from being accepted
PN	Restrict non-revenue passengers from being listed
PNC	Confirmation that outbound PNL has been sent.
PNT	Provisional NOTOC is used
POB	POB figures should appear on EZFW document
POT	Potable Water
PPT	Boarding Pass Print Status is 'primary printed'
PRC	Primary commodity
PRV	Needs to preview a provisional LoadSheet
PSA	Subload accepted passenger
PSB	Standby passenger
PSL	Subload listed passenger
PSS	Subload standby passenger
PTC	Include Pantry Code
PTR	Accepted transit acceptance type

PVA	PROV vs ACT ZFW
PW	This registration has specific Potable Water Index info
PWI	The Aircraft Weight includes the Pantry Weight
R	Return Passenger
RA	This SL/DG is radioactive
RAC	Required Any Carrier
RAM	Position is ramp cleared
RC	Ramp Clearance is Required
RCP	Ramp Clearance is required for this port
RED	Redemption
REF	Refund
REQ	Required
RER	Recency report
RES	Loading Restricted
RGa	Regrade status is actionned
RGC	Regrade status is cancelled
RGD	regrade indicator
RGF	Regrade failed
RGI	Regrade type Involuntary
RGJ	Regrade status is rejected
RGP	Regrade status is pending
RGR	Regrade type Remain
RGV	Regrade type Voluntary
RI	Check Recency Indidicator
RIT	Radio Instructions Text
RLK	Locks are raised
RLS	The rest location is selected
RLW	Using a restricted Regulated Landing Weight
RPT	Boarding Pass Print Status is 'reprinted'
RPW	Revenue Passenger on Waitlist Required
RRQ	Remarks Required
RS	Rescheduled
RSC	Required Specific Carrier
RSE	Rebate Staff Excluded from restriction note indicator (TRO Bzr)
RSI	RQL Resend Indicator
RSP	Resend of PNL is required.
RT	Right

RTO	Using a restricted Regulated Take-Off Weight
RU	Baggage Type is rush
RUL	SLDG Rules
RZF	Using a restricted Regulated Zero Fuel Weight
S	Schedule change
SA	Flight open for check-in
SAD	Downline access control of the local port
SAL	Local access control of the local port
SAS	Deadload item assigned to a flight
SAU	Upline access control of the local port
SB	Flight temporarily closed
SBR	Source Central System
SBY	Standby Staff
SC	Flight closed for check-in
SCA	Indicates whether the Send Cargo Offer Flag should be enabled or disabled
SCC	Carrier requires a Capacity Calculation Document to be sent
SCN	Seating Configuration
SCO	Send Cargo Offer
SD	Flight closed for finalizing
SDD	Standard Distribution default
SDE	Deadload figures are Estimated
SDF	Deadload figures are Final
SDL	Deadload item located
SDO	Deadload item offloaded
SDT	SLDG carrier type
SDU	Deadload item unassigned
SE	Flight held (entire flight)
SEG	SLDG segregation
SF	Flight suspended (current city)
SFA	Fuel figures are actual
SFB	Fallback action is standard only
SFF	Fuel figure are Final
SFH	Fuel figure are historical
SFO	The standard fuelling indication: standard fuelling option
SFP	Fuel figure are provisional
SFS	Fuel figures are simulated
SG	Flight emergency closed (flight and passenger records frozen)

SGI	Specific Gravity
SGU	This SG is allowed to be updated
SH	Flight gated (gate check-in only)
SI	Flight open for weight and balance
SIS	Special handling list to display Supplementary Information Summary
SJ	Flight editing
SK	Flight open for through check-in
SL	Flight boarding
SLD	Information for special load
SLI	Statistical Load
SLL	Include Static Load information in the LDM
SLR	The specified SL/DG is unable to be carried
SLS	Stab information should display on Loadsheets
SM	Flight deboarding
SMP	Rebuild Seat Map
SMS	Special handling list Special Meals Summary
SN	Flight closed for through check-in
SNP	SLS option for revenue passengers
SNR	SLS option for non-revenue passengers
SO	Flight cancelled
SOR	The sort container
SOS	The show offload indicator is selected
SP	Flight late
SPD	Flight suspended
SPL	The specified location type is the preferred location for the specified SL/DG
SPR	Send To Printer
SQ	Flight re-instated
SR	Seat Row
SRC	The position has been ramp cleared
SRD	Special handling list Smoking Rows Display
SRT	Space Available / Routing / Transit Required
SRU	Indicate that seat rows added or modified are used in a seating configuration
ST	SMS TOW
STB	STAB
STD	Pantry selected for the flight is standard
STJ	Separate transit and joining NOTOCs should be sent
STO	STAB Setting At Take Off

STR	Standard Transfer (CSE Bz Rule)
STZ	Seat Zone
SWA	Service Weight Adjustment
SWD	SWA is for display purposes only (not updateable)
SWM	Include SWA Deductions
SWP	Include SWA Additions
SWR	This registration has specific SWA info
SWS	Standard service weight adjustment
SX	This curtailment is used in a sum of the squares calculation
SZ	SMS ZFW
T	Through passenger
TA	Port type is transit original arrival
TAN	Tanks
TCI	Through Check In Indicator
TCL	TAXI limits are affected by this Curtailment
TCO	Through Check in only indicator
TD	Port type is transit original departure
TDR	Autoload theme downline reload
TES	Terminal Segment
TF	This fuel tank can be used to store ballast/trapped fuel
TFI	Trip Fuel Indicator
TFL	Trapped Fuel
TFR	Transfer indicator
TKT	First ticket issue
TLA	Display Trim Limit Adjustment in the provisional loadsheet
TNA	Special handling list to display the Total Number of customers Accepted
TO	TakeOff
TOF	Take Off Fuel
TOL	TOW limits are affected by this Curtailment
TOW	Take off weight Limitations
TP	Trim Points
TPO	Total Passengers On Board
TPU	The top up fuel requested
TRN	ULD is transit
TRS	The transit indicator is selected
TRT	Include Transit Total
TS	Telescopic Bulk Loading System operative

TSA	Bag tag source type is Automatic
TSB	Bag tag source type is BTM
TSI	Bag tag source type is IATCI
TSM	Bag tag source type is Manual
TST	Transit indicator
TTS	Text to scroll
TX	Taxi
U	Upper
UCH	Maximum level of UCM information
UCL	Minimum level of UCM information
UCM	Medium level of UCM information
UCP	Include ULD Serial Numbers in the CPM
UGP	This ULD Group is a Phantom
UGW	ULD Group Weight Rest
UID	Update infant details
ULC	Carrier require that the ULD Serial Numbers be checked
ULD	Information for ULD
ULG	ULD Group
ULK	ULD linked to another ULD
UMA	Unique match indicator
UN	Telescopic Bulk Loading System unserviceable
UPD	Update product details
UPG	Upgrade
UTW	ULD Type Width
V	Voluntary (customer requested)
VAR	Validity report
VG	Voluntary Grade Change
VI	Validity Indicator
VIP	Very Important Passenger
VSD	Special handling list Vacant Seats Display
W	Weather/ATC delay
WA	The Pax Weights in inbound LDMs are split into Adult
WCP	LDM waiting for CPM
WD	This Weight is the Default Weight
WK	Weight Known
WLC	Warning to Load Controller
WMF	The Pax Weights in inbound LDMs are split into Male/Female

WNB	Weight and Balance carrier
WU	Weight Unknown
X	Terminating baggage
Y	Authorized to load
YBF	Summary List indicator for YetToBoard
Z	ZFW
ZCL	ZFW Limits Are affected by this Curtailment
ZFI	Include Transit ZFW
ZFW	Limiting factor is Zero Fuel Weight

Codeset for Status indicator, coded (Ref: 1245 IA 01.2.81)

Value	Description
0	Direct
1	Indirect
700	Fare basis may vary by carrier
701	Fares based on passenger type and/or discount input
702	Fares include US transportation tax where applicable
703	More fares available
704	See GRPF (Group and Inclusive Tour fares)
705	Fares and/or rates for future ticketing are subject to change
706	More fares available in USD
707	More fares available in local currency
708	No IATA fares
709	Only NUCs for this fare type
710	More routes exist
711	City pair text exists
712	Unsaleable fares exist
713	No future date rates/todays rate used
714	No future date BSR/todays BSR used
715	No future date BBR/todays BBR used
716	No future date ICH/todays ICH used
717	No future date ROE/todays ROE used
718	BBR not stored
719	IATA number
720	ERSP
721	Pseudo city code
722	In-house Identification

723	No Office Identification other than the owner
724	Read
725	Both Read and Write
726	No access, neither read nor write
727	Involuntary downgrade - passenger compensated
728	Involuntary downgrade - passenger not compensated
729	Involuntary downgrade
730	Original issue fare information
731	Reissue fare information
732	Lower fare found
733	Special discount may apply
734	Lowest applicable fare already booked
735	Placed on queue
736	Queue empty
737	Removed from queue
A	All classes upgrade eligibility
AA	Port type is all original arrival
AAC	Advanced acceptance indicator
ABP	Automatic printing of Boarding Pass (ADP Bzr)
ABT	Automatic print of Bag Tags (ADP Bzr)
AC	This aircraft registration fitted with ACARS
ACA	ACARS Teletype category
ACK	Has acknowledged the previous response
ACN	ACARS Indicator Not Fitted
ACS	ACARS Indicator Serviceable
ACU	ACARS Indicator Unserviceable
AD	Port type is all original departure
ADS	Autoload Distribution selected indicator
AFD	Special handling list to display whether customers are Available For Disembarkation
AFF	Special handling list to display Alliance Frequent Flyer details summary
AFI	assigned flights information
AFP	Automatic Fallback Printing Indicator
AFS	Special handling list to display Acceptance Flight Status
AFT	Aft
AIR	Level of segregation - Aircraft
AKF	Aknowledge Final Fuel Figures before document sent
ALC	auto link indicator

ALS	Acknowledge final fuel figures before creating provisionnal loadsheet
AOC	Additional Onward Connection Required
AOI	Special handling list to display Alliance Oncarriage details Information
AOS	Special handling list to display Alliance Oncarriage details Summary
AP	Autoload Priority
APA	Automated PNR Address
APD	This distribution has an APS form for the aircraft subtype
API	APS Forms Indicator
APP	This pantry has a APS form for the aircraft subtype
APR	The distribution has been approved
APS	Carrier type is APS
AR	Aircraft Registration
ARF	Indicates if this is a rerun of autoload for this flight/flight leg
ARN	Special handling list to display Aircraft Registration
ARR	No LIR can be produced if aircraft registration does not exist
AS	Autoload Sequence
ASD	This aircraft Sub-type is the Default for the Aircraft type
ASF	This aircraft Sub-type has flights
ASL	All SLDG information required
ASV	Approved for Service
AT	Autoload Theme
ATB	The activity type process is weight and balance and check-in
ATC	The activity type process is check-in
ATF	This aircraft type has flights
ATP	Special handling list to display the Aircraft TyPe
ATW	The activity type process is weight and balance
AUT	The commodity has been autoloaded
AVR	Baggage Varaiation Acknowledgement
AW	Award Passenger
AW2	Cancellation with removal of ad hod schedules
AW3	New information with removal of ad hod schedules
AW5	Replacement with removal of ad hod schedules
AWC	Allow Basic Weight change for specific flight leg
AWM	Allowed Weight Mod Indicator
B	Business class only upgrade eligibility
BAA	Already Accepted Bags Prompt
BAC	The weight and balance arm value for increased cumulative load

BAP	Already Printed Bags Prompt
BAS	Basic Weight
BAT	Include Baggage Total
BBC	Bypass boarding check
BCA	Special handling list to display a Breakdown of Customer Acceptance type
BCB	Customer Boarded Baggage Prompt
BCI	Baggage Check Input Value Prompt
BDF	Summary list indicator for Boarding
BED	Boarding Pass Print Status is 'boarded'
BF	Indicates if SLDG information should display on the Baggage Figures document
BFA	Bag Acceptance Status is Fully Accepted
BFI	Include Ballast Fuel
BH	Indicates if the Bag History is requested
BI	Basic Index
BKB	Bookable Staff
BKF	passenger figures are booked (not accepted).
BLK	Information for bulk loading
BLS	Baggage Load Control Flight Status Prompt
BNA	Bag Acceptance Status is Not Accepted
BOD	Class one baggage separate to this destination
BOF	Class one baggage separate on this flight
BPA	Bag Acceptance Status is Provisionally Accepted
BPP	Bay/Pallet Position
BPR	Bonus Program Required
BS	Indicates if the Bag Stats is requested
BSA	Booked Staff Annotation Required
BSC	Blocked Space Codeshare
BSD	Special handling list Blocked Seats Display
BSI	Carrier type is basic weight
BSQ	Baggage Security Questions Prompt
BTA	Baggage transfer separate to arrival ports
BTD	Class two baggage separate to this destination
BTF	Class two baggage separate on this flight
BTM	BTM Received Tags Missing prompt
BTT	Bag Tag Transfer indicator
BTY	Carrier type is weight and pieces
BV	Check the Baggage Variance

BVA	Baggage Variation Allowed
BVE	Baggage Variation Exists
BVK	Baggage Variation Acknowledged
BWI	Basic weight and index for current selected flight flag
BWL	Basic weight label in use
BWM	Basic weight manual flag
BXA	Cancel Accepted Bags Prompt
BXD	Cancel Detailed Bags Prompt
C	Connecting baggage
CAC	Target Acceptance Status is Accepted
CAD	Special handling list to display number of Customers Accepted per Destination
CAO	Cargo Aircraft Only
CAR	Include Cargo Total
CAT	Category
CBG	Cabin Baggage Indicator
CBI	Crew Bag Indicator
CBL	This bay/pallet position is the Crew Bag Location
CBS	Special handling list to display whether a Customers Seat is Broken or unusuable
CC	Crew Code
CCI	Show capacity calculation indicator
CCK	Special handling list to display Customer Comments and Keywords
CCL	Cargo cleared
CCP	Corrupt CPM
CCR	Class Codes Required
CDS	Crew distribution selected
CDT	A crew distribution exists for the selected subtype
CER	Capacity calculation information from External Cargo Capacity System required
CF	Include Crew effect
CFD	Confirm Delete
CFF	Capacity calculation should occur for new fuel figures
CFI	Cargo is finished for this flight
CFP	Catering Final Figure Prompt
CFS	Special handling list to display Catering Figures
CG	Centre of Gravity
CGD	Default CG Envelope for the aircraft subtype specified
CGL	This registration has specific CofG Limit info
CGR	Corporate Group Required

CGS	This registration has specific CofG Stab info
CGT	Centre of Gravity Targeting
CHD	Child Indicator
CHG	Significant change since document edition
CHO	Allow over weight compartment or hold
CIL	Special handling list to display Customer Initial
CIU	Indicates if this curtailment is in use
CKF	Summary list indicator for CheckIn
CL	Cumulative Load
CLC	Closed for load change
CLD	Corrupt LDM
CLI	Cabin Loading indicator
CLK	Cancel Links Indicator
CLS	Cargo Loading is finished
CM	Combined Maxima
CMC	Special handling list to display Customers Marketing Carrier
CMF	There is a baggage feed from Customer Management
CMS	ignore check-marriage indicator
CN	Indicates if crew is notified
CNA	Customer Acceptance Status is Not Accepted
CNF	Configuration Required
CNM	Special handling list to display Customer first Name
CO	Telescopic Bulk Loading System covered
COG	Request for centre of gravity graph details
COM	Level of segregation - Compartment
CON	The flight is containerised
CPE	CPMs for this Carrier use the extended format
CPT	Compartment
CR	Baggage Type is Crew
CRD	Crew Distribution
CRF	The crew seat resides on the flight deck
CRI	Cancel regrade indicator
CRJ	Customer Acceptance Status is Rejected
CRQ	refinement of search criteria required
CRW	Crew Seat
CS	Carrier Aircraft SubType Rules
CSM	Special handling list to display Customer Special Meal requests

CSN	Special handling list to display Customer SurName
CSR	Special handling list to display Customer Seat number
CST	Crew distribution is standard
CT	Curtailments
CTC	Retrieve Curtailment Codes
CTL	Special handling list to display Customer Title
CTP	Special handling list to display Customer Type
CTR	Special handling list to display Customer is a Transit passenger
CTW	Carrier has ITW flights
CWI	the Aircraft Weight includes the Crew Weight
CWT	Carrier Weight Type
D	Diversion
DAC	This Aircraft Type is the default type used by the Carrier
DAF	This aircraft type is the Default for the Fleet
DAT	This is the default for the aircraft type
DAW	Display Loadsheel in the Alternate Weight units for this Aircraft Subtype
DBC	Display by codeshare
DCA	Update / Delete compensation data
DCD	Update / Delete comment details
DCG	Update / Delete customer gender
DCP	DOW Calculations include Crew Weight and Pantry Weight
DDB	Update customer Date of birth
DDF	Special handling list to be displayed in Downline Destination Format
DDG	Deadload is a dangerous good
DEC	Update / Delete Emergency contact details
DES	The port code and/or country code is for the destination
DFF	Update / Delete Frequent flyer details
DFT	Default
DGD	Information for dangerous goods
DID	Update / Delete Infant details
DLA	Display all deadload regardless of port
DLC	DIP locker is fitted to the cabin
DLF	ULD is DIP locker fitted
DLI	Deadload Index
DLK	The deadload is linked to another deadload item
DLM	Deadload MAC Percentage
DLS	Display Loadsheel Stab Settings

DMB	Disembarking Passenger
DMT	The default carrier for DMT
DNR	Document Not Required
DOC	DOW Calculations include Crew Weight
DOI	Dry Operating Index
DOM	Indicates whether this Domain is currently Active
DOP	DOW Calculations include Pantry Weight
DOW	Carrier type is Dry operating weight
DPC	Update / Delete Pre-defined comments
DPD	Update / Delete Product details (alternate destination)
DPT	Special handling list to display DeParture Time
DPV	Document must be previewed
DRB	Deadload item Remain on Board
DRD	Update / Delete Regulatory document details
DRL	Display Locks Raised
DS	Stab Description
DSB	Update / Delete Staff booking details
DSC	Special handling list to Display whether a Customer is Staff
DSD	Special handling list to display Downline Station Details
DSE	Duty Staff Excluded from restriction note (TRO Bzr)
DSF	Deadload weight statement is final
DSI	Deadload simulation
DSL	Deadload is a special load
DSP	Deadload weight statement is provisional
DSS	Update / Delete Service details
DST	Update / Delete Customer staff details
DTC	This document type is valid for the specified carrier code
DTD	Update / Delete Ticket details
DTP	Display capacity calculations for transit passengers
DTT	This is the default Autoload Theme for the specified Carrier and Aircraft Subtype
DUM	Special handling list to Display Unaccompanied Minors
DW	This weight is the default
DWD	Indicate if this Deadload's Weight is included in the DOW figure
E	Cancellation
EDE	The Licence Expiry date has been Extended
EEX	Emergency Exit Indicator
EMA	Exact match indicator

EMM	Notify Load Controller if EZFW issue number mismatch
ERR	Error
ESL	External Systems Locked Out
EST	Extra Seat Indicator
ETK	Source E-Ticket Record
EX	Excluded
EXC	Item to be excluded
EZF	EZFW to be sent
F	Stike/labor
FA	Port type is first original arrival
FAA	FWD, Actual and AFT Trim Limits
FAS	Acceptance Status Finalised
FBA	Forward balance arm
FBO	Fallback action is Fallback Only
FBR	Special handling list to display Flight Baggage Requirements
FBS	Fuel Burn Sequence
FCF	Final Catering Figures
FCT	Special Handling List to Display Flight Comment
FD	Flight Departed
FF	Frequent Flyer
FFD	Special handling list to display Frequent Flyer Details Summary
FFL	From Flight
FFW	Flow Forward
FI	Flight finalised
FL	Flight leg
FLF	This Fleet has flights
FLP	FLAP
FLR	Flight Leg Released
FNI	Filter Negation indicator
FNS	Non-standard fuelling is allowed for this aircraft
FO	Fule Order
FOR	Force indicator
FRZ	Freeze indicator
FS	Flight segment
FSD	Standard Fuel Distribution
FSI	Fuel Split
FSR	This registration has specific Fuel Std Distribution info

FUS	Indicates if the Fuel Stats is requested
FV	Fuel is in volume
FVC	Fuel Vector
FW	Fuel is in weight
FWD	Forward
FWI	Full Width
FWP	Full Width Positions
FWV	Carrier will enforce visibility of full width containers
G	Gross Weight
GAL	Galley
GDN	Special handling list to display Gate DescriptionN
GEN	General
GFS	General Flight Status
GI	Plan initialised
GL	Locked : flight is spiked
GLI	Allow Graphical LIR
GNO	GNO Code
GO	Gate only
GRP	Group Locks
GS	This field is used as part of the ground stability checks
GU	The flight leg disallows fuel specific gravity updates for the flight leg
HAN	Handled Flight
HBP	Hand Baggage Pieces required (BDR Bzr)
HBW	Hand Baggage Weight required (BDR Bzr)
HC	Holds Config
HD	Holds and Doors
HLD	Level of segregation - Hold
HOP	Head of Pool indicator
HOW	Hold Baggage Weight required (BDR Bzr)
HW	Half Width
HZ	HGW/ZFW
I	Involuntary (no reason given)
IAR	Instant ADL Required
IC	Invalid Combinations
ICL	INFLIGHT limits are affected by this Curtailment
ICR	Inbound Connection Required
IDG	Display the Inbound DGSL information

IDT	Include Scheduled Departure Time
IFL	In carriage flight
IG	Involuntary Grade Change
IMC	Ignore MCT indicator
IN	Included
INC	Include Name Element per Class
INF	InFlight
IRL	Include SBR Locator
IRU	Include Redemption And Upgrade Info
ISC	Include Seat Configuration
ISR	Index is specific to Registration
ISS	Is specific for the AC Subtype
ITD	This ITW Configuration is the default for the Aircraft Subtype
ITL	In Trim LDW Indicator
ITT	In Trim TOW Indicator
ITW	Basic Weight type is includes tare weight
ITZ	In Trim ZFW Indicator
JNG	Joining Passenger
L	Landing
LA	AFT points for the Limit Exist
LAF	Special handling list to be displayed in Left Aisle Format
LAL	Send LDS Before ACARS LDS
LBA	Lateral Imbalance Arm
LBL	Lateral Imbalance Limit
LCC	Load controller checkbox is selected
LCD	Activity is to be displayed
LCF	VHF Load Controller Radio Frequencies
LCI	Load Controller information
LCK	Lock-out is selected
LCL	This location is a crew location
LCS	This location is a crew seat location
LCV	Loac Control Volume
LD	Loadsheet Default
LDL	LDW Limits are affected by this Curtailment
LDM	Load Message
LDS	It is possible to create an LDS without trim
LDV	Load location is visible from doorway

LDW	Limiting factor is landing weight
LEF	Licence EnFORCEment check
LF	FWD points for the Limit Exist
LFT	Left
LI	This Aircraft Type requires that a landing index be calculated and adhered to
LIA	Carrier requires LIR to be Acknowledged
LIC	Licence
LID	LIR received button to be displayed
LIL	LIR creation if hold / compartment /position Limits are exceeded allowed by carrier
LIN	Linear Load
LIR	Licence report
LIU	Lock in use
LK	Locks
LKB	Lock is broken
LKM	Indicator to specify if the carrier allows locks to be modified or not
LKS	Lock side
LL	LILAW
LLD	Load Location is in the Doorway
LLL	Load Location Locks
LLV	Load Location is visible from the door
LLW	Load Location Weight Rest
LNP	LDM not processed
LOC	Load control acceptance
LOT	Location
LOW	Lower
LRD	Locks raised are displayed
LRF	LIRF
LS	Load Sheet
LSD	SL/DG to appear on the Load Sheet
LSF	Loadsheet should be sent for new fuel figures
LSM	Modify lock status flag
LSP	Load sheet status is provisional
LST	Can the Final Loadsheet be issued without the Aircraft being in Trim
LT	Location Type
LTi	LITOW
LVE	Licence validity has been extended
LW	Three-quarter width

LWC	Landing weight should be displayed on COG screens
LWD	Landing weight is to be displayed
LX	Baggage loaded
LZ	LIZFW
MAC	The compartment contains a magic carpet
MAI	Mandatory
MAN	Mandatory fields missing
MAS	Magic Carpet Status
MAT	Include Mail Total
MCP	LDM mismatched with CPM
MF	The crew is split by male/female
MFA	Pax Weights in inbound LDMs are split into Male/Female or Adult
MFC	Manual visual credit card check method
MFI	Marketing Flight Information Required
ML	MAC LAW
MM	Non Revenue Space Available
MPV	Manual Priority Value entered
MSF	Message status is final
MSP	Message status is provisional
MT	MAC TOW
MTF	Aircraft has multiple Tanks for Standard Fuelling
MW	The max weights for this registration are inherited from the aircraft subtype
MXW	Maximum Weights
MZ	MAC ZFW
N	Not authorized to load
NAI	The registration is a Non ACARS registration
NBD	Boarding Pass Print Status is 'not boarded'
NC	Not completed
NCA	Special handling list to display Number of Customers Accepted
NCC	Notify cargo agent, mail agent and baggage hall if capacity changed
NCF	Flight leg defaults to a non check-in flight leg
NCN	Name Clustering For Non-Commercial Passengers (in PNL/ADL)
NCP	Notice to captain
NCS	Name Clustering By Surname (in PNL/ADL)
NDS	Set 'NIL DG/SL' indicator for no notifiable load from NOTOC details
NET	The ULD weight is netted
NFB	Fallback action is both fallback and standard

NLD	LDM not received
NO	Not open - ready to use
NOO	No Category or Licence
NOR	Norec indicator
NOS	Special handling list to display Number Of Seats
NOT	Operations control Dangerous Goods advice should be sent after NOTOC
NPT	Boarding Pass Print Status is 'not printed'
NR	Not Required
NRP	Boarding Pass Print Status is 'need reprint'
NS	Baggage unseen
NSA	Non-Booked Staff Annotation Required
NSF	The non standard fuelling indication
NSR	ULD, bulk load items not seen at the Ramp
NTC	NOTOC Teletype Category
NTL	No transit Load
NTP	No topping up at transit ports
NWB	A non weight and balance flight
O	Oversale
OCR	Onward Connection Required
OD	Port type is first / Original departure
ODE	Offline Documentation Expected
ODS	Special handling list to display Oncariage Details Summary
OFF	ULD is offloaded
OFL	On carriage flight
OK	Completed OK
OL	Baggage offloaded
OLT	This location is not part of the normal distribution
ONL	ULD is onload
OP	Open
OPB	Orientation Pallet Breadthwise
OPF	Orentation Pallet Offset lengthwise
OPL	Orientation Pallet Offset Left
OPR	Orientation Pallet Offset Right
ORI	The port code and/or country code is for the origin
OTL	Out of Trim LIR allowed by Carrier
OTP	Out of Trim Provisional load sheet
OTR	Out of trim

OVP	Ignore prompts indicator
OVR	Override (CSE Bzr)
OWL	Out of Weight LIR allowed by Carrier
OWP	Out of Weight Provisional load sheet allowed by Carrier
P1	Priority A
P2	Priority B
PA	Free seating
PAA	Partially Allocated Staff
PAB	PNL / ADL Booking Code (Booked Cabin Code or Reservations Booking Designator)
PAC	Process all customers indicator
PAD	PAD Required
PAF	Include Pantry effect
PAH	Indicates if the Pax History is requested
PAL	The ULD is a pallet
PAN	Pantry selected for the flight
PAS	Indicates if the Pax Stats is requested
PAT	Pantry
PAV	Available
PAX	Include passengers in calculations
PB	Name check-in
PBK	Booked passenger
PBT	Unprinted Tag Action
PC	Combination name and/or numeric check-in
PCD	This pantry code is used in any flight default
PCE	Previous Card Expired
PCF	Provisional Catering Figures Indicator
PCL	Propagate cancel indicator
PCS	Port Code Segment
PD	Numeric check-in
PDI	Default Pantry indicator
PE	Incoming through check-in
PER	Security permission applies
PF	Outgoing through check-in
PFI	Display Bag Pieces for PW Flight Indicator
PFM	passenger figures are manual or feed from CM refused
PG	Closed for non-revenue passengers
PGT	Party / Group / Tour ID Required

PH	Closed for revenue passengers
PI	Seating not applicable for PAD (Pax Available for Disembarkation ID2)
PJ	Accept non-revenue passengers
PK	List non-revenue passengers
PLD	Pax should display on LDM
PLI	Print licence
PLT	Skip the Compute Trim functionality for the Provisional Loadsheets?
PM	Restrict non-revenue passengers from being accepted
PN	Restrict non-revenue passengers from being listed
PNC	Confirmation that outbound PNL has been sent.
PNT	Provisional NOTOC is used
POB	POB figures should appear on EZFW document
POT	Potable Water
PPT	Boarding Pass Print Status is 'primary printed'
PRC	Primary commodity
PRV	Needs to preview a provisional LoadSheet
PSA	Subload accepted passenger
PSB	Standby passenger
PSL	Subload listed passenger
PSS	Subload standby passenger
PTC	Include Pantry Code
PTR	Accepted transit acceptance type
PVA	PROV vs ACT ZFW
PW	This registration has specific Potable Water Index info
PWI	The Aircraft Weight includes the Pantry Weight
R	Return Passenger
RA	This SL/DG is radioactive
RAC	Required Any Carrier
RAM	Position is ramp cleared
RC	Ramp Clearance is Required
RCP	Ramp Clearance is required for this port
REQ	Required
RER	Recency report
RES	Loading Restricted
RGA	Regrade status is actionned
RGC	Regrade status is cancelled
RGD	regrade indicator

RGF	Regrade failed
RGI	Regrade type Involuntary
RGJ	Regrade status is rejected
RGP	Regrade status is pending
RGR	Regrade type Remain
RGV	Regrade type Voluntary
RI	Check Recency Indicator
RIT	Radio Instructions Text
RLK	Locks are raised
RLS	The rest location is selected
RLW	Using a restricted Regulated Landing Weight
RPT	Boarding Pass Print Status is 'reprinted'
RPW	Revenue Passenger on Waitlist Required
RRQ	Remarks Required
RS	Rescheduled
RSC	Required Specific Carrier
RSE	Rebate Staff Excluded from restriction note indicator (TRO Bzr)
RSI	RQL Resend Indicator
RSP	Resend of PNL is required.
RT	Right
RTO	Using a restricted Regulated Take-Off Weight
RU	Baggage Type is rush
RUL	SLDG Rules
RZF	Using a restricted Regulated Zero Fuel Weight
S	Schedule change
SA	Flight open for check-in
SAD	Downline access control of the local port
SAL	Local access control of the local port
SAS	Deadload item assigned to a flight
SAU	Upline access control of the local port
SB	Flight temporarily closed
SBR	Source Central System
SBY	Standby Staff
SC	Flight closed for check-in
SCA	Indicates whether the Send Cargo Offer Flag should be enabled or disabled
SCC	Carrier requires a Capacity Calculation Document to be sent
SCN	Seating Configuration

SCO	Send Cargo Offer
SD	Flight closed for finalizing
SDD	Standard Distribution default
SDE	Deadload figures are Estimated
SDF	Deadload figures are Final
SDL	Deadload item located
SDO	Deadload item offloaded
SDT	SLDG carrier type
SDU	Deadload item unassigned
SE	Flight held (entire flight)
SEG	SLDG segregation
SF	Flight suspended (current city)
SFA	Fuel figures are actual
SFB	Fallback action is standard only
SFF	Fuel figure are Final
SFH	Fuel figure are historical
SFO	The standard fuelling indication: standard fuelling option
SFP	Fuel figure are provisional
SFS	Fuel figures are simulated
SG	Flight emergency closed (flight and passenger records frozen)
SGI	Specific Gravity
SGU	This SG is allowed to be updated
SH	Flight gated (gate check-in only)
SI	Flight open for weight and balance
SIS	Special handling list to display Supplementary Information Summary
SJ	Flight editing
SK	Flight open for through check-in
SL	Flight boarding
SLD	Information for special load
SLI	Statistical Load
SLL	Include Static Load information in the LDM
SLR	The specified SL/DG is unable to be carried
SLS	Stab information should display on Loadsheets
SM	Flight deboarding
SMP	Rebuild Seat Map
SMS	Special handling list Special Meals Summary
SN	Flight closed for through check-in

SNP	SLS option for revenue passengers
SNR	SLS option for non-revenue passengers
SO	Flight cancelled
SOR	The sort container
SOS	The show offload indicator is selected
SP	Flight late
SPD	Flight suspended
SPL	The specified location type is the preferred location for the specified SL/DG
SPR	Send To Printer
SQ	Flight re-instated
SR	Seat Row
SRC	The position has been ramp cleared
SRD	Special handling list Smoking Rows Display
SRT	Space Available / Routing / Transit Required
SRU	Indicate that seat rows added or modified are used in a seating configuration
ST	SMS TOW
STB	STAB
STD	Pantry selected for the flight is standard
STJ	Separate transit and joining NOTOCs should be sent
STO	STAB Setting At Take Off
STR	Standard Transfer (CSE Bz Rule)
STZ	Seat Zone
SWA	Service Weight Adjustment
SWD	SWA is for display purposes only (not updateable)
SWM	Include SWA Deductions
SWP	Include SWA Additions
SWR	This registration has specific SWA info
SWS	Standard service weight adjustment
SX	This curtailment is used in a sum of the squares calculation
SZ	SMS ZFW
T	Through passenger
TA	Port type is transit original arrival
TAN	Tanks
TCI	Through Check In Indicator
TCL	TAXI limits are affected by this Curtailment
TCO	Through Check in only indicator
TD	Port type is transit original departure

TDR	Autoload theme downline reload
TES	Terminal Segment
TF	This fuel tank can be used to store ballast/trapped fuel
TFI	Trip Fuel Indicator
TFL	Trapped Fuel
TFR	Transfer indicator
TLA	Display Trim Limit Adjustment in the provisional loadsheet
TNA	Special handling list to display the Total Number of customers Accepted
TO	TakeOff
TOF	Take Off Fuel
TOL	TOW limits are affected by this Curtailment
TOW	Take off weight Limitations
TP	Trim Points
TPO	Total Passengers On Board
TPU	The top up fuel requested
TRN	ULD is transit
TRS	The transit indicator is selected
TRT	Include Transit Total
TS	Telescopic Bulk Loading System operative
TSA	Bag tag source type is Automatic
TSB	Bag tag source type is BTM
TSI	Bag tag source type is IATCI
TSM	Bag tag source type is Manual
TST	Transit indicator
TTS	Text to scroll
TX	Taxi
U	Upper
UCH	Maximum level of UCM information
UCL	Minimum level of UCM information
UCM	Medium level of UCM information
UCP	Include ULD Serial Numbers in the CPM
UGP	This ULD Group is a Phantom
UGW	ULD Group Weight Rest
UID	Update infant details
ULC	Carrier require that the ULD Serial Numbers be checked
ULD	Information for ULD
ULG	ULD Group

ULK	ULD linked to another ULD
UMA	Unique match indicator
UN	Telescopic Bulk Loading System unserviceable
UPD	Update product details
UTW	ULD Type Width
V	Voluntary (customer requested)
VAR	Validity report
VG	Voluntary Grade Change
VI	Validity Indicator
VIP	Very Important Passenger
VSD	Special handling list Vacant Seats Display
W	Weather/ATC delay
WA	The Pax Weights in inbound LDMs are split into Adult
WCP	LDM waiting for CPM
WD	This Weight is the Default Weight
WLC	Warning to Load Controller
WMF	The Pax Weights in inbound LDMs are split into Male/Female
WNB	Weight and Balance carrier
X	Terminating baggage
Y	Authorized to load
YBF	Summary List indicator for YetToBoard
Z	ZFW
ZCL	ZFW Limits Are affected by this Curtailment
ZFI	Include Transit ZFW
ZFW	Limiting factor is Zero Fuel Weight

Codeset for Status indicator, coded (Ref: 1245 1A 10.1.4)

Value	Description
CM	Customer Management
DBM	Database Management
DCS	Common FM CM
FM	Flight Management

Codeset for Status type, coded (Ref: 9015 IA 02.2.5563)

Value	Description
A	Segment specified by BRD/OFF only (default)

AC	Acceptance status
B	All segment combinations between BRD/OFF
BO	Boarding status
C	All segment combinations between BRD/OFF where BRD is fixed
CIS	Check-in status
D	All segment combinations between BRD/OFF where OFF is fixed
FFN	Non-Stressed Flow Forward
FFS	Stressed Flow Forward
GN	General status
HE	History item is External
HI	History item is Internal
LC	Load control status
TNS	Transfer

Codeset for Status type, coded (Ref: 9015 IA 01.2.56)

Value	Description
A	Segment specified by BRD/OFF only (default)
AC	Acceptance status
B	All segment combinations between BRD/OFF
BO	Boarding status
C	All segment combinations between BRD/OFF where BRD is fixed
CIS	Check-in status
D	All segment combinations between BRD/OFF where OFF is fixed
FFN	Non-Stressed Flow Forward
FFS	Stressed Flow Forward
GN	General status
HE	History item is External
HI	History item is Internal
LC	Load control status
TNS	Transfer

Codeset for Status type, coded (Ref: 9015 IA 02.2.1991)

Value	Description
A	Segment specified by BRD/OFF only (default)

AC	Acceptance status
B	All segment combinations between BRD/OFF
BO	Boarding status
C	All segment combinations between BRD/OFF where BRD is fixed
CIS	Check-in status
D	All segment combinations between BRD/OFF where OFF is fixed
FFN	Non-Stressed Flow Forward
FFS	Stressed Flow Forward
GN	General status
HE	History item is External
HI	History item is Internal
LC	Load control status
RA	Ramp status
TNS	Transfer

Codeset for Text subject qualifier (Ref: 4451 IA 02.2.6005)

Value	Description
DNT	Quantity/Transport Index
SUP	Supplementary Information

Codeset for Text subject qualifier (Ref: 4451 IA 02.2.6009)

Value	Description
DNT	Quantity/Transport Index
SUP	Supplementary Information

Codeset for Text subject qualifier (Ref: 4451 IA 96.1.149)

Value	Description
1	Coded free text
2	free text
3	Literal text
4	Coded and literal text
CHG	Change information

PRD	Product information
SAF	Safety information
SIM	IATA SSIM defined information
SPH	Special handling
STN	Statutory notice
TRA	Transportation information
ZZZ	Mutually defined (bilateral or internal informatio

Codeset for Text subject qualifier (Ref: 4451 IA 02.2.284)

Value	Description
1	Coded free text
3	Literal text
4	Coded and literal text
BAR	Barrow Proper Name
CAT	Certification Category
CCR	a range indicating if Carrier requires capacity calculation information from external Cargo Capacity systems
CDC	Default Crew Distribution Description
CDD	Crew Distribution Description
CDL	Default Crew Description List Entry Name
CHG	Change information
CLS	Class Description
CRD	Container Allocation Rule Description
CT	Description of the Certification Type
DTD	Document Type Description
END	Emergency Number Description
FC	Fuel Order printed on the Provisional Loadsheet needs a certification text to be signed by the captain
FD	Fleet Description
FM	Fleet Manufacturer
FT	Fuel Tank Description
HV	Hold Version description
LIR	LIR Certification text
LOC	Location Type
MAX	Combined Maxima Name
PER	Security permission label
PRD	Product information

PWD	Pax Weight Description
RIT	Radio Instructions Text
SAF	Safety information
SIM	IATA SSIM defined information
SPH	Special handling
STA	Stab Description
STD	Additional Stab Information
STN	Statutory notice
SWA	Service Weight Adjustment Description
SWF	Service Weight Adjustment Information 2
SWI	Service Weight Adjustment Information 1
TOC	Traffic Officers Certificate
TRA	Transportation information
UCS	ULD Contour Shape Description
UGC	ULD Group Code
UGD	ULD Group Description
UGO	Overlaid ULD Group Code
UHD	ULD Height Description
UL	ULD Group this Load Location is part of
ULL	ULD Group that the Load Location Lock is for
WE	Weight Description
WEL	Welcome Message
WN	Weight Name
ZZZ	Mutually defined (bilateral or internal information)

Codeset for time offset unit, coded (Ref: 304K 1A 02.1.6)

Value	Description
DAY	Day
HOURL	Hour
MIN	Minute

Codeset for Type of means of transport identification (Ref: 8179 IA 96.1.51)

Value	Description
No specific codeset defined for this data element.	