Collection Date:

## FINAL DIAGNOSIS:

PART 1: BREAST, LEFT AT 1 O'CLOCK, SEGMENTAL MASTECTOMY -

A. INVASIVE DUCTAL CARCINOMA WITH ABUNDANT LYMPHOID INFILTRATE AND TUMOR NECROSIS.

NOTTINGHAM GRADE 3 (TUBULE FORMATION 3, NUCLEAR PLEOMORPHISM 3, MITOTIC ACTIVITY 3; TOTAL SCORE 9/9).

C. THE INVASIVE TUMOR MEASURES 2.2 CM IN GREATEST DIMENSION (GROSS DESCRIPTION).

D. FOCAL DUCTAL CARCINOMA IN-SITU (DCIS), SOLID AND CRIBRIFORM TYPES, NUCLEAR GRADE 3, ADMIXED WITH INVASIVE COMPONENT AND CONSTITUTES <5% OF THE TOTAL TUMOR VOLUME.

E. SURGICAL RESECTION MARGINS ARE NEGATIVE FOR INVASIVE CARCINOMA, CLOSEST ANTERIOR AT 0.4 CM AND CLOSEST POSTERIOR AT 0.5CM.

FOCAL ATYPICAL DUCTAL HYPERPLASIA

FIBROCYSTIC CHANGES WITH DUCTAL EPITHELIAL HYPERPLASIA.

PREVIOUS BIOPSY SITE CHANGES.

THE INVASIVE TUMOR CELLS ARE POSITIVE FOR ESTROGEN RECEPTOR AND NEGATIVE FOR PROGESTERONE RECEPTOR AND NEGATIVE FOR HER-2 FISH AS PER PREVIOUS PATHOLOGY REPORT

PART 2: SENTINEL LYMPH NODE #1, LEFT AXILLA, EXCISION ~ TWO LYMPH NODES, NEGATIVE FOR METASTATIC CARCINOMA (0/2).

PART 3: SENTINEL LYMPH NODE #2, LEFT AXILLA, EXCISION -ONE LYMPH NODE, NEGATIVE FOR METASTATIC CARCINOMA (0/1).

PART 4: SENTINEL LYMPH NODE #3, LEFT AXILLA, EXCISION -ONE LYMPH NODE, NEGATIVE FOR METASTATIC CARCINOMA (0/1).

PART 5: SENTINEL LYMPH NODE #4, LEFT AXILLA, EXCISION -ONE LYMPH NODE, NEGATIVE FOR METASTATIC CARCINOMA (0/1).

PART 6: NON-SENTINEL LYMPH NODE, LEFT AXILLA, EXCISION -

ONE LYMPH NODE, POSITIVE FOR METASTATIC CARCINOMA (1/1). A. 8.

LARGEST FOCUS OF METASTATIC TUMOR MEASURES 0.6 CM.

Left

NO EXTRACAPSULAR EXTENSION NOTED.

CASE SYNUPSIS

SYNOPTIC - PRIMARY INVASIVE CARCINOMA OF BREAST

LATERALITY:

PROCEDURE:

LOCATION:

Segmental

SIZE OF TUMOR:

Clock position:1:00

Maximum dimension invasive component: 22 mm

MULTICENTRICITY/MULTIFOCALITY OF INVASIVE FOCI:

TUMOR TYPE (invasive component):

NOTTINGHAM SCORE:

Ductal adenocarcinoma, NOS

Nuclear grade: 3 Tubule formation: 3 Mitotic activity score: 3 Total Nottingham score: 9

Nottingham grade (1, 2, 3): 3 ANGIOLYMPHATIC INVASION: No

DERMAL LYMPHATIC INVASION: CALCIFICATION:

TUMOR TYPE, IN SITU:

Not applicable

No

Cribriform

Solid

Percent of tumor occupied by in situ component: 5 % SURGICAL MARGINS INVOLVED BY INVASIVE COMPONENT:

No

Distance of invasive tumor to closest margin: 4 mm SURG MARGINS INVOLVED BY IN SITU COMPONENT: No

LYMPH NODES POSITIVE: LYMPH NODES EXAMINED:

1 6

METHOD(S) OF LYMPH NODE EXAMINATION:

H/E stain

SENTINEL NODE METASTASIS:

NON-NEOPLASTIC BREAST TISSUE: ADH, FCD

T STAGE, PATHOLOGIC: N STAGE, PATHOLOGIC:

pT2

M STAGE:

pN1a

**ESTROGEN RECEPTORS:** 

Not applicable

PROGESTERONE RECEPTORS:

positive, H-score: 170 negative, H-score: 0

HER2/NEU:

unknown

HER2/NEU (FISH):

Not amplified

Great

Criteria (W 12/31/12	Yes	No _
Diagnosis Discrepancy		
Primary Tumor Site Discrepancy		
HIPAA Discrepancy		-
Prior Malignancy History		/
Dual/Synchronous Primary Noted		
Case is (circle): QUALIFIED /	DISQUALIFIED	