## FINAL DIAGNOSIS:

PART 1: BREAST, RIGHT, MODIFIED RADICAL MASTECTOMY -

- A. INFILTRATING DUCTAL CARCINOMA.
- NEOPLASM MEASURES 3.0 CM ON GROSS EXAM.
- NOTTINGHAM SCORE 7/9, GRADE 2 (TUBULES 3, NUCLEI 3, MITOSES 1).
- MARGINS OF RESECTION FREE OF NEOPLASM, CLOSEST ANTERIOR AT 2.0 CM.
- LYMPHOVASCULAR INVASION IDENTIFIED.
- UNREMARKABLE SKIN AND NIPPLE.
- ER POSITIVE, PR POSITIVE, HER-2/NEU NEGATIVE (SCORE 0) PER PREVIOUS REPORT.
- H. PATHOLOGIC STAGE T2 N1 MX.
- DUCTAL CARCINOMA IN SITU, SOLID AND CRIBRIFORM TYPES, NUCLEAR GRADE 3 WITH ASSOCIATED CALCIFICATIONS.
- DUCTAL CARCINOMA IN SITU, ADMIXED WITH INVASIVE COMPONENT.
- K. MARGINS OF RESECTION FREE OF DUCTAL CARCINOMA IN SITU, CLOSEST ANTERIOR AT 2.0 CM.
- ATYPICAL DUCTAL HYPERPLASIA.
- M. INTRADUCTAL PAPILLOMA.
- N. PSEUDOANGIOMATOUS STROMAL HYPERPLASIA.
- PIBROCYSTIC CHANGES WITH DUCTAL EPITHELIAL HYPERPLASIA AND COLUMNAR CELL CHANGE.
- PART 2: LYMPH NODE, RIGHT AXILLA, SENTINEL NODE #1, LYMPH NODE BIOPSY -ONE LYMPH NODE NEGATIVE FOR METASTATIC CARCINOMA (0/1).
- PART 3: LYMPH NODE, RIGHT AXILLA, SENTINEL NODE #2, LYMPH NODE BIOPSY -ONE LYMPH NODE NEGATIVE FOR METASTATIC CARCINOMA (0/1).
- PART 4: LYMPH NODE, RIGHT AXILLA, SENTINEL NODE #3, LYMPH NODE BIOPSY -ONE LYMPH NODE POSITIVE FOR METASTATIC CARCINOMA, 2 MM (0.2 CM) METASTATIC FOCUS (1/1).
- PART 5: LYMPH NODE, RIGHT AXILLA, SENTINEL NODE #4, LYMPH NODE BIOPSY -ONE LYMPH NODE POSITIVE FOR METASTATIC CARCINOMA, 1.5 CM METASTASIS WITH 3 MM OF **EXTRACAPSULAR EXTENSION (1/1).**
- PART 6: LYMPH NODE, RIGHT AXILLA, SENTINEL NODE, LYMPH NODE BIOPSY ~ ONE LYMPH NODE NEGATIVE FOR METASTATIC CARCINOMA (0/1).
- PART 7: AXILLARY CONTENTS, RIGHT, RIGHT AXILLARY DISSECTION -TWENTY LYMPH NODES NEGATIVE FOR METASTATIC CARCINOMA **CASE SYNOPSIS:**

SYNOPTIC - PRIMARY INVASIVE CARCINOMA OF BREAST

LATERALITY:

PROCEDURE:

Right

LOCATION:

Modified radical mastectomy Upper inner quadrant

SILE UF IUMON.

Lower inner quadrant maximum unitension invasive component: 3.0 cm

MULTICENTRICITY/MULTIFOCALITY OF INVASIVE FOCI:

TUMOR TYPE (invasive component):

Ductal adenocarcinoma, NOS

Nuclear grade: 3

Tubule formation: 3 Mitotic activity score: 1

Total Nottingham score: 7 Nottingham grade (1, 2, 3): 2

ANGIOLYMPHATIC INVASION:

**DERMAL LYMPHATIC INVASION:** 

CALCIFICATION:

Yes No

TUMOR TYPE, IN SITU:

NOTTINGHAM SCORE:

Yes, malignant zones

Cribriform, Solid, DCIS admixed with invasive carcinoma, Percent of tumor occupied

by in situ component: 5 %

SURGICAL MARGINS INVOLVED BY INVASIVE COMPONENT:

No

Distance of invasive tumor to closest margin: 20 mm

SURG MARGINS INVOLVED BY IN SITU COMPONENT:

No

PAGET'S DISEASE OF NIPPLE:

Distance of in situ disease to closest margin: 20 mm Yes

LYMPH NODES POSITIVE: LYMPH NODES EXAMINED:

2 25

METHOD(S) OF LYMPH NODE EXAMINATION:

SENTINEL NODE METASTASIS:

H/E stain Yes

ONLY KERATIN POSITIVE CELLS ARE PRESENT:

SIZE OF NODAL METASTASES:

Diameter of largest lymph node metastasis: 15 mm LYMPH NODE METASTASIS(-ES) WITH EXTRACAPSULAR EXTENSION:

No

Nagnosis Discrepancy rimary Tumor Site Discrepancy IIPAA Discrepancy Fror Malignancy History Jual/Synchronous Primary Noses Date Reviewed: ase is (circle):

UUID:7C877EE0-B4BC-4B17-94AB-81B67C7B6DB3

Carcinoma, infrittrating ductil, was 8500/3 Site: breat, NOS C50, 9 3/13/11 h

Redacted

TCGA-BH-AOBV-01A-PR