105-0-3 Carcin run, infiltrating dust, NOS 8500/3 Site: breast, NOS C50.9 for 2/14/11

UUID: 40B58A7A-2A05-4AAF-B1D4-B418E4A56115 TCGA-AQ-A04L-01A-PR Redacted

Criteria

SURGICAL PATHOLOGY

Tumor identifier

Diagnosis:

A: Breast, left, mastectomy

- Non-proliferative fibrocystic change
- No atypia or malignancy identified.

B: Sentinel lymph node #1, removal

- One benign lymph node, negative for malignancy.
- C: Sentinel lymph node #2, removal
- One benign lymph node, negative for malignancy.

(D:) Breast, right, mastectomy

- Invasive ductal carcinoma, Overall grade 3. The tumor size is 2.5 cm.

No

lymphovascular space

invasion is identified. Surgical margins are free of invasive carcinoma.

- Tumor estrogen receptor positive, progesterone receptor negative.
- HER2/neu overexpressed (score=3+).
- Ductal carcinoma in situ, comedo subtype, nuclear grade 3 with

necrosis,

comprising approximately 5% of the tumor. The surgical margins are negative

for

DCIS.

Comment:

Additional levels of the sentinel nodes performed as per sentinel lymph

node

protocol are all negative for carcinoma.

Clinical History:

The patient is a -year-old female with right breast carcinoma and a left

breast

mass who undergoes bilateral mastectomy and sentinel node biopsy mapping.

Gross Description:

Received are four appropriately containers.

Container A is additionally labeled "left breast, short superior, long

lateral."

Specimen fixation: received fresh and placed in formalin

Type of mastectomy: simple mastectomy Size of specimen: $21.5 \times 13.5 \times 3.5 \text{ cm}$ Orientation of specimen: a long suture marks the lateral aspect while a short suture marks the superior aspect; the superficial margin is marked with blue ink and the deep resection margin is marked with black ink Skin ellipse dimensions: $9.4 \times 3.3 \times 0.2 \text{ cm}$; no discrete lesions or abnormalities are noted grossly Nipple/areola: the slightly retracted nipple measures 1.5 cm in diameter and is surrounded by a grossly unremarkable areola which measures 3.6 cm Axillary tail: not present Biopsy site: not identified Residual tumor: no tumor is identified grossly Location of tumor: not applicable Distance of mass/biopsy site from surgical margin: not applicable Gross involvement of skin of fascia/muscle by tumor: not applicable Description of remainder of breast: yellow/tan lobulated unremarkable adipose is admixed with focally dense and coalescening pale pink/white breast tissue without masses or nodules appreciated grossly Other remarkable features: none Tissue submitted for special investigations: none A1 - nipple and areola A2-A4 - representative sections of the lateral most adipose tissue or possible lymph node which are not identified grossly A5, A6 - representative sections upper/inner quadrant A7, A8 - representative sections of upper/outer quadrant A9,A10 - representative sections of lower/outer quadrant All,Al2 - representative sections of lower/inner quadrant Container B is additionally labeled "sentinel lymph node #1" and consists

ovoid, pale gray/tan lymph node measuring 1.8 x 0.8 x 0.6 cm. The lymph node is bisected and submitted in block B1. Container C is additionally labeled "sentinel lymph node #2" and consists of an ovoid, gray/purple lymph node measuring 6 mm in greatest dimension. The lymph node is bisected and submitted entirely in block C1. Container D is additionally labeled "right breast." Specimen fixation: received fresh and placed in formalin Type of mastectomy: simple Size of specimen: $20.5 \times 15.5 \times 4.0 \text{ cm}$ Orientation of specimen: a long suture marks the lateral aspect while a short suture marks the superior aspect; the superficial aspect is marked with blue ink and the deep resection margin is marked with black ink Skin ellipse dimensions: $13.8 \times 4.2 \times 0.2 \text{ cm}$; scars and lesions are not identified grossly, however, the specimen at the skin has previously been dyed blue at the time of Nipple/areola: the grossly unremarkable nipple measures 1.5 cm in diameter surrounded by an unremarkable 4.3 cm areola Axillary tail: not identified grossly Biopsy site: not identified Residual tumor: A $2.5 \times 2.0 \times 1.8 \text{ cm}$ indurated, pale gray/white, previously dyed blue, well circumscribed ovoid mass is identified. Location of tumor: in the outer half of the specimen, at the junction of the upper and lower halves Distance of mass/biopsy site from surgical margin: the mass extends to within 5 mm

```
of the deep resection margin,
is 7.5 cm from the inferior peripheral
margin, and 8.0
cm from the superior peripheral margin
Gross involvement of skin of fascia/muscle by tumor: absent
Description of remainder of breast: grossly unremarkable,
yellow/tan
lobulated
adipose admixed with focally dense,
pink/white breast tissue without additional masses
or nodules identified
grossly
Other remarkable features: none
Tissue submitted for special investigations: a 1.5 \times 1.5 \times
0.8 cm fragment of
tumor
is submitted to Tissue
Procurement
D1 - nipple and areola
{\tt D2-D4} - representative sections of the lateral most aspect
of adipose
tissue or
possible lymph nodes which are
not identified grossly
D5,D6 - largest dimension of tumor, with closest deep
resection margin
D7 - additional section of tumor
D8-D11 - representative sections of the four breast
quadrants,
upper/inner,
lower/inner, lower/outer, upper/outer
respectively
(ec)
Light Microscopy:
Light microscopic examination is performed by Dr.
Specimen A: The left breast mastectomy specimen (specimen
A) shows
non-
proliferative fibrocystic change. There is no evidence of
atypia or
malignancy.
(Specimen D - right breast)
Presence/absence of invasive carcinoma: present
Histologic tumor type/subtype: ductal
Histologic grade:
Overall grade - 3
Architectural grade - 3
```

Nuclear grade - 3 Mitotic grade - 3 Focality of tumor: unifocal Tumor size (greatest dimension): 2.5 cm Tumor necrosis: focal single cell necrosis is present but no geographic zones of necrosis are identified Invasion: Lymphatics - not identified Blood vessels - not identified Perineural spaces - not identified Skin - Nipple (Paget's disease) - not identified Fascia/muscle - not identified Histologic assessment of surgical margins of invasive carcinoma: negative for tumor; tumor extends to within approximately 5 mm of the deep margin. Other remarkable histologic features: none Results of special investigations (Block #D6): ER (by immunohistochemistry): positive-(2+,60%) PR (by immunohistochemistry): negative C-erbB-2 (by immunohistochemistry: 3+ membranous staining Presence/absence of carcinoma in situ: present Type/subtype of carcinoma in situ: ductal, comedo subtype Focality of carcinoma in situ: multifocal If DCIS, nuclear grade/presence or absence of necrosis: nuclear grade 3 with necrosis Relationship of carcinoma in situ to invasive tumor: associated with and adjacent to invasive carcinoma Relative amount of carcinoma in situ: 5% Presence/absence of extensive intraductal component (EIC): absent Histologic assessment of surgical margins of carcinoma in situ: negative for tumor Other significant findings: none Axillary lymph nodes: adipose tissue from the tail of the breast is submitted no axillary lymph nodes are identified Signature:

I have personally conducted the evaluation of the above specimens and have rendered the above diagnosis(es).

Electronically signed out by:

MD Date:

2 K 1 B 1