

Airtable README - Move Orthopeadics Timesheets - v5

aka Corali

Intention of Airtable base is to give accounts manager overview of how to invoice/collect employees' salary from each of the doctors (Hardcastle, Wever, Groenewald) as result of proportion of time shared employee has spent at their practice.

Additionally, (in amendment to v1), takes into consideration if employee has received a rebate amount from hospital in which case respective amounts due by each practice is reduced.

⚡ for each variation of Location and Type of Work a new form must be submitted

therefore these fields set to "Single Select" type fields (previously "Multiple Select")

✍ Idea for Future Version (and more generic)

refer to refer to v3 - grouped

- extract hours worked from start and stop time (*split fields to Start Time and End Time - "Duration" type fields*)
 - determine overtime based thereon
- combine worksheets of different individuals working for same organization and use unique identifier (Name or ID Number) to split entries
 - could make Recon sheet for each OR have group by this identifier in Recon sheet
 - can then also determine overtime on individual basis ie. X works 6h and Y 10h

⚠ Requires Standardization

Location

Type of Work

How Base Works

Tables

Data

Date

(identifier)

Week Number

Type: Formula

```
WEEKNUM(Date)
```

Location

Type: Single Select

- Hardcastle
- Wever
- Groenewald
- Practise
divided equally
- SICK
- LEAVE

Type of Work

Type: Multiple Select

- Meeting
- Theatre Preparation
- ...

Location Notes

Type: Long Text

Start-Stop Time

Type: Single Line Text

Admin Hours

Type: Duration

Format: duration (h:mm)

Theatre Hours

Type: Duration

Format: duration (h:mm)

Overtime

Type: Duration

Format: duration (h:mm)

Total Hours

Type: Formula

Description: calculates the sum of regular and overtime hours for each record.

```
Hours + Overtime
```

Format: duration (h:mm)

Queries

Type: Long Text

MRH Rebate Amount Due

Type: Formula

```
{Theatre Hours} / 3600 * 134.17
```

NOTICE: assumes fixed hourly rate

MHR Payment Received

Type: Checkbox

NOTICE: used for [Recon > Balance Due](#)

Calendar Month

Type: Formula

Description: displays the full month name (e.g., January, February) from the Date field

based on field [Date](#) entered in [Timesheet Form](#)

```
IF(DATETIME_FORMAT({Date Created}, 'MMMM') = {Billing Month},  
'No',
```

```
'Yes'  
)
```

Billing Month

refer to v1 for more detail

once satisfied with base - delete this field

Link to Recon

Type: Link to Other Records

NOTICE: do not allow linking to multiple records in [Recon](#) to prevent counting duplicated work

Date Created

Type: Built-In

NOTICE: enables [Is Manual Intervention Required?](#) and can be used to verify if individual claims to have completed the form in timely manner

Is Manual Intervention Required?

Type: Formula

Description: indicates if manual intervention is needed by comparing the record's creation month to the Billing Month.

if time entry logged/created is after automation trigger, will need to link data to "Recon" sheet using "MANUALLY FIX RECON" view

NB - link based on Billing Month (or Calendar Month if this option chosen)

```
IF(
```

```
AND(
```

```
    DATETIME_FORMAT({Date}, 'MMMM') = {Billing Month},
```

```
    {Link to Recon} = BLANK()
```

```
),
```

```
'Yes',
```

```
'No'
```

```
)
```

Recon

Trigger Date Time


(identifier)

Previous Month aka Billing Month

Type: Formula

Description: used in automation [for future Recon updates](#) to group all records from previous month in [Data sheet](#) into same [Recon](#) sheet record **running 12th of every month**

```
DATETIME_FORMAT(  
    DATEADD({Trigger Date Time}, -1, 'month'),  
    'MMMM'  
)
```



Year

Type: Formula

`YEAR({Trigger Date Time})`

used to generate a view

The screenshot shows a Power BI interface with a view titled "2025 Recon Sheet". The view contains a table with columns: "A Trigger Date Time", "Month", "Start Time", "End Time", "Total Hours", and "Hard". A filter is applied to the "Year" column, set to "2025". The data includes rows for March, April, July, August, and September, with various start and end times and total hours.

A Trigger Date Time	Month	Start Time	End Time	Total Hours	Hard
2025-07-27T09:00:00.058Z	March	7:30	53:00	30:00	156:20
2025-07-29T09:00:00.098Z	January	43:00	12:00	0:00	55:00
2025-07-29T09:00:00.132Z	April	53:00	42:00	38:00	133:00
2025-07-29T09:00:00.137Z	July	17:30	12:00	10:00	39:30
2025-07-29T09:00:00.168Z	August	44:30	43:30	33:00	121:00
2025-07-31T21:30:00.041Z	September	21:00	17:00	19:00	57:00
2025-08-21T21:45:00.035Z					
2025-09-21T21:45:38.938Z					

Hardcastle | Total Admin Hours

Type: Rollup

using [Admin Hours](#)

with condition based on [Location](#)

Formula: `sum(values)`

Format: duration (h:mm)

Hardcastle | Total Theatre Hours

Type: Rollup

using [Theatre Hours](#)

with condition based on [Location](#)

Formula: `sum(values)`

Format: duration (h:mm)

Wever | Total Admin Hours

Type: Rollup

using [Admin Hours](#)

with condition based on [Location](#)

Formula: `sum(values)`

Format: duration (h:mm)

Wever | Total Theatre Hours

Type: Rollup

using [Theatre Hours](#)

with condition based on [Location](#)

Formula: sum(values)

Format: duration (h:mm)

Groenewald | Total Admin Hours

Type: Rollup

using [Admin Hours](#)

with condition based on [Location](#)

Formula: sum(values)

Format: duration (h:mm)

Groenewald | Total Theatre Hours

Type: Rollup

using [Theatre Hours](#)

with condition based on [Location](#)

Formula: sum(values)

Format: duration (h:mm)

Practise | Total Admin Hours

Type: Rollup

using [Admin Hours](#)

with condition based on [Location](#)

Formula: sum(values)

Format: duration (h:mm)

Practise | Total Theatre Hours

Type: Rollup

using [Theatre Hours](#)

with condition based on [Location](#)

Formula: sum(values)

Format: duration (h:mm)

Total Hours

Type: Formula

```
{Hardcastle | Total Hours} + {Wever | Total Hours} + {Groenewald | Total Hours}
```

Format: duration (h:mm)

Practise | Total Hours

Type: Formula

```
{Practise | Total Admin Hours} + {Practise | Total Theatre Hours}
```

Format: duration (h:mm)

Hardcastle | Total Hours

Type: Formula

```
{Hardcastle | Total Theatre Hours} + {Hardcastle | Total Admin Hours}
```

Format: duration (h:mm)

Wever | Total Hours

Type: Formula

```
{Wever | Total Theatre Hours} + {Wever | Total Admin Hours}
```

Format: duration (h:mm)

Groenewald | Total Hours

Type: Formula

```
{Groenewald | Total Theatre Hours} + {Groenewald | Total Admin Hours}
```

Format: duration (h:mm)

Hardcastle | Admin vs Theatre

Description: calculates the ratio of total theatre hours to total admin hours; allowing for insight or review.

```
IF({Hardcastle | Total Admin Hours} = 0, IF({Hardcastle | Total Theatre Hours} = 0, "NO INFORMATION", "N/A"), ROUND(({Hardcastle | Total Admin Hours} / {Hardcastle | Total Hours}) * 100) & "% vs " & ROUND(({Hardcastle | Total Theatre Hours} / {Hardcastle | Total Hours}) * 100) & "%")
```

Wever | Admin vs Theatre

Description: calculates the ratio of total theatre hours to total admin hours; allowing for insight or review

```
IF({Wever | Total Admin Hours} = 0,  
    IF({Wever | Total Theatre Hours} = 0,  
        "NO INFORMATION",  
        "N/A"  
    ),  
    ROUND(({Wever | Total Admin Hours} / {Wever |  
        Total Hours}) * 100) & "% vs " & ROUND(({Wever |  
        Total Theatre Hours} / {Wever | Total Hours}) * 100) & "%" )
```

Groenewald | Admin vs Theatre

Description: calculates the ratio of total theatre hours to total admin hours; allowing for insight or review

```
IF({Groenewald | Total Admin Hours} = 0,  
    IF({Groenewald | Total Theatre Hours} = 0,  
        BLANK(),  
        "0% vs 100%" ),  
    IF({Groenewald |  
        Total Theatre Hours} = 0, "100% vs 0%", ROUND(({Groenewald |  
        Total Admin Hours} / {Groenewald |  
        Total Hours}) * 100) & "% vs " & ROUND(({Groenewald |  
        Total Theatre Hours} / {Groenewald | Total Hours}) * 100) & "%") )
```

)

Hardcastle | Proportion

Type: Formula

```
{Hardcastle | Total Hours} + (1/3)*{Practise | Total Hours}) / {Total Hours}
```

Format: duration (h:mm)

Wever | Proportion

Type: Formula

```
{Wever | Total Hours} + (1/3)*{Practise | Total Hours}) / {Total Hours}
```

Format: duration (h:mm)

Groenewald | Proportion

Type: Formula

```
{Groenewald | Total Hours} + (1/3)*{Practise | Total Hours})/ {Total Hours}
```

Format: duration (h:mm)

Total Due

Type: Formula

```
{Total Hours} /3600 * 134.17
```

FORMAT: currency (R)

MRH Rebate Amount Due

ROLLUP

using [MRH Rebate Amount Due](#)

with condition [MHR Payment Received](#) "yes"

FORMULA: sum(values)

FORMAT: currency (R)

Balance Due

Type: Formula

```
{Total Due} - {MRH Rebate Amount Due}
```

Due by Hardcastle

Type: Formula

```
{Hardcastle | Proportion} * {Balance Due}
```

Due by Wever

Type: Formula

```
{Wever | Proportion} * {Balance Due}
```

Due by Groenewald

Type: Formula

```
{Groenewald | Proportion} * {Balance Due}
```

Forms


[Timesheet Form](#)

uses [Date](#), [Location](#), [Location notes](#), [Start-Stop Time](#), [Hours](#), [Overtime](#), [Type of Work](#)

Automations

for future Recon updates


eg. November 2025 - end



set to trigger on 12th of every month

for back-dated Recon updates

-  January 2025 ON
At a scheduled time, create a record, and 2 more ...
-  February 2025 ON
At a scheduled time, create a record, and 2 more ...
-  March 2025 ON
At a scheduled time, create a record, and 2 more ...
-  May 2025 ON
At a scheduled time, create a record, and 2 more ...
-  April 2025 ON
At a scheduled time, create a record, and 2 more ...
-  June 2025 ON
At a scheduled time, create a record, and 2 more ...
-  July 2025 ON
At a scheduled time, create a record, and 2 more ...



TRIGGER DETAILS

Trigger type: At scheduled time

Dates and times are shown in your local time zone SAST. [Learn more](#)

CONFIGURATION

* Interval type: One time

* Timing: This trigger's scheduled time has already passed, and will not fire. Set to near future

On 7/29/2025 at 11:00am

TEST STEP

Test this trigger to confirm its configuration is correct. The data from this test can be used in later steps.

Actions:

- Fix configuration
- At a scheduled time: On Tuesday, July 29th 2025 at 11:00am SAST
- Create record: In Recon
- Find records: From February 2025
- Repeat for each in List of records:
 - Update a record
 - Update record

Test trigger

set trigger at specific time

use personal views in [Data](#) as filter for records to be linked to given record in [Recon](#)

The screenshot shows a software interface with a main list of records and a modal dialog for filtering.

Main List:

- + Create new...
- Billing Periods - required for back-dating Recon table
 - January 2025
 - February 2025
 - March 2025** (selected)
 - April 2025
 - May 2025
 - June 2025
 - July 2025
 - August 2025
 - September 2025

Record Details:

#	Date	Location Notes	Hours
8	March 7, 2025		
9	March 10, 2025		
10	March 11, 2025		
11	March 12, 2025		
12	March 12, 2025		
13	March 12, 2025		
14	March 13, 2025		
15	March 14, 2025	08H00 - 16H00	
16	March 17, 2025	08H00 - 17H00	
17	March 18, 2025	08H00 - 17H00	
18	March 19, 2025	08H00 - 12H00	
19	March 19, 2025	12H00 - 14H00	
20	March 19, 2025	15H00 - 17H00	
21	March 20, 2025	08H00 - 17H00	
22	March 21, 2025	13H00 - 15H00	
23	March 24, 2025	08H00 - 17H00	

Filter Dialog:

In this view, show records

Where

- Year = 2025
- and Billing Month Is March

Add condition + Add condition group ⚡

Cancel **Apply**

End of Document

Last updated: November 14, 2025