## Shape and Moment Invariants Local Descriptor for Structured Images

### Elena Ranguelova

Netherlands eScience Centre Amsterdam, The Netherlands.

#### Abstract

Here goes the abstract.Here goes the abstract.Here goes the abstract.Here goes the abstract.

**Keywords:** image mathching, shape descriptors, moment invariants,

### 1 Introduction

Here goes the Introduciton. Here goes the Introduciton.

Here goes the Introduciton. Here goes the




Figure 1: "Is it the same object or scene?" Matching two images under different transformation using local interest regions detected by MSER.

*Top image pair* (scale and viewpoint): SURF descriptor yields false negative (similarity score 0.096), while the proposed SMI descriptor - true positive (0.89).

Bottom image pair (blur): SURF gives false positive (0.27), while SMI - true negative (-0.11).

Introduciton. Here goes the Introduciton.

Here goes the Introduciton. Here goes the Introduciton. Here goes the Introduciton. Here goes the Introduciton. Here goes the Introduciton. Here goes the Introduciton. Here goes the Introduciton. Here goes the Introduciton. Here goes the Introduciton. Here goes the Introduciton. Here goes the Introduciton. Here goes the Introduciton. Here goes the Introduciton. Here goes the Introduciton. Here goes the Introduciton. Here goes the Introduciton.

### 2 Related Work

### 2.1 Salient region detectors

Blah, blah blhBlah, blah blhBl



Figure 2: A figure

## 2.2 Region descriptors

State of the art in region descriptor

# 3 Image matching with Shape and Moment Invariant descriptor

## 3.1 Simple shape invariants

### 3.2 Moment invariants

Consider the variable  $x \in \mathbb{R}$ ,

$$f(x) = x^2 + 2 \tag{1}$$

Equation (1) is a polynomial of order 2.

### 3.3 Matching

**My Paragraph:** This is a paragraph.

## 4 Performance Evaluation

#### 4.1 VGG dataset

The performance results on the VGG dataset are summarized in Table 1.

Det. + descr.	TP	TN	FP	FN	Acc.	Prec.	Recall
MSER + SURF	128	428	4	16	0.965	0.969	0.889
MSER + <b>SMI</b>	122	430	2	22	0.958	0.98	0.847
BIN + SURF	122	426	6	22	0.951	0.953	0.847
BIN (All) + <b>SMI</b>	84	432	0	60	0.89	1	0.58
BIN (Largest) + SMI	112	424	8	32	0.93	0.93	0.77

Table 1: Performance of salient region detectors and descriptors on the VGG dataset.

### 4.2 OxFrei dataset

The performance results on the VGG dataset are summarized in Table 2.

Det. + descr.	TP	TN	FP	FN	Acc.	Prec.	Recall
MSER + SURF	TP	TN	FP	FN	Acc.	Prec.	Recall
MSER + SMI	TP	TN	FP	FN	Acc.	Prec.	Recall
BIN + SURF	TP	TN	FP	FN	Acc.	Prec.	Recall
BIN (All) + <b>SMI</b>	TP	TN	FP	FN	Acc.	Prec.	Recall
BIN (Largest) + SMI	TP	TN	FP	FN	Acc.	Prec.	Recall

Table 2: Performance of salient region detectors and descriptors on the OxFrei dataset.

## 5 Conclusion

## A VGG dataset matching results

## B OxFrei dataset matching results

### References

[Goodfellow et al., 2016] Goodfellow, I., Bengio, Y., and Courville, A. (2016). *Deep Learning*. MIT Press, ISBN: 9780262337434. http://www.deeplearningbook.org.

[Hartley and Zisserman, 2004] Hartley, R. I. and Zisserman, A. (2004). *Multiple View Geometry in Computer Vision*. Cambridge University Press, ISBN: 0521540518, second edition.

[Jain, 1989] Jain, A. K. (1989). Fundamentals of Digital Image Processing. Englewood Cliffs NJ: Prentice-Hall.