

sg607 PAM Noise Analysis


9 mission phases analyzed | QC
applied

Summary

- 124,836 science rows across 9 mission phases: shakedown, fast, shallow dives, slow, intermediate, drift, mini-slow, mini-intermediate, mini-fast
- Overall mean broadband SPL: 93.9 dB (min 78.4, max 136.9)
- Variables binned: temperature, salinity, density, soundVelocity, depth, latitude, longitude
- QC status: QC applied
- depth_mask_flag: 3,518 of 126,907 rows flagged (2.8%) - dropped from this analysis
- Strongest overall correlation with broadband SPL: latitude ($r=0.13$, $n=123,389$)
- Strongest per-mode correlation: depth during "shallow dives" ($r=0.26$, $n=5,529$)


FULL-MISSION OVERVIEW

Depth over time by mission phase




Full-deployment dive profile, colored by mission phase.

Glider track: phase & QC




Full-deployment glider track (longitude vs latitude): left colored by mission phase, right highlighting rows flagged by the depth_mask_flag QC check.

Mean spectrum by mission phase



Mean hybrid millidecade noise spectrum for each mission phase - frequency (log) vs SPL, one line per mode.


Broadband SPL by mission phase



Distribution of broadband SPL for each mission phase.


Broadband SPL before vs after QC

sg607 - broadband SPL before vs after QC by mission phase (QC applied)




One pair of boxes per mission phase: all data vs depth_mask_flag-filtered ("QC'd"). If QC is off, each pair matches - nothing was dropped.

Whole-deployment correlation matrix




Pearson correlation between every CTD/science variable and broadband SPL, all mission phases combined.

Broadband SPL correlation strength by variable and mode



Real per-point Pearson r between broadband SPL and each raw variable, grouped by mission phase.


Correlation matrix by mission phase



Full CTD/science variable + broadband SPL correlation matrix, computed separately within each mission phase, for direct side-by-side comparison.


SHAKEDOWN

shakedown - spectrum by temperature bin




Mean noise spectrum during "shakedown" (frequency, log scale, vs SPL), one line per temperature bin.

shakedown - SPL by temperature bin




Broadband SPL distribution during "shakedown", split by temperature bin. Title shows the real per-point Pearson r between raw temperature and raw SPL for this mode.

shakedown - spectrum by salinity bin




Mean noise spectrum during "shakedown" (frequency, log scale, vs SPL), one line per salinity bin.

shakedown - SPL by salinity bin




Broadband SPL distribution during "shakedown", split by salinity bin. Title shows the real per-point Pearson r between raw salinity and raw SPL for this mode.

shakedown - spectrum by density bin




Mean noise spectrum during "shakedown" (frequency, log scale, vs SPL), one line per density bin.

shakedown - SPL by density bin




Broadband SPL distribution during "shakedown", split by density bin. Title shows the real per-point Pearson r between raw density and raw SPL for this mode.

shakedown - spectrum by soundVelocity bin




Mean noise spectrum during "shakedown" (frequency, log scale, vs SPL), one line per soundVelocity bin.

shakedown - SPL by soundVelocity bin




Broadband SPL distribution during "shakedown", split by soundVelocity bin. Title shows the real per-point Pearson r between raw soundVelocity and raw SPL for this mode.

shakedown - spectrum by depth bin




Mean noise spectrum during "shakedown" (frequency, log scale, vs SPL), one line per depth bin.

shakedown - SPL by depth bin




Broadband SPL distribution during "shakedown", split by depth bin. Title shows the real per-point Pearson r between raw depth and raw SPL for this mode.

shakedown - spectrum by latitude bin




Mean noise spectrum during "shakedown" (frequency, log scale, vs SPL), one line per latitude bin.

shakedown - SPL by latitude bin




Broadband SPL distribution during "shakedown", split by latitude bin. Title shows the real per-point Pearson r between raw latitude and raw SPL for this mode.

shakedown - spectrum by longitude bin



Mean noise spectrum during "shakedown" (frequency, log scale, vs SPL), one line per longitude bin.


shakedown - SPL by longitude bin



Broadband SPL distribution during "shakedown", split by longitude bin. Title shows the real per-point Pearson r between raw longitude and raw SPL for this mode.


FAST

fast - spectrum by temperature bin




Mean noise spectrum during "fast" (frequency, log scale, vs SPL), one line per temperature bin.

fast - SPL by temperature bin




Broadband SPL distribution during "fast", split by temperature bin. Title shows the real per-point Pearson r between raw temperature and raw SPL for this mode.

fast - spectrum by salinity bin




Mean noise spectrum during "fast" (frequency, log scale, vs SPL), one line per salinity bin.

fast - SPL by salinity bin




Broadband SPL distribution during "fast", split by salinity bin. Title shows the real per-point Pearson r between raw salinity and raw SPL for this mode.

fast - spectrum by density bin




Mean noise spectrum during "fast" (frequency, log scale, vs SPL), one line per density bin.

fast - SPL by density bin




fast - spectrum by soundVelocity bin




Mean noise spectrum during "fast" (frequency, log scale, vs SPL), one line per soundVelocity bin.

fast - SPL by soundVelocity bin




Broadband SPL distribution during "fast", split by soundVelocity bin. Title shows the real per-point Pearson r between raw soundVelocity and raw SPL for this mode.

fast - spectrum by depth bin




Mean noise spectrum during "fast" (frequency, log scale, vs SPL), one line per depth bin.

fast - SPL by depth bin




Broadband SPL distribution during "fast", split by depth bin. Title shows the real per-point Pearson r between raw depth and raw SPL for this mode.

fast - spectrum by latitude bin




Mean noise spectrum during "fast" (frequency, log scale, vs SPL), one line per latitude bin.

fast - SPL by latitude bin




Broadband SPL distribution during "fast", split by latitude bin. Title shows the real per-point Pearson r between raw latitude and raw SPL for this mode.

fast - spectrum by longitude bin



Mean noise spectrum during "fast" (frequency, log scale, vs SPL), one line per longitude bin.


fast - SPL by longitude bin



Broadband SPL distribution during "fast", split by longitude bin. Title shows the real per-point Pearson r between raw longitude and raw SPL for this mode.


SHALLOW DIVES

shallow dives - spectrum by temperature bin




Mean noise spectrum during "shallow dives" (frequency, log scale, vs SPL), one line per temperature bin.

shallow dives - SPL by temperature bin




Broadband SPL distribution during "shallow dives", split by temperature bin. Title shows the real per-point Pearson r between raw temperature and raw SPL for this mode.

shallow dives - spectrum by salinity bin




Mean noise spectrum during "shallow dives" (frequency, log scale, vs SPL), one line per salinity bin.

shallow dives - SPL by salinity bin




Broadband SPL distribution during "shallow dives", split by salinity bin. Title shows the real per-point Pearson r between raw salinity and raw SPL for this mode.

shallow dives - spectrum by density bin




Mean noise spectrum during "shallow dives" (frequency, log scale, vs SPL), one line per density bin.

shallow dives - SPL by density bin




Broadband SPL distribution during "shallow dives", split by density bin. Title shows the real per-point Pearson r between raw density and raw SPL for this mode.

shallow dives - spectrum by soundVelocity bin




Mean noise spectrum during "shallow dives" (frequency, log scale, vs SPL), one line per soundVelocity bin.

shallow dives - SPL by soundVelocity bin




Broadband SPL distribution during "shallow dives", split by soundVelocity bin. Title shows the real per-point Pearson r between raw soundVelocity and raw SPL for this mode.

shallow dives - spectrum by depth bin




Mean noise spectrum during "shallow dives" (frequency, log scale, vs SPL), one line per depth bin.

shallow dives - SPL by depth bin




Broadband SPL distribution during "shallow dives", split by depth bin. Title shows the real per-point Pearson r between raw depth and raw SPL for this mode.

shallow dives - spectrum by latitude bin




Mean noise spectrum during "shallow dives" (frequency, log scale, vs SPL), one line per latitude bin.

shallow dives - SPL by latitude bin




Broadband SPL distribution during "shallow dives", split by latitude bin. Title shows the real per-point Pearson r between raw latitude and raw SPL for this mode.

shallow dives - spectrum by longitude bin



Mean noise spectrum during "shallow dives" (frequency, log scale, vs SPL), one line per longitude bin.


shallow dives - SPL by longitude bin



Broadband SPL distribution during "shallow dives", split by longitude bin. Title shows the real per-point Pearson r between raw longitude and raw SPL for this mode.


SLOW

slow - spectrum by temperature bin




Mean noise spectrum during "slow" (frequency, log scale, vs SPL), one line per temperature bin.

slow - SPL by temperature bin




Broadband SPL distribution during "slow", split by temperature bin. Title shows the real per-point Pearson r between raw temperature and raw SPL for this mode.

slow - spectrum by salinity bin




Mean noise spectrum during "slow" (frequency, log scale, vs SPL), one line per salinity bin.

slow - SPL by salinity bin




Broadband SPL distribution during "slow", split by salinity bin. Title shows the real per-point Pearson r between raw salinity and raw SPL for this mode.

slow - spectrum by density bin




Mean noise spectrum during "slow" (frequency, log scale, vs SPL), one line per density bin.

slow - SPL by density bin




Broadband SPL distribution during "slow", split by density bin. Title shows the real per-point Pearson r between raw density and raw SPL for this mode.

slow - spectrum by soundVelocity bin




Mean noise spectrum during "slow" (frequency, log scale, vs SPL), one line per soundVelocity bin.

slow - SPL by soundVelocity bin




Broadband SPL distribution during "slow", split by soundVelocity bin. Title shows the real per-point Pearson r between raw soundVelocity and raw SPL for this mode.

slow - spectrum by depth bin




Mean noise spectrum during "slow" (frequency, log scale, vs SPL), one line per depth bin.

slow - SPL by depth bin




Broadband SPL distribution during "slow", split by depth bin. Title shows the real per-point Pearson r between raw depth and raw SPL for this mode.

slow - spectrum by latitude bin




Mean noise spectrum during "slow" (frequency, log scale, vs SPL), one line per latitude bin.

slow - SPL by latitude bin




Broadband SPL distribution during "slow", split by latitude bin. Title shows the real per-point Pearson r between raw latitude and raw SPL for this mode.

slow - spectrum by longitude bin



Mean noise spectrum during "slow" (frequency, log scale, vs SPL), one line per longitude bin.


slow - SPL by longitude bin



Broadband SPL distribution during "slow", split by longitude bin. Title shows the real per-point Pearson r between raw longitude and raw SPL for this mode.


INTERMEDIATE

intermediate - spectrum by temperature bin




Mean noise spectrum during "intermediate" (frequency, log scale, vs SPL), one line per temperature bin.

intermediate - SPL by temperature bin




Broadband SPL distribution during "intermediate", split by temperature bin. Title shows the real per-point Pearson r between raw temperature and raw SPL for this mode.

intermediate - spectrum by salinity bin




Mean noise spectrum during "intermediate" (frequency, log scale, vs SPL), one line per salinity bin.

intermediate - SPL by salinity bin




Broadband SPL distribution during "intermediate", split by salinity bin. Title shows the real per-point Pearson r between raw salinity and raw SPL for this mode.

intermediate - spectrum by density bin




Mean noise spectrum during "intermediate" (frequency, log scale, vs SPL), one line per density bin.

intermediate - SPL by density bin




Broadband SPL distribution during "intermediate", split by density bin. Title shows the real per-point Pearson r between raw density and raw SPL for this mode.

intermediate - spectrum by soundVelocity bin




Mean noise spectrum during "intermediate" (frequency, log scale, vs SPL), one line per soundVelocity bin.

intermediate - SPL by soundVelocity bin




Broadband SPL distribution during "intermediate", split by soundVelocity bin. Title shows the real per-point Pearson r between raw soundVelocity and raw SPL for this mode.

intermediate - spectrum by depth bin




Mean noise spectrum during "intermediate" (frequency, log scale, vs SPL), one line per depth bin.

intermediate - SPL by depth bin




Broadband SPL distribution during "intermediate", split by depth bin. Title shows the real per-point Pearson r between raw depth and raw SPL for this mode.

intermediate - spectrum by latitude bin




Mean noise spectrum during "intermediate" (frequency, log scale, vs SPL), one line per latitude bin.

intermediate - SPL by latitude bin




Broadband SPL distribution during "intermediate", split by latitude bin. Title shows the real per-point Pearson r between raw latitude and raw SPL for this mode.

intermediate - spectrum by longitude bin



Mean noise spectrum during "intermediate" (frequency, log scale, vs SPL), one line per longitude bin.


intermediate - SPL by longitude bin



Broadband SPL distribution during "intermediate", split by longitude bin. Title shows the real per-point Pearson r between raw longitude and raw SPL for this mode.


DRIFT

drift - spectrum by temperature bin




Mean noise spectrum during "drift" (frequency, log scale, vs SPL), one line per temperature bin.

drift - SPL by temperature bin




Broadband SPL distribution during "drift", split by temperature bin. Title shows the real per-point Pearson r between raw temperature and raw SPL for this mode.

drift - spectrum by salinity bin




Mean noise spectrum during "drift" (frequency, log scale, vs SPL), one line per salinity bin.

drift - SPL by salinity bin




Broadband SPL distribution during "drift", split by salinity bin. Title shows the real per-point Pearson r between raw salinity and raw SPL for this mode.

drift - spectrum by density bin




Mean noise spectrum during "drift" (frequency, log scale, vs SPL), one line per density bin.

drift - SPL by density bin




Broadband SPL distribution during "drift", split by density bin. Title shows the real per-point Pearson r between raw density and raw SPL for this mode.

drift - spectrum by soundVelocity bin




Mean noise spectrum during "drift" (frequency, log scale, vs SPL), one line per soundVelocity bin.

drift - SPL by soundVelocity bin




Broadband SPL distribution during "drift", split by soundVelocity bin. Title shows the real per-point Pearson r between raw soundVelocity and raw SPL for this mode.

drift - spectrum by depth bin




Mean noise spectrum during "drift" (frequency, log scale, vs SPL), one line per depth bin.

drift - SPL by depth bin




Broadband SPL distribution during "drift", split by depth bin. Title shows the real per-point Pearson r between raw depth and raw SPL for this mode.

drift - spectrum by latitude bin




Mean noise spectrum during "drift" (frequency, log scale, vs SPL), one line per latitude bin.

drift - SPL by latitude bin




Broadband SPL distribution during "drift", split by latitude bin. Title shows the real per-point Pearson r between raw latitude and raw SPL for this mode.

drift - spectrum by longitude bin



Mean noise spectrum during "drift" (frequency, log scale, vs SPL), one line per longitude bin.


drift - SPL by longitude bin



Broadband SPL distribution during "drift", split by longitude bin. Title shows the real per-point Pearson r between raw longitude and raw SPL for this mode.


MINI-SLOW

mini-slow - spectrum by temperature bin




Mean noise spectrum during "mini-slow" (frequency, log scale, vs SPL), one line per temperature bin.

mini-slow - SPL by temperature bin




Broadband SPL distribution during "mini-slow", split by temperature bin. Title shows the real per-point Pearson r between raw temperature and raw SPL for this mode.

mini-slow - spectrum by salinity bin




Mean noise spectrum during "mini-slow" (frequency, log scale, vs SPL), one line per salinity bin.

mini-slow - SPL by salinity bin




Broadband SPL distribution during "mini-slow", split by salinity bin. Title shows the real per-point Pearson r between raw salinity and raw SPL for this mode.

mini-slow - spectrum by density bin




Mean noise spectrum during "mini-slow" (frequency, log scale, vs SPL), one line per density bin.

mini-slow - SPL by density bin




Broadband SPL distribution during "mini-slow", split by density bin. Title shows the real per-point Pearson r between raw density and raw SPL for this mode.

mini-slow - spectrum by soundVelocity bin




Mean noise spectrum during "mini-slow" (frequency, log scale, vs SPL), one line per soundVelocity bin.

mini-slow - SPL by soundVelocity bin




Broadband SPL distribution during "mini-slow", split by soundVelocity bin. Title shows the real per-point Pearson r between raw soundVelocity and raw SPL for this mode.

mini-slow - spectrum by depth bin




Mean noise spectrum during "mini-slow" (frequency, log scale, vs SPL), one line per depth bin.

mini-slow - SPL by depth bin




Broadband SPL distribution during "mini-slow", split by depth bin. Title shows the real per-point Pearson r between raw depth and raw SPL for this mode.

mini-slow - spectrum by latitude bin




Mean noise spectrum during "mini-slow" (frequency, log scale, vs SPL), one line per latitude bin.

mini-slow - SPL by latitude bin




Broadband SPL distribution during "mini-slow", split by latitude bin. Title shows the real per-point Pearson r between raw latitude and raw SPL for this mode.

mini-slow - spectrum by longitude bin



Mean noise spectrum during "mini-slow" (frequency, log scale, vs SPL), one line per longitude bin.


mini-slow - SPL by longitude bin



Broadband SPL distribution during "mini-slow", split by longitude bin. Title shows the real per-point Pearson r between raw longitude and raw SPL for this mode.


MINI-INTERMEDIATE

mini-intermediate - spectrum by temperature bin




Mean noise spectrum during "mini-intermediate" (frequency, log scale, vs SPL), one line per temperature bin.

mini-intermediate - SPL by temperature bin




Broadband SPL distribution during "mini-intermediate", split by temperature bin. Title shows the real per-point Pearson r between raw temperature and raw SPL for this mode.

mini-intermediate - spectrum by salinity bin




Mean noise spectrum during "mini-intermediate" (frequency, log scale, vs SPL), one line per salinity bin.

mini-intermediate - SPL by salinity bin




Broadband SPL distribution during "mini-intermediate", split by salinity bin. Title shows the real per-point Pearson r between raw salinity and raw SPL for this mode.

mini-intermediate - spectrum by density bin




Mean noise spectrum during "mini-intermediate" (frequency, log scale, vs SPL), one line per density bin.

mini-intermediate - SPL by density bin




Broadband SPL distribution during "mini-intermediate", split by density bin. Title shows the real per-point Pearson r between raw density and raw SPL for this mode.

mini-intermediate - spectrum by soundVelocity bin




Mean noise spectrum during "mini-intermediate" (frequency, log scale, vs SPL), one line per soundVelocity bin.

mini-intermediate - SPL by soundVelocity bin




Broadband SPL distribution during "mini-intermediate", split by soundVelocity bin. Title shows the real per-point Pearson r between raw soundVelocity and raw SPL for this mode.

mini-intermediate - spectrum by depth bin




Mean noise spectrum during "mini-intermediate" (frequency, log scale, vs SPL), one line per depth bin.

mini-intermediate - SPL by depth bin




Broadband SPL distribution during "mini-intermediate", split by depth bin. Title shows the real per-point Pearson r between raw depth and raw SPL for this mode.

mini-intermediate - spectrum by latitude bin




Mean noise spectrum during "mini-intermediate" (frequency, log scale, vs SPL), one line per latitude bin.

mini-intermediate - SPL by latitude bin




Broadband SPL distribution during "mini-intermediate", split by latitude bin. Title shows the real per-point Pearson r between raw latitude and raw SPL for this mode.

mini-intermediate - spectrum by longitude bin



Mean noise spectrum during "mini-intermediate" (frequency, log scale, vs SPL), one line per longitude bin.


mini-intermediate - SPL by longitude bin



Broadband SPL distribution during "mini-intermediate", split by longitude bin. Title shows the real per-point Pearson r between raw longitude and raw SPL for this mode.


MINI-FAST

mini-fast - spectrum by temperature bin




Mean noise spectrum during "mini-fast" (frequency, log scale, vs SPL), one line per temperature bin.

mini-fast - SPL by temperature bin




Broadband SPL distribution during "mini-fast", split by temperature bin. Title shows the real per-point Pearson r between raw temperature and raw SPL for this mode.

mini-fast - spectrum by salinity bin




Mean noise spectrum during "mini-fast" (frequency, log scale, vs SPL), one line per salinity bin.

mini-fast - SPL by salinity bin




Broadband SPL distribution during "mini-fast", split by salinity bin. Title shows the real per-point Pearson r between raw salinity and raw SPL for this mode.

mini-fast - spectrum by density bin




Mean noise spectrum during "mini-fast" (frequency, log scale, vs SPL), one line per density bin.

mini-fast - SPL by density bin




Broadband SPL distribution during "mini-fast", split by density bin. Title shows the real per-point Pearson r between raw density and raw SPL for this mode.

mini-fast - spectrum by soundVelocity bin




Mean noise spectrum during "mini-fast" (frequency, log scale, vs SPL), one line per soundVelocity bin.

mini-fast - SPL by soundVelocity bin




Broadband SPL distribution during "mini-fast", split by soundVelocity bin. Title shows the real per-point Pearson r between raw soundVelocity and raw SPL for this mode.

mini-fast - spectrum by depth bin




Mean noise spectrum during "mini-fast" (frequency, log scale, vs SPL), one line per depth bin.

mini-fast - SPL by depth bin




Broadband SPL distribution during "mini-fast", split by depth bin. Title shows the real per-point Pearson r between raw depth and raw SPL for this mode.

mini-fast - spectrum by latitude bin




Mean noise spectrum during "mini-fast" (frequency, log scale, vs SPL), one line per latitude bin.

mini-fast - SPL by latitude bin




Broadband SPL distribution during "mini-fast", split by latitude bin. Title shows the real per-point Pearson r between raw latitude and raw SPL for this mode.

mini-fast - spectrum by longitude bin



Mean noise spectrum during "mini-fast" (frequency, log scale, vs SPL), one line per longitude bin.

mini-fast - SPL by longitude bin



Broadband SPL distribution during "mini-fast", split by longitude bin. Title shows the real per-point Pearson r between raw longitude and raw SPL for this mode.