1.Creating Question



2.Getting Question By Id



3.Getting All Questions



4.making changes to the question



5.Delete Question By Id



6.Getting Questions Based on category



7.Getting Questions Based on Difficulty Level



8.Creating a Quiz using Category, Difficulty and Quiz_name



9.Getting Quiz Based on Id



10.Spring Aop After Sending Every Request

```
: HHH000026: second-level cache disabled
: No LoadTimeWeaver setup: ignoring JPA class transformer
: HikariPool-1 - Starting...
: HikariPool-1 - Added connection com.mysql.cj.jdbc.ConnectionImpl@6ce651d2
: HikariPool-1 - Start completed.
: HHH10001005: Database info:

: HHH000489: No JTA platform available (set 'hibernate.transaction.jta.platform' to enable JTA platform integration)
: Initialized JPA EntityManagerFactory for persistence unit 'default'
: Hibernate is in classpath; If applicable, HQL parser will be used.
: spring.jpa.open-in-view is enabled by default. Therefore, database queries may be performed during view rendering. Explicitly configure spring.jpa.open-in-vie
: Cannot find template location: classpath:/templates/ (please add some templates, check your Thymeleaf configuration, or set spring.thymeleaf.check-template-lo
: LiveReload server is running on port 35729
: Tomcat started on port 8080 (http) with context path '/'
: Started QuizApplication in 7.636 seconds (process running for 8.188)
: Initializing Spring DispatcherServlet 'dispatcherServlet'
: Initializing Servlet 'dispatcherServlet'
: Completed initialization in 5 ms
: Started: List com.wipro.nandini.quizmonorepo.controller.QuestionController.gettingAllQuestions()
: Arguments: []
: Started: List com.wipro.nandini.quizmonorepo.services.QuestionServiceImpl.getAllQuestions()
: Arguments: []
1_0.option4,q1_0.question_title from questions q1_0
: Finished: List com.wipro.nandini.quizmonorepo.services.QuestionServiceImpl.getAllQuestions()
: Returned: [Question(id=1, questionTitle=Which keyword is used to inherit a class in Java Language?, option1=this, option2=super, option3=extends, option4=impl
: Finished: List com.wipro.nandini.quizmonorepo.controller.QuestionController.gettingAllQuestions()
: Returned: [Question(id=1, questionTitle=Which keyword is used to inherit a class in Java Language?, option1=this, option2=super, option3=extends, option4=impl
```

11. Open -API

localhost:8080/v3/api-docs

Pretty-print


```
{
  "openapi": "3.1.0",
  "info": {
    "title": "OpenAPI definition",
    "version": "v0"
  },
  "servers": [
    {
      "url": "http://localhost:8080",
      "description": "Generated server url"
    }
  ],
  "paths": {
    "/quiz/submitQuiz/{id}": {
      "post": {
        "tags": [
          "quiz-controller"
        ],
        "operationId": "submittingQuiz",
        "parameters": [
          {
            "name": "id",
            "in": "path",
            "required": true,
            "schema": {
              "type": "integer",
              "format": "int32"
            }
          }
        ],
        "requestBody": {
          "content": {
            "application/json": {
              "schema": {
                "type": "array",
                "items": {
                  "$ref": "#/components/schemas/Response"
                }
              }
            }
          },
          "required": true
        },
        "responses": {
          "200": {
            "description": "OK",
            "content": {
              "*/*": {
                "schema": {
```


12.Custom Exception Raised when Question Id Not found

History | New | Import

Today

- PATCH http://localhost:8080/questions/patchquestion/19
- GET http://localhost:8080/questions/difficulty/MEDIUM
- GET http://localhost:8080/questions/difficulty/EASY
- GET http://localhost:8080/questions/category/JAVA
- DEL http://localhost:8080/questions/delete/11
- PATCH http://localhost:8080/questions/patchquestion/12
- GET http://localhost:8080/questions/gettingallquestion
- GET http://localhost:8080/questions/getquestion/3
- POST http://localhost:8080/questions/addquestion

Yesterday

Create collections in Postman

Use collections to save your requests and share them with others.

Create a Collection

http://localhost:8080/questions/patchquestion/19 | Save

PATCH http://localhost:8080/questions/patchquestion/19 | Send

Params | Authorization | Headers (8) | Body | Pre-request Script | Tests | Settings | Cookies

none | form-data | x-www-form-urlencoded | raw | binary | JSON | Beautify

```
1
2
3 {
4   "questionTitle": "Which keyword is used to inherit a class in Java Language?"
5 }
```

Body | Cookies | Headers (5) | Test Results | 404 Not Found | 268 ms | 269 B | Save Response

Pretty | Raw | Preview | Visualize | JSON

```
1 {
2   "message": "QUESTION with that id  is not Present! 19",
3   "errorType": "QUESTION_NOT_FOUND_EXCEPTION"
4 }
```