Homework 3.2

CUNY MSDS DATA 609

Duubar Villalobos Jimenez mydvtech@gmail.com October 07, 2018

Problems

The below problems are taken from the text book:

A First Course in Mathematical Modeling, 5th Edition. Frank R. Giordano, William P. Fox, Steven B. Horton. ISBN-13: 9781285050904.

Exercise #6 Page 264

Solve using graphical analysis.

Maximize 10x + 35y

subject to


 $8x + 6y \le 48$ (board-feet of lumber)

 $4x + y \le 20$ (hour of carpentry)

 $y \ge 5$ (demand)

 $x, y \ge 0$ (non-negativity)

Solution




From the above graph, we can see that we have 3 main points in the y axis as follows A(0,8), B(0,20), E(0,5) and then two more intersections with y=5 as follows $C(\frac{15}{4},5)$ and $D(\frac{18}{8},5)$ and by evaluating such points on the objective function, we obtain the following results:

```
x <- c(0,0,18/8)
y <- c(48/6,5,5)
f.df <- data.frame(x,y)
f.df$`10x + 35y` <- 10*f.df$x + 35*f.df$y

f.df</pre>
```

```
## x y 10x + 35y
## 1 0.00 8 280.0
## 2 0.00 5 175.0
## 3 2.25 5 197.5
```

From the above table, after evaluating our critic points in 10x + 35y, we found out that the maximum value is 280.



Exercise #6 Page 264

Solve using the method of Algebraic Solutions.

```
Maximize 10x + 35y
subject to 8x + 6y \le 48 (board-feet of lumber) 4x + y \le 20 (hour of carpentry) y \ge 5 (demand) x, y \ge 0 (non-negativity)
```

Solution

First, we convert the inequalities to equations by adding new necessary non negative "slack" variables z_1 , z_2 and z_3 . If either z_1 , z_2 or z_3 is negative, then the constrain is not satisfied. Thus the problem becomes:

Maximize $10x_1 + 35y_1$

subject to

$$8x_1 + 6y_1 + z_1 = 48$$

$$4x_1 + y_1 + z_2 = 20$$

$$y_1 + z_3 = 5$$

$$x_1, y_2, z_1, z_2, z_3 \ge 0$$
 (non-negativity)

We now consider the entire set of 5 variables x_1, y_1, z_1, z_2, z_3 to determine the possible intersection point in the x_1x_2 plane.

Let's begin by assigning the variables x_1 and x_2 the value of zero; resulting in the following set of equations:

$$z_1 = 48$$

$$z_2 = 20$$

Which is could be a feasible intersection point A(0,0) because all four variables are non negative; but the second constrain is violated by 5 units, indicating that the intersection point A(0,0) is infessable.

For the second intersection point we choose the variable x_1 and z_1 and set them to zero, yielding the system:

$$6y_1 = 48$$

$$y_1 + z_2 = 20$$

That has solution $y_1 = 8$ and $z_2 = 12$, which is feasible intersection point B(0,8).

For the third intersection point we choose x_1 and z_2 and set them to zero, yielding the system:

$$6y_1 + z_1 = 48$$

$$y_1 = 20$$

That has solution $y_1 = 20$ and $z_1 = -72$. Thus, the first constrain is violated by 72 units and the second constrain is violated by 77 units, indicating that the intersection point C(0, 20) is infesseable.

In a similar fashion choosing z_1 and z_2 and setting to zero, yielding the system:

$$8x_1 + 6y_1 = 48$$

$$4x_1 + y_1 = 20$$

That has solution $x_1 = \frac{9}{2}$ and $y_1 = 2$ Thus, the second constrain is violated by 3 units, indicating that the intersection point $D(\frac{9}{2}, 2)$ is infesseable.

For the fourth intersection point we choose $y_1 = 5$ and $z_1 = 0$, yielding the system:

$$8x_1 + 30 = 48$$

$$5 + z_3 = 5$$

That has solution $x_1 = \frac{18}{8}$ and $z_3 = 0$ which is feasible intersection point $E(\frac{18}{8}, 5)$.

For the fifth intersection point we choose $y_1 = 5$ and $z_2 = 0$, yielding the system:

$$4x_1 + 5 = 20$$

$$5 + z_3 = 5$$

```
That has solution x_1 = \frac{15}{4} and z_3 = 0 which is feasible intersection point F(\frac{15}{4}, 5).
For the sixth intersection point we choose, x_1 = 0 and y_1 = 5, yielding the system:
30 + z_1 = 48
5 + z_2 = 20
z_3 = 5
That has solution z_1 = 18, z_2 = 15 and z_3 = 5 which is feasible intersection point G(0,5).
In summary, of the six possible intersection points in the x_1x_2 plane, the following were found to be feasible.
B(0,8)
E(\frac{18}{8}, 5)
F(\frac{15}{4}, 5)
G(0,5)
x \leftarrow c(0,18/8, 15/4, 0)
y \leftarrow c(8,5,5,5)
f.df <- data.frame(x,y)</pre>
f.df^{10x} + 35y < 10*f.df^x + 35*f.df^y
f.df
##
          x y 10x + 35y
## 1 0.00 8
                    280.0
## 2 2.25 5
                    197.5
## 3 3.75 5
                    212.5
## 4 0.00 5
                    175.0
```

Answer The maximum generated will be with x = 0 and y = 8.

End.