

12A.1 Implementation of Forecast Flood Inundation Mapping Services for the Nation




David R. Vallee
Director, Service Innovation and Partnership Division
National Water Center

Outline

- Progress to date on our FIM Services Implementation for the Nation
- Examples of our new Experimental Flood Inundation Services
- Where you can access our Experimental National Water Model & Flood Inundation Services





The Method behind FIM Services: Height Above Nearest Drainage (HAND)


Deliver Forecast Flood Inundation Services


National Water Model Guidance


Completely automated process with no forecaster engagement - but provides complimentary guidance on ~3.4 million stream miles nationwide, including Puerto Rico and the Virgin Islands, Hawaii, and by the fall - portions of Alaska

River Center Forecasts

Forecasters heavily engaged in the forecast production







techniques



(HAND)

0.2 0.3 2.1 2.1

0.6 1.5

1.2 0.8


1.3

3.1 2.5 1.2 0.1

Relative Elevation Model





Value of FIM Services - Visualizations to depict impacts





Value of FIM Services - Visualizations to depict impacts







Integrating FIM Services into our IDSS

Disclaimer: This experimental map represents the NWS's best approximation of inundation based upon modeled river

discharge


Yantic River at Yantic, CT

Forecast Crest Height: 11 Feet Map Height Shown: 11 Feet

FIM Source: RFC FIM 5 Day Max Extent FIM Type: Dynamic (Depth NOT Included)

FIM Creation Time: Sept 1st, 1 pm







Initial FIM Rollout - National Viewer

Experimental Services

- FIM Services available for 10% of the nation
 - NWM Latest Analysis FIM
 - RFC 5-Day Max Extent FIM
 - NWM 5-Day Max Extent FIM
- Services available on our NWS National Viewer alongside the existing NWM visualizations
 - (https://viewer.weather.noaa.gov/water)
 - High Water & Peak Flow Arrival Time, Max High Flow Magnitude Forecast, & High Water Probability Forecasts
 - Rapid Onset Flooding Probability Forecasts
- Services available for ingest into your local GIS systems



Dynamic FIM Services Comparison Table




FIM Service	NWM Latest Analysis FIM	RFC 5-Day Max FIM	NWM 5-Day Max FIM
NORR		M	and the same
Data Type	Observation based simulations [precip. estimates & USGS gage observations]	Forecast [5-day RFC forecasts]	Forecast [5-day GFS]
Total Latency	55 minutes	45 minutes	6 hours 30 minutes
Updates	Hourly	Hourly [if new forecasts available]	Every 6 hours
HAND Inputs	Flow	Flow	Flow
Threshold Source [NWM/RFC]	NWM High Water	RFC	NWM High Water
Error Sources	RADAR or gage maifunctions For ungaged reaches, errors associated with NWM & estimated precipitation HAND errors [10m DEM resolution]	Rainfall forecast RFC flow simulations Routing of flow using NVM physics HAND errors [10m DEM resolution]	GFS forecast NVM flow simulations HAND errors [IOm DEM resolution]
FIM Domain	Entire NWM domain [CONUS, HI, PR, US Virgin Islands]	Downstream of AHPS forecast points	conus
Mapping Threshold	Only available for reaches that meet and/or exceed the "High Water" threshold	Only available based on active RFC forecasts at or above "Action Stage"	Only available for reaches that meet and/or exceed the "High Water" threshold
When to Use	Use as a snapshot of the most recent modeled inundation	Use when RFC forecast is available	Use for rivers and streams not covered by RFC forecast

C

Copyright 2023 of NOAA. Version published 10/2023




National Water Model & Flood Inundation Services




National Hydrologic Prediction System

Implementation set for March 27th





National Hydrologic Prediction System - coming in late March



National Hydrologic Prediction System - coming in late March

