

4

3

2

1

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
B1	B	Increase length by 1/8" for rev B endcap	5/14/2021	

D

D

C




C

B

B

A

A

**Notes:**


- MATERIAL: PVC Rigid Type I
- FINISH:

DETAIL E
SCALE 4 : 1

SECTION D-D
SCALE 2 : 1

UNLESS OTHERWISE SPECIFIED

THIRD ANGLE PROJECTION



NOAA-PMEL
Engineering Division

7600 Sand Point Wy NE
Seattle, WA 98115
206-526-6800

NO MODIFICATION OF SPECIFIED
DIMENSIONS OR MATERIALS IS
ALLOWED UNLESS APPROVED
BY NOAA ENGINEERS.

BREAK SHARP EDGES 0.005 MIN
MACHINED FILLETS 0.015 MAX

SURFACE FINISH 125/

DO NOT SCALE DRAWING

DIMENSIONS ARE
IN INCHES
TOLERANCES ARE:
ANGLES $\pm 1^\circ$
FRACTIONS $\pm 1/16$
DECIMALS
 .X ± 0.05
 .XX ± 0.02
 .XXX ± 0.005

DRAWING NUMBER
000531

DRAWN
NLS

DATE
5/26/2020

CHECKED

DATE

PART NUMBER
000531

DESCRIPTION

**Low Cost Profiler 0.88
Sensor Port**

PRODUCT
Low Cost Profiler

CONFIGURATION
Plug

PLOT DATE
6/25/2025

REV. SHEET
B 1

OF 8

4

3

2

1

4

3

2

1

REVISIONS

ZONE

REV.

DESCRIPTION

DATE

APPROVED

D

D

Outer Dimensions are the same as the Blank Plug (pg #1)

Ø.04 Thru All

F


F

C

C

B

B




Notes:

1. MATERIAL: PVC Rigid Type I
2. FINISH:

UNLESS OTHERWISE SPECIFIED

THIRD ANGLE PROJECTION



NOAA-PMEL
Engineering Division

7600 Sand Point Wy NE
Seattle, WA 98115
206-526-6800

NO MODIFICATION OF SPECIFIED DIMENSIONS OR MATERIALS IS ALLOWED UNLESS APPROVED BY NOAA ENGINEERS.

BREAK SHARP EDGES 0.005 MIN
MACHINED FILLETS 0.015 MAX

SURFACE FINISH

125/

DO NOT SCALE DRAWING

DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
ANGLES $\pm 1^\circ$
FRACTIONS $\pm 1/16$
DECIMALS
X ± 0.05
XX ± 0.02
XXX ± 0.005

DRAWING NUMBER

000531

PART NUMBER

000531

DESCRIPTION

**Low Cost Profiler 0.88
Sensor Port**

PRODUCT
Low Cost Profiler

CONFIGURATION
9LX Pressure

PLOT DATE
6/25/2025

REV.

B

SHEET

2

OF 8

4

3

2

1

A

A

4

3

2




1

REVISIONS

ZONE	REV.	DESCRIPTION	DATE	APPROVED
------	------	-------------	------	----------

Outer Dimensions are the same
as the Blank Plug (pg #1)

ϕ .39 THRU ALL
7/16-20 UNF THRU ALL
✓ ϕ .44 X 90°, FAR SIDE



SECTION G-G
SCALE 2:1

Notes:

- MATERIAL: PVC Rigid
Type I
- FINISH:

UNLESS OTHERWISE SPECIFIED

NO MODIFICATION OF SPECIFIED
DIMENSIONS OR MATERIALS IS
ALLOWED UNLESS APPROVED
BY NOAA ENGINEERS.

BREAK SHARP EDGES 0.005 MIN
MACHINED FILLETS 0.015 MAX

SURFACE FINISH




DO NOT SCALE DRAWING

DIMENSIONS ARE
IN INCHES
TOLERANCES ARE:
ANGLES $\pm 1^\circ$
FRACTIONS $\pm 1/16$
DECIMALS ± 0.05
 ± 0.02
 ± 0.005

DRAWING NUMBER
000531

THIRD ANGLE PROJECTION



DRAWN
NLS

DATE
5/26/2020

CHECKED

DATE

PART NUMBER
000531



NOAA-PMEL
Engineering Division

7600 Sand Point Wy NE
Seattle, WA 98115
206-526-6800

DESCRIPTION

**Low Cost Profiler 0.88
Sensor Port**

PRODUCT

Low Cost Profiler

PLOT DATE
6/25/2025

CONFIGURATION

7_16-20

REV.

B

SHEET

3 OF 8





4

3

2

1

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED



Notes:

- Notes:
1. MATERIAL: PVC Rigid Type I
 2. FINISH:

UNLESS OTHERWISE SPECIFIED

NO MODIFICATION OF SPECIFIED
DIMENSIONS OR MATERIALS IS
ALLOWED UNLESS APPROVED
BY NOAA ENGINEERS.

BREAK SHARP EDGES 0.005 MIN
MACHINED FILLETS 0.015 MAX

SURFACE FINISH

DO NOT SCALE DRAWING


DIMENSIONS ARE
IN INCHES
TOLERANCES ARE:
ANGLES $\pm 1^\circ$
FRACTIONS $\pm 1/16$
DECIMALS .X $\pm$

	.XX ± 0.02
	.XXX ± 0.005

DRAWING NUMBER

000531

THIRD ANGLE PROJECTION



DRAWN
NLS

DATE	5/26/2020
------	-----------

CHECKED

DATE



NOAA-PMEL
Engineering Division

7600 Sand Point Wy NE
Seattle, WA 98115
206-526-6800

DESCRIPTION

Low Cost Profiler 0.88
Sensor Port

	PRODUCT
--	---------

PRODUCT

Low Cost Profiler

CONFIGURATION

PLOT DATE	6/25/2025
-----------	-----------

REV.

SHEET

4 OF 8

4

3

2

1

REVISIONS

ZONE

REV.

DESCRIPTION

DATE

APPROVED

D




D

C

C

B

B


SECTION K-K
SCALE 2 : 1

Notes:

1. MATERIAL: PVC Rigid Type I
2. FINISH:

UNLESS OTHERWISE SPECIFIED

THIRD ANGLE PROJECTION

NOAA-PMEL
Engineering Division7600 Sand Point Wy NE
Seattle, WA 98115
206-526-6800NO MODIFICATION OF SPECIFIED
DIMENSIONS OR MATERIALS IS
ALLOWED UNLESS APPROVED
BY NOAA ENGINEERS.BREAK SHARP EDGES 0.005 MIN
MACHINED FILLETS 0.015 MAX

SURFACE FINISH



DO NOT SCALE DRAWING

DIMENSIONS ARE
IN INCHES
TOLERANCES ARE:
ANGLES $\pm 1^\circ$
FRACTIONS $\pm 1/16$
DECIMALS $.X \pm 0.05$
 $.XX \pm 0.02$
 $.XXX \pm 0.005$

DRAWING NUMBER

000531

DRAWN

NLS

DATE

5/26/2020

CHECKED

DATE

DESCRIPTION

Low Cost Profiler 0.88
Sensor Port

PRODUCT

Low Cost Profiler

PLOT DATE

6/25/2025

CONFIGURATION

Turner Cyclops CHLA

REV.

B

SHEET

5

OF 8

4

3

2

1

A

A

4

3

2

1

D


D

C

C

B



B



SAE J1926/1 or ISO 11926-1 Boss
 $\phi .39$ THRU ALL
 7/16-20 UNF $\nabla .88$

32/

$\phi .900 \nabla .03$
 $\phi .828 \nabla .03$



All exterior features from
 0 to 0.98 length are identical
 to the blank plug

.06 X 45°


SECTION L-L
 SCALE 2 : 1

Notes:

1. MATERIAL: PVC Rigid Type I
2. FINISH:

UNLESS OTHERWISE SPECIFIED

THIRD ANGLE PROJECTION



NOAA-PMEL
 Engineering Division

7600 Sand Point Wy NE
 Seattle, WA 98115
 206-526-6800

NO MODIFICATION OF SPECIFIED
 DIMENSIONS OR MATERIALS IS
 ALLOWED UNLESS APPROVED
 BY NOAA ENGINEERS.

BREAK SHARP EDGES 0.005 MIN
 MACHINED FILLETS 0.015 MAX

SURFACE FINISH



DO NOT SCALE DRAWING

DIMENSIONS ARE
 IN INCHES
 TOLERANCES ARE:
 ANGLES $\pm 1^\circ$
 FRACTIONS $\pm 1/16$
 DECIMALS $.X \pm 0.05$
 $.XX \pm 0.02$
 $.XXX \pm 0.005$

DRAWING NUMBER

000531

DRAWN

NLS

DATE

5/26/2020

CHECKED

DATE

DESCRIPTION

Low Cost Profiler 0.88
Sensor Port

PRODUCT

Low Cost Profiler

PLOT DATE

6/25/2025

CONFIGURATION

Plug

REV.

B

SHEET

6

OF 8

4

3

2

1

A

A

4

3

2

1

D




D

C

C

B

B



All exterior features from
0 to 0.98 length are identical
to the blank plug

SECTION N-N
SCALE 2 : 1

Notes:

1. MATERIAL: PVC Rigid
Type I
2. FINISH:

UNLESS OTHERWISE SPECIFIED

NO MODIFICATION OF SPECIFIED
DIMENSIONS OR MATERIALS IS
ALLOWED UNLESS APPROVED
BY NOAA ENGINEERS.

BREAK SHARP EDGES 0.005 MIN
MACHINED FILLETS 0.015 MAX

SURFACE FINISH




DO NOT SCALE DRAWING

DIMENSIONS ARE
IN INCHES
TOLERANCES ARE:
ANGLES $\pm 1^\circ$
FRACTIONS $\pm 1/16$
DECIMALS ± 0.05
 ± 0.02
 ± 0.005

DRAWING NUMBER
000531

THIRD ANGLE PROJECTION



DRAWN
NLS

DATE
5/26/2020

CHECKED

DATE

PART NUMBER
000531



NOAA-PMEL
Engineering Division

7600 Sand Point Wy NE
Seattle, WA 98115
206-526-6800

DESCRIPTION

**Low Cost Profiler 0.88
Sensor Port**

PRODUCT
Low Cost Profiler

PLOT DATE
6/25/2025

CONFIGURATION
Plug

REV. B

SHEET 7 OF 8

4

3

2

1

A

4

3

2

1

D


D

C

C


B

B



All exterior features from
0 to 0.98 length are identical
to the blank plug

Drill #19
 $\phi .166 \nabla .56$




SECTION P-P
SCALE 2 : 1

Notes:

1. MATERIAL: PVC Rigid Type I
2. FINISH:

UNLESS OTHERWISE SPECIFIED

THIRD ANGLE PROJECTION



NOAA-PMEL
Engineering Division

7600 Sand Point Wy NE
Seattle, WA 98115
206-526-6800

NO MODIFICATION OF SPECIFIED
DIMENSIONS OR MATERIALS IS
ALLOWED UNLESS APPROVED
BY NOAA ENGINEERS.

BREAK SHARP EDGES 0.005 MIN
MACHINED FILLETS 0.015 MAX

SURFACE FINISH



DO NOT SCALE DRAWING

DIMENSIONS ARE
IN INCHES
TOLERANCES ARE:
ANGLES $\pm 1^\circ$
FRACTIONS $\pm 1/16$
DECIMALS $.X \pm 0.05$
 $.XX \pm 0.02$
 $.XXX \pm 0.005$

DRAWING NUMBER
000531

DRAWN
NLS

DATE
5/26/2020

CHECKED

DATE

PART NUMBER
000531

DESCRIPTION

**Low Cost Profiler 0.88
Sensor Port**

PRODUCT
Low Cost Profiler

PLOT DATE
6/25/2025

CONFIGURATION
Plug

REV. B

SHEET
8 OF 8

4

3

2

1

A

A