

2	Mobile Phone Application for Measuring Air Parameters in Getting Discomfort Index and
3	Amount of Air Pollutants with the Use of a Microcontroller-based System
4	
5	A Thesis
6	Presented to the Faculty of the
7	Department of Electronics and Communications Engineering
8	Gokongwei College of Engineering
9	De La Salle University
	20 24 Sunt Chirototy
10	
1	In Partial Fulfillment of the
12	Requirements for the Degree of
13	Bachelor of Science in Computer Engineering
14	
15	by
16	CHEONG, Junlae
17	NIHALANI, Rohit P.
18	PAULINO, Noel B.
19	PO, Ryback Tyrone G.
20	June, 2016



ORAL DEFENSE RECOMMENDATION SHEET

This thesis, entitled Mobile Phone Application for Measuring Air Parameters in Getting Discomfort Index and Amount of Air Pollutants with the Use of a Microcontroller-based System, prepared and submitted by thesis group, ESG-04, composed of:

CHEONG, Junlae NIHALANI, Rohit P. PAULINO, Noel B. PO, Ryback Tyrone G.

in partial fulfillment of the requirements for the degree of **Bachelor of Science in Computer Engineering** (**BS-CPE**) has been examined and is recommended for acceptance and approval for **ORAL DEFENSE**.

Engr. Donabel D. Abuan
Adviser

June 12, 2016

	D	e La Salle Uni	versity
38	THE	SIS APPROVAL SH	EET
39	This thesis entitled Mobile P	Phone Application for Measur	ring Air Parameters in Get-
40		mount of Air Pollutants with	the Use of a Microcontroller-
41	based System, prepared and	submitted by:	
42 43		CHEONG, Junlae	
43		NIHALANI, Rohit P.	
45		PAULINO, Noel B.	
46		PO, Ryback Tyrone G.	
47 48 49 50		in partial fulfillment of the reconputer Engineering (BS-CPI and approval.	<u>-</u>
51		PANEL OF EXAMINERS	
52			
53		Engr. Julius P. Bancud	
54		Chair	
55	Engr. Blanca I. Bucao Member	_	Dr. Rionel B. Caldo Member
56			
57		Engr. Donabel D. Abuan	
58		Adviser	
59		Date: June 12, 2016	





ACKNOWLEDGMENT

64

65

Write this prior to hard binding if you have submitted all requirements and are told by your adviser that you have passed.

TANKL!	De	La	Salle	Unive	ersity
MANILA					J

67 ABSTRACT

- Keep your abstract short by giving the gist/nutshell of your thesis.
- 69 *Index Terms*—alloy system, characterization, InP, InGaAs.



TABLE OF CONTENTS

71	Oral Defense Recommendation Sheet	ii
72	Thesis Approval Sheet	iii
73	Acknowledgment	v
74	Abstract	vi
75	Table of Contents	vii
76	List of Figures	X
77	List of Tables	xi
78	Abbreviations	xii
79	Notation	xiii
80	Glossary	xiv
81	Listings	xv
82	Chapter 1 INTRODUCTION	1
83	1.1 Background of the Study	2
84	1.2 Prior Studies	3
85	1.3 Problem Statement	4
86	1.4 Objectives	5
87	1.4.1 General Objective(s)	5
88	1.4.2 Specific Objectives	5
89	1.5 Significance of the Study	5
90	1.6 Assumptions, Scope and Delimitations	6
91	1.7 Description and Methodology	6
92	1.8 Overview	7
93	Chapter 2 LITERATURE REVIEW	9
94	2.1 Temperature Monitoring System	10
95	2.2 Humidity Monitoring System	11



96	2.3	PM ₁₀ Temporal Monitoring	13
97	2.4	Wireless Air Quality Monitoring System	13
98	2.5	Discomfort Index Monitoring System	14
99	2.6	Air Quality Standards	15
100	Chapter	3 THEORETICAL CONSIDERATIONS	16
101	3.1	Summary	18
102	Chapter	4 DESIGN CONSIDERATIONS	20
103	4.1	Summary	22
104	Chapter	5 METHODOLOGY	23
105	5.1	Implementation	24
106	5.2	Evaluation	26
107	5.3	Summary	28
108	Chapter	6 RESULTS AND DISCUSSION	29
109	6.1	Summary	31
110	Chapter	7 CONCLUSIONS, RECOMMENDATIONS, AND FUTURE DIREC-	
111		TIVES	32
112	7.1	Concluding Remarks	33
113	7.2	Contributions	33
114	7.3	Recommendations	33
115	7.4	Future Prospects	35
116	Referen	ces	36
117	Appendi	ix A ANSWERS TO QUESTIONS TO THIS THESIS	37
118	A1	How important is the problem to practice?	38
119	A2	How will you know if the solution/s that you will achieve would be better	
120		than existing ones?	38
121		A2.1 How will you measure the improvement/s?	38
122		A2.1.1 What is/are your basis/bases for the improvement/s?	39
123		A2.1.2 Why did you choose that/those basis/bases?	39
124		A2.1.3 How significant are your measure/s of the improvement/s?	39
125	A3	What is the difference of the solution/s from existing ones?	40
126		A3.1 How is it different from previous and existing ones?	40
127	A4	What are the assumptions made (that are behind for your proposed solution	
128	T. Control of the Con	1.0	10
		to work)?	40
129		A4.1 Will your proposed solution/s be sensitive to these assumptions?	40



130		A4.2 Can your proposed solution/s be applied to more general cases	
131		when some of the assumptions are eliminated? If so, how?	41
132	A5	What is the necessity of your approach / proposed solution/s?	41
133		A5.1 What will be the limits of applicability of your proposed solution/s?	42
134		A5.2 What will be the message of the proposed solution to technical	
135		people? How about to non-technical managers and business men?	42
136	A6	How will you know if your proposed solution/s is/are correct?	42
137		A6.1 Will your results warrant the level of mathematics used (i.e., will	
138		the end justify the means)?	43
139	A7	Is/are there an/_ alternative way/s to get to the same solution/s?	43
140		A7.1 Can you come up with illustrating examples, or even better, counter	
141		examples to your proposed solution/s?	43
142		A7.2 Is there an approximation that can arrive at the essentially the same	
143		proposed solution/s more easily?	44
144	A8	If you were the examiner of your proposal, how would you present the	
145		proposal in another way?	44
146		A8.1 What are the weaknesses of your proposal?	44
147	Append	ix B USAGE EXAMPLES	46
148	B1	Equations	47
149	B2	Notations	49
150	В3	Abbreviation	55
151	B4	Glossary	57
152	B5	Figure	58
153	В6	Table	64
154	В7	Algorithm or Pseudocode Listing	68
155	В8	Program/Code Listing	70
156	В9	Referencing	72
157		B9.1 A subsection	73
158		B9.1.1 A sub-subsection	74
159		Index	75
160	B11	Adding Relevant PDF Pages (e.g. Standards, Datasheets, Specification	
161		Sheets, Application Notes, etc.)	76
162	Append	ix C PUBLICATION LIST AND AWARD	80
163	Append	ix D VITA	82
	• •		0.1
164	Index		84



LIST OF FIGURES

166	3.1	A quadrilateral image example	19
167	B.1	A quadrilateral image example	58
168	B.2	Figures on top of each other. See List. B.6 for the corresponding LATEX code.	60
160	B 3	Four figures in each corner See List B 7 for the corresponding IATeX code	62



170 LIST OF TABLE

171	B.1	Feasible triples for highly variable grid	64
172	B.2	Calculation of $y = x^n$	68



ABBREVIATIONS

174	AC	Alternating Current	55
175	HTML	Hyper-text Markup Language	55
176	CSS	Cascading Style Sheet	
177	XMI.	eXtensible Markun Language	55



NOTATION

179	\mathcal{S}	a collection of distinct objects	57
180	\mathcal{U}	the set containing everything	57
181	Ø	the set with no elements	57
182	$ \mathcal{S} $	the number of elements in the set S	57
183	h(t)	impulse response	47
184	x(t)	input signal represented in the time domain	47
	y(t)	output signal represented in the time domain	

Throughout this thesis, mathematical notations conform to ISO 80000-2 standard, e.g. variable names are printed in italics, the only exception being acronyms like e.g. SNR, which are printed in regular font. Constants are also set in regular font like j. Functions are also set in regular font, e.g. in $\sin(\cdot)$. Commonly used notations are t, f, $j = \sqrt{-1}$, n and $\exp(\cdot)$, which refer to the time variable, frequency variable, imaginary unit, nth variable, and exponential function, respectively.



192 GLOSSARY

193



LISTINGS

195	B.1	Sample LATEX code for equations and notations usage	48
196	B.2	Sample LATEX code for notations usage	52
197	B.3	Sample LaTeX code for abbreviations usage	56
198	B.4	Sample LATEX code for glossary and notations usage	57
199	B.5	Sample LaTeX code for a single figure	59
200	B.6	Sample LATEX code for three figures on top of each other	61
201	B.7	Sample LaTeX code for the four figures	63
202	B.8	Sample LaTeX code for making typical table environment	66
203	B.9	Sample LaTeX code for algorithm or pseudocode listing usage	69
204	B.10	Computing Fibonacci numbers	70
205	B.11	Sample LaTeX code for program listing	71
206	B.12	Sample LaTeX code for referencing sections	72
207	B.13	Sample LATEX code for referencing subsections	73
208	B.14	Sample LATEX code for referencing sub-subsections	74
209	B.15	Sample LaTeX code for Index usage	75
210		Sample LaTeX code for including PDF pages	76



Chapter 1

211

212

213214215216217218219220221222223224225

INTRODUCTION

Contents

1.1	Background of the Study	2.
1.2		
1.4	Thor Studies	
1.3	Problem Statement	4
1.4	Objectives	5
	1.4.1 General Objective(s)	5
	1.4.2 Specific Objectives	5
1.5	Significance of the Study	5
1.6	Assumptions, Scope and Delimitations	6
1.7	Description and Methodology	6
1.8	Overview	



1.1 Background of the Study

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

There has been many reasons why one tries to avoid any outdoor activity but one of these is how the air feels whether it is too hot or too polluted or even both. One undeniable fact is that heat and humidity all play roles in making the weather hot. Both of these weather parameters are involved in the calculation of the heat index and the discomfort index. Heat index and discomfort index have their similarities because the factors that affect these two are the temperature and the relative humidity. The heat index is the perceived temperature by people when the rising temperature and the relative humidity is combined. The unit used here is a unit of temperature and the mathematical formula for computing the heat index shows a rather direct square proportionality with the temperature and the humidity. But when it comes to a more human readable scale, reaching 34 degrees Celsius is already a discomfort to some. Reaching at least 46 degrees Celsius is already dangerous to all as this can cause heat stroke and even imminent death to some people. The discomfort index is similar to the heat index but instead, its mathematical formula only indicates a direct proportionality with the temperature and the relative humidity. The scaling is rather similar to that in the heat index. When the discomfort index reaches at least 21 degrees Celsius, it is already a discomfort for some people. Reaching 29 degrees Celsius is already dangerous to all that when it even gets higher, a state of emergency can be declared. The human body is capable of regulating body temperature because of its abilities as a warm-blooded organism. When the human body detects extreme temperatures, it drastically adjusts the body just to get the internal temperature back to a normal 37 degrees Celsius. When your body detects a lot of heat, it tries to cool itself down by increasing your heart rate and sweating. However, one can sweat too much, he feels drained by the lack of fluids



in his body causing discomfort, weakness, loss of stamina, and even muscle pains, leading to a heat stroke.

Other than high temperatures and humidity, the pollutants in the air can be harmful to the respiratory system. Dust is a particle suspended in the air and it usually comes from the soil or the pollution. This can cause irritation in the respiratory system because dust entering the lungs can cause serious complications. This is already bad for those with respiratory problems such as asthma or emphysema. Carbon monoxide, however, is a colorless and odorless gas and it usually comes from smoke. When this is inhaled, it can cause serious complications in the body since this inhibits the delivery of oxygen from the blood to the other organs in the body which can cause death. Not only do all of this increase the risk of getting sickness but these also affect the visibility of an area.

This study will focus on a mobile application that enables people to have a foresight on how the outside air feels like. A microcontroller-based system will be used in detecting the parameters stated above while the mobile application will take note of the visibility with the use of the phone's camera.

1.2 Prior Studies

Some of the studies that the group has found are about the temperature and humidity monitoring systems. The temperature system can be constructed by using a simple microcontroller-based system with an important tool, the LM35 where the output voltage is directly proportional to the temperature detected. The same procedure can be done with the humidity sensor but this time, it does not make use of the LM35. Both of these sensors are good for agricultural applications and getting the air quality. Another study involves



the use of PM10 sensors in order to detect particulate matter that is 10 micrometers wide. An algorithm has been made with the use of the atmospheric reflectance for temporal monitoring. Another study introduces another concept of air monitoring by taking note of the pollutants present which are namely carbon monoxide, PM 2.5, and ozone which make use of the MQ-7 4 sensor, MQ-131 sensor, and Sharp dust sensor respectively. Another study made use of getting the discomfort index by using temperature, humidity, atmospheric pressure, and carbon dioxide sensors. Finally, a study states the standards set by different parts of the world when it comes to the air quality. These standards all make use of the amount of pollutants present in the air as basis of air quality.

1.3 Problem Statement

Though there have been mobile applications that display the weather in real time, none have been able to show the discomfort index given the data. Also, there are no applications that tell the amount of dust or carbon monoxide in the air considering that these are some important factors when people choose to commute by an ordinary jeepney or do any outdoor activity in urban areas.

The aim of this study is to develop a new mobile application that is able to report the condition of the air such as weather parameters and the amount of pollutants present. The system will make use of a microcontroller along with different sensors that will measure the said parameters. Also, the mobile application will make use of computer vision to measure the visibility in an area.

Can a mobile application be developed to report real time conditions of the air and the amount of pollutants present with the used of a sensor-based microcontroller system?



1.4 Objectives

1.4.1 General Objective(s)

To design and develop an indoor/outdoor system for getting the discomfort index of the air...;

1.4.2 Specific Objectives

- 1. To make use of the temperature, humidity, amount of dust, amount of carbon monoxide, and visibility in calculating discomfort index and measuring pollutants...;
- 2. To utilize different sensors for temperature, humidity, dust, and carbon monoxide measurement...;
- 3. To make use of computer vision with the use of a cellphone camera to measure visibility ...;
- 4. To achieve a social impact on the conditions and quality of the air for the people in urban areas where smoke is present and abundant . . . ;

1.5 Significance of the Study

The significance of this topic is to be able to design and produce a device of checking the air quality and discomfort index for the public health awareness. There are millions of commuters in the Philippines riding jeepneys or light rail transit system. The problem of this way of commuting is the air because there are a lot of old vehicles producing smoke and most people just breathe in either direct or indirect way. It is very important for the people



to know the status of the air to secure their respiratory health. Together with this, the group aim to the user friendly device that anyone can easily understand how to use the device through an android application. Since a lot of people uses android mobile phones, making an application for free will be very helpful. The application will display the required data in graphics so that it is easy to understand for the public and to make the aware of the effect of the environment to their health. This study will surely help a lot of people who still dont know about why it is important to know the air we are breathing outside.

1.6 Assumptions, Scope and Delimitations

- 1. The given data will only be determined by the air quality index and the discomfort index.
- 2. The application will be used only for displaying the data gathered in the device.
- 3. People should be able to know the importance of their respiratory system in the body.
- 4. Users must aware the connection between air pollution and lung cancer.
- 5. The device will only deal with the common factors for discomfort such as temperature, humidity, and the amount of dust in the air.

1.7 Description and Methodology

A device for checking air quality and discomfort index can be functional through the use of the electronic sensors attached in the circuit and sensors for dust, humidity, and temperature will provide the data for air quality index and discomfort index. The device will be user



friendly so that anyone can easily control and use it for the given purpose. The goal for this project is to come up with a device and android application for air quality and discomfort index which will provide data related to the health of the public. Challenges to this project would be the design of the circuit with indicated sensors and the accuracy of the data gathered by the device. The size of the device matters because it has to be user friendly and this will be designed for the typical citizens like commuters. The prototype test would determine if it has accurate data and user friendly in general. Android application will be supporting the device as a method of health awareness, the application will be able to show the data gathered in the device and show the effect of air quality index and discomfort index for respiratory health. The information is also one of the important part because people must know why it is important to know the air quality and their discomfort level.

1.8 Overview

In the first chapter, it will be helpful for readers to understand what is the purpose of making the device and android application and why it is important for the society. It also shows how the project will be implemented in the real world from the hypothesis. For the second part of the paper, there will be a lot of helpful literature related to the air quality, discomfort index, respiratory health, prevention of lung cancer, effect of dust to the human body, circuit design for humidity, dust, and temperature sensors. These literature will guide the group what is the right way to develop a project and make it functional in order to fulfill the standard of the public. Theoretical considerations will be the key part to determine the data gathered from the device because there are theoretical standards in other research to know what are the air quality and discomfort index. Considering the design, it will be



fully electronic design because the implementation in the hardware will be using electronic circuits. methodology will introduce how the data is gathered in the device and represented to the users. result and discussion will be providing the user feedback and the actual data given by the device in real situation. The value of this project will be determined in the conclusion based on all the provided data and actual simulation. It is the most important part to prove how this project fulfilled its purpose for the public health awareness.



Chapter 2
LITERATURE REVIEW

Contents

2.1	Temperature Monitoring System	10
2.2	Humidity Monitoring System	11
2.3	PM ₁₀ Temporal Monitoring	13
2.4	Wireless Air Quality Monitoring System	13
2.5	Discomfort Index Monitoring System	14
2.6	Air Quality Standards	15



There are several existing studies or researches about different kinds of applications of air parameters. Most of the studies found relating to these parameters are temperature, humidity, temporal, wireless air quality and discomfort index monitoring systems and air quality standards.

2.1 Temperature Monitoring System

An important parameter, not only in the air but also in everything, is the temperature. It is very important to monitor temperature of objects because most objects are sensitive to changes in the temperature such as products and some machines. Some existing researches of temperature monitoring system are found in the field of agriculture. Recent studies [Chavan and V.Karande, 2014] shows how important data-acquisition systems in the agriculture through environmental monitoring. Environmental monitoring refers to the gathering of data of some parameters in the environment that may affect the products. Automated measurements are beneficial because gathering of data and measurements are made several times. Chavan and Karande have developed a system for wireless monitoring of soil moisture, temperature and humidity in the field of agriculture. The system uses a temperature sensor, humidity sensor and soil moisture sensor that are connected to an AVR microcontroller. It also uses GSM-Zigbee based remote monitoring and control system. The application of Zigbee to the monitoring system in the agriculture reduces human power and enables to evaluate some accurate changes that will happen.

Aside from the agricultural implementation of temperature monitoring, there are also existing studies that involves its application to automated systems for electronic devices or appliances. [Mohamed Abd El-Latif Mowad, 2014] designed a smart home automated



control system. The system uses a microcontroller for sensors and android application for the transmission of data and the receiving of data. One of the four major fields of the smart home system or SHS is the environmental monitoring, which includes the monitoring of the humidity and the temperature. The main components used in the system are microcontroller, adruino board, android and a bluetooth module. Wireless internet services are also used for several monitoring and controlling processes. The passive infrared sensors are capable off detecing movements of a human being through sensing the changes in the temperature over the scene. The SHS also uses LM35 temperature sensor for the Temperature sensing system for Air Conditioner. The system can transfer data from the sensors to the android phone. On the same way, it can transmit data or commands from the android to the appliances. The wireless monitoring of temperature allows the user to control electronic devices or appliances from anywhere in the world.

2.2 Humidity Monitoring System

Humidity is always associated with temperature. It plays an important role to human due to the skin being sensitive to the changes in humidity. This is also the reason why humans sweat. Not only humans are affected by the changes in the humidity in the air but also applies to the things related to the field of agriculture.

A group of researchers [Aji Hanggoro and Sari, 2013] designed a green house monitoring and controlling system using an android mobile application. The system can control the humidity inside a green house, based on the readings of the humidity sensor through the microcontroller which is connected to the central server and can be accessed through Wi-Fi connection. The system is consists of humidity sensor, Arduino UNO microcontroller,



serial communication, wireless connection and a computer. The data from the sensor will be transmitted to the microcontroller and transferred to the computer through serial communication. The computer will transmit the data to the android phone via wireless connection and the android phone can now control the system depending on the commands that will be selected. The android can receive data from the humidity sensor, send data for water sprayer to turn on, send data for stepper motor to work and other commands that the system is capable of doing. This system ensures the condition of the green house environment to be in good condition.

Other than agricultural applications, studies also shows how air quality such as temperature and humidity affects the health of a human being. Indoor air quality or IAQ is an important factor that may affect the level of comfort and the health of the people. This may increase the discomfort index of a human being which may result to difficulties in concentration or even headaches. [Folea and Mois, 2015] develop a wireless battery-powered system for online ambient monitoring. The system has the ability to monitor temperature, humidity, carbon dioxide level, absolute pressure and intensity of light in the indoor spaces. The data gathered can be sent through a computer for visualization and can send SMS for alarms. The system has sensors such as ambient, temperature, humidity and many more sensors to evaluate the indoor air quality. Wi-Fi connection is used as a data transmission, from the sensors to the computer, due to the fact that Wi-Fi can be found in almost every home. The study of indoor air quality will help prevent or solve issues that may affect the health and the performance of the people.



2.3 PM₁₀ Temporal Monitoring

 PM_{10} or particulate matter that have a diameter of 10 micrometers wide which are classified under fine particles. One study [Wong et al., 2007] used an internet protocol camera to observe real time changes in the amount of particles found in the air. The camera points to a reference location and the still images were divided into the RGB bands.

They developed an algorithm which makes use of the atmospheric reflectance and the concentration of the PM_{10} using regression. The amount of reflectance is measured using a spectroradiometer and the concentration of the particles are determined by the different RGB bands of the camera. The PM_{10} and the atmospheric reflectance are found to be linearly related through using the skylight parameter model, which utilizes the sun's radiation. The results produced were compared to a DustTrak meter and provide a high correlation coefficient of .78.

2.4 Wireless Air Quality Monitoring System

A study [Reilly et al., 2015] monitored the amount of different air pollutants using Arduino. The pollutants that are measured are carbon monoxide, $PM_{2.5}$, and ozone which make use of the MQ-7 sensor, MQ-131 sensor, and Sharp dust sensor respectively. The sensors are mounted onto a redboard as well as GSM shield to send data wirelessly. The sensors are calibrated using a co-located ADEQ (Air Quality Division) sensor and were validated. The device is placed around the metro area and the data collected will be compared to a monitoring station. Data was collected for a period of time and a trend was found in CO and ozone levels. However, the use of the Sharp dust sensor was not very effective but could find slight differences at high pollution times with low pollution times.



Another similar study [Hebbar et al., 2014] of an air monitoring device is implemented using a microcontroller where several sensors are placed and data is sent through GSM wirelessly. The design tests the amount of CO_2 levels indoors. It also measures the temperature and humidity of the atmosphere locally. Calibration of the sensors is done by concentrating known amount of a certain gas into a test chamber and determine its offset from the results obtained. The design was tested in a seminar hall and the results obtained showed that the start and end of each class attributed to the increase in CO_2 emission. The design also shows the data through an online GUI.

One similar design, called HazeWatch, is done using several sensors and cloud computing [Hu et al., 2016]. The design is made compact and portable and can be mounted onto a car or bike. Data is harvested using a mobile phone and records the location in real time. Data is then sent wirelessly to cloud-based servers and is interpolated (Inverse Weighing and Ordinary Kriging interpolation) to generate estimates. The data can then be view visually using contour maps of the pollution or gas concentration levels in the area. The results obtained are compared to similar products (*Node* and *SensorDrone*)

2.5 Discomfort Index Monitoring System

A research was made about the importance of monitoring and controlling of atmospheric conditions to the efficiency of the performance of the human beings [Noh et al., 2013] . They designed a wireless sensor module that uses a Zigbee communication and sensor module, which consists of temperature, humidity, CO_2 and atmospheric pressure sensor, that maintains a comfortable environment for human beings or to prevent discomfort. The sensor module is the transmitter which delivers the sensor data to the receiver and



the receiver will transmit the filtered or recovered sensor data to a microcontroller board in monitoring the room environment. The room monitoring system is able to provide a comfortable environment for human beings through the wireless sensor network or WSN for monitoring the room environment.

2.6 Air Quality Standards

This review shows the different indoor air quality standards set by different countries across the world. The data is collected from documents from different health and environmental organization. This paper can be set as a tool for evaluating acceptable concentrations of different pollutants within an area. The pollutants included in this study are "carbon dioxide (CO_2) , carbon monoxide (CO), formaldehyde (HCHO), nitrogen dioxide (NO_2) , sulfur dioxide (SO_2) , total volatile organic compounds (TVOCs) and particulate matter $(PM_{2.5}$ and $PM_{10})$." The amount allowable depends on how bad the amount of a certain pollutant exists indoors. The paper also explains different harmful health effects each pollutant has on the human body.

	De La Salle University
493	Chapter 3
494	THEORETICAL CONSIDERATIONS
495	Contents
496 497 498	3.1 Summary



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

3.1 Summary

Fig. 3.1 A quadrilateral image example.

De La Salle University
Chapter 4
DESIGN CONSIDERATIONS
Contents
4.1 Summary



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

4.1 Summary

Cha	apter 5
	THODOLOGY
ME	THODOLOGY
ME	INUDULUGI
	tents
	tents I Implementation



5.1 Implementation

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.



Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



5.2 Evaluation

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.



Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

		5. Methodology	
		De La Salle University	
697	5.3	Summary	
		28	

	De La Salle University
698	Chapter 6
699	RESULTS AND DISCUSSION
700	Contents
700 701 702 703	6.1 Summary
, 55	



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

6.1 Summary

	pter 7 NCLUSIONS, RECOMMENDATIONS,
	FUTURE DIRECTIVES
Conte	ents
7.1 7.2 7.3 7.4	Concluding Remarks



7.1 Concluding Remarks

In this Thesis, ...

7.2 Contributions

The interrelated contributions and supplements that have been developed in this Thesisare listed as follows.

- the ;
- the ;
- 767 the ;

7.3 Recommendations

De La Salle University

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

7.4 Future Prospects

There are several prospect related in this research that may be extended for further studies.

... So the suggested topics are listed in the following.

- 1. the
- 818 2. the . . .

819 3. the



REFERENCES

820

851

[Aji Hanggoro and Sari, 2013] Aji Hanggoro, Mahesa Adhitya Putra, R. R. and Sari, R. F. (2013). 821 Green house monitoring and controlling using android mobile application. Quality in Research 822 2013. 823 [Chavan and V.Karande, 2014] Chavan, P. C. H. and V.Karande, M. (2014). Wireless monitoring 824 of soil moisture, temperature & humidity using zigbee in agriculture. International Journal of 825 Engineering Trends and Technology (IJETT). 826 [Folea and Mois, 2015] Folea, S. C. and Mois, G. (2015). A low-power wireless sensor for online 827 ambient monitoring. IEEE SENSORS JOURNAL. 828 [Hebbar et al., 2014] Hebbar, S., V, K., K, K. G., Kumar, A., Kumari, A. S. A., Yasasvi, R., Gupta, 829 A. K., Mishra, V., Amrutur, B., and Bhat, N. (2014). System engineering and deployment of en-830 virobat an urban air pollution monitoring device. In Electronics, Computing and Communication 831 Technologies (IEEE CONECCT), 2014 IEEE International Conference on, pages 1-6. 832 [Hu et al., 2016] Hu, K., Sivaraman, V., Luxan, B. G., and Rahman, A. (2016). Design and 833 evaluation of a metropolitan air pollution sensing system. IEEE Sensors Journal, 16(5):1448-834 1459. 835 [ISO, 2009] ISO (2009). 80000-2. Quantities and units-Part 2: Mathematical signs and symbols 836 to be used in the natural sciences and technology. 837 [Mohamed Abd El-Latif Mowad, 2014] Mohamed Abd El-Latif Mowad, Ahmed Fathy, A. H. 838 (2014). Smart home automated control system using android application and microcontroller. 839 International Journal of Scientific & Engineering Research. 840 [Noh et al., 2013] Noh, S.-K., Kim, K.-S., and Ji, Y.-K. (2013). Design of a room monitoring 841 842 system for wireless sensor networks. International Journal of Distributed Sensor Networks. [Oetiker et al., 2014] Oetiker, T., Partl, H., Hyna, I., and Schlegl, E. (2014). The Not So Short 843 Introduction to $\LaTeX 2_{\varepsilon}Or \LaTeX 2_{\varepsilon}in 157$ minutes. n.a. 844 [Reilly et al., 2015] Reilly, K. M., Birner, M. T., and Johnson, N. G. (2015). Measuring air quality 845 using wireless self-powered devices. In Global Humanitarian Technology Conference (GHTC), 846 2015 IEEE, pages 267-272. 847 [Wong et al., 2007] Wong, C. J., MatJafri, M. Z., Abdullah, K., Lim, H. S., and Low, K. L. 848 (2007). Temporal air quality monitoring using surveillance camera. In 2007 IEEE International 849 Geoscience and Remote Sensing Symposium, pages 2864–2868. 850

Produced: June 12, 2016, 14:08



Appendix A ANSWERS TO QUESTIONS TO THIS THESIS

Contents

852

853

854

855

356			
857	A1	How important is the problem to practice?	38
858	A2	How will you know if the solution/s that you will achieve would be better	
859		than existing ones?	38
860		A2.1 How will you measure the improvement/s?	38
861		A2.1.1 What is/are your basis/bases for the improvement/s?	39
862		A2.1.2 Why did you choose that/those basis/bases?	39
863		A2.1.3 How significant are your measure/s of the improvement/s?	39
864	A3	What is the difference of the solution/s from existing ones?	40
865		A3.1 How is it different from previous and existing ones?	40
866	A4	What are the assumptions made (that are behind for your proposed solution	
867		to work)?	40
868		A4.1 Will your proposed solution/s be sensitive to these assumptions? .	41
869		A4.2 Can your proposed solution/s be applied to more general cases	
870		when some of the assumptions are eliminated? If so, how?	41
871	A5	What is the necessity of your approach / proposed solution/s?	41
872		A5.1 What will be the limits of applicability of your proposed solution/s?	42
873		A5.2 What will be the message of the proposed solution to technical	
874		people? How about to non-technical managers and business men?	42
875	A6	How will you know if your proposed solution/s is/are correct?	42
876		A6.1 Will your results warrant the level of mathematics used (i.e., will	
877		the end justify the means)?	43
878	A7	Is/are there an/_ alternative way/s to get to the same solution/s?	43
879		A7.1 Can you come up with illustrating examples, or even better, counter	
880		examples to your proposed solution/s?	43
881		A7.2 Is there an approximation that can arrive at the essentially the same	
882		proposed solution/s more easily?	44
883	A8	If you were the examiner of your proposal, how would you present the	
884		proposal in another way?	44
885		A8.1 What are the weaknesses of your proposal?	44
886	-	<u> </u>	



A1 How important is the problem to practice?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A2 How will you know if the solution/s that you will achieve would be better than existing ones?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A2.1 How will you measure the improvement/s?



A2.1.1 What is/are your basis/bases for the improvement/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A2.1.2 Why did you choose that/those basis/bases?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A2.1.3 How significant are your measure/s of the improvement/s?



A3 What is the difference of the solution/s from existing ones?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A3.1 How is it different from previous and existing ones?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A4 What are the assumptions made (that are behind for your proposed solution to work)?



A4.1 Will your proposed solution/s be sensitive to these assumptions?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A4.2 Can your proposed solution/s be applied to more general cases when some of the assumptions are eliminated? If so, how?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A5 What is the necessity of your approach / proposed solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.



Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A5.1 What will be the limits of applicability of your proposed solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A5.2 What will be the message of the proposed solution to technical people? How about to non-technical managers and business men?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A6 How will you know if your proposed solution/s is/are correct?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla



tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A6.1 Will your results warrant the level of mathematics used (i.e., will the end justify the means)?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A7 Is/are there an/_ alternative way/s to get to the same solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A7.1 Can you come up with illustrating examples, or even better, counter examples to your proposed solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.



Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A7.2 Is there an approximation that can arrive at the essentially the same proposed solution/s more easily?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A8 If you were the examiner of your proposal, how would you present the proposal in another way?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A8.1 What are the weaknesses of your proposal?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.



Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.

Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

	De La Salle University	
1113	Appendix B USAGE EXAMPLES	
	46	



1115 1116 1117

The user is expected to have a working knowledge of LATEX. A good introduction is in [Oetiker et al., 2014]. Its latest version can be accessed at http://www.ctan.org/ tex-archive/info/lshort.

The following examples show how to typeset equations in LATEX. This section also shows

examples of the use of \gls{} commands in conjunction with the items that are in

the notation.tex file. Please make sure that the entries in notation.tex are

those that are referenced in the LATEX document files used by this Thesis. Please

comment out unused notations and be careful with the commas and brackets in

In (B.1), the output signal y(t) is the result of the convolution of the input signal x(t)

1118

B1 Equations

notation.tex .

and the impulse response h(t).

1119 1120

1121 1122

1124

1125

1126

 $y(t) = h(t) * x(t) = \int_{-\infty}^{+\infty} h(t - \tau) x(\tau) d\tau$ (B.1)

1127

Other example equations are as follows.

$$\begin{bmatrix} \frac{V_1}{I_1} \end{bmatrix} = \begin{bmatrix} A & B \\ C & D \end{bmatrix} \begin{bmatrix} \frac{V_2}{I_2} \end{bmatrix}$$
 (B.2)

$$\frac{1}{2} < \left\lfloor \operatorname{mod}\left(\left\lfloor \frac{y}{17} \right\rfloor 2^{-17\lfloor x\rfloor - \operatorname{mod}(\lfloor y\rfloor, 17)}, 2\right) \right\rfloor, \tag{B.3}$$

$$|\zeta(x)^3 \zeta(x+iy)^4 \zeta(x+2iy)| = \exp \sum_{n,p} \frac{3+4\cos(ny\log p) + \cos(2ny\log p)}{np^{nx}} \ge 1$$
 (B.4)



The verbatim LaTeX code of Sec. B1 is in List. B.1.

Listing B.1: Sample LATEX code for equations and notations usage

```
The following examples show how to typeset equations in \LaTeX.
2
3
    In~\eqref{eq:conv}, the output signal \gls{not:output_sigt} is the
        result of the convolution of the input signal \gls{not:input_sigt}
        and the impulse response \gls{not:ir}.
 4
5
    \begin{eqnarray}
6
         y\left( t \right) = h\left( t \right) * x\left( t \right)=\int_{-\}
             infty}^{+\infty}h\left( t-\tau \right)x\left( \tau \right) \
       \label{eq:conv}
8
    \end{eqnarray}
    Other example equations are as follows.
10
11
12
    \begin{eqnarray}
       \left[ \dfrac{ V_{1} }{ I_{1} } \right] =
13
14
       \begin{bmatrix}
15
          A & B \\
16
          C & D
17
       \end{bmatrix}
18
       \label{left} $$ \left[ \dfrac{ V_{2} }{ I_{2} } \right] \right] $$ \left[ \dfrac{ V_{2} }{ I_{2} } \right] $$
19
       \label{eq:ABCD}
20
    \end{eqnarray}
21
22
    \begin{eqnarray}
23
    {1\over 2} < \left( \int_{\infty} \mathbf{y} \right) 
        right\rfloor 2^{-17 \lfloor x \rfloor - \mathrm{mod}(\lfloor y\
        rfloor, 17)},2\right)\right\rfloor,
24
    \end{eqnarray}
25
26
    \begin{eqnarray}
27
    | \text{zeta(x)^3} \text{zeta(x+iy)^4} \text{zeta(x+2iy)} | =
   \ensuremath{\mbox{ \ exp\sum_{n,p}\frac{3+4\cos(ny\log p) +\cos (2ny\log p)}{np^{nx}}\ge 1}
28
    \end{eqnarray}
```



B2 Notations

1129

1130

1131

1132

1133

1134

1135

1137

1138

1139

1140

1141

1142

In order to use the standardized notation, the user is highly suggested to see the ISO 80000-2 standard [ISO, 2009]. The following were taken from <code>isomath-test.tex</code>.

Math alphabets

If there are other symbols in place of Greek letters in a math alphabet, it uses T1 or OT1 font encoding instead of OML.

$$\begin{array}{ll} \text{mathnormal} & A,B,\Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Phi,\Psi,\Omega,\alpha,\beta,\pi,\nu,\omega,v,w,0,1,9\\ \text{mathit} & A,B,\Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Phi,\Psi,\Omega,f\!f,f\!i,\beta,\ °,!,v,w,0,1,9\\ \text{mathrm} & A,B,\Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Phi,\Psi,\Omega,f\!f,f\!i,\beta,\ °,!,v,w,0,1,9\\ \text{mathbf} & \mathbf{A},\mathbf{B},\Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Phi,\Psi,\Omega,f\!f,f\!i,\beta,\ °,!,v,w,0,1,9\\ \text{mathsf} & A,B,\Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Phi,\Psi,\Omega,f\!f,f\!i,\beta,\ °,!,v,w,0,1,9\\ \text{mathtt} & A,B,\Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Phi,\Psi,\Omega,\uparrow,\downarrow,\beta,\ °,!,v,w,0,1,9 \end{array}$$

New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-italic.

mathbfit
$$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, o, 1, 9$$
 mathsfit $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, o, 1, 9$ mathsfbfit $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, o, 1, 9$

Do the math alphabets match?

 $axlpha\omega axlpha\omega$ ax $lpha\omega$ $TC\Theta\Gamma TC\Theta\Gamma$

Vector symbols

Alphabetic symbols for vectors are boldface italic, $\lambda = e_1 \cdot a$, while numeric ones (e.g. the zero vector) are bold upright, a + 0 = a.

Matrix symbols

Symbols for matrices are boldface italic, too: $\Lambda = E \cdot A$.

¹However, matrix symbols are usually capital letters whereas vectors are small ones. Exceptions are physical quantities like the force vector F or the electrical field E.



1143 Tensor symbols

1145

Symbols for tensors are sans-serif bold italic,

$$\boldsymbol{\alpha} = \boldsymbol{e} \cdot \boldsymbol{a} \iff \alpha_{ijl} = e_{ijk} \cdot a_{kl}.$$

The permittivity tensor describes the coupling of electric field and displacement:

$$oldsymbol{D} = \epsilon_0 oldsymbol{\epsilon}_{\mathrm{r}} oldsymbol{E}$$



1146 **Bold math version**

The "bold" math version is selected with the commands \boldmath or \mathversion{bold}

 $\begin{array}{ll} \text{mathnormal} & A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9 \\ \text{mathit} & A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \textit{ff}, \textit{fi}, \beta, °, !, v, w, 0, 1, 9 \\ \text{mathrm} & A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \textit{ff}, \textit{fi}, \beta, °, !, v, w, 0, 1, 9 \\ \text{mathbf} & A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \textit{ff}, \textit{fi}, \beta, °, !, v, w, 0, 1, 9 \\ \text{mathsf} & A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \textit{ff}, \textit{fi}, \beta, °, !, v, w, 0, 1, 9 \\ \end{array}$

mathtt A, B, Γ , Δ , Θ , Λ , Ξ , Π , Σ , Φ , Ψ , Ω , \uparrow , \downarrow , \mathfrak{B} , $^{\circ}$, !, v, w, 0, 1, 9

New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-italic.

mathbfit $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, o, 1, 9$ mathsfit $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, o, 1, 9$ mathsfbfit $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, o, 1, 9$

Do the math alphabets match?

 $ax\alpha\omega ax\alpha\omega ax\alpha\omega$ $TC\Theta\Gamma TC\Theta\Gamma TC\Theta\Gamma$

1151 | Vector symbols

1149

1150

1152

1153

1154

1156

1158

1159

Alphabetic symbols for vectors are boldface italic, $\lambda = e_1 \cdot a$, while numeric ones (e.g. the zero vector) are bold upright, a + 0 = a.

Matrix symbols

Symbols for matrices are boldface italic, too: $\Lambda = E \cdot A$.

Tensor symbols

Symbols for tensors are sans-serif bold italic,

$$\alpha = e \cdot a \iff \alpha_{ijl} = e_{ijk} \cdot a_{kl}.$$

The permittivity tensor describes the coupling of electric field and displacement:

$$D=\epsilon_0\epsilon_{
m r}E$$

²However, matrix symbols are usually capital letters whereas vectors are small ones. Exceptions are physical quantities like the force vector F or the electrical field E.



The verbatim LaTeX code of Sec. B2 is in List. B.2.

Listing B.2: Sample LATEX code for notations usage

```
1161
           % A teststring with Latin and Greek letters::
1162
1163
           \newcommand{\teststring}{%
1164
           % capital Latin letters
1165
        4
           % A,B,C,
        5
1166
           А,В,
1167
        6
           % capital Greek letters
1168
           % \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Upsilon, \Phi, \Psi,
1169
           \Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Phi,\Psi,\Omega,
        9
1170
           % small Greek letters
       10
           \alpha,\beta,\pi,\nu,\omega,
1171
1172
           \% small Latin letters:
       11
1173
       12
           % compare \nu, \nu, \nu, and \nu
1174
       13
1175
       14
           % digits
1176
       15
           0,1,9
1177
       16
1178
       17
1179
       18
1180
       19
           \subsection * { Math alphabets }
1181
       20
1182
       21
           If there are other symbols in place of Greek letters in a math
1183
       22
           alphabet, it uses T1 or OT1 font encoding instead of OML.
1184
       23
1185
       24
           \begin{eqnarray*}
1186
           \mbox{mathnormal} & & \teststring \\
           \mbox{mathit} & & \mathit{\teststring}\\
1187
1188
       27
           \mbox{mathrm} & & \mathrm{\teststring}\\
1189
       28
           \mbox{mathsf} & & \mathsf{\teststring}\\
mbox{mathtt} & & \mathtt{\teststring}
1190
       29
1191
       30
1192
       31
           \end{eqnarray*}
            New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-
1193
       32
1194
                italic.
1195
           \begin{eqnarray*}
1196
       34
           \mbox{mathbfit}
                                 & & \mathbfit{\teststring}\\
       35
1197
           \mbox{mathsfit}
                                 & & \mathsfit{\teststring}\\
1198
       36
           \mbox{mathsfbfit} & & \mathsfbfit{\teststring}
1199
       37
           \end{eqnarray*}
1200
       38
       39
1201
           Do the math alphabets match?
1202
       40
1203
       41
1204
           \mathnormal {a x \alpha \omega}
1205
       43
           \mathbfit
                          {a x \alpha \omega}
1206
       44
           \mathsfbfit{a x \alpha \omega}
1207
       45
           \quad
1208
       46
           \mathsfbfit{T C \Theta \Gamma}
1209
       47
           \mathbfit
                          {T C \Theta \Gamma}
                        {T C \Theta \Gamma}
1210
       48
           \mathnormal
1211
       49
1212
       50
1213
       51
           \subsection *{ Vector symbols}
1214
       52
```

De La Salle University

```
1215
           Alphabetic symbols for vectors are boldface italic,
1216
           1217
       55
           while numeric ones (e.g. the zero vector) are bold upright,
           vec{a} + vec{0} = vec{a}.
1218
       56
1219
       57
1220
           \subsection *{Matrix symbols}
1221
       59
       60
1222
           Symbols for matrices are boldface italic, too: %
1223
       61
           \footnote{However, matrix symbols are usually capital letters whereas
1224
               vectors
1225
           are small ones. Exceptions are physical quantities like the force
1226
       63
           vector $\vec{F}$ or the electrical field $\vec{E}$.%
1227
       64
1228
       65
           $\matrixsym{\Lambda}=\matrixsym{E}\cdot\matrixsym{A}.$
1229
1230
       67
1231
       68
           \subsection*{Tensor symbols}
1232
       69
1233
       70
           Symbols for tensors are sans-serif bold italic,
1234
       71
1235
       72
           ١[
1236
               \tensorsym{\alpha} = \tensorsym{e}\cdot\tensorsym{a}
       73
1237
       74
               \quad \Longleftrightarrow \quad
1238
       75
               \alpha_{ijl} = e_{ijk} \cdot a_{kl}.
           \]
1239
       76
1240
       77
1241
       78
1242
       79
           The permittivity tensor describes the coupling of electric field and
1243
       80
           displacement: \[
           \label{lem:constraint} $$\operatorname{D}=\operatorname{O}\times _{0}\times _{0}\times _{0}. $$
1244
       81
1245
       82
1246
       83
1247
       84
1248
       85
           \newpage
1249
       86
           \subsection * { Bold math version }
1250
       87
1251
           The ''bold'' math version is selected with the commands
       88
1252
       89
           \verb+\boldmath+ or \verb+\mathversion{bold}+
1253
       90
1254
       91
           {\boldmath
1255
       92
               \begin{eqnarray*}
1256
       93
               \mbox{mathnormal} & & \teststring \\
               \mbox{mathit} & & \mathit{\teststring}\\
1257
       94
1258
       95
               \mbox{mathrm} & & \mathrm{\teststring}\\
               \mbox{mathbf} & & \mathbf{\teststring}\\
mbox{mathsf} & & \mathsf{\teststring}\\
1259
       96
1260
       97
1261
       98
               \mbox{mathtt} &
                                & \mathtt{\teststring}
1262
       99
               \end{eqnarray*}
1263
      100
                New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-
1264
                    italic.
1265
      101
               \begin{eqnarray*}
                                       & \mathbfit{\teststring}\\
1266
      102
               \mbox{mathbfit}
                                    &
      103
1267
               \mbox{mathsfit}
                                    & & \mathsfit{\teststring}\\
1268
      104
               \mbox{mathsfbfit} & & \mathsfbfit{\teststring}
1269
      105
               \end{eqnarray*}
1270
      106
1271
      107
               Do the math alphabets match?
```

De La Salle University

```
1272
      108
1273
      109
1274
              \mathnormal {a x \alpha \omega}
      110
1275
                           {a x \alpha \omega}
      111
              \mathbfit
1276
              \mathsfbfit{a x \alpha \omega}
      112
1277
      113
              \quad
              \mathsfbfit{T C \Theta \Gamma}
1278
      114
                           {T C \Theta \Gamma}
1279
      115
              \mathbfit
1280
      116
              \mathnormal {T C \Theta \Gamma}
1281
      117
1282
      118
1283
      119
              \subsection*{Vector symbols}
1284
      120
1285
      121
              Alphabetic symbols for vectors are boldface italic,
1286
      122
              1287
      123
              while numeric ones (e.g. the zero vector) are bold upright,
1288
      124
              \ \ \vec{a} + \vec{0} = \vec{a}$.
1289
      125
1290
      126
1291
      127
1292
      128
1293
      129
              \subsection *{Matrix symbols}
1294
      130
1295
      131
              Symbols for matrices are boldface italic, too: %
1296
      132
              \footnote{However, matrix symbols are usually capital letters whereas
1297
1298
      133
              are small ones. Exceptions are physical quantities like the force
1299
      134
              vector $\vec{F}$ or the electrical field $\vec{E}$.%
1300
      135
1301
      136
              $\matrixsym{\Lambda}=\matrixsym{E}\cdot\matrixsym{A}.$
1302
      137
1303
      138
1304
      139
              \subsection*{Tensor symbols}
      140
1305
1306
      141
              Symbols for tensors are sans-serif bold italic,
1307
      142
1308
      143
              1 [
                  \tensorsym{\alpha} = \tensorsym{e}\cdot\tensorsym{a}
1309
      144
1310
      145
                  \quad \Longleftrightarrow \quad
1311
      146
                  \alpha_{ijl} = e_{ijk} \cdot a_{kl}.
1312
      147
1313
      148
1314
      149
              The permittivity tensor describes the coupling of electric field and
1315
      150
              displacement: \[
1316
      151
              \c {D}=\ensuremath{\c D}=\ensuremath{\c C}\
      152
1318
```



B3 Abbreviation

This section shows examples of the use of LATEX commands in conjunction with the items that are in the abbreviation.tex and in the glossary.tex files. Please see List. B.3. To lessen the LATEX compilation time, it is suggested that you use \acr{} only for the first occurrence of the word to be abbreviated.

Again please see List. B.3. Here is an example of first use: alternating current (ac). Next use: ac. Full: alternating current (ac). Here's an acronym referenced using \acr: hyper-text markup language (html). And here it is again: html. If you are used to the glossaries package, note the difference in using \gls: hyper-text markup language (html). And again (no difference): hyper-text markup language (html). Here are some more entries:

- extensible markup language (xml) and cascading style sheet (css).
- Next use: xml and css.
- Full form: extensible markup language (xml) and cascading style sheet (css).
- Reset again.
- Start with a capital. Hyper-text markup language (html).
- Next: Html. Full: Hyper-text markup language (html).
- Prefer capitals? Extensible markup language (XML). Next: XML. Full: extensible markup language (XML).
- Prefer small-caps? Cascading style sheet (CSS). Next: CSS. Full: cascading style sheet (CSS).
- Resetting all acronyms.
- Here are the acronyms again:
- Hyper-text markup language (HTML), extensible markup language (XML) and cascading style sheet (CSS).
- Next use: HTML, XML and CSS.
- Full form: Hyper-text markup language (HTML), extensible markup language (XML) and cascading style sheet (CSS).



1348

1349

• Provide your own link text: style sheet.

The verbatim LaTeX code of Sec. B3 is in List. B.3.

Listing B.3: Sample LATEX code for abbreviations usage

```
Again please see List.~\ref{lst:abbrv}. Here is an example of first use:
       \acr{ac}. Next use: \acr{ac}. Full: \gls{ac}. Here's an acronym
      referenced using \verb | \acr |: \acr{html}. And here it is again: \
      acr{html}. If you are used to the \texttt{glossaries} package, note
      difference): \gls{html}. Here are some more entries:
   \begin{itemize}
5
      \item \acr{xml} and \acr{css}.
7
      \item Next use: \acr{xml} and \acr{css}.
8
      \forall Full form: \gls{xml} and \gls{css}.
9
10
      \item Reset again. \glsresetall{abbreviation}
11
12
      \item Start with a capital. \Acr{html}.
13
14
15
      \item Next: \Acr{html}. Full: \Gls{html}.
16
      \item Prefer capitals? \renewcommand{\acronymfont}[1]{\
17
         MakeTextUppercase{#1}} \Acr{xml}. Next: \acr{xml}. Full: \gls{xml}
18
      \item Prefer small-caps? \renewcommand {\acronymfont}[1] {\textsc{#1}}
19
         \Acr{css}. Next: \acr{css}. Full: \gls{css}.
20
21
      \item Resetting all acronyms.\glsresetall{abbreviation}
22
23
      \item Here are the acronyms again:
24
25
      \item \Acr{html}, \acr{xml} and \acr{css}.
26
      \item Next use: \Acr{html}, \acr{xml} and \acr{css}.
27
28
      \item Full form: \Gls{html}, \gls{xml} and \gls{css}.
29
      \item Provide your own link text: \glslink{[textbf]css}{style}
31
32
   \end{itemize}
```



B4 Glossary

1350

1351

1353

1354

1355

1356

1358

1359

1360

1361

1362

1363

This section shows examples of the use of \gls{} commands in conjunction with the items that are in the glossary.tex and notation.tex files. Note that entries in notation.tex are prefixed with "not: "label (see List. B.4).

Please make sure that the entries in notation.tex are those that are referenced in the LATEX document files used by this Thesis. Please comment out unused notations and be careful with the commas and brackets in notation.tex.

- Matrices are usually denoted by a bold capital letter, such as A. The matrix's (i, j)th element is usually denoted a_{ij} . Matrix I is the identity matrix.
- \bullet A set, denoted as S, is a collection of objects.
- ullet The universal set, denoted as $\,\mathcal{U}$, is the set of everything.
- The empty set, denoted as \emptyset , contains no elements.
- The cardinality of a set, denoted as |S|, is the number of elements in the set.

The verbatim LATEX code for the part of Sec. B4 is in List. B.4.

Listing B.4: Sample LaTeX code for glossary and notations usage

```
\begin{itemize}
2
3
      \item \Glspl{matrix} are usually denoted by a bold capital letter,
          such as \mathbf{A}, The \gls{matrix}'s (i,j)th element is
          usually denoted a_{ij}. \Gls{matrix} $\mathbf{I}$ is the
          identity \gls{matrix}.
4
5
      \item A set, denoted as \gls{not:set}, is a collection of objects.
6
      \item The universal set, denoted as \gls{not:universalSet}, is the
          set of everything.
8
      \item The empty set, denoted as \gls{not:emptySet}, contains no
9
          elements.
10
      \item The cardinality of a set, denoted as \gls{not:cardinality}, is
11
          the number of elements in the set.
12
   \end{enumerate}
```



1364 B5 Figure

1365

1366

This section shows several ways of placing figures. PDFLATEX compatible files are PDF, PNG, and JPG. Please see the figure subdirectory.



Fig. B.1 A quadrilateral image example.



Fig. B.1 is a gray box enclosed by a dark border. List. B.5 shows the corresponding LATEX code.

Listing B.5: Sample LATEX code for a single figure

```
begin{figure}[!htbp]
centering
    \includegraphics[width=0.5\textwidth]{example}

caption{A quadrilateral image example.}

label{fig:example}

cleardoublepage

fig.~\ref{fig:example} is a gray box enclosed by a dark border. List.~\
    ref{lst:onefig} shows the corresponding \LaTeX \ code.

lend{figure}
```





(a) A sub-figure in the top row.



(b) A sub-figure in the middle row.



60



Listing B.6: Sample LATEX code for three figures on top of each other

```
\begin{figure}[!htbp]
   \centering
   \subbottom[A sub-figure in the top row.]{
   \includegraphics[width=0.35\textwidth]{example}
   \label{fig:top}
   \subbottom[A sub-figure in the middle row.]{
   \includegraphics[width=0.35\textwidth]{example}
10
   \label{fig:mid}
11
   \vertvfill
12
   \subbottom[A sub-figure in the bottom row.]{
13
14
   \includegraphics[width=0.35\textwidth]{example}
15
   \label{fig:botm}
16
17
   \caption{Figures on top of each other}
   \label{fig:tmb}
18
   \end{figure}
```





Loreni japum dober sit amet, consecteture allipiscing elit. Ut purus elit, vestibulum ut, placerat ae, adipiscing vitue, felis. Cumbitur dietum gravida mauris.

Num aret blien, nommune geor, monesteme til, vilputate a. nagan. Doce maret per situation de la proposition della proposition della proposition della proposition della proposi

- (a) A sub-figure in the upper-left corner.
- (b) A sub-figure in the upper-right corner.



Loren jumu dake est annet, consectenter adjalening ell. Ut jurur elli, vestilmin unt, plaeert ale, adjalening vinc. Bile. Cambine dietung gravich maussis.

(1) Nam zeru libern, nommung ogst, consectetters id, vulpstate a. nagan. Dance vehicht angue en angue. Petertensege habitant modi trisiques ensectus et netus et maleusula fannes ac turpie ogstas. Mauris un leo.

Loren jumu dake ast annet, consectetter adjalening ells. Ut jurur elli, vestilmin unt plaeert ale, endigeniert dei, vestilmin unt plaeert ale, endigeniert vinc. Bile. Cambine dietung gravich mauris.

Nam aren libern, nommung ogst, consectetter id, vulpstate a. nagan. Dance vehicht angue en unque. Petertensege habitant modi trisiques senectus et netus et maleusula fannes ac turpie ogstas. Mauris un leo.

Loren ipumu doke ast annet, consectetter adjalening ells. Ut jurur elli, vestilmin unt st. plaeert ac, endiglisening vinc. Bile. Cambine dettun gravich amaris.

(2) Nam aren libern, nommung ogst, consectetter id, vulpstate a. nagan. Dance vehicht agene en unque. Petertensege habitant modi trisiques senectus et netten et nadrouada fannes ac turpie ogstas. Mauris un leo.

X Loren ipumu doker sit annet, consectetter adjaptiening ells.

*X** Loren ipumu doker sit annet, consectetter adjaptiening ells.

- (c) A sub-figure in the lower-left corner.
- (d) A sub-figure in the lower-right corner

Fig. B.3 Four figures in each corner. See List. B.7 for the corresponding LATEX code.



Listing B.7: Sample LATEX code for the four figures

```
\begin{figure}[!htbp]
   \centering
   \subbottom[A sub-figure in the upper-left corner.]{
   \includegraphics[width=0.45\textwidth]{example}
   \label{fig:upprleft}
   \subbottom[A sub-figure in the upper-right corner.]{
   \includegraphics[width=0.45\textwidth]{example}
10
   \label{fig:uppright}
11
12
   \vfill
   \subbottom[A sub-figure in the lower-left corner.]{
13
   \includegraphics[width=0.45\textwidth]{example}
   \label{fig:lowerleft}
15
16
17
   \hfill
   \subbottom[A sub-figure in the lower-right corner]{
18
   \includegraphics[width=0.45\textwidth]{example}
19
20
   \label{fig:lowright}
21
   \verb|\caption{Four figures in each corner. See List.~\ref{lst:fourfigs} for
       the corresponding \LaTeX \ code.}
   \label{fig:fourfig}
   \end{figure}
```



1370

B6 Table

This section shows an example of placing a table (a long one). Table B.1 are the triples.

TABLE B.1 FEASIBLE TRIPLES FOR HIGHLY VARIABLE GRID

Time (s)	Triple chosen	Other feasible triples
0	(1, 11, 13725)	(1, 12, 10980), (1, 13, 8235), (2, 2, 0), (3, 1, 0)
2745	(1, 12, 10980)	(1, 13, 8235), (2, 2, 0), (2, 3, 0), (3, 1, 0)
5490	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
8235	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
10980	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
13725	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
16470	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
19215	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
21960	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
24705	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
27450	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
30195	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
32940	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
35685	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
38430	(1, 13, 10980)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
41175	(1, 12, 13725)	(1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
43920	(1, 13, 10980)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
46665	(2, 2, 2745)	(2,3,0),(3,1,0)
49410	(2, 2, 2745)	(2,3,0),(3,1,0)
52155	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
54900	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
57645	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
60390	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
63135	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
65880	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
68625	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
71370	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
74115	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
76860	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
79605	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
82350	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
85095	(1, 12, 13725)	(1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
87840	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
90585	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
93330	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0) (2, 2, 2745), (2, 3, 0), (3, 1, 0)
96075	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
98820	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
101565	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
104310	(1, 13, 15725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
107055	(1, 13, 10470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
107033	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
112545	(1, 13, 13723)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
115290	(1, 12, 10470)	(1, 13, 13723), (2, 2, 2743), (2, 3, 0), (3, 1, 0) (2, 2, 2745), (2, 3, 0), (3, 1, 0)
118035	(1, 13, 10470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
120780	(1, 13, 15723)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
123525	(1, 13, 10470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0) (2, 2, 2745), (2, 3, 0), (3, 1, 0)
12323	(1, 13, 13/23)	(2, 2, 27+3), (2, 3, 0), (3, 1, 0) Continued on next page

Continued on next page



Continued from previous page

Time (s)	Triple chosen	Other feasible triples
126270	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
129015	(2, 2, 2745)	(2,3,0),(3,1,0)
131760	(2, 2, 2745)	(2,3,0),(3,1,0)
134505	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
137250	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
139995	(2, 2, 2745)	(2,3,0),(3,1,0)
142740	(2, 2, 2745)	(2,3,0),(3,1,0)
145485	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
148230	(2, 2, 2745)	(2,3,0),(3,1,0)
150975	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
153720	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
156465	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
159210	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
161955	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
164700	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)

1371



List. B.8 shows the corresponding LATEX code.

Listing B.8: Sample LATEX code for making typical table environment

```
1373
1374
           \begin{center}
        1
1375
        2
           {\scriptsize
1376
           \beta_{0.0} = \frac{1}{2}
1377
           \caption{Feasible triples for highly variable grid} \label{tab:triple_
1378
1379
               grid} \\
1380
           \hline
           \hline
1381
           \textbf{Time (s)} &
1382
        7
        8
           \textbf{Triple chosen} &
1383
1384
        9
           \textbf{Other feasible triples} \\
1385
       10
           \hline
1386
       11
           \endfirsthead
           \multicolumn{3}{c}%
1387
       12
1388
           {\textit{Continued from previous page}} \\
       13
1389
       14
           \hline
1390
       15
           \hline
1391
       16
           \textbf{Time (s)} &
       17
           \textbf{Triple chosen} &
1392
1393
       18
           \textbf{Other feasible triples} \\
1394
       19
           \hline
1395
       20
           \endhead
1396
       21
           \hline
1397
       22
           \multicolumn{3}{r}{\textit{Continued on next page}} \\
1398
       23
           \endfoot
1399
       24
           \hline
       25
1400
           \endlastfoot
1401
       26
           \hline
1402
       27
           0 & (1, 11, 13725) & (1, 12, 10980), (1, 13, 8235), (2, 2, 0), (3, 1, 0)
1403
       28
1404
           2745 & (1, 12, 10980) & (1, 13, 8235), (2, 2, 0), (2, 3, 0), (3, 1, 0)
1405
       29
1406
           5490 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1407
1408
       31
           8235 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1409
           10980 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1410
       32
1411
               0) \\
1412
           13725 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 1)
                0) \\
1413
           16470 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1414
       34
           19215 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1415
1416
                0) \\
1417
           21960 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
                0) \\
1418
           24705 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1419
       37
                0) \\
1420
           27450 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1421
       38
                0) \\
1422
1423
       39
           30195 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
           32940 \& (1, 13, 16470) \& (2, 2, 2745), (2, 3, 0), (3, 1, 0) \setminus
1424
       40
1425
           35685 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1426
       42 | 38430 & (1, 13, 10980) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
```

De La Salle University

```
41175 & (1, 12, 13725) & (1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1,
1427
1428
            43920 & (1, 13, 10980) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1429
            46665 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
        45
1430
1431
            49410 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
        46
1432
            52155 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1433
                 0) \\
            54900 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1434
        48
1435
        49
            57645 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0)
            60390 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0)
1436
        50
                                                                                //
            63135 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0)
1437
1438
        52
            65880 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0)
           68625 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
1439
        53
            71370 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1440
1441
           74115 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
           76860 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1442
            79605 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1443
        57
           82350 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
85095 & (1, 12, 13725) & (1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1,
1444
        58
1445
1446
           87840 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1447
           90585 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1448
        61
1449
           93330 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \
1450
           96075 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
            98820 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1451
        64
        65
            101565 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1452
1453
        66
            104310 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
           107055 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
109800 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1454
        67
1455
        68
            112545 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0),
1456
        69
                1, 0) \\
1457
            115290 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1458
1459
            118035 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
            120780 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \
1460
           123525 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
126270 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3,
1461
        73
1462
1463
               1, 0)
                      11
1464
            129015 &
                      (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
            131760 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
1465
1466
            134505 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
        77
1467
        78
            137250 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1468
        79
            139995 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
        80
            142740 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
1469
1470
        81
            145485 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3,
1471
           148230 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
150975 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1472
1473
        83
            153720 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1474
1475
            156465 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1476
            159210 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1477
            161955 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
            164700 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1478
1479
        89
            \end{tabularx}
1480
        90
           \end{center}
1482
```



B7 Algorithm or Pseudocode Listing

1484 1485 1486 Table B.2 shows an example pseudocode. Note that if the pseudocode exceeds one page, it can mean that its implementation is not modular. List. B.9 shows the corresponding LATEX code.

Table B.2 Calculation of $y = x^n$

Input(s):

 $\begin{array}{lll} n & & : & n \text{th power; } n \in \mathbb{Z}^+ \\ x & & : & \text{base value; } x \in \mathbb{R}^+ \end{array}$

Output(s):

y: result; $y \in \mathbb{R}^+$

Require: $n \ge 0 \lor x \ne 0$

Ensure: $y = x^n$

- 1: $y \Leftarrow 1$
- 2: if n < 0 then
- 3: $X \Leftarrow 1/x$
- 4: $N \Leftarrow -n$
- 5: else
- 6: $X \Leftarrow x$
- 7: $N \Leftarrow n$
- 8: **end if**
- 9: while $N \neq 0$ do
- 10: **if** N is even **then**
- 11: $X \Leftarrow X \times X$ 12: $N \Leftarrow N/2$
- 13: **else** $\{N \text{ is odd}\}$
- 14: $y \Leftarrow y \times X$
- 15: $N \Leftarrow N 1$
- 16: **end if**
- 17: end while



Listing B.9: Sample LATEX code for algorithm or pseudocode listing usage

```
\begin{table}[!htbp]
  1
  2
                      \caption{Calculation of $y = x^n$}
  3
                      \label{tab:calcxn}
                      {\footnotesize
  4
                      \begin{tabular}{111}
  5
                      \hline
  7
                      \hline
                      {\bfseries Input(s):} & & \\
  8
  9
                      n & : & nth power; n \in \mathbb{Z}^{+}
10
                      x & : & base value; x \in \mathbb{R}^{+} \\
11
12
                      {\bfseries Output(s):} & & \\
                      y & : & result; y \in \mathbb{R}^{+} \\
13
14
                      \hline
15
                      \hline
16
17
                      \end{tabular}
18
19
                      \begin{algorithmic}[1]
20
                      {\normalfont} \{ \normalfont 
                                \REQUIRE $n \geq 0 \vee x \neq 0$
21
                                \ENSURE $y = x^n$
22
                               \STATE $y \Leftarrow 1$
23
                                \IF { n < 0 }
24
25
                                                     \STATE $X \Leftarrow 1 / x$
                                                     \STATE $N \Leftarrow -n$
26
27
                                \ELSE
28
                                                     \STATE $X \Leftarrow x$
29
                                                     \STATE $N \Leftarrow n$
                                \ENDIF
30
                                \WHILE{$N \neq 0$}
31
32
                                                     \IF{$N$ is even}
33
                                                                         \STATE $X \Leftarrow X \times X$
                                                                         \STATE $N \Leftarrow N / 2$
34
35
                                                     \ELSE[$N$ is odd]
36
                                                                         \STATE $y \Leftarrow y \times X$
37
                                                                         \STATE $N \Leftarrow N - 1$
38
                                                    \ENDIF
                                \ENDWHILE
39
40
41
                      \end{algorithmic}
            \end{table}
```



B8 Program/Code Listing

 List. B.10 is a program listing of a C code for computing Fibonacci numbers by calling the actual code. Please see the code subdirectory.

Listing B.10: Computing Fibonacci numbers in C (./code/fibo.c)

```
/* fibo.c -- It prints out the first N Fibonacci
2
                  numbers.
3
   #include <stdio.h>
7
   int main(void) {
8
        int n;
                       /* Number of fibonacci numbers we will print */
9
                       /* Index of fibonacci number to be printed next */
        int i;
        int current; /* Value of the (i)th fibonacci number */
10
11
        int next; /* Value of the (i+1)th fibonacci number */
12
        int twoaway; /* Value of the (i+2)th fibonacci number */
13
        printf("HowumanyuFibonacciunumbersudouyouuwantutoucompute?u");
14
        scanf("%d", &n);
15
16
        if (n \le 0)
           printf("The\sqcupnumber\sqcupshould\sqcupbe\sqcuppositive.\setminusn");
17
18
        else {
          printf("\n\n\tI_\tuFibonacci(I)\n\t==========\n");
19
20
          next = current = 1;
21
          for (i=1; i<=n; i++) {
22
       printf("\t^d_{\sqcup}\t^d_{\sqcup}d\n", i, current);
       twoaway = current+next;
current = next;
23
24
               = twoaway;
25
       next
27
   }
28
29
30
   /* The output from a run of this program was:
31
32
   How many Fibonacci numbers do you want to compute? 9
33
34
           Fibonacci(I)
35
36
37
       2
             1
38
       3
             2
39
             3
       4
40
       5
             5
41
       6
             8
42
       7
             13
43
       8
            21
44
45
46
```



List. B.11 shows the corresponding LATEX code.

Listing B.11: Sample LaTeX code for program listing

List.~\ref{lst:fib_c} is a program listing of a C code for computing Fibonacci numbers by calling the actual code. Please see the \verb| code | subdirectory.



B9 Referencing

Referencing chapters: This appendix is in Appendix B, which is about examples in using various LaTeX commands.

Referencing sections: This section is Sec. B9, which shows how to refer to the locations of various labels that have been placed in the LaTeX files. List. B.12 shows the corresponding LaTeX code.

Listing B.12: Sample LATEX code for referencing sections

Referencing sections: This section is Sec.~\ref{sec:ref}, which shows how to refer to the locations of various labels that have been placed in the \LaTeX \ files. List.~\ref{lst:refsec} shows the corresponding \LaTeX \ code.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



B9.1 A subsection

 Referencing subsections: This section is Sec. B9.1, which shows how to refer to a subsection. List. B.13 shows the corresponding LaTeX code.

Listing B.13: Sample LATEX code for referencing subsections

Referencing subsections: This section is Sec.~\ref{sec:subsec}, which shows how to refer to a subsection. List.~\ref{lst:refsub} shows the corresponding \LaTeX \ code.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



B9.1.1 A sub-subsection

Referencing sub-subsections: This section is Sec. B9.1.1, which shows how to refer to a sub-subsection. List. B.14 shows the corresponding LaTeX code.

Listing B.14: Sample LATEX code for referencing sub-subsections

Referencing sub-subsections: This section is Sec.~\ref{sec:subsubsec},
 which shows how to refer to a sub-subsection. List.~\ref{lst:
 refsubsub} shows the corresponding \LaTeX \ code.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



1531 1532 1533 1534 1535 1536 1537

1538

B10 Index

For key words or topics that are expected (or the user would like) to appear in the Index, use index{key}, where key is an example keyword to appear in the Index. For example, Fredholm integral and Fourier operator of the following paragraph are in the Index.

If we make a very large matrix with complex exponentials in the rows (i.e., cosine real parts and sine imaginary parts), and increase the resolution without bound, we approach the kernel of the Fredholm integral equation of the 2nd kind, namely the Fourier operator that defines the continuous Fourier transform.

List. B.15 is a program listing of the above-mentioned paragraph.

Listing B.15: Sample LATEX code for Index usage

If we make a very large matrix with complex exponentials in the rows (i. e., cosine real parts and sine imaginary parts), and increase the resolution without bound, we approach the kernel of the \index{ Fredholm integral} Fredholm integral equation of the 2nd kind, namely the \index{Fourier} Fourier operator that defines the continuous Fourier transform.



1540

1542

1543

Adding Relevant PDF Pages (e.g. Standards, **B11 Datasheets, Specification Sheets, Application** Notes, etc.)

Selected PDF pages can be added (see List. B.16), but note that the options must be tweaked. See the manual of pdfpages for other options.

Listing B.16: Sample LATEX code for including PDF pages

```
\includepdf[pages={8-10}, %
offset=3.5 \text{mm} - 10 \text{mm},%
scale=0.73,%
{./reference/Xilinx2015-UltraScaleArchitectureOverview.pdf}
```



EXILINX.

UltraScale Architecture and Product Overview

Virtex UltraScale FPGA Feature Summary

Table 6: Virtex UltraScale FPGA Feature Summary

	VU065	VU080	VU095	VU125	VU160	VU190	VU440
Logic Cells	626,640	780,000	940,800	1,253,280	1,621,200	1,879,920	4,432,680
CLB Flip-Flops	716,160	891,424	1,075,200	1,432,320	1,852,800	2,148,480	5,065,920
CLB LUTs	358,080	445,712	537,600	716,160	926,400	1,074,240	2,532,960
Maximum Distributed RAM (Mb)	4.8	3.9	4.8	9.7	12.7	14.5	28.7
Block RAM/FIFO w/ECC (36Kb each)	1,260	1,421	1,728	2,520	3,276	3,780	2,520
Total Block RAM (Mb)	44.3	50.0	60.8	88.6	115.2	132.9	88.6
CMT (1 MMCM, 2 PLLs)	10	16	16	20	30	30	30
I/O DLLs	40	64	64	80	120	120	120
Fractional PLLs	5	8	8	10	15	15	0
Maximum HP I/Os ⁽¹⁾	468	780	780	780	650	650	1,404
Maximum HR I/Os ⁽²⁾	52	52	52	104	52	52	52
DSP Slices	600	672	768	1,200	1,560	1,800	2,880
System Monitor	1	1	1	2	3	3	3
PCIe Gen3 x8	2	4	4	4	5	6	6
150G Interlaken	3	6	6	6	8	9	0
100G Ethernet	3	4	4	6	9	9	3
GTH 16.3Gb/s Transceivers	20	32	32	40	52	60	48
GTY 30.5Gb/s Transceivers	20	32	32	40	52	60	0

- Notes:
 1. HP = High-performance I/O with support for I/O voltage from 1.0V to 1.8V.
- 2. HR = High-range I/O with support for I/O voltage from 1.2V to 3.3V.

DS890 (v2.1) April 27, 2015 **Preliminary Product Specification** www.xilinx.com



EXILINX.

UltraScale Architecture and Product Overview

Virtex UltraScale Device-Package Combinations and Maximum I/Os

Table 7: Virtex UltraScale Device-Package Combinations and Maximum I/Os

	Package	VU065	VU080	VU095	VU125	VU160	VU190	VU440
Package ⁽¹⁾⁽²⁾⁽³⁾	Dimensions (mm)	HR, HP GTH, GTY						
FFVC1517	40x40	52, 468 20, 20	52, 468 20, 20	52, 468 20, 20				
FFVD1517	40x40		52, 286 32, 32	52, 286 32, 32				
FLVD1517	40x40				52, 286 40, 32			
FFVB1760	42.5x42.5		52, 650 32, 16	52, 650 32, 16				
FLVB1760	42.5x42.5				52, 650 36, 16			
FFVA2104	47.5x47.5		52, 780 28, 24	52, 780 28, 24				
FLVA2104	47.5x47.5				52, 780 28, 24			
FFVB2104	47.5x47.5		52, 650 32, 32	52, 650 32, 32				
FLVB2104	47.5x47.5				52, 650 40, 36			
FLGB2104	47.5x47.5					52, 650 40, 36	52, 650 40, 36	
FFVC2104	47.5x47.5			52, 364 32, 32				
FLVC2104	47.5x47.5				52, 364 40, 40			
FLGC2104	47.5x47.5					52, 364 52, 52	52, 364 52, 52	
FLGB2377	50x50							52, 1248 36, 0
FLGA2577	52.5x52.5						0, 448 60, 60	
FLGA2892	55x55							52, 1404 48, 0

- Go to Ordering Information for package designation details.
 All packages have 1.0mm ball pitch.
 Packages with the same last letter and number sequence, e.g., A2104, are footprint compatible with all other UltraScale architecture-based devices with the same sequence. The footprint compatible devices within this family are outlined. See the UltraScale Architecture Product Selection Guide for details on inter-family migration.

DS890 (v2.1) April 27, 2015 **Preliminary Product Specification** www.xilinx.com



EXILINX.

UltraScale Architecture and Product Overview

Virtex UltraScale+ FPGA Feature Summary

Table 8: Virtex UltraScale+ FPGA Feature Summary

	VU3P	VU5P	VU7P	VU9P	VU11P	VU13P
Logic Cells	689,640	1,051,010	1,379,280	2,068,920	2,147,040	2,862,720
CLB Flip-Flops	788,160	1,201,154	1,576,320	2,364,480	2,453,760	3,271,680
CLB LUTs	394,080	600,577	788,160	1,182,240	1,226,880	1,635,840
Max. Distributed RAM (Mb)	12.0	18.3	24.1	36.1	34.8	46.4
Block RAM/FIFO w/ECC (36Kb each)	720	1,024	1,440	2,160	2,016	2,688
Block RAM (Mb)	25.3	36.0	50.6	75.9	70.9	94.5
UltraRAM Blocks	320	470	640	960	1,152	1,536
UltraRAM (Mb)	90.0	132.2	180.0	270.0	324.0	432.0
CMTs (1 MMCM and 2 PLLs)	10	20	20	30	12	16
Max. HP I/O(1)	520	832	832	832	624	832
DSP Slices	2,280	3,474	4,560	6,840	8,928	11,904
System Monitor	1	2	2	3	3	4
GTY Transceivers 32.75Gb/s	40	80	80	120	96	128
PCIe Gen3 x16 and Gen4 x8	2	4	4	6	3	4
150G Interlaken	3	4	6	9	9	12
100G Ethernet w/RS-FEC	3	4	6	9	6	8

Virtex UltraScale+ Device-Package Combinations and Maximum I/Os

Table 9: Virtex UltraScale+ Device-Package Combinations and Maximum I/Os

Package	Package	VU3P	VU5P	VU7P	VU9P	VU11P	VU13P
(1)(2)(3)	Dimensions (mm)	HP, GTY	HP, GTY	HP, GTY	HP, GTY	HP, GTY	HP, GTY
FFVC1517	40x40	520, 40					
FLVF1924	45x45					624, 64	
FLVA2104	47.5x47.5		832, 52	832, 52	832, 52		
FHVA2104	52.5x52.5 ⁽⁴⁾						832, 52
FLVB2104	47.5x47.5		702, 76	702, 76	702, 76	624, 76	
FHVB2104	52.5x52.5 ⁽⁴⁾						702, 76
FLVC2104	47.5x47.5		416, 80	416, 80	416, 104	416, 96	
FHVC2104	52.5x52.5 ⁽⁴⁾						416, 104
FLVA2577	52.5x52.5				448, 120	448, 96	448, 128

- 1. Go to Ordering Information for package designation details.
- 2. All packages have 1.0mm ball pitch.
- Packages with the same last letter and number sequence, e.g., A2104, are footprint compatible with all other UltraScale devices with the same sequence. The footprint compatible devices within this family are outlined.
 These 52.5x52.5mm overhang packages have the same PCB ball footprint as the corresponding 47.5x47.5mm packages (i.e., the same last letter and number sequence) and are footprint compatible.

DS890 (v2.1) April 27, 2015 **Preliminary Product Specification** www.xilinx.com

10

^{1.} HP = High-performance I/O with support for I/O voltage from 1.0V to 1.8V.

W. T.	De	La	Sal	le 1	Un	ivei	sitv
MANILA		La	Jai		O I I		. 31 L y

Appendix C PUBLICATION LIST AND AWARD

Journal

1550 1. ...

1547

1548

1552

1551 2. ...

Conference

1553 1. ...

1554 2. ...



1555	Others
1555	Ouldis

1556 1. ...

1557 2. ...

1558 Award

1559 1. ...

1560 2. ...



Appendix D VITA

Junlae Cheong is a sixth year student at De La Salle University. He is currently taking up his B.Sc. Computer Engineering studies. His strengths in the field are electronics circuit design and configuration. His fields of interest are electronics hardware and computer microprocessor.

Rohit P. Nihalani is a third year student at De La Salle University. He is currently taking up his B.Sc. Computer Engineering studies. He has designed communication systems which covers basic AM radios. His fields of interest are digital communications and computer networks.

Noel B. Paulino is a third year student at De La Salle University. He is currently taking up his B.Sc. Computer Engineering studies. His strengths in the field are microcontroller program design and advanced electronics.

Ryback Tyrone G. Po is a fourth year student at De La Salle University. He is currently taking up his B.Sc. Computer Engineering studies. He has designed and

De La Salle Univer	csity

INDEX

contributions, 33

Fourier operator, 75 Fredholm integral, 75

summary, 3