



Mobile Phone Application for Measuring Air Parameters in Getting Discomfort Index and
Amount of Air Pollutants with the Use of a Microcontroller-based System

A Thesis
Presented to the Faculty of the
Department of Electronics and Communications Engineering
Gokongwei College of Engineering
De La Salle University

In Partial Fulfillment of the
Requirements for the Degree of
Bachelor of Science in Computer Engineering

by

CHEONG, Junlae
NIHALANI, Rohit P.
PAULINO, Noel B.
PO, Ryback Tyrone G.

July, 2016



De La Salle University

ORAL DEFENSE RECOMMENDATION SHEET

This thesis, entitled **Mobile Phone Application for Measuring Air Parameters in Getting Discomfort Index and Amount of Air Pollutants with the Use of a Microcontroller-based System**, prepared and submitted by thesis group, ESG-04, composed of:

CHEONG, Junlae
NIHALANI, Rohit P.
PAULINO, Noel B.
PO, Ryback Tyrone G.

in partial fulfillment of the requirements for the degree of **Bachelor of Science in Computer Engineering (BS-CPE)** has been examined and is recommended for acceptance and approval for **ORAL DEFENSE**.

Engr. Donabel D. Abuan
Adviser

July 23, 2016



De La Salle University

THESIS APPROVAL SHEET

This thesis entitled **Mobile Phone Application for Measuring Air Parameters in Getting Discomfort Index and Amount of Air Pollutants with the Use of a Microcontroller-based System**, prepared and submitted by:

CHEONG, Junlae
NIHALANI, Rohit P.
PAULINO, Noel B.
PO, Ryback Tyrone G.

with group number ESG-04 in partial fulfillment of the requirements for the degree of **Bachelor of Science in Computer Engineering (BS-CPE)** has been examined and is recommended for acceptance and approval.

PANEL OF EXAMINERS

Engr. Julius P. Bancud
Chair

Engr. Blanca I. Bucao
Member

Dr. Rionel B. Caldo
Member

Engr. Donabel D. Abuan
Adviser

Date: July 23, 2016



De La Salle University

60
61
62
63

2016

All Rights Reserved. No part of this publication may be reproduced, stored in an information retrieval system, or transmitted, in any form or by any means, electronic, mechanical, by photocopying, scanning, recording, or otherwise, except under the terms of the applicable law.



De La Salle University

64

ACKNOWLEDGMENT

65

66

Write this prior to hard binding if you have submitted all requirements and are told by your adviser that you have passed.



67

ABSTRACT

68

Keep your abstract short by giving the gist/nutshell of your thesis.

69

Index Terms—alloy system, characterization, InP, InGaAs.



70

TABLE OF CONTENTS

71

Oral Defense Recommendation Sheet	ii
-----------------------------------	----

72

Thesis Approval Sheet	iii
-----------------------	-----

73

Acknowledgment	v
----------------	---

74

Abstract	vi
----------	----

75

Table of Contents	vii
-------------------	-----

76

List of Figures	x
-----------------	---

77

List of Tables	xi
----------------	----

78

Abbreviations	xii
---------------	-----

79

Notation	xiii
----------	------

80

Glossary	xiv
----------	-----

81

Listings	xv
----------	----

82

Chapter 1 INTRODUCTION	1
------------------------	---

83

1.1 Background of the Study	2
---------------------------------------	---

84

1.2 Prior Studies	3
-----------------------------	---

85

1.3 Problem Statement	4
---------------------------------	---

86

1.4 Objectives	5
--------------------------	---

87

1.4.1 General Objective(s)	5
--------------------------------------	---

88

1.4.2 Specific Objectives	5
-------------------------------------	---

89

1.5 Significance of the Study	5
---	---

90

1.6 Assumptions, Scope and Delimitations	6
--	---

91

1.7 Description and Methodology	6
---	---

92

1.8 Estimated Work Schedule and Budget	7
--	---

93

1.9 Overview	7
------------------------	---

94

Chapter 2 LITERATURE REVIEW	11
-----------------------------	----

95

2.1 Temperature Monitoring System	12
---	----



96	2.2 Humidity Monitoring System	13
97	2.3 PM ₁₀ Temporal Monitoring	15
98	2.4 Wireless Air Quality Monitoring System	15
99	2.5 Discomfort Index Monitoring System	16
100	2.6 Air Quality Standards	17
101	Chapter 3 THEORETICAL CONSIDERATIONS	18
102	3.1 Summary	20
103	Chapter 4 DESIGN CONSIDERATIONS	22
104	4.1 Summary	25
105	Chapter 5 METHODOLOGY	26
106	5.1 Implementation	27
107	5.2 Evaluation	29
108	5.3 Summary	31
109	Chapter 6 RESULTS AND DISCUSSION	32
110	6.1 Summary	34
111	Chapter 7 CONCLUSIONS, RECOMMENDATIONS, AND FUTURE DIREC-	
112	TIVES	35
113	7.1 Concluding Remarks	36
114	7.2 Contributions	36
115	7.3 Recommendations	36
116	7.4 Future Prospects	38
117	References	39
118	Appendix A ANSWERS TO QUESTIONS TO THIS THESIS	40
119	A1 How important is the problem to practice?	41
120	A2 How will you know if the solution/s that you will achieve would be better	
121	than existing ones?	41
122	A2.1 How will you measure the improvement/s?	41
123	A2.1.1 What is/are your basis/bases for the improvement/s? . .	42
124	A2.1.2 Why did you choose that/those basis/bases?	42
125	A2.1.3 How significant are your measure/s of the improvement/s? .	42
126	A3 What is the difference of the solution/s from existing ones?	43
127	A3.1 How is it different from previous and existing ones?	43
128	A4 What are the assumptions made (that are behind for your proposed solution	
129	to work)?	43



130	A4.1	Will your proposed solution/s be sensitive to these assumptions? .	44
131	A4.2	Can your proposed solution/s be applied to more general cases	
132		when some of the assumptions are eliminated? If so, how?	44
133	A5	What is the necessity of your approach / proposed solution/s?	44
134	A5.1	What will be the limits of applicability of your proposed solution/s?	45
135	A5.2	What will be the message of the proposed solution to technical	
136		people? How about to non-technical managers and business men?	45
137	A6	How will you know if your proposed solution/s is/are correct?	45
138	A6.1	Will your results warrant the level of mathematics used (i.e., will	
139		the end justify the means)?	46
140	A7	Is/are there an/_ alternative way/s to get to the same solution/s?	46
141	A7.1	Can you come up with illustrating examples, or even better, counter	
142		examples to your proposed solution/s?	46
143	A7.2	Is there an approximation that can arrive at the essentially the same	
144		proposed solution/s more easily?	47
145	A8	If you were the examiner of your proposal, how would you present the	
146		proposal in another way?	47
147	A8.1	What are the weaknesses of your proposal?	47
148	Appendix B	USAGE EXAMPLES	49
149	B1	Equations	50
150	B2	Notations	52
151	B3	Abbreviation	58
152	B4	Glossary	60
153	B5	Figure	61
154	B6	Table	67
155	B7	Algorithm or Pseudocode Listing	71
156	B8	Program/Code Listing	73
157	B9	Referencing	75
158	B9.1	A subsection	76
159	B9.1.1	A sub-subsection	77
160	B10	Index	78
161	B11	Adding Relevant PDF Pages (e.g. Standards, Datasheets, Specification	
162		Sheets, Application Notes, etc.)	79
163	Appendix C	PUBLICATION LIST AND AWARD	83
164	Appendix D	VITA	85
165	Index		87



166

LIST OF FIGURES

167

3.1 A quadrilateral image example. 21

168

B.1 A quadrilateral image example. 61

169

B.2 Figures on top of each other. See List. B.6 for the corresponding \LaTeX code. 63

170

B.3 Four figures in each corner. See List. B.7 for the corresponding \LaTeX code. . 65



171

LIST OF TABLES

172	1.1	Gannt Chart Part 1	8
173	1.2	Gannt Chart Part 2	9
174	1.3	Estimated Budget	10
175	B.1	Feasible triples for highly variable grid	67
176	B.2	Calculation of $y = x^n$	71



177

ABBREVIATIONS

178	AC	Alternating Current.....	58
179	CSS	Cascading Style Sheet	58
180	HTML	Hyper-text Markup Language	58
181	XML	eXtensible Markup Language	58



NOTATION

183	$ \mathcal{S} $	the number of elements in the set \mathcal{S}	60
184	\emptyset	the set with no elements	60
185	$h(t)$	impulse response	50
186	\mathcal{S}	a collection of distinct objects	60
187	\mathcal{U}	the set containing everything	60
188	$x(t)$	input signal represented in the time domain	50
189	$y(t)$	output signal represented in the time domain	50

190 Throughout this thesis, mathematical notations conform to ISO 80000-2 standard, e.g.
191 variable names are printed in italics, the only exception being acronyms like e.g. SNR,
192 which are printed in regular font. Constants are also set in regular font like j . Functions are
193 also set in regular font, e.g. in $\sin(\cdot)$. Commonly used notations are t , f , $j = \sqrt{-1}$, n and
194 $\exp(\cdot)$, which refer to the time variable, frequency variable, imaginary unit, n th variable,
195 and exponential function, respectively.



196

GLOSSARY

197

matrix a concise and useful way of uniquely representing and working with linear transformations; a rectangular table of elements 60



198

LISTINGS

199	B.1 Sample \LaTeX code for equations and notations usage	51
200	B.2 Sample \LaTeX code for notations usage	55
201	B.3 Sample \LaTeX code for abbreviations usage	59
202	B.4 Sample \LaTeX code for glossary and notations usage	60
203	B.5 Sample \LaTeX code for a single figure	62
204	B.6 Sample \LaTeX code for three figures on top of each other	64
205	B.7 Sample \LaTeX code for the four figures	66
206	B.8 Sample \LaTeX code for making typical table environment	69
207	B.9 Sample \LaTeX code for algorithm or pseudocode listing usage	72
208	B.10 Computing Fibonacci numbers	73
209	B.11 Sample \LaTeX code for program listing	74
210	B.12 Sample \LaTeX code for referencing sections	75
211	B.13 Sample \LaTeX code for referencing subsections	76
212	B.14 Sample \LaTeX code for referencing sub-subsections	77
213	B.15 Sample \LaTeX code for Index usage	78
214	B.16 Sample \LaTeX code for including PDF pages	79



Chapter 1

INTRODUCTION

Contents

1.1	Background of the Study	2
1.2	Prior Studies	3
1.3	Problem Statement	4
1.4	Objectives	5
1.4.1	General Objective(s)	5
1.4.2	Specific Objectives	5
1.5	Significance of the Study	5
1.6	Assumptions, Scope and Delimitations	6
1.7	Description and Methodology	6
1.8	Estimated Work Schedule and Budget	7
1.9	Overview	7



1.1 Background of the Study

There has been many reasons why one tries to avoid any outdoor activity but one of these is how the air feels whether it is too hot or too polluted or even both. One undeniable fact is that heat and humidity all play roles in making the weather hot. Both of these weather parameters are involved in the calculation of the heat index and the discomfort index.

Heat index and discomfort index have their similarities because the factors that affect these two are the temperature and the relative humidity. The heat index is the perceived temperature by people when the rising temperature and the relative humidity is combined.

The unit used here is a unit of temperature and the mathematical formula for computing the heat index shows a rather direct square proportionality with the temperature and the humidity. But when it comes to a more human readable scale, reaching 34 degrees Celsius is already a discomfort to some. Reaching at least 46 degrees Celsius is already dangerous to all as this can cause heat stroke and even imminent death to some people. The discomfort index is similar to the heat index but instead, its mathematical formula only indicates a direct proportionality with the temperature and the relative humidity. The scaling is rather similar to that in the heat index. When the discomfort index reaches at least 21 degrees Celsius, it is already a discomfort for some people. Reaching 29 degrees Celsius is already dangerous to all that when it even gets higher, a state of emergency can be declared.

The human body is capable of regulating body temperature because of its abilities as a warm-blooded organism. When the human body detects extreme temperatures, it drastically adjusts the body just to get the internal temperature back to a normal 37 degrees Celsius. When your body detects a lot of heat, it tries to cool itself down by increasing your heart rate and sweating. However, one can sweat too much, he feels drained by the lack of fluids



254 in his body causing discomfort, weakness, loss of stamina, and even muscle pains, leading
255 to a heat stroke.

256 Other than high temperatures and humidity, the pollutants in the air can be harmful to the
257 respiratory system. Dust is a particle suspended in the air and it usually comes from the soil
258 or the pollution. This can cause irritation in the respiratory system because dust entering
259 the lungs can cause serious complications. This is already bad for those with respiratory
260 problems such as asthma or emphysema. Carbon monoxide, however, is a colorless and
261 odorless gas and it usually comes from smoke. When this is inhaled, it can cause serious
262 complications in the body since this inhibits the delivery of oxygen from the blood to the
263 other organs in the body which can cause death. Not only do all of this increase the risk of
264 getting sickness but these also affect the visibility of an area.

265 This study will focus on a mobile application that enables people to have a foresight on
266 how the outside air feels like. A microcontroller-based system will be used in detecting the
267 parameters stated above while the mobile application will take note of the visibility with
268 the use of the phone's camera.

269 1.2 Prior Studies

270 Some of the studies that the group has found are about the temperature and humidity
271 monitoring systems. The temperature system can be constructed by using a simple
272 microcontroller-based system with an important tool, the LM35 where the output voltage is
273 directly proportional to the temperature detected. The same procedure can be done with
274 the humidity sensor but this time, it does not make use of the LM35. Both of these sensors
275 are good for agricultural applications and getting the air quality. Another study involves



the use of PM10 sensors in order to detect particulate matter that is 10 micrometers wide. An algorithm has been made with the use of the atmospheric reflectance for temporal monitoring. Another study introduces another concept of air monitoring by taking note of the pollutants present which are namely carbon monoxide, PM 2.5 , and ozone which make use of the MQ-7 4 sensor, MQ-131 sensor, and Sharp dust sensor respectively. Another study made use of getting the discomfort index by using temperature, humidity, atmospheric pressure, and carbon dioxide sensors. Finally, a study states the standards set by different parts of the world when it comes to the air quality. These standards all make use of the amount of pollutants present in the air as basis of air quality.

1.3 Problem Statement

Though there have been mobile applications that display the weather in real time, none have been able to show the discomfort index given the data. Also, there are no applications that tell the amount of dust or carbon monoxide in the air considering that these are some important factors when people choose to commute by an ordinary jeepney or do any outdoor activity in urban areas.

The aim of this study is to develop a new mobile application that is able to report the condition of the air such as weather parameters and the amount of pollutants present. The system will make use of a microcontroller along with different sensors that will measure the said parameters. Also, the mobile application will make use of computer vision to measure the visibility in an area.

Can a mobile application be developed to report real time conditions of the air and the amount of pollutants present with the used of a sensor-based microcontroller system?



1.4 Objectives

1.4.1 General Objective(s)

To design and develop an indoor/outdoor system for getting the discomfort index of the air...;

1.4.2 Specific Objectives

1. To make use of the temperature, humidity, amount of dust, amount of carbon monoxide, and visibility in calculating discomfort index and measuring pollutants...;
2. To utilize different sensors for temperature, humidity, dust, and carbon monoxide measurement...;
3. To gather apparent information on the discomfort regarding heat and air pollution with the use of crowd sourcing ...;
4. To make use of computer vision with the use of a cellphone camera to measure visibility ...;
5. To achieve a social impact on the conditions and quality of the air for the people in urban areas where smoke is present and abundant ...;

1.5 Significance of the Study

The significance of this topic is to be able to design and produce a device of checking the air quality and discomfort index for the public health awareness. There are millions of



316 commuters in the Philippines riding jeepneys or light rail transit system. The problem of
317 this way of commuting is the air because there are a lot of old vehicles producing smoke and
318 most people just breathe in either direct or indirect way. It is very important for the people
319 to know the status of the air to secure their respiratory health. Together with this, the group
320 aim to the user friendly device that anyone can easily understand how to use the device
321 through an android application. Since a lot of people uses android mobile phones, making
322 an application for free will be very helpful. The application will display the required data
323 in graphics so that it is easy to understand for the public and to make the aware of the effect
324 of the environment to their health. This study will surely help a lot of people who still dont
325 know about why it is important to know the air we are breathing outside.

326 **1.6 Assumptions, Scope and Delimitations**

- 327 1. The given data will only be determined by the air quality index and the discomfort
328 index.
- 329 2. The application will be used only for displaying the data gathered in the device.
- 330 3. People should be able to know the importance of their respiratory system in the body.
- 331 4. Users must aware the connection between air pollution and lung cancer.
- 332 5. The device will only deal with the common factors for discomfort such as temperature,
333 humidity, and the amount of dust in the air.



334 1.7 Description and Methodology

335 A device for checking air quality and discomfort index can be functional through the use of
336 the electronic sensors attached in the circuit and sensors for dust, humidity, and temperature
337 will provide the data for air quality index and discomfort index. The device will be user
338 friendly so that anyone can easily control and use it for the given purpose. The goal for this
339 project is to come up with a device and android application for air quality and discomfort
340 index which will provide data related to the health of the public. Challenges to this project
341 would be the design of the circuit with indicated sensors and the accuracy of the data
342 gathered by the device. The size of the device matters because it has to be user friendly
343 and this will be designed for the typical citizens like commuters. The prototype test would
344 determine if it has accurate data and user friendly in general. Android application will be
345 supporting the device as a method of health awareness. the application will be able to show
346 the data gathered in the device and show the effect of air quality index and discomfort index
347 for respiratory health. The information is also one of the important part because people
348 must know why it is important to know the air quality and their discomfort level.

349 1.8 Estimated Work Schedule and Budget

350 1.9 Overview

351 In the first chapter, it will be helpful for readers to understand what is the purpose of
352 making the device and android application and why it is important for the society. It also
353 shows how the project will be implemented in the real world from the hypothesis. For the
354 second part of the paper, there will be a lot of helpful literature related to the air quality,



TABLE 1.1 GANNT CHART PART 1

	W1	W2	W3	W4	W5	W6	W7
Research for a topic	All						
Submission of proposed topic		All					
Background of the study			NP				
Statement of the problem			NP				
Objectives			NP, JC				
Scope and delimitation			JC				
Review of related literature			RN, RP				
Methodology				All	All		
Individual Research				All	All	All	All
Schematic diagram				NP	NP	NP	
Sensor Collection						JC, RN	JC, RN
Sensor Testing							
Arduino programming						NP	NP
Android programming						JC, RN	JC, RN
Android layout							
OpenCV Integration						RP	RP
Board design							
Board layout							
Fabrication							
Mounting							
Proofreading and Revisions							
Final documentation							
Defense							



TABLE 1.2 GANNT CHART PART 2

	W8	W9	W10	W11	W12	W13	W14
Research for a topic							
Submission of proposed topic							
Background of the study							
Statement of the problem							
Objectives							
Scope and delimitation							
Review of related literature							
Methodology							
Individual Research	All	All	All	All	All		
Schematic diagram							
Sensor Collection	JC, RN						
Sensor Testing		All	All	All	All		
Arduino programming	NP	NP	NP	NP	NP		
Android programming	JC, RN	JC, RN	JC, RN	JC, RN	JC, RN		
Android layout			RP, RN	RP, RN	RP, RN		
OpenCV Integration	RP	RP	RP	RP			
Board design							
Board layout							
Fabrication							
Mounting							
Proofreading and Revisions						All	All
Final documentation						All	All
Defense							All



TABLE 1.3 ESTIMATED BUDGET

Laptop	30000
Android Phone	6000
Microcontroller	250
Temperature Sensor	85
Humidity Sensor	400
PM2.5 Sensor	1600
Carbon Monoxide Sensor	350
TOTAL COST	38685

discomfort index, respiratory health, prevention of lung cancer, effect of dust to the human body, circuit design for humidity, dust, and temperature sensors. These literature will guide the group what is the right way to develop a project and make it functional in order to fulfill the standard of the public. Theoretical considerations will be the key part to determine the data gathered from the device because there are theoretical standards in other research to know what are the air quality and discomfort index. Considering the design, it will be fully electronic design because the implementation in the hardware will be using electronic circuits. methodology will introduce how the data is gathered in the device and represented to the users. result and discussion will be providing the user feedback and the actual data given by the device in real situation. The value of this project will be determined in the conclusion based on all the provided data and actual simulation. It is the most important part to prove how this project fulfilled its purpose for the public health awareness.



367

Chapter 2

368

LITERATURE REVIEW

369

Contents

370

371

2.1	Temperature Monitoring System	12
-----	---	----

372

2.2	Humidity Monitoring System	13
-----	--------------------------------------	----

373

2.3	PM ₁₀ Temporal Monitoring	15
-----	--	----

374

2.4	Wireless Air Quality Monitoring System	15
-----	--	----

375

2.5	Discomfort Index Monitoring System	16
-----	--	----

376

2.6	Air Quality Standards	17
-----	---------------------------------	----

377



There are several existing studies or researches about different kinds of applications of air parameters. Most of the studies found relating to these parameters are temperature, humidity, temporal, wireless air quality and discomfort index monitoring systems and air quality standards.

2.1 Temperature Monitoring System

An important parameter, not only in the air but also in everything, is the temperature. It is very important to monitor temperature of objects because most objects are sensitive to changes in the temperature such as products and some machines. Some existing researches of temperature monitoring system are found in the field of agriculture. Recent studies [Chavan and V.Karande, 2014] shows how important data-acquisition systems in the agriculture through environmental monitoring. Environmental monitoring refers to the gathering of data of some parameters in the environment that may affect the products. Automated measurements are beneficial because gathering of data and measurements are made several times. Chavan and Karande have developed a system for wireless monitoring of soil moisture, temperature and humidity in the field of agriculture. The system uses a temperature sensor, humidity sensor and soil moisture sensor that are connected to an AVR microcontroller. It also uses GSM-Zigbee based remote monitoring and control system. The application of Zigbee to the monitoring system in the agriculture reduces human power and enables to evaluate some accurate changes that will happen.

Aside from the agricultural implementation of temperature monitoring, there are also existing studies that involves its application to automated systems for electronic devices or appliances. [Mohamed Abd El-Latif Mowad, 2014] designed a smart home automated



control system. The system uses a microcontroller for sensors and android application for the transmission of data and the receiving of data. One of the four major fields of the smart home system or SHS is the environmental monitoring, which includes the monitoring of the humidity and the temperature. The main components used in the system are microcontroller, adruino board, android and a bluetooth module. Wireless internet services are also used for several monitoring and controlling processes. The passive infrared sensors are capable off detecing movements of a human being through sensing the changes in the temperature over the scene. The SHS also uses LM35 temperature sensor for the Temperature sensing system for Air Conditioner. The system can transfer data from the sensors to the android phone. On the same way, it can transmit data or commands from the android to the appliances. The wireless monitoring of temperature allows the user to control electronic devices or appliances from anywhere in the world.

2.2 Humidity Monitoring System

Humidity is always associated with temperature. It plays an important role to human due to the skin being sensitive to the changes in humidity. This is also the reason why humans sweat. Not only humans are affected by the changes in the humidity in the air but also applies to the things related to the field of agriculture.

A group of researchers [Aji Hanggoro and Sari, 2013] designed a green house monitoring and controlling system using an android mobile application. The system can control the humidity inside a green house, based on the readings of the humidity sensor through the microcontroller which is connected to the central server and can be accessed through Wi-Fi connection. The system is consists of humidity sensor, Arduino UNO microcontroller,



422 serial communication, wireless connection and a computer. The data from the sensor
423 will be transmitted to the microcontroller and transferred to the computer through serial
424 communication. The computer will transmit the data to the android phone via wireless
425 connection and the android phone can now control the system depending on the commands
426 that will be selected. The android can receive data from the humidity sensor, send data
427 for water sprayer to turn on, send data for stepper motor to work and other commands
428 that the system is capable of doing. This system ensures the condition of the green house
429 environment to be in good condition.

430 Other than agricultural applications, studies also shows how air quality such as tem-
431 perature and humidity affects the health of a human being. Indoor air quality or IAQ is
432 an important factor that may affect the level of comfort and the health of the people. This
433 may increase the discomfort index of a human being which may result to difficulties in con-
434 centration or even headaches. [Folea and Mois, 2015] develop a wireless battery-powered
435 system for online ambient monitoring. The system has the ability to monitor temperature,
436 humidity, carbon dioxide level, absolute pressure and intensity of light in the indoor spaces.
437 The data gathered can be sent through a computer for visualization and can send SMS for
438 alarms. The system has sensors such as ambient, temperature, humidity and many more
439 sensors to evaluate the indoor air quality. Wi-Fi connection is used as a data transmission,
440 from the sensors to the computer, due to the fact that Wi-Fi can be found in almost every
441 home. The study of indoor air quality will help prevent or solve issues that may affect the
442 health and the performance of the people.



2.3 PM₁₀ Temporal Monitoring

PM₁₀ or particulate matter that have a diameter of 10 micrometers wide which are classified under fine particles. One study [Wong et al., 2007] used an internet protocol camera to observe real time changes in the amount of particles found in the air. The camera points to a reference location and the still images were divided into the RGB bands.

They developed an algorithm which makes use of the atmospheric reflectance and the concentration of the PM₁₀ using regression. The amount of reflectance is measured using a spectroradiometer and the concentration of the particles are determined by the different RGB bands of the camera. The PM₁₀ and the atmospheric reflectance are found to be linearly related through using the skylight parameter model, which utilizes the sun's radiation. The results produced were compared to a DustTrak meter and provide a high correlation coefficient of .78.

2.4 Wireless Air Quality Monitoring System

A study [Reilly et al., 2015] monitored the amount of different air pollutants using Arduino. The pollutants that are measured are carbon monoxide, PM_{2.5}, and ozone which make use of the MQ-7 sensor, MQ-131 sensor, and Sharp dust sensor respectively. The sensors are mounted onto a redboard as well as GSM shield to send data wirelessly. The sensors are calibrated using a co-located ADEQ (Air Quality Division) sensor and were validated. The device is placed around the metro area and the data collected will be compared to a monitoring station. Data was collected for a period of time and a trend was found in CO and ozone levels. However, the use of the Sharp dust sensor was not very effective but could find slight differences at high pollution times with low pollution times.



Another similar study [Hebbar et al., 2014] of an air monitoring device is implemented using a microcontroller where several sensors are placed and data is sent through GSM wirelessly. The design tests the amount of CO₂ levels indoors. It also measures the temperature and humidity of the atmosphere locally. Calibration of the sensors is done by concentrating known amount of a certain gas into a test chamber and determine its offset from the results obtained. The design was tested in a seminar hall and the results obtained showed that the start and end of each class attributed to the increase in CO₂ emission. The design also shows the data through an online GUI.

One similar design, called HazeWatch, is done using several sensors and cloud computing [Hu et al., 2016]. The design is made compact and portable and can be mounted onto a car or bike. Data is harvested using a mobile phone and records the location in real time. Data is then sent wirelessly to cloud-based servers and is interpolated (Inverse Weighing and Ordinary Kriging interpolation) to generate estimates. The data can then be view visually using contour maps of the pollution or gas concentration levels in the area. The results obtained are compared to similar products (*Node* and *SensorDrone*)

2.5 Discomfort Index Monitoring System

A research was made about the importance of monitoring and controlling of atmospheric conditions to the efficiency of the performance of the human beings [Noh et al., 2013]. They designed a wireless sensor module that uses a Zigbee communication and sensor module, which consists of temperature, humidity, CO₂ and atmospheric pressure sensor, that maintains a comfortable environment for human beings or to prevent discomfort. The sensor module is the transmitter which delivers the sensor data to the receiver and



the receiver will transmit the filtered or recovered sensor data to a microcontroller board in monitoring the room environment. The room monitoring system is able to provide a comfortable environment for human beings through the wireless sensor network or WSN for monitoring the room environment.

2.6 Air Quality Standards

This review shows the different indoor air quality standards set by different countries across the world. The data is collected from documents from different health and environmental organization. This paper can be set as a tool for evaluating acceptable concentrations of different pollutants within an area. The pollutants included in this study are "carbon dioxide (CO₂), carbon monoxide (CO), formaldehyde (HCHO), nitrogen dioxide (NO₂), sulfur dioxide (SO₂), total volatile organic compounds (TVOCs) and particulate matter (PM_{2.5} and PM₁₀).” The amount allowable depends on how bad the amount of a certain pollutant exists indoors. The paper also explains different harmful health effects each pollutant has on the human body.



501

Chapter 3

502

THEORETICAL CONSIDERATIONS

503

Contents

504

505

506

3.1 Summary	20
-----------------------	----



507 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 508 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 509 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 510 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 511 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 512 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 513 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 514 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 515 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

516 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 517 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 518 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 519 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 520 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 521 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 522 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 523 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 524 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

525 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 526 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 527 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 528 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 529 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 530 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



531 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 532 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 533 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

534 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 535 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 536 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 537 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 538 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 539 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 540 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 541 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 542 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

543 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 544 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 545 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 546 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 547 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 548 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 549 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 550 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 551 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

552 3.1 Summary




Fig. 3.1 A quadrilateral image example.



553

Chapter 4

554

DESIGN CONSIDERATIONS

555

Contents

556

557

558

4.1 Summary	25
-----------------------	----




Figure 5.1. System Model of the Project




Figure 5.2. System Flowchart




Figure 5.3. Accomplished Circuit Configuration

```

1  #include <dht.h>
2
3  dht DHT;
4
5  #define DHT11_PIN 7
6
7  void setup(){
8      Serial.begin(9600);
9  }
10
11 void loop()
12 {
13     int chk = DHT.read11(DHT11_PIN);
14     Serial.print("Temperature = ");
15     Serial.println(DHT.temperature);
16     Serial.print("Humidity = ");
17     Serial.println(DHT.humidity);
18     delay(1000);
19 }

```

Figure 5.4. Accomplished Code for Temperature and Humidity Gathering



585 4.1 Summary

586 According to the system model, the project will make use of an Arduino microcontroller
587 system that will handle tasks of gathering inputs which are the temperature, humidity,
588 amount of dust, and amount of carbon monoxide. These data will be transmitted an
589 Android system. Afterwards, this data can be submitted to the Android cloud in real time.
590 Each individual Android system in the cloud can make use of the camera to capture the
591 image of the surroundings in order to get the visibility with the aid of computer vision. A
592 crowdsourcing element is considered to be added in each system where the user can rank
593 the amount of discomfort he feels in terms of the heat and air pollution. This information
594 will be utilized in the cloud.

595 The current accomplishments for the group is the successful gathering of the temperature
596 and humidity with the use of the Arduino system and the DHT-11 sensor. These values are
597 rounded to the nearest units value.



598

Chapter 5

599

METHODOLOGY

600

Contents

601

602

603

604

605

5.1	Implementation	27
5.2	Evaluation	29
5.3	Summary	31



606 5.1 Implementation

607 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 608 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 609 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 610 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 611 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 612 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 613 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 614 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 615 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

616 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 617 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 618 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 619 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 620 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 621 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 622 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 623 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 624 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

625 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 626 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 627 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 628 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.



629 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 630 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 631 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 632 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 633 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

634 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 635 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 636 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 637 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 638 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 639 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 640 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 641 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 642 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

643 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 644 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 645 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 646 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 647 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 648 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 649 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 650 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 651 amet ipsum. Nunc quis urna dictum turpis accumsan semper.



652

5.2 Evaluation

653

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.

654

Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec

655

ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus

656

placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.

657

Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla

658

tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue

659

a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.

660

Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit

661

amet ipsum. Nunc quis urna dictum turpis accumsan semper.

662

 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.

663

Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec

664

ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus

665

placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.

666

Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla

667

tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue

668

a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.

669

Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit

670

amet ipsum. Nunc quis urna dictum turpis accumsan semper.

671

 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.

672

Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec

673

ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus

674

placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.



675 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 676 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 677 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 678 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 679 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

680 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 681 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 682 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 683 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 684 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 685 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 686 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 687 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 688 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

689 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 690 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 691 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 692 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 693 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 694 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 695 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 696 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 697 amet ipsum. Nunc quis urna dictum turpis accumsan semper.



698

5.3 Summary



699

Chapter 6

700

RESULTS AND DISCUSSION

701

Contents

702

703

704

6.1 Summary	34
-----------------------	----



705 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 706 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 707 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 708 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 709 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 710 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 711 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 712 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 713 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

714 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 715 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 716 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 717 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 718 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 719 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 720 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 721 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 722 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

723 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 724 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 725 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 726 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 727 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 728 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



729 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 730 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 731 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

732 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 733 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 734 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 735 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 736 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 737 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 738 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 739 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 740 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

741 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 742 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 743 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 744 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 745 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 746 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 747 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 748 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 749 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

750 6.1 Summary



Chapter 7

CONCLUSIONS, RECOMMENDATIONS, AND FUTURE DIRECTIVES

Contents

7.1	Concluding Remarks	36
7.2	Contributions	36
7.3	Recommendations	36
7.4	Future Prospects	38



7.1 Concluding Remarks

In this Thesis, . . .

7.2 Contributions

The interrelated contributions and supplements that have been developed in this Thesis are listed as follows.

- the ;

- the ;

- the ;

7.3 Recommendations

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



779 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 780 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 781 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 782 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 783 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 784 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 785 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 786 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 787 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

788 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 789 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 790 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 791 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 792 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 793 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 794 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 795 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 796 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

797 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 798 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 799 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 800 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 801 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 802 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



803 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 804 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 805 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

806 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 807 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 808 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 809 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 810 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 811 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 812 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 813 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 814 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

815 7.4 Future Prospects

816 There are several prospect related in this research that may be extended for further studies.
 817 ... So the suggested topics are listed in the following.

818 1. the

819 2. the

820 3. the



REFERENCES

- [Aji Hanggoro and Sari, 2013] Aji Hanggoro, Mahesa Adhitya Putra, R. R. and Sari, R. F. (2013). Green house monitoring and controlling using android mobile application. *Quality in Research* 2013.
- [Chavan and V.Karande, 2014] Chavan, P. C. H. and V.Karande, M. (2014). Wireless monitoring of soil moisture, temperature & humidity using zigbee in agriculture. *International Journal of Engineering Trends and Technology (IJETT)*.
- [Folea and Mois, 2015] Folea, S. C. and Mois, G. (2015). A low-power wireless sensor for online ambient monitoring. *IEEE SENSORS JOURNAL*.
- [Hebbar et al., 2014] Hebbar, S., V, K., K, K. G., Kumar, A., Kumari, A. S. A., Yasasvi, R., Gupta, A. K., Mishra, V., Amrutur, B., and Bhat, N. (2014). System engineering and deployment of envirobat an urban air pollution monitoring device. In *Electronics, Computing and Communication Technologies (IEEE CONECCT), 2014 IEEE International Conference on*, pages 1–6.
- [Hu et al., 2016] Hu, K., Sivaraman, V., Luxan, B. G., and Rahman, A. (2016). Design and evaluation of a metropolitan air pollution sensing system. *IEEE Sensors Journal*, 16(5):1448–1459.
- [ISO, 2009] ISO (2009). 80000-2. *Quantities and units–Part 2: Mathematical signs and symbols to be used in the natural sciences and technology*.
- [Mohamed Abd El-Latif Mowad, 2014] Mohamed Abd El-Latif Mowad, Ahmed Fathy, A. H. (2014). Smart home automated control system using android application and microcontroller. *International Journal of Scientific & Engineering Research*.
- [Noh et al., 2013] Noh, S.-K., Kim, K.-S., and Ji, Y.-K. (2013). Design of a room monitoring system for wireless sensor networks. *International Journal of Distributed Sensor Networks*.
- [Oetiker et al., 2014] Oetiker, T., Partl, H., Hyna, I., and Schlegl, E. (2014). *The Not So Short Introduction to L^AT_EX 2_ε Or L^AT_EX 2_ε in 157 minutes*. n.a.
- [Reilly et al., 2015] Reilly, K. M., Birner, M. T., and Johnson, N. G. (2015). Measuring air quality using wireless self-powered devices. In *Global Humanitarian Technology Conference (GHTC), 2015 IEEE*, pages 267–272.
- [Wong et al., 2007] Wong, C. J., MatJafri, M. Z., Abdullah, K., Lim, H. S., and Low, K. L. (2007). Temporal air quality monitoring using surveillance camera. In *2007 IEEE International Geoscience and Remote Sensing Symposium*, pages 2864–2868.



Appendix A ANSWERS TO QUESTIONS TO THIS THESIS

Contents

A1	How important is the problem to practice?	41
A2	How will you know if the solution/s that you will achieve would be better than existing ones?	41
A2.1	How will you measure the improvement/s?	41
A2.1.1	What is/are your basis/bases for the improvement/s? . .	42
A2.1.2	Why did you choose that/those basis/bases?	42
A2.1.3	How significant are your measure/s of the improvement/s? .	42
A3	What is the difference of the solution/s from existing ones?	43
A3.1	How is it different from previous and existing ones?	43
A4	What are the assumptions made (that are behind for your proposed solution to work)?	43
A4.1	Will your proposed solution/s be sensitive to these assumptions? .	44
A4.2	Can your proposed solution/s be applied to more general cases when some of the assumptions are eliminated? If so, how?	44
A5	What is the necessity of your approach / proposed solution/s?	44
A5.1	What will be the limits of applicability of your proposed solution/s? .	45
A5.2	What will be the message of the proposed solution to technical people? How about to non-technical managers and business men? .	45
A6	How will you know if your proposed solution/s is/are correct?	45
A6.1	Will your results warrant the level of mathematics used (i.e., will the end justify the means)?	46
A7	Is/are there an/_ alternative way/s to get to the same solution/s?	46
A7.1	Can you come up with illustrating examples, or even better, counter examples to your proposed solution/s?	46
A7.2	Is there an approximation that can arrive at the essentially the same proposed solution/s more easily?	47
A8	If you were the examiner of your proposal, how would you present the proposal in another way?	47
A8.1	What are the weaknesses of your proposal?	47



888 **A1 How important is the problem to practice?**

889 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 890 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 891 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 892 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 893 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 894 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 895 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 896 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 897 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

898 **A2 How will you know if the solution/s that you will** 899 **achieve would be better than existing ones?**

900 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 901 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 902 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 903 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 904 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 905 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 906 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 907 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 908 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

909 **A2.1 How will you measure the improvement/s?**

910 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 911 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 912 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 913 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 914 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 915 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 916 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 917 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 918 amet ipsum. Nunc quis urna dictum turpis accumsan semper.



919 **A2.1.1 What is/are your basis/bases for the improvement/s?**

920 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 921 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 922 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 923 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 924 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 925 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 926 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 927 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 928 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

929 **A2.1.2 Why did you choose that/those basis/bases?**

930 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 931 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 932 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 933 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 934 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 935 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 936 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 937 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 938 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

939 **A2.1.3 How significant are your measure/s of the improvement/s?**

940 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 941 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 942 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 943 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 944 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 945 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 946 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 947 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 948 amet ipsum. Nunc quis urna dictum turpis accumsan semper.



949

950

A3 What is the difference of the solution/s from existing ones?

951

952

953

954

955

956

957

958

959

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

960

A3.1 How is it different from previous and existing ones?

961

962

963

964

965

966

967

968

969

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

970

971

A4 What are the assumptions made (that are behind for your proposed solution to work)?

972

973

974

975

976

977

978

979

980

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



981 **A4.1 Will your proposed solution/s be sensitive to these as-**
 982 **sumptions?**

983 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 984 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 985 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 986 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 987 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 988 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 989 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 990 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 991 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

992 **A4.2 Can your proposed solution/s be applied to more general**
 993 **cases when some of the assumptions are eliminated? If**
 994 **so, how?**

995 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 996 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 997 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 998 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 999 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 1000 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1001 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1002 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1003 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1004 **A5 What is the necessity of your approach / pro-**
 1005 **posed solution/s?**

1006 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 1007 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1008 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1009 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1010 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 1011 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1012 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.



1013 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
1014 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1015 **A5.1 What will be the limits of applicability of your proposed so-**
1016 **lution/s?**

1017 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
1018 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
1019 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
1020 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
1021 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
1022 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
1023 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
1024 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
1025 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1026 **A5.2 What will be the message of the proposed solution to**
1027 **technical people? How about to non-technical managers**
1028 **and business men?**

1029 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
1030 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
1031 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
1032 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
1033 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
1034 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
1035 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
1036 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
1037 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1038 **A6 How will you know if your proposed solution/s**
1039 **is/are correct?**

1040 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
1041 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
1042 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
1043 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
1044 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla



tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A6.1 Will your results warrant the level of mathematics used (i.e., will the end justify the means)?

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A7 Is/are there an/_ alternative way/s to get to the same solution/s?

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A7.1 Can you come up with illustrating examples, or even better, counter examples to your proposed solution/s?

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.



1077 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
1078 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
1079 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
1080 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
1081 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1082 **A7.2 Is there an approximation that can arrive at the essen-** 1083 **tially the same proposed solution/s more easily?**

1084 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
1085 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
1086 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
1087 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
1088 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
1089 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
1090 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
1091 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
1092 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1093 **A8 If you were the examiner of your proposal, how** 1094 **would you present the proposal in another way?**

1095 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
1096 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
1097 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
1098 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
1099 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
1100 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
1101 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
1102 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
1103 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1104 **A8.1 What are the weaknesses of your proposal?**

1105 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
1106 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
1107 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
1108 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.



De La Salle University

1109 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
1110 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
1111 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
1112 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
1113 amet ipsum. Nunc quis urna dictum turpis accumsan semper.



De La Salle University

1114

Appendix B

1115

USAGE EXAMPLES



The user is expected to have a working knowledge of \LaTeX . A good introduction is in [Oetiker et al., 2014]. Its latest version can be accessed at <http://www.ctan.org/tex-archive/info/lshort>.

B1 Equations

The following examples show how to typeset equations in \LaTeX . This section also shows examples of the use of `\gls{ }` commands in conjunction with the items that are in the `notation.tex` file. **Please make sure that the entries in `notation.tex` are those that are referenced in the \LaTeX document files used by this Thesis. Please comment out unused notations and be careful with the commas and brackets in `notation.tex`.**

In (B.1), the output signal $y(t)$ is the result of the convolution of the input signal $x(t)$ and the impulse response $h(t)$.

$$y(t) = h(t) * x(t) = \int_{-\infty}^{+\infty} h(t - \tau) x(\tau) d\tau \quad (\text{B.1})$$

Other example equations are as follows.

$$\begin{bmatrix} V_1 \\ I_1 \end{bmatrix} = \begin{bmatrix} A & B \\ C & D \end{bmatrix} \begin{bmatrix} V_2 \\ I_2 \end{bmatrix} \quad (\text{B.2})$$

$$\frac{1}{2} < \left\lfloor \text{mod} \left(\left\lfloor \frac{y}{17} \right\rfloor 2^{-17\lfloor x \rfloor - \text{mod}(\lfloor y \rfloor, 17)}, 2 \right) \right\rfloor, \quad (\text{B.3})$$

$$|\zeta(x)^3 \zeta(x + iy)^4 \zeta(x + 2iy)| = \exp \sum_{n,p} \frac{3 + 4 \cos(ny \log p) + \cos(2ny \log p)}{np^{nx}} \geq 1 \quad (\text{B.4})$$



1129

The verbatim \LaTeX code of Sec. B1 is in List. B.1.

Listing B.1: Sample \LaTeX code for equations and notations usage

```

1 The following examples show how to typeset equations in \LaTeX.
2
3 In~\eqref{eq:conv}, the output signal \gls{not:output_sigt} is the
  result of the convolution of the input signal \gls{not:input_sigt}
  and the impulse response \gls{not:ir}.
4
5 \begin{eqnarray}
6   y\left( t \right) = h\left( t \right) * x\left( t \right)=\int_{-\infty}^{+\infty}h\left( t-\tau \right)x\left( \tau \right) \mathrm{d}\tau
7   \label{eq:conv}
8 \end{eqnarray}
9
10 Other example equations are as follows.
11
12 \begin{eqnarray}
13   \left[ \dfrac{V_{1}}{I_{1}} \right] =
14   \begin{bmatrix}
15     A & B \\
16     C & D
17   \end{bmatrix}
18   \left[ \dfrac{V_{2}}{I_{2}} \right]
19   \label{eq:ABCD}
20 \end{eqnarray}
21
22 \begin{eqnarray}
23   {1\over 2} < \left\lfloor \mathrm{mod}\right\left(\left\lfloor {y \over 17} \right\rfloor 2^{-17} \lfloor x \rfloor - \mathrm{mod}(\lfloor y \rfloor, 17)\right)\right\rfloor, 2\right)\right\rfloor,
24 \end{eqnarray}
25
26 \begin{eqnarray}
27   \left| \zeta(x)^3 \zeta(x+iy)^4 \zeta(x+2iy) \right| =
28   \exp\sum_{n,p}\frac{3+4\cos(ny\log p) +\cos(2ny\log p)}{n^p}\geq 1
29 \end{eqnarray}

```



B2 Notations

In order to use the standardized notation, the user is highly suggested to see the ISO 80000-2 standard [ISO, 2009]. The following were taken from `isomath-test.tex`.

Math alphabets

If there are other symbols in place of Greek letters in a math alphabet, it uses T1 or OT1 font encoding instead of OML.

<code>mathnormal</code>	$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9$
<code>mathit</code>	$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \textit{ff}, \textit{fi}, \beta, ^\circ, !, v, w, 0, 1, 9$
<code>mathrm</code>	$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \text{ff}, \text{fi}, \beta, ^\circ, !, v, w, 0, 1, 9$
<code>mathbf</code>	$\mathbf{A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, ff, fi, \beta, ^\circ, !, v, w, 0, 1, 9}$
<code>mathsf</code>	$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \text{ff}, \text{fi}, \beta, ^\circ, !, v, w, 0, 1, 9$
<code>mathtt</code>	$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \uparrow, \downarrow, \beta, ^\circ, !, v, w, 0, 1, 9$

New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-italic.

<code>mathbfit</code>	$\mathbf{A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9}$
<code>mathsf</code>	$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9$
<code>mathsfbfit</code>	$\mathbf{A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9}$

Do the math alphabets match?

$\alpha x \alpha \omega \mathbf{a x} \alpha \omega \mathbf{a x} \alpha \omega \quad T C \Theta \Gamma T C \Theta \Gamma T C \Theta \Gamma$

Vector symbols

Alphabetic symbols for vectors are boldface italic, $\lambda = e_1 \cdot \mathbf{a}$, while numeric ones (e.g. the zero vector) are bold upright, $\mathbf{a} + \mathbf{0} = \mathbf{a}$.

Matrix symbols

Symbols for matrices are boldface italic, too:¹ $\mathbf{A} = \mathbf{E} \cdot \mathbf{A}$.

¹However, matrix symbols are usually capital letters whereas vectors are small ones. Exceptions are physical quantities like the force vector \mathbf{F} or the electrical field \mathbf{E} .



1144 **Tensor symbols**

1145 Symbols for tensors are sans-serif bold italic,

$$\boldsymbol{\alpha} = \boldsymbol{e} \cdot \boldsymbol{a} \quad \Longleftrightarrow \quad \alpha_{ijl} = e_{ijk} \cdot a_{kl}.$$

1146 The permittivity tensor describes the coupling of electric field and displacement:

$$\boldsymbol{D} = \epsilon_0 \boldsymbol{\epsilon}_r \boldsymbol{E}$$



Bold math version

The “bold” math version is selected with the commands `\boldmath` or `\mathversion{bold}`

<code>mathnormal</code>	$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9$
<code>mathit</code>	$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \textit{ff}, \textit{fi}, \beta, ^\circ, !, v, w, 0, 1, 9$
<code>mathrm</code>	$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \text{ff}, \text{fi}, \beta, ^\circ, !, v, w, 0, 1, 9$
<code>mathbf</code>	$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \text{ff}, \text{fi}, \beta, ^\circ, !, v, w, 0, 1, 9$
<code>mathsf</code>	$\mathbf{A}, \mathbf{B}, \mathbf{\Gamma}, \mathbf{\Delta}, \mathbf{\Theta}, \mathbf{\Lambda}, \mathbf{\Xi}, \mathbf{\Pi}, \mathbf{\Sigma}, \mathbf{\Phi}, \mathbf{\Psi}, \mathbf{\Omega}, \text{ff}, \text{fi}, \beta, ^\circ, !, v, w, 0, 1, 9$
<code>mathtt</code>	$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \uparrow, \downarrow, \beta, ^\circ, !, v, w, 0, 1, 9$

New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-italic.

<code>mathbfit</code>	$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9$
<code>mathsfit</code>	$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9$
<code>mathsfbfit</code>	$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9$

Do the math alphabets match?

$\alpha x \alpha \omega a x \alpha \omega a x \alpha \omega \quad TC\Theta\Gamma TC\Theta\Gamma TC\Theta\Gamma$

Vector symbols

Alphabetic symbols for vectors are boldface italic, $\lambda = e_1 \cdot a$, while numeric ones (e.g. the zero vector) are bold upright, $a + 0 = a$.

Matrix symbols

Symbols for matrices are boldface italic, too:² $\Lambda = E \cdot A$.

Tensor symbols

Symbols for tensors are sans-serif bold italic,

$$\alpha = e \cdot a \iff \alpha_{ijl} = e_{ijk} \cdot a_{kl}.$$

The permittivity tensor describes the coupling of electric field and displacement:

$$D = \epsilon_0 \epsilon_r E$$

²However, matrix symbols are usually capital letters whereas vectors are small ones. Exceptions are physical quantities like the force vector F or the electrical field E .



1161

The verbatim L^AT_EX code of Sec. B2 is in List. B.2.Listing B.2: Sample L^AT_EX code for notations usage

1162

1163

1164

1165

1166

1167

1168

1169

1170

1171

1172

1173

1174

1175

1176

1177

1178

1179

1180

1181

1182

1183

1184

1185

1186

1187

1188

1189

1190

1191

1192

1193

1194

1195

1196

1197

1198

1199

1200

1201

1202

1203

1204

1205

1206

1207

1208

1209

1210

1211

1212

1213

1214

1215

```

1  % A teststring with Latin and Greek letters::
2  \newcommand{\teststring}{%
3  % capital Latin letters
4  % A,B,C,
5  A,B,
6  % capital Greek letters
7  %\Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Upsilon,\Phi,\Psi,
8  \Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Phi,\Psi,\Omega,
9  % small Greek letters
10 \alpha,\beta,\pi,\nu,\omega,
11 % small Latin letters:
12 % compare \nu, \omega, v, and w
13 v,w,
14 % digits
15 0,1,9
16 }
17
18
19 \subsection*{Math alphabets}
20
21 If there are other symbols in place of Greek letters in a math
22 alphabet, it uses T1 or OT1 font encoding instead of OML.
23
24 \begin{eqnarray*}
25 \mbox{mathnormal} & & \& \& \teststring \\
26 \mbox{mathit} & & \& \& \mathit{\teststring} \\
27 \mbox{mathrm} & & \& \& \mathrm{\teststring} \\
28 \mbox{mathbf} & & \& \& \mathbf{\teststring} \\
29 \mbox{mathsf} & & \& \& \mathsf{\teststring} \\
30 \mbox{mathtt} & & \& \& \mathtt{\teststring} \\
31 \end{eqnarray*}
32 New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-
33   italic.
34 \begin{eqnarray*}
35 \mbox{mathbfit} & & \& \& \mathbfit{\teststring} \\
36 \mbox{mathsf} & & \& \& \mathsf{\teststring} \\
37 \mbox{mathsf} & & \& \& \mathsf{\teststring} \\
38 \end{eqnarray*}
39 %
40 Do the math alphabets match?
41 $
42 \mathnormal {a x \alpha \omega}
43 \mathbfit {a x \alpha \omega}
44 \mathsf {a x \alpha \omega}
45 \quad
46 \mathsf {T C \Theta \Gamma}
47 \mathbfit {T C \Theta \Gamma}
48 \mathnormal {T C \Theta \Gamma}
49 $
50
51 \subsection*{Vector symbols}
52

```



```

1216 53 Alphabetic symbols for vectors are boldface italic,
1217 54  $\vec{\lambda} = \vec{e}_1 \cdot \vec{a}$ ,
1218 55 while numeric ones (e.g. the zero vector) are bold upright,
1219 56  $\vec{a} + \vec{0} = \vec{a}$ .
1220 57
1221 58 \subsection*{Matrix symbols}
1222 59
1223 60 Symbols for matrices are boldface italic, too:%
1224 61 \footnote{However, matrix symbols are usually capital letters whereas
1225 62 vectors
1226 62 are small ones. Exceptions are physical quantities like the force
1227 63 vector  $\vec{F}$  or the electrical field  $\vec{E}$ .%
1228 64 }
1229 65  $\Lambda = E \cdot A$ .
1230 66
1231 67
1232 68 \subsection*{Tensor symbols}
1233 69
1234 70 Symbols for tensors are sans-serif bold italic,
1235 71
1236 72 \[
1237 73 \quad \text{\texttt{\textbf{tensorsym}\{alpha\}}} = \text{\texttt{\textbf{tensorsym}\{e\}}} \cdot \text{\texttt{\textbf{tensorsym}\{a\}}}
1238 74 \quad \text{\texttt{\textbf{quad}}} \quad \text{\texttt{\textbf{Longleftarrow}}} \quad \text{\texttt{\textbf{quad}}}
1239 75 \quad \text{\texttt{\textbf{alpha}_{ijl}}} = \text{\texttt{\textbf{e}_{ijk}}} \cdot \text{\texttt{\textbf{a}_{kl}}}.
1240 76 \]
1241 77
1242 78
1243 79 The permittivity tensor describes the coupling of electric field and
1244 80 displacement: \[
1245 81 \vec{D} = \epsilon_0 \text{\texttt{\textbf{tensorsym}\{epsilon\}_{\mathrm{r}}}} \vec{E} \]
1246 82
1247 83
1248 84
1249 85 \newpage
1250 86 \subsection*{Bold math version}
1251 87
1252 88 The ‘‘bold’’ math version is selected with the commands
1253 89 \verb+\boldmath+ or \verb+\mathversion{bold}+
1254 90
1255 91 {\boldmath
1256 92 \begin{eqnarray*}
1257 93 \quad \text{\texttt{\textbf{mbox}\{mathnormal\}}} & & \text{\texttt{\textbf{teststring}}} \\
1258 94 \quad \text{\texttt{\textbf{mbox}\{mathit\}}} & & \text{\texttt{\textbf{mathit}\{teststring\}}} \\
1259 95 \quad \text{\texttt{\textbf{mbox}\{mathrm\}}} & & \text{\texttt{\textbf{mathrm}\{teststring\}}} \\
1260 96 \quad \text{\texttt{\textbf{mbox}\{mathbf\}}} & & \text{\texttt{\textbf{mathbf}\{teststring\}}} \\
1261 97 \quad \text{\texttt{\textbf{mbox}\{mathsf\}}} & & \text{\texttt{\textbf{mathsf}\{teststring\}}} \\
1262 98 \quad \text{\texttt{\textbf{mbox}\{mathtt\}}} & & \text{\texttt{\textbf{mathtt}\{teststring\}}} \\
1263 99 \end{eqnarray*}
1264 100 \quad \text{New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-}
1265 101 \quad \text{italic.}
1266 102 \begin{eqnarray*}
1267 103 \quad \text{\texttt{\textbf{mbox}\{mathbfit\}}} & & \text{\texttt{\textbf{mathbfit}\{teststring\}}} \\
1268 104 \quad \text{\texttt{\textbf{mbox}\{mathsf\}}} & & \text{\texttt{\textbf{mathsf}\{teststring\}}} \\
1269 105 \quad \text{\texttt{\textbf{mbox}\{mathsfbfit\}}} & & \text{\texttt{\textbf{mathsfbfit}\{teststring\}}} \\
1270 106 \end{eqnarray*}
1271 107 \%
1272 107 Do the math alphabets match?

```



```

1273 108 $
1274 109 \mathnormal {a x \alpha \omega}
1275 110 \mathbfit {a x \alpha \omega}
1276 111 \mathsfbfit{a x \alpha \omega}
1277 112 \quad
1278 113 \mathsfbfit{T C \Theta \Gamma}
1279 114 \mathbfit {T C \Theta \Gamma}
1280 115 \mathnormal {T C \Theta \Gamma}
1281 116 $
1282 117
1283 118 \subsection*{Vector symbols}
1284 119
1285 120
1286 121 Alphabetic symbols for vectors are boldface italic,
1287 122 $\vec{\lambda}=\vec{e}_{1}\cdot\vec{a}$,
1288 123 while numeric ones (e.g. the zero vector) are bold upright,
1289 124 $\vec{a} + \vec{0} = \vec{a}$.
1290 125
1291 126
1292 127
1293 128
1294 129 \subsection*{Matrix symbols}
1295 130
1296 131 Symbols for matrices are boldface italic, too:%
1297 132 \footnote{However, matrix symbols are usually capital letters whereas
1298 133 vectors
1299 134 are small ones. Exceptions are physical quantities like the force
1300 135 vector $\vec{F}$ or the electrical field $\vec{E}$.%
1301 136 }
1302 137 $\matrixsym{\Lambda}=\matrixsym{E}\cdot\matrixsym{A}$.
1303 138
1304 139 \subsection*{Tensor symbols}
1305 140
1306 141
1307 142 Symbols for tensors are sans-serif bold italic,
1308 143
1309 144 \[
1310 145 \quad \tensorsym{\alpha} = \tensorsym{e}\cdot\tensorsym{a}
1311 146 \quad \Longleftarrow \quad
1312 147 \quad \alpha_{ijl} = e_{ijk}\cdot a_{kl}.
1313 148 \]
1314 149
1315 150 The permittivity tensor describes the coupling of electric field and
1316 151 displacement: \[
1317 152 \vec{D}=\epsilon_{0}\tensorsym{\epsilon}_{\mathrm{r}}\vec{E}\]
1318 153 ]

```




B3 Abbreviation

This section shows examples of the use of \LaTeX commands in conjunction with the items that are in the `abbreviation.tex` and in the `glossary.tex` files. Please see List. B.3. **To lessen the \LaTeX compilation time, it is suggested that you use `\acr{ }` only for the first occurrence of the word to be abbreviated.**

Again please see List. B.3. Here is an example of first use: alternating current (ac). Next use: ac. Full: alternating current (ac). Here's an acronym referenced using `\acr` : hyper-text markup language (html). And here it is again: html. If you are used to the glossaries package, note the difference in using `\gls` : hyper-text markup language (html). And again (no difference): hyper-text markup language (html). Here are some more entries:

- extensible markup language (xml) and cascading style sheet (css).
- Next use: xml and css.
- Full form: extensible markup language (xml) and cascading style sheet (css).
- Reset again.
- Start with a capital. Hyper-text markup language (html).
- Next: Html. Full: Hyper-text markup language (html).
- Prefer capitals? Extensible markup language (XML). Next: XML. Full: extensible markup language (XML).
- Prefer small-caps? Cascading style sheet (CSS). Next: CSS. Full: cascading style sheet (CSS).
- Resetting all acronyms.
- Here are the acronyms again:
- Hyper-text markup language (HTML), extensible markup language (XML) and cascading style sheet (CSS).
- Next use: HTML, XML and CSS.
- Full form: Hyper-text markup language (HTML), extensible markup language (XML) and cascading style sheet (CSS).



- 1349 • Provide your own link text: style sheet.

1350 The verbatim \LaTeX code of Sec. B3 is in List. B.3.

Listing B.3: Sample \LaTeX code for abbreviations usage

```

1 Again please see List.~\ref{lst:abbrv}. Here is an example of first use:
   \acr{ac}. Next use: \acr{ac}. Full: \gls{ac}. Here's an acronym
   referenced using \verb| \acr |: \acr{html}. And here it is again: \
   acr{html}. If you are used to the \texttt{glossaries} package, note
   the difference in using \verb| \gls |: \gls{html}. And again (no
   difference): \gls{html}. Here are some more entries:
2
3 \begin{itemize}
4
5   \item \acr{xml} and \acr{css}.
6
7   \item Next use: \acr{xml} and \acr{css}.
8
9   \item Full form: \gls{xml} and \gls{css}.
10
11  \item Reset again. \glsresetall{abbreviation}
12
13  \item Start with a capital. \Acr{html}.
14
15  \item Next: \Acr{html}. Full: \Gls{html}.
16
17  \item Prefer capitals? \renewcommand{\acronymfont}[1]{\
   MakeTextUppercase{#1}} \Acr{xml}. Next: \acr{xml}. Full: \gls{xml}
   }.
18
19  \item Prefer small-caps? \renewcommand{\acronymfont}[1]{\textsc{#1}}
   \Acr{css}. Next: \acr{css}. Full: \gls{css}.
20
21  \item Resetting all acronyms.\glsresetall{abbreviation}
22
23  \item Here are the acronyms again:
24
25  \item \Acr{html}, \acr{xml} and \acr{css}.
26
27  \item Next use: \Acr{html}, \acr{xml} and \acr{css}.
28
29  \item Full form: \Gls{html}, \gls{xml} and \gls{css}.
30
31  \item Provide your own link text: \glslink{[textbf]css}{style}
32
33 \end{itemize}

```



B4 Glossary

This section shows examples of the use of `\gls{ }` commands in conjunction with the items that are in the `glossary.tex` and `notation.tex` files. Note that entries in `notation.tex` are prefixed with “not:” label (see List. B.4).

Please make sure that the entries in `notation.tex` are those that are referenced in the \LaTeX document files used by this Thesis. Please comment out unused notations and be careful with the commas and brackets in `notation.tex` .

- Matrices are usually denoted by a bold capital letter, such as A . The matrix’s (i, j) th element is usually denoted a_{ij} . Matrix I is the identity matrix.
- A set, denoted as S , is a collection of objects.
- The universal set, denoted as \mathcal{U} , is the set of everything.
- The empty set, denoted as \emptyset , contains no elements.
- The cardinality of a set, denoted as $|S|$, is the number of elements in the set.

The verbatim \LaTeX code for the part of Sec. B4 is in List. B.4.

Listing B.4: Sample \LaTeX code for glossary and notations usage

```

1 \begin{itemize}
2
3   \item \Glspl{matrix} are usually denoted by a bold capital letter,
      such as  $\mathbf{A}$ . The  $\gls{matrix}$ ’s  $(i, j)$ th element is
      usually denoted  $a_{ij}$ .  $\gls{matrix}$   $\mathbf{I}$  is the
      identity  $\gls{matrix}$ .
4
5   \item A set, denoted as  $\gls{not:set}$ , is a collection of objects.
6
7   \item The universal set, denoted as  $\gls{not:universalSet}$ , is the
      set of everything.
8
9   \item The empty set, denoted as  $\gls{not:emptySet}$ , contains no
      elements.
10
11   \item The cardinality of a set, denoted as  $\gls{not:cardinality}$ , is
      the number of elements in the set.
12
13 \end{itemize}
```



1365

B5 Figure

1366

1367

This section shows several ways of placing figures. PDFL^AT_EX compatible files are PDF, PNG, and JPG. Please see the `figure` subdirectory.




Fig. B.1 A quadrilateral image example.

1368
1369


Fig. B.1 is a gray box enclosed by a dark border. List. B.5 shows the corresponding \LaTeX code.

Listing B.5: Sample \LaTeX code for a single figure


```
1 \begin{figure}[!htbp]
2   \centering
3   \includegraphics[width=0.5\textwidth]{example}
4   \caption{A quadrilateral image example.}
5   \label{fig:example}
6 \end{figure}
7 \cleardoublepage
8
9 Fig.~\ref{fig:example} is a gray box enclosed by a dark border. List.~\ref{lst:onefig} shows the corresponding  $\text{\LaTeX}$  \ code.
10 \end{figure}
```




De La Salle University



(a) A sub-figure in the top row.



(b) A sub-figure in the middle row.




(c) A sub figure in the bottom row

Listing B.6: Sample L^AT_EX code for three figures on top of each other


```
1 \begin{figure}[!htbp]
2 \centering
3 \subbottom[A sub-figure in the top row.]{
4 \includegraphics[width=0.35\textwidth]{example}
5 \label{fig:top}
6 }
7 \vfill
8 \subbottom[A sub-figure in the middle row.]{
9 \includegraphics[width=0.35\textwidth]{example}
10 \label{fig:mid}
11 }
12 \vfill
13 \subbottom[A sub-figure in the bottom row.]{
14 \includegraphics[width=0.35\textwidth]{example}
15 \label{fig:botm}
16 }
17 \caption{Figures on top of each other}
18 \label{fig:tmb}
19 \end{figure}
```

B. Usage Examples



(a) A sub-figure in the upper-left corner.

(b) A sub-figure in the upper-right corner.



(c) A sub-figure in the lower-left corner.

(d) A sub-figure in the lower-right corner

Fig. B.3 Four figures in each corner. See List. B.7 for the corresponding \LaTeX code.

Listing B.7: Sample \LaTeX code for the four figures

```

1 \begin{figure}[!htbp]
2 \centering
3 \subbottom[A sub-figure in the upper-left corner.]{
4 \includegraphics[width=0.45\textwidth]{example}
5 \label{fig:upprleft}
6 }
7 \hfill
8 \subbottom[A sub-figure in the upper-right corner.]{
9 \includegraphics[width=0.45\textwidth]{example}
10 \label{fig:uppright}
11 }
12 \vfill
13 \subbottom[A sub-figure in the lower-left corner.]{
14 \includegraphics[width=0.45\textwidth]{example}
15 \label{fig:lowerleft}
16 }
17 \hfill
18 \subbottom[A sub-figure in the lower-right corner]{
19 \includegraphics[width=0.45\textwidth]{example}
20 \label{fig:lowright}
21 }
22 \caption{Four figures in each corner. See List.\ref{lst:fourfigs} for
23 the corresponding \LaTeX \ code.}
24 \label{fig:fourfig}
25 \end{figure}

```



B6 Table

This section shows an example of placing a table (a long one). Table B.1 are the triples.

TABLE B.1 FEASIBLE TRIPLES FOR HIGHLY VARIABLE GRID

Time (s)	Triple chosen	Other feasible triples
0	(1, 11, 13725)	(1, 12, 10980), (1, 13, 8235), (2, 2, 0), (3, 1, 0)
2745	(1, 12, 10980)	(1, 13, 8235), (2, 2, 0), (2, 3, 0), (3, 1, 0)
5490	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
8235	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
10980	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
13725	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
16470	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
19215	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
21960	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
24705	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
27450	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
30195	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
32940	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
35685	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
38430	(1, 13, 10980)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
41175	(1, 12, 13725)	(1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
43920	(1, 13, 10980)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
46665	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
49410	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
52155	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
54900	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
57645	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
60390	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
63135	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
65880	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
68625	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
71370	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
74115	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
76860	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
79605	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
82350	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
85095	(1, 12, 13725)	(1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
87840	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
90585	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
93330	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
96075	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
98820	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
101565	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
104310	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
107055	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
109800	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
112545	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
115290	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
118035	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
120780	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
123525	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)

Continued on next page



Continued from previous page

Time (s)	Triple chosen	Other feasible triples
126270	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
129015	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
131760	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
134505	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
137250	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
139995	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
142740	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
145485	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
148230	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
150975	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
153720	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
156465	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
159210	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
161955	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
164700	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)

1372



List. B.8 shows the corresponding \LaTeX code.

Listing B.8: Sample \LaTeX code for making typical table environment

```

1 \begin{center}
2 {\scriptsize
3 \begin{tabularx}{\textwidth}{p{0.1\textwidth}|p{0.2\textwidth}|p{0.5\textwidth}}
4 \caption{Feasible triples for highly variable grid} \label{tab:triple_
   grid} \\
5 \hline
6 \hline
7 \textbf{Time (s)} &
8 \textbf{Triple chosen} &
9 \textbf{Other feasible triples} \\
10 \hline
11 \endfirsthead
12 \multicolumn{3}{c}{\textit{Continued from previous page}} \\
13 \hline
14 \hline
15 \hline
16 \textbf{Time (s)} &
17 \textbf{Triple chosen} &
18 \textbf{Other feasible triples} \\
19 \hline
20 \endhead
21 \hline
22 \multicolumn{3}{r}{\textit{Continued on next page}} \\
23 \endfoot
24 \hline
25 \endlastfoot
26 \hline
27
28 0 & (1, 11, 13725) & (1, 12, 10980), (1, 13, 8235), (2, 2, 0), (3, 1, 0) \\
29 & 2745 & (1, 12, 10980) & (1, 13, 8235), (2, 2, 0), (2, 3, 0), (3, 1, 0) \\
30 & 5490 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
31 & 8235 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
32 & 10980 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
33 & 13725 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
34 & 16470 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
35 & 19215 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
36 & 21960 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
37 & 24705 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
38 & 27450 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
39 & 30195 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
40 & 32940 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
41 & 35685 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
42 & 38430 & (1, 13, 10980) & (2, 2, 2745), (2, 3, 0), (3, 1, 0)

```



```

1428 43 41175 & (1, 12, 13725) & (1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1,
1429      0) \\
1430 44 43920 & (1, 13, 10980) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1431 45 46665 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
1432 46 49410 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
1433 47 52155 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1434      0) \\
1435 48 54900 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1436 49 57645 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1437 50 60390 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1438 51 63135 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1439 52 65880 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1440 53 68625 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
1441 54 71370 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1442 55 74115 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1443 56 76860 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1444 57 79605 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1445 58 82350 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1446 59 85095 & (1, 12, 13725) & (1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1,
1447      0) \\
1448 60 87840 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1449 61 90585 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1450 62 93330 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1451 63 96075 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1452 64 98820 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1453 65 101565 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1454 66 104310 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1455 67 107055 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1456 68 109800 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1457 69 112545 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3,
1458      1, 0) \\
1459 70 115290 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1460 71 118035 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1461 72 120780 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1462 73 123525 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1463 74 126270 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3,
1464      1, 0) \\
1465 75 129015 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
1466 76 131760 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
1467 77 134505 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1468 78 137250 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1469 79 139995 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
1470 80 142740 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
1471 81 145485 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3,
1472      1, 0) \\
1473 82 148230 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
1474 83 150975 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1475 84 153720 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1476 85 156465 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1477 86 159210 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1478 87 161955 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1479 88 164700 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1480 89 \end{tabularx}
1481 90 }
1483 91 \end{center}

```



1484

B7 Algorithm or Pseudocode Listing

1485

1486

1487

Table B.2 shows an example pseudocode. Note that if the pseudocode exceeds one page, it can mean that its implementation is not modular. List. B.9 shows the corresponding \LaTeX code.

TABLE B.2 CALCULATION OF $y = x^n$

Input(s):	
n	: n th power; $n \in \mathbb{Z}^+$
x	: base value; $x \in \mathbb{R}^+$
Output(s):	
y	: result; $y \in \mathbb{R}^+$

Require: $n \geq 0 \vee x \neq 0$

Ensure: $y = x^n$

```
1:  $y \leftarrow 1$ 
2: if  $n < 0$  then
3:    $X \leftarrow 1/x$ 
4:    $N \leftarrow -n$ 
5: else
6:    $X \leftarrow x$ 
7:    $N \leftarrow n$ 
8: end if
9: while  $N \neq 0$  do
10:  if  $N$  is even then
11:     $X \leftarrow X \times X$ 
12:     $N \leftarrow N/2$ 
13:  else  $\{N \text{ is odd}\}$ 
14:     $y \leftarrow y \times X$ 
15:     $N \leftarrow N - 1$ 
16:  end if
17: end while
```

Listing B.9: Sample L^AT_EX code for algorithm or pseudocode listing usage

```

1 \begin{table}[!htbp]
2   \caption{Calculation of  $y = x^n$ }
3   \label{tab:calcxn}
4   {\footnotesize
5     \begin{tabular}{lll}
6       \hline
7       \hline
8       {\bfseries Input(s):} & & \\
9       $n$ & : & $n$th power; $n$ \in \mathbb{Z}^{+}$ \\
10      $x$ & : & base value; $x$ \in \mathbb{R}^{+}$ \\
11      \hline
12      {\bfseries Output(s):} & & \\
13      $y$ & : & result; $y$ \in \mathbb{R}^{+}$ \\
14      \hline
15      \hline
16      \\
17    \end{tabular}
18  }
19  \begin{algorithmic}[1]
20    {\footnotesize
21      \REQUIRE $n \geq 0$ \vee $x \neq 0$
22      \ENSURE $y = x^n$
23      \STATE $y \leftarrow 1$
24      \IF{$n < 0$}
25        \STATE $X \leftarrow 1 / x$
26        \STATE $N \leftarrow -n$
27      \ELSE
28        \STATE $X \leftarrow x$
29        \STATE $N \leftarrow n$
30      \ENDIF
31      \WHILE{$N \neq 0$}
32        \IF{$N$ is even}
33          \STATE $X \leftarrow X \times X$
34          \STATE $N \leftarrow N / 2$
35        \ELSE[$N$ is odd]
36          \STATE $y \leftarrow y \times X$
37          \STATE $N \leftarrow N - 1$
38        \ENDIF
39      \ENDWHILE
40    }
41  \end{algorithmic}
42 \end{table}

```



B8 Program/Code Listing

List. B.10 is a program listing of a C code for computing Fibonacci numbers by calling the actual code. Please see the `code` subdirectory.

Listing B.10: Computing Fibonacci numbers in C (./code/fibo.c)

```

1  /* fibo.c -- It prints out the first N Fibonacci
2  *              numbers.
3  */
4
5  #include <stdio.h>
6
7  int main(void) {
8      int n;          /* Number of fibonacci numbers we will print */
9      int i;          /* Index of fibonacci number to be printed next */
10     int current;     /* Value of the (i)th fibonacci number */
11     int next;        /* Value of the (i+1)th fibonacci number */
12     int twoaway;     /* Value of the (i+2)th fibonacci number */
13
14     printf("How many Fibonacci numbers do you want to compute? ");
15     scanf("%d", &n);
16     if (n<=0)
17         printf("The number should be positive.\n");
18     else {
19         printf("\n\n\tI\t\tFibonacci(I)\t\n\t===== \n");
20         next = current = 1;
21         for (i=1; i<=n; i++) {
22             printf("\t%d\t\t\t%d\n", i, current);
23             twoaway = current+next;
24             current = next;
25             next = twoaway;
26         }
27     }
28 }
29
30 /* The output from a run of this program was:
31
32 How many Fibonacci numbers do you want to compute? 9
33
34     I      Fibonacci(I)
35     =====
36     1      1
37     2      1
38     3      2
39     4      3
40     5      5
41     6      8
42     7     13
43     8     21
44     9     34
45
46 */

```




1491

List. B.11 shows the corresponding \LaTeX code.

Listing B.11: Sample \LaTeX code for program listing

```
1 List.~\ref{lst:fib_c} is a program listing of a C code for computing  
   Fibonacci numbers by calling the actual code. Please see the \verb|  
   code | subdirectory.
```



B9 Referencing

Referencing chapters: This appendix is in Appendix B, which is about examples in using various \LaTeX commands.

Referencing sections: This section is Sec. B9, which shows how to refer to the locations of various labels that have been placed in the \LaTeX files. List. B.12 shows the corresponding \LaTeX code.

Listing B.12: Sample \LaTeX code for referencing sections

```
1 Referencing sections: This section is Sec.~\ref{sec:ref}, which shows
   how to refer to the locations of various labels that have been
   placed in the \LaTeX \ files. List.~\ref{lst:refsec} shows the
   corresponding \LaTeX \ code.
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



B9.1 A subsection

Referencing subsections: This section is Sec. B9.1, which shows how to refer to a subsection. List. B.13 shows the corresponding \LaTeX code.

Listing B.13: Sample \LaTeX code for referencing subsections

```
1 Referencing subsections: This section is Sec.~\ref{sec:subsec}, which
  shows how to refer to a subsection. List.~\ref{lst:refsub} shows the
  corresponding \LaTeX \ code.
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



B9.1.1 A sub-subsection

Referencing sub-subsections: This section is Sec. B9.1.1, which shows how to refer to a sub-subsection. List. B.14 shows the corresponding \LaTeX code.

Listing B.14: Sample \LaTeX code for referencing sub-subsections

```
1 Referencing sub-subsections: This section is Sec.\ref{sec:subsubsec},
   which shows how to refer to a sub-subsection. List.\ref{lst:
   refsubsub} shows the corresponding \LaTeX \ code.
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



B10 Index

For key words or topics that are expected (or the user would like) to appear in the Index, use `index{key}`, where `key` is an example keyword to appear in the Index. For example, Fredholm integral and Fourier operator of the following paragraph are in the Index.

If we make a very large matrix with complex exponentials in the rows (i.e., cosine real parts and sine imaginary parts), and increase the resolution without bound, we approach the kernel of the Fredholm integral equation of the 2nd kind, namely the Fourier operator that defines the continuous Fourier transform.

List. B.15 is a program listing of the above-mentioned paragraph.

Listing B.15: Sample \LaTeX code for Index usage

```
1 If we make a very large matrix with complex exponentials in the rows (i.
  e., cosine real parts and sine imaginary parts), and increase the
  resolution without bound, we approach the kernel of the \index{
  Fredholm integral} Fredholm integral equation of the 2nd kind,
  namely the \index{Fourier} Fourier operator that defines the
  continuous Fourier transform.
```



B11 Adding Relevant PDF Pages (e.g. Standards, Datasheets, Specification Sheets, Application Notes, etc.)

Selected PDF pages can be added (see List. B.16), but note that the options must be tweaked. See the manual of `pdfpages` for other options.

Listing B.16: Sample \LaTeX code for including PDF pages

```
1 \includepdf[pages={8-10},%
2 offset=3.5mm -10mm,%
3 scale=0.73,%
4 frame]
5 {./reference/Xilinx2015-UltraScaleArchitectureOverview.pdf}
```



Virtex UltraScale FPGA Feature Summary

Table 6: Virtex UltraScale FPGA Feature Summary

	VU065	VU080	VU095	VU125	VU160	VU190	VU440
Logic Cells	626,640	780,000	940,800	1,253,280	1,621,200	1,879,920	4,432,680
CLB Flip-Flops	716,160	891,424	1,075,200	1,432,320	1,852,800	2,148,480	5,065,920
CLB LUTs	358,080	445,712	537,600	716,160	926,400	1,074,240	2,532,960
Maximum Distributed RAM (Mb)	4.8	3.9	4.8	9.7	12.7	14.5	28.7
Block RAM/FIFO w/ECC (36Kb each)	1,260	1,421	1,728	2,520	3,276	3,780	2,520
Total Block RAM (Mb)	44.3	50.0	60.8	88.6	115.2	132.9	88.6
CMT (1 MMCM, 2 PLLs)	10	16	16	20	30	30	30
I/O DLLs	40	64	64	80	120	120	120
Fractional PLLs	5	8	8	10	15	15	0
Maximum HP I/Os ⁽¹⁾	468	780	780	780	650	650	1,404
Maximum HR I/Os ⁽²⁾	52	52	52	104	52	52	52
DSP Slices	600	672	768	1,200	1,560	1,800	2,880
System Monitor	1	1	1	2	3	3	3
PCIe Gen3 x8	2	4	4	4	5	6	6
150G Interlaken	3	6	6	6	8	9	0
100G Ethernet	3	4	4	6	9	9	3
GTH 16.3Gb/s Transceivers	20	32	32	40	52	60	48
GTY 30.5Gb/s Transceivers	20	32	32	40	52	60	0

Notes:

1. HP = High-performance I/O with support for I/O voltage from 1.0V to 1.8V.
2. HR = High-range I/O with support for I/O voltage from 1.2V to 3.3V.



Virtex UltraScale Device-Package Combinations and Maximum I/Os

Table 7: Virtex UltraScale Device-Package Combinations and Maximum I/Os

Package ⁽¹⁾⁽²⁾⁽³⁾	Package Dimensions (mm)	VU065	VU080	VU095	VU125	VU160	VU190	VU440
		HR, HP GTH, GTY	HR, HP GTH, GTY	HR, HP GTH, GTY	HR, HP GTH, GTY	HR, HP GTH, GTY	HR, HP GTH, GTY	HR, HP GTH, GTY
FFVC1517	40x40	52, 468 20, 20	52, 468 20, 20	52, 468 20, 20				
FFVD1517	40x40		52, 286 32, 32	52, 286 32, 32				
FLVD1517	40x40				52, 286 40, 32			
FFVB1760	42.5x42.5		52, 650 32, 16	52, 650 32, 16				
FLVB1760	42.5x42.5				52, 650 36, 16			
FFVA2104	47.5x47.5		52, 780 28, 24	52, 780 28, 24				
FLVA2104	47.5x47.5				52, 780 28, 24			
FFVB2104	47.5x47.5		52, 650 32, 32	52, 650 32, 32				
FLVB2104	47.5x47.5				52, 650 40, 36			
FLGB2104	47.5x47.5					52, 650 40, 36	52, 650 40, 36	
FFVC2104	47.5x47.5			52, 364 32, 32				
FLVC2104	47.5x47.5				52, 364 40, 40			
FLGC2104	47.5x47.5					52, 364 52, 52	52, 364 52, 52	
FLGB2377	50x50							52, 1248 36, 0
FLGA2577	52.5x52.5						0, 448 60, 60	
FLGA2892	55x55							52, 1404 48, 0

Notes:

1. Go to [Ordering Information](#) for package designation details.
2. All packages have 1.0mm ball pitch.
3. Packages with the same last letter and number sequence, e.g., A2104, are footprint compatible with all other UltraScale architecture-based devices with the same sequence. The footprint compatible devices within this family are outlined. See the [UltraScale Architecture Product Selection Guide](#) for details on inter-family migration.



Virtex UltraScale+ FPGA Feature Summary

Table 8: Virtex UltraScale+ FPGA Feature Summary

	VU3P	VU5P	VU7P	VU9P	VU11P	VU13P
Logic Cells	689,640	1,051,010	1,379,280	2,068,920	2,147,040	2,862,720
CLB Flip-Flops	788,160	1,201,154	1,576,320	2,364,480	2,453,760	3,271,680
CLB LUTs	394,080	600,577	788,160	1,182,240	1,226,880	1,635,840
Max. Distributed RAM (Mb)	12.0	18.3	24.1	36.1	34.8	46.4
Block RAM/FIFO w/ECC (36Kb each)	720	1,024	1,440	2,160	2,016	2,688
Block RAM (Mb)	25.3	36.0	50.6	75.9	70.9	94.5
UltraRAM Blocks	320	470	640	960	1,152	1,536
UltraRAM (Mb)	90.0	132.2	180.0	270.0	324.0	432.0
CMTs (1 MMCM and 2 PLLs)	10	20	20	30	12	16
Max. HP I/O ⁽¹⁾	520	832	832	832	624	832
DSP Slices	2,280	3,474	4,560	6,840	8,928	11,904
System Monitor	1	2	2	3	3	4
GTY Transceivers 32.75Gb/s	40	80	80	120	96	128
PCIe Gen3 x16 and Gen4 x8	2	4	4	6	3	4
150G Interlaken	3	4	6	9	9	12
100G Ethernet w/RS-FEC	3	4	6	9	6	8

Notes:

1. HP = High-performance I/O with support for I/O voltage from 1.0V to 1.8V.

Virtex UltraScale+ Device-Package Combinations and Maximum I/Os

Table 9: Virtex UltraScale+ Device-Package Combinations and Maximum I/Os

Package (1)(2)(3)	Package Dimensions (mm)	VU3P	VU5P	VU7P	VU9P	VU11P	VU13P
		HP, GTY	HP, GTY	HP, GTY	HP, GTY	HP, GTY	HP, GTY
FFVC1517	40x40	520, 40					
FLVF1924	45x45					624, 64	
FLVA2104	47.5x47.5		832, 52	832, 52	832, 52		
FHVA2104	52.5x52.5 ⁽⁴⁾						832, 52
FLVB2104	47.5x47.5		702, 76	702, 76	702, 76	624, 76	
FHVB2104	52.5x52.5 ⁽⁴⁾						702, 76
FLVC2104	47.5x47.5		416, 80	416, 80	416, 104	416, 96	
FHVC2104	52.5x52.5 ⁽⁴⁾						416, 104
FLVA2577	52.5x52.5				448, 120	448, 96	448, 128

Notes:

1. Go to [Ordering Information](#) for package designation details.
2. All packages have 1.0mm ball pitch.
3. Packages with the same last letter and number sequence, e.g., A2104, are footprint compatible with all other UltraScale devices with the same sequence. The footprint compatible devices within this family are outlined.
4. These 52.5x52.5mm overhang packages have the same PCB ball footprint as the corresponding 47.5x47.5mm packages (i.e., the same last letter and number sequence) and are footprint compatible.



Appendix C

PUBLICATION LIST AND AWARD

Journal

1. ...

2. ...

Conference

1. ...

2. ...



De La Salle University

1556

Others

1557

1. ...

1558

2. ...

1559

Award

1560


1. ...

1561


2. ...




Appendix D VITA




Junlae Cheong is a sixth year student at De La Salle University. He is currently taking up his B.Sc. Computer Engineering studies. His strengths in the field are electronics circuit design and configuration. His fields of interest are electronics hardware and computer microprocessor.



Rohit P. Nihalani is a third year student at De La Salle University. He is currently taking up his B.Sc. Computer Engineering studies. He has designed communication systems which covers basic AM radios. His fields of interest are digital communications and computer networks.



Noel B. Paulino is a third year student at De La Salle University. He is currently taking up his B.Sc. Computer Engineering studies. His strengths in the field are microcontroller program design and advanced electronics.



Ryback Tyrone G. Po is a fourth year student at De La Salle University. He is currently taking up his B.Sc. Computer Engineering studies. He has designed and

1577
1578

programmed electronic circuits that includes microcontrollers. His strengths in the field are microcontroller simulation and programming.



INDEX

1579	contributions, 36
1580	Fourier operator, 78
1581	Fredholm integral, 78