Mobile Phone Application for Measuring Air Parameters in Getting Discomfort Index and Amount of Air Pollutants with the Use of a Microcontroller-based System

---

A Thesis
Presented to the Faculty of the
Department of Electronics and Communications Engineering
Gokongwei College of Engineering
De La Salle University

In Partial Fulfillment of the
Requirements for the Degree of
Bachelor of Science in Computer Engineering

---

by

CHEONG, Junlae
NIHALANI, Rohit P.
PAULINO, Noel B.
PO, Ryback Tyrone G.

July, 2016

De La Salle University

ORAL DEFENSE RECOMMENDATION SHEET

This thesis, entitled **Mobile Phone Application for Measuring Air Parameters in Getting Discomfort Index and Amount of Air Pollutants with the Use of a Microcontroller-based System** , prepared and submitted by thesis group, ESG-04, composed of:

CHEONG, Junlae
NIHALANI, Rohit P.
PAULINO, Noel B.
PO, Ryback Tyrone G.

in partial fulfillment of the requirements for the degree of **Bachelor of Science in Computer Engineering** (**BS-CPE**) has been examined and is recommended for acceptance and approval for **ORAL DEFENSE**.

Engr. Donabel D. Abuan
Adviser

July 23, 2016

De La Salle University

THESIS APPROVAL SHEET

This thesis entitled **Mobile Phone Application for Measuring Air Parameters in Getting Discomfort Index and Amount of Air Pollutants with the Use of a Microcontroller-based System** , prepared and submitted by:

CHEONG, Junlae
NIHALANI, Rohit P.
PAULINO, Noel B.
PO, Ryback Tyrone G.

with group number ESG-04 in partial fulfillment of the requirements for the degree of **Bachelor of Science in Computer Engineering** (**BS-CPE**) has been examined and is recommended for acceptance and approval.

PANEL OF EXAMINERS

Engr. Julius P. Bancud
Chair

Engr. Blanca I. Bucao
Member

Dr. Rionel B. Caldo
Member

Engr. Donabel D. Abuan
Adviser

Date: July 23, 2016

De La Salle University

ACKNOWLEDGMENT

Write this prior to hard binding if you have submitted all requirements and are told by your adviser that you have passed.

ABSTRACT

Keep your abstract short by giving the gist/nutshell of your thesis.

Index Terms—alloy system, characterization, InP, InGaAs.

TABLE OF CONTENTS

De La Salle University

De La Salle University

De La Salle University

LIST OF FIGURES

LIST OF TABLES

ABBREVIATIONS

AC	Alternating Current	60
CSS	Cascading Style Sheet	60
HTML	Hyper-text Markup Language	60
XML	eXtensible Markup Language	60

NOTATION

$\lvert\mathcal{S}\rvert$	the number of elements in the set $\mathcal{S}$	62
$\emptyset$	the set with no elements	62
$h\left(t\right)$	impulse response	52
$\mathcal{S}$	a collection of distinct objects	62
$\mathcal{U}$	the set containing everything	62
$x\left(t\right)$	input signal represented in the time domain	52
$y\left(t\right)$	output signal represented in the time domain	52

Throughout this thesis, mathematical notations conform to ISO 80000-2 standard, e.g. variable names are printed in italics, the only exception being acronyms like e.g. SNR, which are printed in regular font. Constants are also set in regular font like j. Functions are also set in regular font, e.g. in $\sin\left(\cdot\right)$. Commonly used notations are t, f, $\mathrm{j} = \sqrt{-1}$, n and $\exp\left(\cdot\right)$, which refer to the time variable, frequency variable, imaginary unit, nth variable, and exponential function, respectively.

GLOSSARY

matrix a concise and useful way of uniquely representing and working with linear transformations; a rectangular table of elements 62

LISTINGS

Chapter 1

INTRODUCTION

Contents

De La Salle University

1.1 Background of the Study

There has been many reasons why one tries to avoid any outdoor activity but one of these is how the air feels whether it is too hot or too polluted or even both. One undeniable fact is that heat and humidity all play roles in making the weather hot. Both of these weather parameters are involved in the calculation of the heat index and the discomfort index.

Heat index and discomfort index have their similarities because the factors that affect these two are the temperature and the relative humidity. The heat index is the perceived temperature by people when the rising temperature and the relative humidity is combined. The unit used here is a unit of temperature and the mathematical formula for computing the heat index shows a rather direct square proportionality with the temperature and the humidity. But when it comes to a more human readable scale, reaching 34 degrees Celsius is already a discomfort to some. Reaching at least 46 degrees Celsius is already dangerous to all as this can cause heat stroke and even imminent death to some people. The discomfort index is similar to the heat index but instead, its mathematical formula only indicates a direct proportionality with the temperature and the relative humidity. The scaling is rather similar to that in the heat index. When the discomfort index reaches at least 21 degrees Celsius, it is already a discomfort for some people. Reaching 29 degrees Celsius is already dangerous to all that when it even gets higher, a state of emergency can be declared.

The human body is capable of regulating body temperature because of its abilities as a warm-blooded organism. When the human body detects extreme temperatures, it drastically adjusts the body just to get the internal temperature back to a normal 37 degrees Celsius. When your body detects a lot of heat, it tries to cool itself down by increasing your heart rate and sweating. However, one can sweat too much, he feels drained by the lack of fluids

in his body causing discomfort, weakness, loss of stamina, and even muscle pains, leading to a heat stroke.

Other than high temperatures and humidity, the pollutants in the air can be harmful to the respiratory system. Dust is a particle suspended in the air and it usually comes from the soil or the pollution. This can cause irritation in the respiratory system because dust entering the lungs can cause serious complications. This is already bad for those with respiratory problems such as asthma or emphysema. Carbon monoxide, however, is a colorless and odorless gas and it usually comes from smoke. When this is inhaled, it can cause serious complications in the body since this inhibits the delivery of oxygen from the blood to the other organs in the body which can cause death. Not only do all of this increase the risk of getting sickness but these also affect the visibility of an area.

This study will focus on a mobile application that enables people to have a foresight on how the outside air feels like. A microcontroller-based system will be used in detecting the parameters stated above while the mobile application will take note of the visibility with the use of the phone's camera.

1.2 Prior Studies

Some of the studies that the group has found are about the temperature and humidity monitoring systems. The temperature system can be constructed by using a simple microcontroller-based system with an important tool, the LM35 where the output voltage is directly proportional to the temperature detected. The same procedure can be done with the humidity sensor but this time, it does not make use of the LM35. Both of these sensors are good for agricultural applications and getting the air quality. Another study involves

the use of PM10 sensors in order to detect particulate matter that is 10 micrometers wide. An algorithm has been made with the use of the atmospheric reflectance for temporal monitoring. Another study introduces another concept of air monitoring by taking note of the pollutants present which are namely carbon monoxide, PM 2.5 , and ozone which make use of the MQ-7 4 sensor, MQ-131 sensor, and Sharp dust sensor respectively. Another study made use of getting the discomfort index by using temperature, humidity, atmospheric pressure, and carbon dioxide sensors. Finally, a study states the standards set by different parts of the world when it comes to the air quality. These standards all make use of the amount of pollutants present in the air as basis of air quality.

1.3 Problem Statement

Though there have been mobile applications that display the weather in real time, none have been able to show the discomfort index given the data. Also, there are no applications that tell the amount of dust or carbon monoxide in the air considering that these are some important factors when people choose to commute by an ordinary jeepney or do any outdoor activity in urban areas.

The aim of this study is to develop a new mobile application that is able to report the condition of the air such as weather parameters and the amount of pollutants present. The system will make use of a microcontroller along with different sensors that will measure the said parameters. Also, the mobile application will make use of computer vision to measure the visibility in an area.

Can a mobile application be developed to report real time conditions of the air and the amount of pollutants present with the used of a sensor-based microcontroller system?

1.4 Objectives

1.4.1 General Objective(s)

To design and develop an indoor/outdoor system for getting the discomfort index of the air. . . ;

1.4.2 Specific Objectives

1. To make use of the temperature, humidity, amount of dust, amount of carbon monoxide, and visibility in calculating discomfort index and measuring pollutants. . . ;
2. To utilize different sensors for temperature, humidity, dust, and carbon monoxide measurement. . . ;
3. To gather apparent information on the discomfort regarding heat and air pollution with the use of crowd sourcing . . . ;
4. To make use of computer vision with the use of a cellphone camera to measure visibility . . . ;
5. To achieve a social impact on the conditions and quality of the air for the people in urban areas where smoke is present and abundant . . . ;

1.5 Significance of the Study

The significance of this topic is to be able to design and produce a device of checking the air quality and discomfort index for the public health awareness. There are millions of

commuters in the Philippines riding jeepneys or light rail transit system. The problem of this way of commuting is the air because there are a lot of old vehicles producing smoke and most people just breathe in either direct or indirect way. It is very important for the people to know the status of the air to secure their respiratory health. Together with this, the group aim to the user friendly device that anyone can easily understand how to use the device through an android application. Since a lot of people uses android mobile phones, making an application for free will be very helpful. The application will display the required data in graphics so that it is easy to understand for the public and to make the aware of the effect of the environment to their health. This study will surely help a lot of people who still dont know about why it is important to know the air we are breathing outside.

1.6 Assumptions, Scope and Delimitations

1. The given data will only be determined by the air quality index and the discomfort index.
2. The application will be used only for displaying the data gathered in the device.
3. People should be able to know the importance of their respiratory system in the body.
4. Users must aware the connection between air pollution and lung cancer.
5. The device will only deal with the common factors for discomfort such as temperature, humidity, and the amount of dust in the air.

1.7 Description and Methodology

A device for checking air quality and discomfort index can be functional through the use of the electronic sensors attached in the circuit and sensors for dust, humidity, and temperature will provide the data for air quality index and discomfort index. The device will be user friendly so that anyone can easily control and use it for the given purpose.The goal for this project is to come up with a device and android application for air quality and discomfort index which will provide data related to the health of the public. Challenges to this project would be the design of the circuit with indicated sensors and the accuracy of the data gathered by the device. The size of the device matters because it has to be user friendly and this will be designed for the typical citizens like commuters. The prototype test would determine if it has accurate data and user friendly in general. Android application will be supporting the device as a method of health awareness. the application will be able to show the data gathered in the device and show the effect of air quality index and discomfort index for respiratory health. The information is also one of the important part because people must know why it is important to know the air quality and their discomfort level.

1.8 Estimated Work Schedule and Budget

1.9 Overview

In the first chapter, it will be helpful for readers to understand what is the purpose of making the device and android application and why it is important for the society. It also shows how the project will be implemented in the real world from the hypothesis. For the second part of the paper, there will be a lot of helpful literature related to the air quality,

De La Salle University

TABLE 1.1 GANNT CHART PART 1

	W1	W2	W3	W4	W5	W6	W7
Research for a topic	All						
Submission of proposed topic		All					
Background of the study			NP				
Statement of the problem			NP				
Objectives			NP, JC				
Scope and delimitation			JC				
Review of related literature			RN, RP				
Methodology				All	All		
Individual Research				All	All	All	All
Schematic diagram				NP	NP	NP	
Sensor Collection						JC, RN	JC, RN
Sensor Testing							
Arduino programming						NP	NP
Android programming						JC, RN	JC, RN
Android layout							
OpenCV Integration						RP	RP
Board design							
Board layout							
Fabrication							
Mounting							
Proofreading and Revisions							
Final documentation							
Defense							

De La Salle University

TABLE 1.2 GANNT CHART PART 2

	W8	W9	W10	W11	W12	W13	W14
Research for a topic							
Submission of proposed topic							
Background of the study							
Statement of the problem							
Objectives							
Scope and delimitation							
Review of related literature							
Methodology							
Individual Research	All	All	All	All	All		
Schematic diagram							
Sensor Collection	JC, RN						
Sensor Testing		All	All	All	All		
Arduino programming	NP	NP	NP	NP	NP		
Android programming	JC, RN	JC, RN	JC, RN	JC, RN	JC, RN		
Android layout			RP, RN	RP, RN	RP, RN		
OpenCV Integration	RP	RP	RP	RP			
Board design							
Board layout							
Fabrication							
Mounting							
Proofreading and Revisions						All	All
Final documentation						All	All
Defense							All

TABLE 1.3 ESTIMATED BUDGET

Laptop	30000
Android Phone	6000
Microcontroller	250
Temperature Sensor	85
Humidity Sensor	400
PM2.5 Sensor	1600
Carbon Monoxide Sensor	350
TOTAL COST	38685

discomfort index, respiratory health, prevention of lung cancer, effect of dust to the human body, circuit design for humidity, dust, and temperature sensors. These literature will guide the group what is the right way to develop a project and make it functional in order to fulfill the standard of the public. Theoretical considerations will be the key part to determine the data gathered from the device because there are theoretical standards in other research to know what are the air quality and discomfort index. Considering the design, it will be fully electronic design because the implementation in the hardware will be using electronic circuits. methodology will introduce how the data is gathered in the device and represented to the users. result and discussion will be providing the user feedback and the actual data given by the device in real situation. The value of this project will be determined in the conclusion based on all the provided data and actual simulation. It is the most important part to prove how this project fulfilled its purpose for the public health awareness.

Chapter 2

LITERATURE REVIEW

Contents

There are several existing studies or researches about different kinds of applications of air parameters. Most of the studies found relating to these parameters are temperature, humidity, temporal, wireless air quality and discomfort index monitoring systems and air quality standards.

2.1 Temperature Monitoring System

An important parameter, not only in the air but also in everything, is the temperature. It is very important to monitor temperature of objects because most objects are sensitive to changes in the temperature such as products and some machines. Some existing researches of temperature monitoring system are found in the field of agriculture. Recent studies [Chavan and V.Karande, 2014] shows how important data-acquisition systems in the agriculture through environmental monitoring. Environmental monitoring refers to the gathering of data of some parameters in the environment that may affect the products. Automated measurements are beneficial because gathering of data and measurements are made several times. Chavan and Karande have developed a system for wireless monitoring of soil moisture, temperature and humidity in the field of agriculture. The system uses a temperature sensor, humidity sensor and soil moisture sensor that are connected to an AVR microcontroller. It also uses GSM-Zigbee based remote monitoring and control system. The application of Zigbee to the monitoring system in the agriculture reduces human power and enables to evaluate some accurate changes that will happen.

Aside from the agricultural implementation of temperature monitoring, there are also existing studies that involves its application to automated systems for electronic devices or appliances. [Mohamed Abd El-Latif Mowad, 2014] designed a smart home automated

control system. The system uses a microcontroller for sensors and android application for the transmission of data and the receiving of data. One of the four major fields of the smart home system or SHS is the environmental monitoring, which includes the monitoring of the humidity and the temperature. The main components used in the system are microcontroller, adruino board, android and a bluetooth module. Wireless internet services are also used for several monitoring and controlling processes. The passive infrared sensors are capable off detecing movements of a human being through sensing the changes in the temperature over the scene. The SHS also uses LM35 temperature sensor for the Temperature sensing system for Air Conditioner. The system can transfer data from the sensors to the android phone. On the same way, it can transmit data or commands from the android to the appliances. The wireless monitoring of temperature allows the user to control electronic devices or appliances from anywhere in the world.

2.2 Humidity Monitoring System

Humidity is always associated with temperature. It plays an important role to human due to the skin being sensitive to the changes in humidity. This is also the reason why humans sweat. Not only humans are affected by the changes in the humidity in the air but also applies to the things related to the field of agriculture.

A group of researchers [Aji Hanggoro and Sari, 2013] designed a green house monitoring and controlling system using an android mobile application. The system can control the humidity inside a green house, based on the readings of the humidity sensor through the microcontroller which is connected to the central server and can be accessed through Wi-Fi connection. The system is consists of humidity sensor, Arduino UNO microcontroller,

serial communication, wireless connection and a computer. The data from the sensor will be transmitted to the microcontroller and transferred to the computer through serial communication. The computer will transmit the data to the android phone via wireless connection and the android phone can now control the system depending on the commands that will be selected. The android can receive data from the humidity sensor, send data for water sprayer to turn on, send data for stepper motor to work and other commands that the system is capable of doing. This system ensures the condition of the green house environment to be in good condition.

Other than agricultural applications, studies also shows how air quality such as temperature and humidity affects the health of a human being. Indoor air quality or IAQ is an important factor that may affect the level of comfort and the health of the people. This may increase the discomfort index of a human being which may result to difficulties in concentration or even headaches. [Folea and Mois, 2015] develop a wireless battery-powered system for online ambient monitoring. The system has the ability to monitor temperature, humidity, carbon dioxide level, absolute pressure and intensity of light in the indoor spaces. The data gathered can be sent through a computer for visualization and can send SMS for alarms. The system has sensors such as ambient, temperature, humidity and many more sensors to evaluate the indoor air quality. Wi-Fi connection is used as a data transmission, from the sensors to the computer, due to the fact that Wi-Fi can be found in almost every home. The study of indoor air quality will help prevent or solve issues that may affect the health and the performance of the people.

2.3 PM_{10} Temporal Monitoring

PM_{10} or particulate matter that have a diameter of 10 micrometers wide which are classified under fine particles. One study [Wong et al., 2007] used an internet protocol camera to observe real time changes in the amount of particles found in the air. The camera points to a reference location and the still images were divided into the RGB bands.

They developed an algorithm which makes use of the atmospheric reflectance and the concentration of the PM_{10} using regression. The amount of reflectance is measured using a spectroradiometer and the concentration of the particles are determined by the different RGB bands of the camera. The PM_{10} and the atmospheric reflectance are found to be linearly related through using the skylight parameter model, which utilizes the sun's radiation. The results produced were compared to a DustTrak meter and provide a high correlation coefficient of .78.

2.4 Wireless Air Quality Monitoring System

A study [Reilly et al., 2015] monitored the amount of different air pollutants using Arduino. The pollutants that are measured are carbon monoxide, $PM_{2.5}$, and ozone which make use of the MQ-7 sensor, MQ-131 sensor, and Sharp dust sensor respectively. The sensors are mounted onto a redboard as well as GSM shield to send data wirelessly. The sensors are calibrated using a co-located ADEQ (Air Quality Division) sensor and were validated. The device is placed around the metro area and the data collected will be compared to a monitoring station. Data was collected for a period of time and a trend was found in CO and ozone levels. However, the use of the Sharp dust sensor was not very effective but could find slight differences at high pollution times with low pollution times.

Another similar study [Hebbar et al., 2014] of an air monitoring device is implemented using a microcontroller where several sensors are placed and data is sent through GSM wirelessly. The design tests the amount of CO_2 levels indoors. It also measures the temperature and humidity of the atmosphere locally. Calibration of the sensors is done by concentrating known amount of a certain gas into a test chamber and determine its offset from the results obtained. The design was tested in a seminar hall and the results obtained showed that the start and end of each class attributed to the increase in CO_2 emission. The design also shows the data through an online GUI.

One similar design, called HazeWatch, is done using several sensors and cloud computing [Hu et al., 2016]. The design is made compact and portable and can be mounted onto a car or bike. Data is harvested using a mobile phone and records the location in real time. Data is then sent wirelessly to cloud-based servers and is interpolated (Inverse Weighing and Ordinary Kriging interpolation) to generate estimates. The data can then be view visually using contour maps of the pollution or gas concentration levels in the area. The results obtained are compared to similar products (*Node* and *SensorDrone*)

2.5 Discomfort Index Monitoring System

A research was made about the importance of monitoring and controlling of atmospheric conditions to the efficiency of the performance of the human beings [Noh et al., 2013] . They designed a wireless sensor module that uses a Zigbee communication and sensor module, which consists of temperature, humidity, CO_2 and atmospheric pressure sensor, that maintains a comfortable environment for human beings or to prevent discomfort. The sensor module is the transmitter which delivers the sensor data to the receiver and

the receiver will transmit the filtered or recovered sensor data to a microcontroller board in monitoring the room environment. The room monitoring system is able to provide a comfortable environment for human beings through the wireless sensor network or WSN for monitoring the room environment.

2.6 Air Quality Standards

This review shows the different indoor air quality standards set by different countries across the world. The data is collected from documents from different health and environmental organization. This paper can be set as a tool for evaluating acceptable concentrations of different pollutants within an area. The pollutants included in this study are ”carbon dioxide (CO_2), carbon monoxide (CO), formaldehyde (HCHO), nitrogen dioxide (NO_2), sulfur dioxide (SO_2), total volatile organic compounds (TVOCs) and particulate matter ($PM_{2.5}$ and PM_{10}).” The amount allowable depends on how bad the amount of a certain pollutant exists indoors. The paper also explains different harmful health effects each pollutant has on the human body.

Chapter 3

THEORETICAL CONSIDERATIONS

Contents

3.1 Microcontroller based temperature humidity meter using Arduino Platform

Arduino is one of the many micro-controller based systems that can be utilized to measure temperature and humidity level. It is a combination of hardware and software computer architecture system that has already made into several versions of small size chipsets. Both of these versions can be used along with the humidity and temperature sensors to detect temperature and humidity in the environment. Temperature and humidity level may vary depends on the locations since every different location are affected by various environments. Different time also affects the result due to the weather change and location of the sun in the sky. The Arduino microcontroller system implemented together with the sensor on a device like a portable temperature and humidity meter. The device used and temperature and humidity sensor must have a physical connection and battery for the power supply. The Arduino device will present the data into a LCD display, in order to make it easier for users to read the humidity and temperature levels.

3.2 Discomfort Index

Discomfort index refer to impact of heat and stress on the individual taking account the combined effect of temperature and humidity. This index is used as a standard to inform the user whether their respective places are not comfortable or good enough for an activity. Several temperature and humidity levels will be gathered in order to give a more accurate discomfort index as a result. Proper gathering of temperature and humidity level data is necessary to fulfill the purpose of the discomfort index. It is important for student to know

which location at the campus is uncomfortable because stress caused by the environments affects the welfare of the students at school.

3.3 Bluetooth Technology

Bluetooth is a wireless communication technology. This technology deals with the regulation of the flow of data. Data transmission is done though the wireless communication in this technology there are paired two devices and these devices can communicate to each other through Bluetooth. After the paring of devices, there is a process of data transfer. It is a bidirection technology since it is capable of sending and receiving data. It has a limited transmission distance between the two devices and it cannot transmit data in far distances. The temperature and humidity data from the Arduino device can be transferred into the android application in terms of wireless Bluetooth communication as indicated above information.

3.4 Comfortability indicator application at De La Salle university using Android platform

Android is one of the operating system programs that can be used in various purposes. This operating system already has several versions such as Ginger Bread, Ice Cream Sandwich, Jelly Bean, KitKat and Marshmallow. All these versions are compatible with the android operating system to show the comfortability indicator. Marshmallow is the latest version and it has the more functions than the older versions but most phones do not support this version yet. older version of android will be used since it is the version where a lot of

students are using it right now. The Comfortability Indicator application will based it on the temperature and humidity data gathered in the Arduino device and it will display the heat map to indicate which area is comfortable and which are not. The students will have information about the discomfort index and the effect of heat and stress to their health and welfare.

Chapter 4

DESIGN CONSIDERATIONS

Contents



Figure 4.1. System Model of the Project



Figure 4.2. System Flowchart



Figure 4.3. Circuit Configuration for Testing the DHT-11

```
1  #include <dht.h>
2
3  dht DHT;
4
5  #define DHT11_PIN 7
6
7  void setup(){
8    Serial.begin(9600);
9  }
10
11 void loop()
12 {
13   int chk = DHT.read11(DHT11_PIN);
14   Serial.print("Temperature = ");
15   Serial.println(DHT.temperature);
16   Serial.print("Humidity = ");
17   Serial.println(DHT.humidity);
18   delay(1000);
19 }
```

Figure 4.4. Code for Temperature and Humidity Gathering

$$DI = T - 0.55(1 - 0.01H)(T - 14.5) \tag{4.1}$$

Figure 4.5. Formula for Discomfort Index

4.1 Summary

According to the system model, the project will make use of an Arduino microcontroller system that will handle tasks of gathering inputs which are the temperature, humidity, amount of dust, and amount of carbon monoxide. These data will be transmitted an Android system. Afterwards, this data can be submitted to the Android cloud in real time. Each individual Android system in the cloud can make use of the camera to capture the image of the surroundings in order to get the visibility with the aid of computer vision. A crowdsourcing element is considered to be added in each system where the user can rank the amount of discomfort he feels in terms of the heat and air pollution. This information will be utilized in the cloud.

The current accomplishments for the group is the successful gathering of the temperature and humidity with the use of the Arduino system and the DHT-11 sensor. These values are rounded to the nearest units value.

Chapter 5

METHODOLOGY

Contents

5.1 Implementation

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.

De La Salle University

Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

5.2 Evaluation

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.

De La Salle University

Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

707

5.3 Summary

Chapter 6

RESULTS AND DISCUSSION

Contents

De La Salle University

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue

a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

6.1 Summary

Chapter 7

CONCLUSIONS, RECOMMENDATIONS, AND FUTURE DIRECTIVES

Contents

7.1 Concluding Remarks

In this Thesis, . . .

7.2 Contributions

The interrelated contributions and supplements that have been developed in this Thesisare listed as follows.

- the ;
- the ;
- the ;

7.3 Recommendations

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

De La Salle University

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue

a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

7.4 Future Prospects

There are several prospect related in this research that may be extended for further studies. . . . So the suggested topics are listed in the following.

1. the . . . .
2. the . . . .
3. the . . . .

REFERENCES

[Aji Hanggoro and Sari, 2013] Aji Hanggoro, Mahesa Adhitya Putra, R. R. and Sari, R. F. (2013). Green house monitoring and controlling using android mobile application. *Quality in Research 2013*.

[Chavan and V.Karande, 2014] Chavan, P. C. H. and V.Karande, M. (2014). Wireless monitoring of soil moisture, temperature & humidity using zigbee in agriculture. *International Journal of Engineering Trends and Technology (IJETT)*.

[Folea and Mois, 2015] Folea, S. C. and Mois, G. (2015). A low-power wireless sensor for online ambient monitoring. *IEEE SENSORS JOURNAL*.

[Hebbar et al., 2014] Hebbar, S., V, K., K, K. G., Kumar, A., Kumari, A. S. A., Yasasvi, R., Gupta, A. K., Mishra, V., Amrutur, B., and Bhat, N. (2014). System engineering and deployment of envirobat an urban air pollution monitoring device. In *Electronics, Computing and Communication Technologies (IEEE CONECCT), 2014 IEEE International Conference on*, pages 1–6.

[Hu et al., 2016] Hu, K., Sivaraman, V., Luxan, B. G., and Rahman, A. (2016). Design and evaluation of a metropolitan air pollution sensing system. *IEEE Sensors Journal*, 16(5):1448–1459.

[ISO, 2009] ISO (2009). 80000-2. *Quantities and units–Part 2: Mathematical signs and symbols to be used in the natural sciences and technology*.

[Mohamed Abd El-Latif Mowad, 2014] Mohamed Abd El-Latif Mowad, Ahmed Fathy, A. H. (2014). Smart home automated control system using android application and microcontroller. *International Journal of Scientific & Engineering Research*.

[Noh et al., 2013] Noh, S.-K., Kim, K.-S., and Ji, Y.-K. (2013). Design of a room monitoring system for wireless sensor networks. *International Journal of Distributed Sensor Networks*.

[Oetiker et al., 2014] Oetiker, T., Partl, H., Hyna, I., and Schlegl, E. (2014). *The Not So Short Introduction to LaTeX 2ε Or LaTeX 2ε in 157 minutes*. n.a.

[Reilly et al., 2015] Reilly, K. M., Birner, M. T., and Johnson, N. G. (2015). Measuring air quality using wireless self-powered devices. In *Global Humanitarian Technology Conference (GHTC), 2015 IEEE*, pages 267–272.

[Wong et al., 2007] Wong, C. J., MatJafri, M. Z., Abdullah, K., Lim, H. S., and Low, K. L. (2007). Temporal air quality monitoring using surveillance camera. In *2007 IEEE International Geoscience and Remote Sensing Symposium*, pages 2864–2868.

Produced: July 23, 2016, 22:27

Appendix A
ANSWERS TO QUESTIONS TO THIS THESIS

Contents

De La Salle University

A1 How important is the problem to practice?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A2 How will you know if the solution/s that you will achieve would be better than existing ones?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A2.1 How will you measure the improvement/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A2.1.1 What is/are your basis/bases for the improvement/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A2.1.2 Why did you choose that/those basis/bases?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A2.1.3 How significant are your measure/s of the improvement/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A3 What is the difference of the solution/s from existing ones?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A3.1 How is it different from previous and existing ones?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A4 What are the assumptions made (that are behind for your proposed solution to work)?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A4.1 Will your proposed solution/s be sensitive to these assumptions?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A4.2 Can your proposed solution/s be applied to more general cases when some of the assumptions are eliminated? If so, how?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A5 What is the necessity of your approach / proposed solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.

Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A5.1 What will be the limits of applicability of your proposed solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A5.2 What will be the message of the proposed solution to technical people? How about to non-technical managers and business men?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A6 How will you know if your proposed solution/s is/are correct?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla

tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A6.1 Will your results warrant the level of mathematics used (i.e., will the end justify the means)?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A7 Is/are there an/_ alternative way/s to get to the same solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A7.1 Can you come up with illustrating examples, or even better, counter examples to your proposed solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.

Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A7.2 Is there an approximation that can arrive at the essentially the same proposed solution/s more easily?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A8 If you were the examiner of your proposal, how would you present the proposal in another way?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A8.1 What are the weaknesses of your proposal?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.

Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Appendix B
USAGE EXAMPLES

The user is expected to have a working knowledge of LaTeX. A good introduction is in [Oetiker et al., 2014]. Its latest version can be accessed at http://www.ctan.org/tex-archive/info/lshort.

B1 Equations

The following examples show how to typeset equations in LaTeX. This section also shows examples of the use of `\gls{ }` commands in conjunction with the items that are in the `notation.tex` file. **Please make sure that the entries in `notation.tex` are those that are referenced in the LaTeX document files used by this Thesis. Please comment out unused notations and be careful with the commas and brackets in `notation.tex` .**

In (B.1), the output signal $y\left(t\right)$ is the result of the convolution of the input signal $x\left(t\right)$ and the impulse response $h\left(t\right)$.

$$y\left(t\right)=h\left(t\right)*x\left(t\right)=\int_{-\infty}^{+\infty}h\left(t-\tau\right)x\left(\tau\right)\mathrm{d}\tau \tag{B.1}$$

Other example equations are as follows.

$$\begin{bmatrix}\frac{V_1}{I_1}\end{bmatrix}=\begin{bmatrix}A & B\\ C & D\end{bmatrix}\begin{bmatrix}\frac{V_2}{I_2}\end{bmatrix} \tag{B.2}$$

$$\frac{1}{2}<\left|\mathrm{mod}\left(\left\lfloor\frac{y}{17}\right\rfloor 2^{-17\lfloor x\rfloor-\mathrm{mod}(\lfloor y\rfloor,17)},2\right)\right|, \tag{B.3}$$

$$|\zeta(x)^3\zeta(x+iy)^4\zeta(x+2iy)|=\exp\sum_{n,p}\frac{3+4\cos(ny\log p)+\cos(2ny\log p)}{np^{nx}}\geq 1 \tag{B.4}$$

1138 The verbatim LaTeX code of Sec. B1 is in List. B.1.

Listing B.1: Sample LaTeX code for equations and notations usage

```
1  The following examples show how to typeset equations in \LaTeX.
2
3  In~\eqref{eq:conv}, the output signal \gls{not:output_sigt} is the
       result of the convolution of the input signal \gls{not:input_sigt}
       and the impulse response \gls{not:ir}.
4
5  \begin{eqnarray}
6       y\left( t \right) = h\left( t \right) * x\left( t \right)=\int_{-\
            infty}^{+\infty}h\left( t-\tau \right)x\left( \tau \right) \
            mathrm{d}\tau
7     \label{eq:conv}
8  \end{eqnarray}
9
10 Other example equations are as follows.
11
12 \begin{eqnarray}
13    \left[ \dfrac{ V_{1} }{ I_{1} } \right] =
14    \begin{bmatrix}
15       A & B \\
16       C & D
17    \end{bmatrix}
18    \left[ \dfrac{ V_{2} }{ I_{2} } \right]
19    \label{eq:ABCD}
20 \end{eqnarray}
21
22 \begin{eqnarray}
23 {1\over 2} < \left\lfloor \mathrm{mod}\left(\left\lfloor {y \over 17} \
       right\rfloor 2^{-17 \lfloor x \rfloor - \mathrm{mod}(\lfloor y\
       rfloor, 17)},2\right)\right\rfloor,
24 \end{eqnarray}
25
26 \begin{eqnarray}
27 | \zeta(x)^3\zeta(x+iy)^4\zeta(x+2iy) | =
28 \exp\sum_{n,p}\frac{3+4\cos(ny\log p) +\cos (2ny\log p)}{np^{nx}}\ge 1
29 \end{eqnarray}
```

De La Salle University

B2 Notations

In order to use the standardized notation, the user is highly suggested to see the ISO 80000-2 standard [ISO, 2009]. The following were taken from `isomath-test.tex` .

Math alphabets

If there are other symbols in place of Greek letters in a math alphabet, it uses T1 or OT1 font encoding instead of OML.

mathnormal	$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9$
mathit	$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, ff, fi, ß, \circ, !, v, w, 0, 1, 9$
mathrm	$\mathrm{A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, ff, fi, ß, \circ, !, v, w, 0, 1, 9}$
mathbf	$\mathbf{A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, ff, fi, ß, \circ, !, v, w, 0, 1, 9}$
mathsf	$\mathsf{A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, ff, fi, ß, \circ, !, v, w, 0, 1, 9}$
mathtt	$\mathtt{A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \uparrow, \downarrow, ß, \circ, !, v, w, 0, 1, 9}$

New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-italic.

mathbfit	$\boldsymbol{A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9}$
mathsfit	$\mathit{A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9}$
mathsfbfit	$\boldsymbol{\mathit{A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9}}$

Do the math alphabets match?
$ax\alpha\omega\boldsymbol{ax\alpha\omega}\mathsf{ax\alpha\omega}\boldsymbol{\mathsf{ax\alpha\omega}}$ $T\Gamma C\Theta\boldsymbol{T\Gamma C\Theta}\mathsf{T\Gamma C\Theta}\boldsymbol{\mathsf{T\Gamma C\Theta}}TC\Theta\Gamma$

Vector symbols

Alphabetic symbols for vectors are boldface italic, $\boldsymbol{\lambda = e_1 \cdot a}$, while numeric ones (e.g. the zero vector) are bold upright, $\boldsymbol{a} + \mathbf{0} = \boldsymbol{a}$.

Matrix symbols

Symbols for matrices are boldface italic, too:[1] $\boldsymbol{\Lambda = E \cdot A}$.

[1] However, matrix symbols are usually capital letters whereas vectors are small ones. Exceptions are physical quantities like the force vector $\boldsymbol{F}$ or the electrical field $\boldsymbol{E}$.

Tensor symbols

Symbols for tensors are sans-serif bold italic,

$$\boldsymbol{\alpha} = \boldsymbol{e} \cdot \boldsymbol{a} \quad \Longleftrightarrow \quad \alpha_{ijl} = e_{ijk} \cdot a_{kl}.$$

The permittivity tensor describes the coupling of electric field and displacement:

$$\boldsymbol{D} = \epsilon_0 \boldsymbol{\epsilon}_\mathrm{r} \boldsymbol{E}$$

De La Salle University

Bold math version

The "bold" math version is selected with the commands `\boldmath` or `\mathversion{bold}`

mathnormal	$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9$
mathit	$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, ff, fi, ß, \circ, !, v, w, 0, 1, 9$
mathrm	$\mathrm{A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, ff, fi, ß, \circ, !, v, w, 0, 1, 9}$
mathbf	$\mathbf{A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, ff, fi, ß, \circ, !, v, w, 0, 1, 9}$
mathsf	$\mathsf{A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, ff, fi, ß, \circ, !, v, w, 0, 1, 9}$
mathtt	$\mathtt{A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \uparrow, \downarrow, ß, \circ, !, v, w, 0, 1, 9}$

New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-italic.

mathbfit	$\boldsymbol{A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9}$
mathsfit	$\mathit{A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9}$
mathsfbfit	$\boldsymbol{\mathit{A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9}}$

Do the math alphabets match?

$ax\alpha\omega ax\alpha\omega ax\alpha\omega \quad TC\Theta\Gamma TC\Theta\Gamma TC\Theta\Gamma$

Vector symbols

Alphabetic symbols for vectors are boldface italic, $\boldsymbol{\lambda = e_1 \cdot a}$, while numeric ones (e.g. the zero vector) are bold upright, $\boldsymbol{a + 0 = a}$.

Matrix symbols

Symbols for matrices are boldface italic, too:[2] $\boldsymbol{\Lambda = E \cdot A}$.

Tensor symbols

Symbols for tensors are sans-serif bold italic,

$$\boldsymbol{\alpha = e \cdot a} \quad \Longleftrightarrow \quad \boldsymbol{\alpha_{ijl} = e_{ijk} \cdot a_{kl}}.$$

The permittivity tensor describes the coupling of electric field and displacement:

$$\boldsymbol{D = \epsilon_0 \epsilon_r E}$$

[2] However, matrix symbols are usually capital letters whereas vectors are small ones. Exceptions are physical quantities like the force vector $\boldsymbol{F}$ or the electrical field $\boldsymbol{E}$.

The verbatim LaTeX code of Sec. B2 is in List. B.2.

Listing B.2: Sample LaTeX code for notations usage

```
% A teststring with Latin and Greek letters::
\newcommand{\teststring}{%
% capital Latin letters
% A,B,C,
A,B,
% capital Greek letters
%\Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Upsilon,\Phi,\Psi,
\Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Phi,\Psi,\Omega,
% small Greek letters
\alpha,\beta,\pi,\nu,\omega,
% small Latin letters:
% compare \nu, \omega, v, and w
v,w,
% digits
0,1,9
}


\subsection*{Math alphabets}

If there are other symbols in place of Greek letters in a math
alphabet, it uses T1 or OT1 font encoding instead of OML.

\begin{eqnarray*}
\mbox{mathnormal} &  & \teststring \\
\mbox{mathit} &  & \mathit{\teststring}\\
\mbox{mathrm} &  & \mathrm{\teststring}\\
\mbox{mathbf} &  & \mathbf{\teststring}\\
\mbox{mathsf} &  & \mathsf{\teststring}\\
\mbox{mathtt} &  & \mathtt{\teststring}
\end{eqnarray*}
 New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-
    italic.
\begin{eqnarray*}
\mbox{mathbfit}     &  & \mathbfit{\teststring}\\
\mbox{mathsfit}     &  & \mathsfit{\teststring}\\
\mbox{mathsfbfit} &  & \mathsfbfit{\teststring}
\end{eqnarray*}
%
Do the math alphabets match?

$
\mathnormal  {a x \alpha \omega}
\mathbfit    {a x \alpha \omega}
\mathsfbfit{a x \alpha \omega}
\quad
\mathsfbfit{T C \Theta \Gamma}
\mathbfit    {T C \Theta \Gamma}
\mathnormal  {T C \Theta \Gamma}
$

\subsection*{Vector symbols}
```

```
Alphabetic symbols for vectors are boldface italic,
$\vec{\lambda}=\vec{e}_{1}\cdot\vec{a}$,
while numeric ones (e.g. the zero vector) are bold upright,
$\vec{a} + \vec{0} = \vec{a}$.

\subsection*{Matrix symbols}

Symbols for matrices are boldface italic, too:%
\footnote{However, matrix symbols are usually capital letters whereas
    vectors
are small ones. Exceptions are physical quantities like the force
vector $\vec{F}$ or the electrical field $\vec{E}$.%
}
$\matrixsym{\Lambda}=\matrixsym{E}\cdot\matrixsym{A}.$


\subsection*{Tensor symbols}

Symbols for tensors are sans-serif bold italic,

\[
   \tensorsym{\alpha}  =  \tensorsym{e}\cdot\tensorsym{a}
   \quad \Longleftrightarrow \quad
   \alpha_{ijl}  =  e_{ijk}\cdot a_{kl}.
\]


The permittivity tensor describes the coupling of electric field and
displacement: \[
\vec{D}=\epsilon_{0}\tensorsym{\epsilon}_{\mathrm{r}}\vec{E}\]



\newpage
\subsection*{Bold math version}

The ``bold'' math version is selected with the commands
\verb+\boldmath+ or \verb+\mathversion{bold}+

{\boldmath
   \begin{eqnarray*}
   \mbox{mathnormal} &  & \teststring \\
   \mbox{mathit} &  & \mathit{\teststring}\\
   \mbox{mathrm} &  & \mathrm{\teststring}\\
   \mbox{mathbf} &  & \mathbf{\teststring}\\
   \mbox{mathsf} &  & \mathsf{\teststring}\\
   \mbox{mathtt} &  & \mathtt{\teststring}
   \end{eqnarray*}
    New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-
        italic.
   \begin{eqnarray*}
   \mbox{mathbfit}     &  & \mathbfit{\teststring}\\
   \mbox{mathsfit}     &  & \mathsfit{\teststring}\\
   \mbox{mathsfbfit} &  & \mathsfbfit{\teststring}
   \end{eqnarray*}
   %
   Do the math alphabets match?
```

```
    $
    \mathnormal  {a x \alpha \omega}
    \mathbfit    {a x \alpha \omega}
    \mathsfbfit{a x \alpha \omega}
    \quad
    \mathsfbfit{T C \Theta \Gamma}
    \mathbfit    {T C \Theta \Gamma}
    \mathnormal  {T C \Theta \Gamma}
    $

    \subsection*{Vector symbols}

    Alphabetic symbols for vectors are boldface italic,
    $\vec{\lambda}=\vec{e}_{1}\cdot\vec{a}$,
    while numeric ones (e.g. the zero vector) are bold upright,
    $\vec{a} + \vec{0} = \vec{a}$.




    \subsection*{Matrix symbols}

    Symbols for matrices are boldface italic, too:%
    \footnote{However, matrix symbols are usually capital letters whereas
        vectors
    are small ones. Exceptions are physical quantities like the force
    vector $\vec{F}$ or the electrical field $\vec{E}$.%
    }
    $\matrixsym{\Lambda}=\matrixsym{E}\cdot\matrixsym{A}.$


    \subsection*{Tensor symbols}

    Symbols for tensors are sans-serif bold italic,

    \[
        \tensorsym{\alpha}  =  \tensorsym{e}\cdot\tensorsym{a}
        \quad \Longleftrightarrow \quad
        \alpha_{ijl}  =  e_{ijk}\cdot a_{kl}.
    \]

    The permittivity tensor describes the coupling of electric field and
    displacement: \[
    \vec{D}=\epsilon_{0}\tensorsym{\epsilon}_{\mathrm{r}}\vec{E}\]
}
```

De La Salle University

B3 Abbreviation

This section shows examples of the use of LaTeXcommands in conjunction with the items that are in the `abbreviation.tex` and in the `glossary.tex` files. Please see List. B.3. **To lessen the LaTeX compilation time, it is suggested that you use `\acr{ }` only for the first occurrence of the word to be abbreviated.**

Again please see List. B.3. Here is an example of first use: alternating current (ac). Next use: ac. Full: alternating current (ac). Here's an acronym referenced using `\acr` : hyper-text markup language (html). And here it is again: html. If you are used to the `glossaries` package, note the difference in using `\gls` : hyper-text markup language (html). And again (no difference): hyper-text markup language (html). Here are some more entries:

- extensible markup language (xml) and cascading style sheet (css).
- Next use: xml and css.
- Full form: extensible markup language (xml) and cascading style sheet (css).
- Reset again.
- Start with a capital. Hyper-text markup language (html).
- Next: Html. Full: Hyper-text markup language (html).
- Prefer capitals? Extensible markup language (XML). Next: XML. Full: extensible markup language (XML).
- Prefer small-caps? Cascading style sheet (CSS). Next: CSS. Full: cascading style sheet (CSS).
- Resetting all acronyms.
- Here are the acronyms again:
- Hyper-text markup language (HTML), extensible markup language (XML) and cascading style sheet (CSS).
- Next use: HTML, XML and CSS.
- Full form: Hyper-text markup language (HTML), extensible markup language (XML) and cascading style sheet (CSS).

- Provide your own link text: style sheet.

The verbatim LaTeX code of Sec. B3 is in List. B.3.

Listing B.3: Sample LaTeX code for abbreviations usage

```
Again please see List.~\ref{lst:abbrv}. Here is an example of first use:
    \acr{ac}. Next use: \acr{ac}. Full: \gls{ac}.  Here's an acronym
   referenced using \verb| \acr |: \acr{html}.  And here it is again: \
   acr{html}. If you are used to the \texttt{glossaries} package, note
   the difference in using \verb| \gls |: \gls{html}. And again (no
   difference): \gls{html}. Here are some more entries:

\begin{itemize}

   \item \acr{xml} and \acr{css}.

   \item Next use: \acr{xml} and \acr{css}.

   \item Full form: \gls{xml} and \gls{css}.

   \item Reset again. \glsresetall{abbreviation}

   \item Start with a capital. \Acr{html}.

   \item Next: \Acr{html}. Full: \Gls{html}.

   \item Prefer capitals? \renewcommand{\acronymfont}[1]{\
      MakeTextUppercase{#1}} \Acr{xml}. Next: \acr{xml}. Full: \gls{xml
      }.

   \item Prefer small-caps? \renewcommand{\acronymfont}[1]{\textsc{#1}}
      \Acr{css}. Next: \acr{css}. Full: \gls{css}.

   \item Resetting all acronyms.\glsresetall{abbreviation}

   \item Here are the acronyms again:

   \item \Acr{html}, \acr{xml} and \acr{css}.

   \item Next use: \Acr{html}, \acr{xml} and \acr{css}.

   \item Full form: \Gls{html}, \gls{xml} and \gls{css}.

   \item Provide your own link text: \glslink{[textbf]css}{style}

\end{itemize}
```

De La Salle University

B4 Glossary

This section shows examples of the use of `\gls{ }` commands in conjunction with the items that are in the `glossary.tex` and `notation.tex` files. Note that entries in `notation.tex` are prefixed with "`not:`" label (see List. B.4).

Please make sure that the entries in `notation.tex` are those that are referenced in the LaTeX document files used by this Thesis. Please comment out unused notations and be careful with the commas and brackets in `notation.tex` .

- Matrices are usually denoted by a bold capital letter, such as $\boldsymbol{A}$. The matrix's (i, j)th element is usually denoted a_{ij}. Matrix $\mathbf{I}$ is the identity matrix.
- A set, denoted as $\mathcal{S}$, is a collection of objects.
- The universal set, denoted as $\mathcal{U}$, is the set of everything.
- The empty set, denoted as $\emptyset$, contains no elements.
- The cardinality of a set, denoted as $|\mathcal{S}|$, is the number of elements in the set.

The verbatim LaTeX code for the part of Sec. B4 is in List. B.4.

Listing B.4: Sample LaTeX code for glossary and notations usage

```
\begin{itemize}

   \item \Glspl{matrix} are usually denoted by a bold capital letter,
       such as $\mathbfit{A}$. The \gls{matrix}'s $(i,j)$th element is
       usually denoted $a_{ij}$. \Gls{matrix} $\mathbf{I}$ is the
       identity \gls{matrix}.

   \item A set, denoted as \gls{not:set}, is a collection of objects.

   \item The universal set,  denoted as \gls{not:universalSet}, is the
       set of everything.

   \item The empty set, denoted as \gls{not:emptySet}, contains no
       elements.

   \item The cardinality of a set, denoted as \gls{not:cardinality}, is
       the number of elements in the set.

\end{enumerate}
```

B5 Figure

This section shows several ways of placing figures. PDFLaTeX compatible files are PDF, PNG, and JPG. Please see the `figure` subdirectory.



Fig. B.1 A quadrilateral image example.

Fig. B.1 is a gray box enclosed by a dark border. List. B.5 shows the corresponding LaTeX code.

Listing B.5: Sample LaTeX code for a single figure

```
\begin{figure}[!htbp]
   \centering
      \includegraphics[width=0.5\textwidth]{example}
   \caption{A quadrilateral image example.}
   \label{fig:example}
\end{figure}
\cleardoublepage

Fig.~\ref{fig:example} is a gray box enclosed by a dark border. List.~\
    ref{lst:onefig} shows the corresponding \LaTeX \ code.
\end{figure}
```



(a) A sub-figure in the top row.



(b) A sub-figure in the middle row.



(c) A sub-figure in the bottom row.

Listing B.6: Sample LaTeX code for three figures on top of each other

```
\begin{figure}[!htbp]
\centering
\subbottom[A sub-figure in the top row.]{
\includegraphics[width=0.35\textwidth]{example}
\label{fig:top}
}
\vfill
\subbottom[A sub-figure in the middle row.]{
\includegraphics[width=0.35\textwidth]{example}
\label{fig:mid}
}
\vfill
\subbottom[A sub-figure in the bottom row.]{
\includegraphics[width=0.35\textwidth]{example}
\label{fig:botm}
}
\caption{Figures on top of each other}
\label{fig:tmb}
\end{figure}
```



(a) A sub-figure in the upper-left corner.



(b) A sub-figure in the upper-right corner.



(c) A sub-figure in the lower-left corner.



(d) A sub-figure in the lower-right corner

Fig. B.3 Four figures in each corner. See List. B.7 for the corresponding LaTeX code.

Listing B.7: Sample LaTeX code for the four figures

```
\begin{figure}[!htbp]
\centering
\subbottom[A sub-figure in the upper-left corner.]{
\includegraphics[width=0.45\textwidth]{example}
\label{fig:upprleft}
}
\hfill
\subbottom[A sub-figure in the upper-right corner.]{
\includegraphics[width=0.45\textwidth]{example}
\label{fig:uppright}
}
\vfill
\subbottom[A sub-figure in the lower-left corner.]{
\includegraphics[width=0.45\textwidth]{example}
\label{fig:lowerleft}
}
\hfill
\subbottom[A sub-figure in the lower-right corner]{
\includegraphics[width=0.45\textwidth]{example}
\label{fig:lowright}
}
\caption{Four figures in each corner. See List.~\ref{lst:fourfigs} for
    the corresponding \LaTeX \ code.}
\label{fig:fourfig}
\end{figure}
```

B6 Table

This section shows an example of placing a table (a long one). Table B.1 are the triples.

TABLE B.1 FEASIBLE TRIPLES FOR HIGHLY VARIABLE GRID

Time (s)	Triple chosen	Other feasible triples
0	(1, 11, 13725)	(1, 12, 10980), (1, 13, 8235), (2, 2, 0), (3, 1, 0)
2745	(1, 12, 10980)	(1, 13, 8235), (2, 2, 0), (2, 3, 0), (3, 1, 0)
5490	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
8235	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
10980	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
13725	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
16470	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
19215	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
21960	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
24705	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
27450	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
30195	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
32940	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
35685	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
38430	(1, 13, 10980)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
41175	(1, 12, 13725)	(1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
43920	(1, 13, 10980)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
46665	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
49410	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
52155	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
54900	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
57645	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
60390	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
63135	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
65880	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
68625	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
71370	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
74115	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
76860	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
79605	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
82350	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
85095	(1, 12, 13725)	(1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
87840	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
90585	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
93330	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
96075	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
98820	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
101565	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
104310	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
107055	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
109800	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
112545	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
115290	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
118035	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
120780	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
123525	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)

Continued on next page

Continued from previous page

Time (s)	Triple chosen	Other feasible triples
126270	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
129015	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
131760	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
134505	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
137250	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
139995	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
142740	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
145485	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
148230	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
150975	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
153720	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
156465	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
159210	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
161955	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
164700	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)

List. B.8 shows the corresponding LaTeX code.

Listing B.8: Sample LaTeX code for making typical table environment

```
\begin{center}
{\scriptsize
\begin{tabularx}{\textwidth}{p{0.1\textwidth}|p{0.2\textwidth}|p{0.5\textwidth}}
\caption{Feasible triples for highly variable grid} \label{tab:triple_grid} \\
\hline
\hline
\textbf{Time (s)} &
\textbf{Triple chosen} &
\textbf{Other feasible triples} \\
\hline
\endfirsthead
\multicolumn{3}{c}%
{\textit{Continued from previous page}} \\
\hline
\hline
\textbf{Time (s)} &
\textbf{Triple chosen} &
\textbf{Other feasible triples} \\
\hline
\endhead
\hline
\multicolumn{3}{r}{\textit{Continued on next page}} \\
\endfoot
\hline
\endlastfoot
\hline

0 & (1, 11, 13725) & (1, 12, 10980), (1, 13, 8235), (2, 2, 0), (3, 1, 0) \\
2745 & (1, 12, 10980) & (1, 13, 8235), (2, 2, 0), (2, 3, 0), (3, 1, 0) \\
5490 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
8235 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
10980 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
13725 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
16470 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
19215 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
21960 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
24705 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
27450 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
30195 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
32940 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
35685 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
38430 & (1, 13, 10980) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
```

```
41175 & (1, 12, 13725) & (1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
43920 & (1, 13, 10980) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
46665 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
49410 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
52155 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
54900 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
57645 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
60390 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
63135 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
65880 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
68625 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
71370 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
74115 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
76860 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
79605 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
82350 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
85095 & (1, 12, 13725) & (1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
87840 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
90585 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
93330 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
96075 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
98820 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
101565 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
104310 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
107055 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
109800 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
112545 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
115290 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
118035 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
120780 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
123525 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
126270 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
129015 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
131760 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
134505 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
137250 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
139995 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
142740 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
145485 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
148230 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
150975 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
153720 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
156465 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
159210 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
161955 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
164700 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
\end{tabularx}
}
\end{center}
```

B7 Algorithm or Pseudocode Listing

Table B.2 shows an example pseudocode. Note that if the pseudocode exceeds one page, it can mean that its implementation is not modular. List. B.9 shows the corresponding LaTeX code.

TABLE B.2 CALCULATION OF $y = x^n$

Input(s):		
n	:	nth power; $n \in \mathbb{Z}^+$
x	:	base value; $x \in \mathbb{R}^+$
Output(s):		
y	:	result; $y \in \mathbb{R}^+$

Require: $n \geq 0 \vee x \neq 0$
Ensure: $y = x^n$
1: $y \Leftarrow 1$
2: **if** $n < 0$ **then**
3: $X \Leftarrow 1/x$
4: $N \Leftarrow -n$
5: **else**
6: $X \Leftarrow x$
7: $N \Leftarrow n$
8: **end if**
9: **while** $N \neq 0$ **do**
10: **if** N is even **then**
11: $X \Leftarrow X \times X$
12: $N \Leftarrow N/2$
13: **else** $\{N$ is odd$\}$
14: $y \Leftarrow y \times X$
15: $N \Leftarrow N - 1$
16: **end if**
17: **end while**

Listing B.9: Sample LaTeX code for algorithm or pseudocode listing usage

```
\begin{table}[!htbp]
   \caption{Calculation of $y = x^n$}
   \label{tab:calcxn}
   {\footnotesize
   \begin{tabular}{lll}
   \hline
   \hline
   {\bfseries Input(s):} & & \\
   $n$ & : & $n$th power; $n \in \mathbb{Z}^{+}$ \\
   $x$ & : & base value; $x \in \mathbb{R}^{+}$ \\
   \hline
   {\bfseries Output(s):} & & \\
   $y$ & : & result; $y \in \mathbb{R}^{+}$  \\
   \hline
   \hline
   \\
   \end{tabular}
   }
   \begin{algorithmic}[1]
   {\footnotesize
      \REQUIRE $n \geq 0 \vee x \neq 0$
      \ENSURE $y = x^n$
      \STATE $y \Leftarrow 1$
      \IF{$n < 0$}
            \STATE $X \Leftarrow 1 / x$
            \STATE $N \Leftarrow -n$
      \ELSE
            \STATE $X \Leftarrow x$
            \STATE $N \Leftarrow n$
      \ENDIF
      \WHILE{$N \neq 0$}
            \IF{$N$ is even}
                  \STATE $X \Leftarrow X \times X$
                  \STATE $N \Leftarrow N / 2$
            \ELSE[$N$ is odd]
                  \STATE $y \Leftarrow y \times X$
                  \STATE $N \Leftarrow N - 1$
            \ENDIF
      \ENDWHILE
   }
   \end{algorithmic}
\end{table}
```

B8 Program/Code Listing

List. B.10 is a program listing of a C code for computing Fibonacci numbers by calling the actual code. Please see the `code` subdirectory.

Listing B.10: Computing Fibonacci numbers in C (./code/fibo.c)

```
/* fibo.c -- It prints out the first N Fibonacci
 *           numbers.
 */

#include <stdio.h>

int main(void) {
    int n;        /* Number of fibonacci numbers we will print */
    int i;        /* Index of fibonacci number to be printed next */
    int current;  /* Value of the (i)th fibonacci number */
    int next;     /* Value of the (i+1)th fibonacci number */
    int twoaway;  /* Value of the (i+2)th fibonacci number */

    printf("How many Fibonacci numbers do you want to compute? ");
    scanf("%d", &n);
    if (n<=0)
       printf("The number should be positive.\n");
    else {
      printf("\n\n\tI \t Fibonacci(I) \n\t====================\n");
      next = current = 1;
      for (i=1; i<=n; i++) {
   printf("\t%d \t\t\t%d\n", i, current);
   twoaway = current+next;
   current = next;
   next    = twoaway;
      }
    }
}

/* The output from a run of this program was:

How many Fibonacci numbers do you want to compute? 9

   I   Fibonacci(I)
   ====================
   1      1
   2      1
   3      2
   4      3
   5      5
   6      8
   7      13
   8      21
   9      34

*/
```

List. B.11 shows the corresponding LaTeX code.

Listing B.11: Sample LaTeX code for program listing

```
List.~\ref{lst:fib_c} is a program listing of a C code for computing
    Fibonacci numbers by calling the actual code. Please see the \verb|
    code | subdirectory.
```

B9 Referencing

Referencing chapters: This appendix is in Appendix B, which is about examples in using various LaTeX commands.

Referencing sections: This section is Sec. B9, which shows how to refer to the locations of various labels that have been placed in the LaTeX files. List. B.12 shows the corresponding LaTeX code.

Listing B.12: Sample LaTeX code for referencing sections

```
Referencing sections: This section is Sec.~\ref{sec:ref}, which shows
    how to refer to the locations of various labels that have been
    placed in the \LaTeX \ files. List.~\ref{lst:refsec} shows the
    corresponding \LaTeX \ code.
```

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

De La Salle University

B9.1 A subsection

Referencing subsections: This section is Sec. B9.1, which shows how to refer to a subsection. List. B.13 shows the corresponding LaTeX code.

Listing B.13: Sample LaTeX code for referencing subsections

```
Referencing subsections: This section is Sec.~\ref{sec:subsec}, which
    shows how to refer to a subsection. List.~\ref{lst:refsub} shows the
     corresponding \LaTeX \ code.
```

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

B9.1.1 A sub-subsection

Referencing sub-subsections: This section is Sec. B9.1.1, which shows how to refer to a sub-subsection. List. B.14 shows the corresponding LaTeX code.

Listing B.14: Sample LaTeX code for referencing sub-subsections

```
Referencing sub-subsections: This section is Sec.~\ref{sec:subsubsec},
    which shows how to refer to a sub-subsection. List.~\ref{lst:
    refsubsub} shows the corresponding \LaTeX \ code.
```

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

B10 Index

For key words or topics that are expected (or the user would like) to appear in the Index, use `index{key}` , where `key` is an example keyword to appear in the Index. For example, Fredholm integral and Fourier operator of the following paragraph are in the Index.

If we make a very large matrix with complex exponentials in the rows (i.e., cosine real parts and sine imaginary parts), and increase the resolution without bound, we approach the kernel of the Fredholm integral equation of the 2nd kind, namely the Fourier operator that defines the continuous Fourier transform.

List. B.15 is a program listing of the above-mentioned paragraph.

Listing B.15: Sample LaTeX code for Index usage

```
If we make a very large matrix with complex exponentials in the rows (i.
    e., cosine real parts and sine imaginary parts), and increase the
    resolution without bound, we approach the kernel of the \index{
    Fredholm integral} Fredholm integral equation of the 2nd kind,
    namely the \index{Fourier} Fourier operator that defines the
    continuous Fourier transform.
```

B11 Adding Relevant PDF Pages (e.g. Standards, Datasheets, Specification Sheets, Application Notes, etc.)

Selected PDF pages can be added (see List. B.16), but note that the options must be tweaked. See the manual of `pdfpages` for other options.

Listing B.16: Sample LaTeX code for including PDF pages

```
\includepdf[pages={8-10},%
offset=3.5mm -10mm,%
scale=0.73,%
frame]
{./reference/Xilinx2015-UltraScaleArchitectureOverview.pdf}
```

Virtex UltraScale FPGA Feature Summary

Table 6: **Virtex UltraScale FPGA Feature Summary**

	VU065	VU080	VU095	VU125	VU160	VU190	VU440
Logic Cells	626,640	780,000	940,800	1,253,280	1,621,200	1,879,920	4,432,680
CLB Flip-Flops	716,160	891,424	1,075,200	1,432,320	1,852,800	2,148,480	5,065,920
CLB LUTs	358,080	445,712	537,600	716,160	926,400	1,074,240	2,532,960
Maximum Distributed RAM (Mb)	4.8	3.9	4.8	9.7	12.7	14.5	28.7
Block RAM/FIFO w/ECC (36Kb each)	1,260	1,421	1,728	2,520	3,276	3,780	2,520
Total Block RAM (Mb)	44.3	50.0	60.8	88.6	115.2	132.9	88.6
CMT (1 MMCM, 2 PLLs)	10	16	16	20	30	30	30
I/O DLLs	40	64	64	80	120	120	120
Fractional PLLs	5	8	8	10	15	15	0
Maximum HP I/Os(1)	468	780	780	780	650	650	1,404
Maximum HR I/Os(2)	52	52	52	104	52	52	52
DSP Slices	600	672	768	1,200	1,560	1,800	2,880
System Monitor	1	1	1	2	3	3	3
PCIe Gen3 x8	2	4	4	4	5	6	6
150G Interlaken	3	6	6	6	8	9	0
100G Ethernet	3	4	4	6	9	9	3
GTH 16.3Gb/s Transceivers	20	32	32	40	52	60	48
GTY 30.5Gb/s Transceivers	20	32	32	40	52	60	0

Notes:
1. HP = High-performance I/O with support for I/O voltage from 1.0V to 1.8V.
2. HR = High-range I/O with support for I/O voltage from 1.2V to 3.3V.

Virtex UltraScale Device-Package Combinations and Maximum I/Os

Table 7: **Virtex UltraScale Device-Package Combinations and Maximum I/Os**

Package[1][2][3]	Package Dimensions (mm)	VU065	VU080	VU095	VU125	VU160	VU190	VU440
		HR, HP GTH, GTY	HR, HP GTH, GTY	HR, HP GTH, GTY	HR, HP GTH, GTY	HR, HP GTH, GTY	HR, HP GTH, GTY	HR, HP GTH, GTY
FFVC1517	40x40	52, 468 20, 20	52, 468 20, 20	52, 468 20, 20				
FFVD1517	40x40		52, 286 32, 32	52, 286 32, 32				
FLVD1517	40x40				52, 286 40, 32			
FFVB1760	42.5x42.5		52, 650 32, 16	52, 650 32, 16				
FLVB1760	42.5x42.5				52, 650 36, 16			
FFVA2104	47.5x47.5		52, 780 28, 24	52, 780 28, 24				
FLVA2104	47.5x47.5				52, 780 28, 24			
FFVB2104	47.5x47.5		52, 650 32, 32	52, 650 32, 32				
FLVB2104	47.5x47.5				52, 650 40, 36			
FLGB2104	47.5x47.5					52, 650 40, 36	52, 650 40, 36	
FFVC2104	47.5x47.5			52, 364 32, 32				
FLVC2104	47.5x47.5				52, 364 40, 40			
FLGC2104	47.5x47.5					52, 364 52, 52	52, 364 52, 52	
FLGB2377	50x50							52, 1248 36, 0
FLGA2577	52.5x52.5						0, 448 60, 60	
FLGA2892	55x55							52, 1404 48, 0

Notes:

1. Go to Ordering Information for package designation details.
2. All packages have 1.0mm ball pitch.
3. Packages with the same last letter and number sequence, e.g., A2104, are footprint compatible with all other UltraScale architecture-based devices with the same sequence. The footprint compatible devices within this family are outlined. See the UltraScale Architecture Product Selection Guide for details on inter-family migration.

Virtex UltraScale+ FPGA Feature Summary

Table 8: **Virtex UltraScale+ FPGA Feature Summary**

	VU3P	VU5P	VU7P	VU9P	VU11P	VU13P
Logic Cells	689,640	1,051,010	1,379,280	2,068,920	2,147,040	2,862,720
CLB Flip-Flops	788,160	1,201,154	1,576,320	2,364,480	2,453,760	3,271,680
CLB LUTs	394,080	600,577	788,160	1,182,240	1,226,880	1,635,840
Max. Distributed RAM (Mb)	12.0	18.3	24.1	36.1	34.8	46.4
Block RAM/FIFO w/ECC (36Kb each)	720	1,024	1,440	2,160	2,016	2,688
Block RAM (Mb)	25.3	36.0	50.6	75.9	70.9	94.5
UltraRAM Blocks	320	470	640	960	1,152	1,536
UltraRAM (Mb)	90.0	132.2	180.0	270.0	324.0	432.0
CMTs (1 MMCM and 2 PLLs)	10	20	20	30	12	16
Max. HP I/O(1)	520	832	832	832	624	832
DSP Slices	2,280	3,474	4,560	6,840	8,928	11,904
System Monitor	1	2	2	3	3	4
GTY Transceivers 32.75Gb/s	40	80	80	120	96	128
PCIe Gen3 x16 and Gen4 x8	2	4	4	6	3	4
150G Interlaken	3	4	6	9	9	12
100G Ethernet w/RS-FEC	3	4	6	9	6	8

Notes:
1. HP = High-performance I/O with support for I/O voltage from 1.0V to 1.8V.

Virtex UltraScale+ Device-Package Combinations and Maximum I/Os

Table 9: **Virtex UltraScale+ Device-Package Combinations and Maximum I/Os**

Package (1)(2)(3)	Package Dimensions (mm)	VU3P	VU5P	VU7P	VU9P	VU11P	VU13P
		HP, GTY	HP, GTY	HP, GTY	HP, GTY	HP, GTY	HP, GTY
FFVC1517	40x40	520, 40					
FLVF1924	45x45					624, 64	
FLVA2104	47.5x47.5		832, 52	832, 52	832, 52		
FHVA2104	52.5x52.5(4)						832, 52
FLVB2104	47.5x47.5		702, 76	702, 76	702, 76	624, 76	
FHVB2104	52.5x52.5(4)						702, 76
FLVC2104	47.5x47.5		416, 80	416, 80	416, 104	416, 96	
FHVC2104	52.5x52.5(4)						416, 104
FLVA2577	52.5x52.5				448, 120	448, 96	448, 128

Notes:
1. Go to Ordering Information for package designation details.
2. All packages have 1.0mm ball pitch.
3. Packages with the same last letter and number sequence, e.g., A2104, are footprint compatible with all other UltraScale devices with the same sequence. The footprint compatible devices within this family are outlined.
4. These 52.5x52.5mm overhang packages have the same PCB ball footprint as the corresponding 47.5x47.5mm packages (i.e., the same last letter and number sequence) and are footprint compatible.

Appendix C
PUBLICATION LIST AND AWARD

Journal

1. ...
2. ...

Conference

1. ...
2. ...

De La Salle University

Others

1. ...
2. ...

Award

1. ...
2. ...

Appendix D
VITA

Junlae Cheong is a sixth year student at De La Salle University. He is currently taking up his B.Sc. Computer Engineering studies. His strengths in the field are electronics circuit design and configuration. His fields of interest are electronics hardware and computer microprocessor.

Rohit P. Nihalani is a third year student at De La Salle University. He is currently taking up his B.Sc. Computer Engineering studies. He has designed communcation systems which covers basic AM radios. His fields of interest are digital communications and computer networks.

Noel B. Paulino is a third year student at De La Salle University. He is currently taking up his B.Sc. Computer Engineering studies. His strengths in the field are microcontroller program design and advanced electronics.



Ryback Tyrone G. Po is a fourth year student at De La Salle University. He is currently taking up his B.Sc. Computer Engineering studies. He has designed and

programmed electronic circuits that includes microcontrollers. His strengths in the field are microcontroller simulation and programming.

INDEX