

2	Mobile Phone Application for Measuring Air Parameters in Getting Discomfort Index and
3	Amount of Air Pollutants with the Use of a Microcontroller-based System
4	
5	A Thesis
6	Presented to the Faculty of the
7	Department of Electronics and Communications Engineering
8	Gokongwei College of Engineering
9	De La Salle University
	20 24 Sunt Chirototy
10	
1	In Partial Fulfillment of the
12	Requirements for the Degree of
13	Bachelor of Science in Computer Engineering
14	
15	by
16	CHEONG, Junlae
17	NIHALANI, Rohit P.
18	PAULINO, Noel B.
19	PO, Ryback Tyrone G.
20	June, 2016



#### ORAL DEFENSE RECOMMENDATION SHEET

This thesis, entitled Mobile Phone Application for Measuring Air Parameters in Getting Discomfort Index and Amount of Air Pollutants with the Use of a Microcontroller-based System, prepared and submitted by thesis group, ESG-04, composed of:

CHEONG, Junlae NIHALANI, Rohit P. PAULINO, Noel B. PO, Ryback Tyrone G.

in partial fulfillment of the requirements for the degree of **Bachelor of Science in Computer Engineering** (**BS-CPE**) has been examined and is recommended for acceptance and approval for **ORAL DEFENSE**.

Engr. Donabel D. Abuan
Adviser

June 12, 2016

	D	e La Salle Uni	versity
38	THE	SIS APPROVAL SH	EET
39	This thesis entitled Mobile P	Phone Application for Measur	ring Air Parameters in Get-
40		mount of Air Pollutants with	the Use of a Microcontroller-
41	based System, prepared and	submitted by:	
42 43		CHEONG, Junlae	
43		NIHALANI, Rohit P.	
45		PAULINO, Noel B.	
46		PO, Ryback Tyrone G.	
47 48 49 50		in partial fulfillment of the reconputer Engineering (BS-CPI and approval.	<u>-</u>
51		PANEL OF EXAMINERS	
52			
53		Engr. Julius P. Bancud	
54		Chair	
55	Engr. Blanca I. Bucao Member	_	Dr. Rionel B. Caldo  Member
56			
57		Engr. Donabel D. Abuan	
58		Adviser	
59		Date: June 12, 2016	





## **ACKNOWLEDGMENT**

64

65

Write this prior to hard binding if you have submitted all requirements and are told by your adviser that you have passed.

TANKL!	De	La	Salle	Unive	ersity
MANILA					J

## 67 ABSTRACT

- Keep your abstract short by giving the gist/nutshell of your thesis.
- 69 *Index Terms*—alloy system, characterization, InP, InGaAs.



# **TABLE OF CONTENTS**

71	Oral Defense Recommendation Sheet	ii
72	Thesis Approval Sheet	iii
73	Acknowledgment	v
74	Abstract	vi
75	Table of Contents	vii
76	List of Figures	X
77	List of Tables	хi
78	Abbreviations	xii
79	Notation	xiii
80	Glossary	xiv
81	Listings	xv
82 83	Chapter 1 INTRODUCTION  1.1 Background of the Study	1 2
84	1.2 Prior Studies	3
85 86	1.3 Problem Statement	4 5
87 88	1.4.1 General Objective(s)	5 5
89	1.5 Significance of the Study	5
90 91	<ul><li>1.6 Assumptions, Scope and Delimitations</li></ul>	6
92	1.8 Estimated Work Schedule and Budget	7
93	1.9 Overview	7
94 95	Chapter 2 LITERATURE REVIEW  2.1 Temperature Monitoring System	<b>10</b> 11



96	2.2 Humidity Monitoring System	12
97	2.3 PM <sub>10</sub> Temporal Monitoring	14
98	2.4 Wireless Air Quality Monitoring System	
99	2.5 Discomfort Index Monitoring System	
100	2.6 Air Quality Standards	16
101	Chapter 3 THEORETICAL CONSIDERATIONS	17
102	3.1 Summary	19
103	Chapter 4 DESIGN CONSIDERATIONS	<b>2</b> 1
104	4.1 Summary	23
105	Chapter 5 METHODOLOGY	24
106	5.1 Implementation	
107	5.2 Evaluation	
108	5.3 Summary	29
109	Chapter 6 RESULTS AND DISCUSSION	30
110	6.1 Summary	32
111	Chapter 7 CONCLUSIONS, RECOMMENDATIONS, AND FUTURE D	IREC-
112	TIVES	33
113	7.1 Concluding Remarks	34
114	7.2 Contributions	34
115	7.3 Recommendations	34
116	7.4 Future Prospects	36
117	References	37
118	Appendix A ANSWERS TO QUESTIONS TO THIS THESIS	38
119	A1 How important is the problem to practice?	
120	A2 How will you know if the solution/s that you will achieve would be b	
121	than existing ones?	39
122	A2.1 How will you measure the improvement/s?	39
123	A2.1.1 What is/are your basis/bases for the improvement/s'	
124	A2.1.2 Why did you choose that/those basis/bases?	
125	A2.1.3 How significant are your measure/s of the improver	
126	A3 What is the difference of the solution/s from existing ones?	
127	A3.1 How is it different from previous and existing ones?	
128	A4 What are the assumptions made (that are behind for your proposed soluto work)?	
129	to work):	4



130	A4.1 Will your proposed solution/s be sensitive to these assumptions? .	42
131	A4.2 Can your proposed solution/s be applied to more general cases	
132	I '	42
133		42
134	Tr J Tr	43
135	A5.2 What will be the message of the proposed solution to technical	
136		43
137	J 1 1	43
138	A6.1 Will your results warrant the level of mathematics used (i.e., will	
139	,	44
140	<i>g </i>	44
141	A7.1 Can you come up with illustrating examples, or even better, counter	
142	The state of the s	44
143	A7.2 Is there an approximation that can arrive at the essentially the same	
144	1 1	45
145	A8 If you were the examiner of your proposal, how would you present the	4.~
146	1 1	45
147	A8.1 What are the weaknesses of your proposal?	45
148	Appendix B USAGE EXAMPLES	47
149	• •	48
150	B2 Notations	50
151	B3 Abbreviation	56
152	B4 Glossary	58
153	B5 Figure	59
154		65
155	$\epsilon$	69
156	$\varepsilon$	71
157	$\boldsymbol{\mathcal{U}}$	73
158		74
159		75
160		76
161	B11 Adding Relevant PDF Pages (e.g. Standards, Datasheets, Specification	
162	Sheets, Application Notes, etc.)	77
163	Appendix C PUBLICATION LIST AND AWARD	81
164	Appendix D VITA	83
,		
165	Index	85



## **LIST OF FIGURES**

166

167

3.1	A quadrilateral image example	20
B.1	A quadrilateral image example	59
B.2	Figures on top of each other. See List. B.6 for the corresponding LaTeX code.	61
B.3	Four figures in each corner. See List. B.7 for the corresponding LATEX code	63



## LIST OF TABLES

172	1.1	Add caption	8
173	1.2	Add caption	Ģ
174	B.1	Feasible triples for highly variable grid	65
175	B.2	Calculation of $y = x^n$	69



## **ABBREVIATIONS**

177	AC	Alternating Current	56
178	HTML	Hyper-text Markup Language	56
179	CSS	Cascading Style Sheet	
180	XML	eXtensible Markun Language	56



## **NOTATION**

192

193

194

182	${\mathcal S}$	a collection of distinct objects
183	$\mathcal{U}$	the set containing everything
184	Ø	the set with no elements
185	$ \mathcal{S} $	the number of elements in the set $S$
186	$h\left( t\right)$	impulse response
187	x(t)	input signal represented in the time domain
188	$y\left(t\right)$	output signal represented in the time domain
189	Throughou	at this thesis, mathematical notations conform to ISO 80000-2 standard, e.g
190	variable na	ames are printed in italics, the only exception being acronyms like e.g. SNR
191	which are p	printed in regular font. Constants are also set in regular font like j. Functions are

Throughout this thesis, mathematical notations conform to ISO 80000-2 standard, e.g. variable names are printed in italics, the only exception being acronyms like e.g. SNR, which are printed in regular font. Constants are also set in regular font like j. Functions are also set in regular font, e.g. in  $\sin(\cdot)$ . Commonly used notations are t, f,  $j = \sqrt{-1}$ , n and  $\exp(\cdot)$ , which refer to the time variable, frequency variable, imaginary unit, nth variable, and exponential function, respectively.



## 195 GLOSSARY

196



## **LISTINGS**

198	B.1	Sample LATEX code for equations and notations usage	49
199	B.2	Sample LATEX code for notations usage	53
200	B.3	Sample LATEX code for abbreviations usage	57
201	B.4	Sample LATEX code for glossary and notations usage	58
202	B.5	Sample LATEX code for a single figure	60
203	B.6	Sample LaTeX code for three figures on top of each other	62
204	B.7	Sample LATEX code for the four figures	64
205	B.8	Sample LaTeX code for making typical table environment	67
206	B.9	Sample LATEX code for algorithm or pseudocode listing usage	70
207	B.10	Computing Fibonacci numbers	71
208	B.11	Sample LATEX code for program listing	72
209	B.12	Sample LATEX code for referencing sections	73
210	B.13	Sample LATEX code for referencing subsections	74
211	B.14	Sample LATEX code for referencing sub-subsections	75
212	B.15	Sample LATEX code for Index usage	76
213		Sample LATEX code for including PDF pages	77



# **Chapter 1**

## **INTRODUCTION**

#### **Contents**

1.1	Background of the Study	2
	Prior Studies	3
1.3	Problem Statement	4
1.4	Objectives	5
	1.4.1 General Objective(s)	5
	1.4.2 Specific Objectives	5
1.5	Significance of the Study	5
1.6	Assumptions, Scope and Delimitations	6
1.7	Description and Methodology	6
1.8	Estimated Work Schedule and Budget	7
1.9	Overview	7



There has been many reasons why one tries to avoid any outdoor activity but one of these is

### 1.1 Background of the Study

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

how the air feels whether it is too hot or too polluted or even both. One undeniable fact is that heat and humidity all play roles in making the weather hot. Both of these weather parameters are involved in the calculation of the heat index and the discomfort index. Heat index and discomfort index have their similarities because the factors that affect these two are the temperature and the relative humidity. The heat index is the perceived temperature by people when the rising temperature and the relative humidity is combined. The unit used here is a unit of temperature and the mathematical formula for computing the heat index shows a rather direct square proportionality with the temperature and the humidity. But when it comes to a more human readable scale, reaching 34 degrees Celsius is already a discomfort to some. Reaching at least 46 degrees Celsius is already dangerous to all as this can cause heat stroke and even imminent death to some people. The discomfort index is similar to the heat index but instead, its mathematical formula only indicates a direct proportionality with the temperature and the relative humidity. The scaling is rather similar to that in the heat index. When the discomfort index reaches at least 21 degrees Celsius, it is already a discomfort for some people. Reaching 29 degrees Celsius is already dangerous to all that when it even gets higher, a state of emergency can be declared. The human body is capable of regulating body temperature because of its abilities as a warm-blooded organism. When the human body detects extreme temperatures, it drastically adjusts the body just to get the internal temperature back to a normal 37 degrees Celsius. When your body detects a lot of heat, it tries to cool itself down by increasing your heart rate and sweating. However, one can sweat too much, he feels drained by the lack of fluids



in his body causing discomfort, weakness, loss of stamina, and even muscle pains, leading to a heat stroke.

Other than high temperatures and humidity, the pollutants in the air can be harmful to the respiratory system. Dust is a particle suspended in the air and it usually comes from the soil or the pollution. This can cause irritation in the respiratory system because dust entering the lungs can cause serious complications. This is already bad for those with respiratory problems such as asthma or emphysema. Carbon monoxide, however, is a colorless and odorless gas and it usually comes from smoke. When this is inhaled, it can cause serious complications in the body since this inhibits the delivery of oxygen from the blood to the other organs in the body which can cause death. Not only do all of this increase the risk of getting sickness but these also affect the visibility of an area.

This study will focus on a mobile application that enables people to have a foresight on how the outside air feels like. A microcontroller-based system will be used in detecting the parameters stated above while the mobile application will take note of the visibility with the use of the phone's camera.

#### 1.2 Prior Studies

Some of the studies that the group has found are about the temperature and humidity monitoring systems. The temperature system can be constructed by using a simple microcontroller-based system with an important tool, the LM35 where the output voltage is directly proportional to the temperature detected. The same procedure can be done with the humidity sensor but this time, it does not make use of the LM35. Both of these sensors are good for agricultural applications and getting the air quality. Another study involves



the use of PM10 sensors in order to detect particulate matter that is 10 micrometers wide. An algorithm has been made with the use of the atmospheric reflectance for temporal monitoring. Another study introduces another concept of air monitoring by taking note of the pollutants present which are namely carbon monoxide, PM 2.5, and ozone which make use of the MQ-7 4 sensor, MQ-131 sensor, and Sharp dust sensor respectively. Another study made use of getting the discomfort index by using temperature, humidity, atmospheric pressure, and carbon dioxide sensors. Finally, a study states the standards set by different parts of the world when it comes to the air quality. These standards all make use of the amount of pollutants present in the air as basis of air quality.

#### 1.3 Problem Statement

Though there have been mobile applications that display the weather in real time, none have been able to show the discomfort index given the data. Also, there are no applications that tell the amount of dust or carbon monoxide in the air considering that these are some important factors when people choose to commute by an ordinary jeepney or do any outdoor activity in urban areas.

The aim of this study is to develop a new mobile application that is able to report the condition of the air such as weather parameters and the amount of pollutants present. The system will make use of a microcontroller along with different sensors that will measure the said parameters. Also, the mobile application will make use of computer vision to measure the visibility in an area.

Can a mobile application be developed to report real time conditions of the air and the amount of pollutants present with the used of a sensor-based microcontroller system?



### 297 1.4 Objectives

298

300

301

302

303

304

305

306

307

309

310

311

313

314

315

#### 1.4.1 General Objective(s)

To design and develop an indoor/outdoor system for getting the discomfort index of the air...;

#### 1.4.2 Specific Objectives

- 1. To make use of the temperature, humidity, amount of dust, amount of carbon monoxide, and visibility in calculating discomfort index and measuring pollutants...;
- 2. To utilize different sensors for temperature, humidity, dust, and carbon monoxide measurement...;
- 3. To make use of computer vision with the use of a cellphone camera to measure visibility ...;
- 4. To achieve a social impact on the conditions and quality of the air for the people in urban areas where smoke is present and abundant . . . ;

### 1.5 Significance of the Study

The significance of this topic is to be able to design and produce a device of checking the air quality and discomfort index for the public health awareness. There are millions of commuters in the Philippines riding jeepneys or light rail transit system. The problem of this way of commuting is the air because there are a lot of old vehicles producing smoke and most people just breathe in either direct or indirect way. It is very important for the people



to know the status of the air to secure their respiratory health. Together with this, the group aim to the user friendly device that anyone can easily understand how to use the device through an android application. Since a lot of people uses android mobile phones, making an application for free will be very helpful. The application will display the required data in graphics so that it is easy to understand for the public and to make the aware of the effect of the environment to their health. This study will surely help a lot of people who still dont know about why it is important to know the air we are breathing outside.

## 1.6 Assumptions, Scope and Delimitations

- 1. The given data will only be determined by the air quality index and the discomfort index.
- 2. The application will be used only for displaying the data gathered in the device.
- 3. People should be able to know the importance of their respiratory system in the body.
- 4. Users must aware the connection between air pollution and lung cancer.
- 5. The device will only deal with the common factors for discomfort such as temperature, humidity, and the amount of dust in the air.

### 1.7 Description and Methodology

A device for checking air quality and discomfort index can be functional through the use of the electronic sensors attached in the circuit and sensors for dust, humidity, and temperature will provide the data for air quality index and discomfort index. The device will be user



friendly so that anyone can easily control and use it for the given purpose. The goal for this project is to come up with a device and android application for air quality and discomfort index which will provide data related to the health of the public. Challenges to this project would be the design of the circuit with indicated sensors and the accuracy of the data gathered by the device. The size of the device matters because it has to be user friendly and this will be designed for the typical citizens like commuters. The prototype test would determine if it has accurate data and user friendly in general. Android application will be supporting the device as a method of health awareness, the application will be able to show the data gathered in the device and show the effect of air quality index and discomfort index for respiratory health. The information is also one of the important part because people must know why it is important to know the air quality and their discomfort level.

### 1.8 Estimated Work Schedule and Budget

#### 1.9 Overview

In the first chapter, it will be helpful for readers to understand what is the purpose of making the device and android application and why it is important for the society. It also shows how the project will be implemented in the real world from the hypothesis. For the second part of the paper, there will be a lot of helpful literature related to the air quality, discomfort index, respiratory health, prevention of lung cancer, effect of dust to the human body, circuit design for humidity, dust, and temperature sensors. These literature will guide the group what is the right way to develop a project and make it functional in order to fulfill the standard of the public. Theoretical considerations will be the key part to determine



TABLE 1.1 GANNT CHART PART 1

	W1	W2	W3	W4	W5	W6
Research for a topic	X					
Submission of proposed topic		X				
Background of the study			X			
Statement of the problem			X			
Objectives			X			
Abstract			X			
Scope and delimitation			X			
Review of related literature			X			
Methodology				X	X	
Individual Research				X	X	X
Schematic diagram				X	X	X
Balancing methods						
Sensors						X
Sensors Calibration						
PIC programming						X
Android programming						X
Android layout						
OpenCV Integration						X
Board design						
Board layout						
Fabrication						
Mounting						
<b>Proofreading and Revisions</b>						
Final documentation						
Defense						



TABLE 1.2 GANNT CHART PART 2

	W7	W8	W9	W10	W11	W12	W13	W14
Research for a topic								
Submission of proposed topic								
Background of the study								
Statement of the problem								
Objectives								
Abstract								
Scope and delimitation								
Review of related literature								
Methodology								
Individual Research	X	X	X	X	X	X		
Schematic diagram								
Balancing methods								
Sensors	X	X						
Sensors Calibration			X	X	X	X		
PIC programming	X	X	X	X	X	X		
Android programming	X	X	X	X	X	X		
Android layout	•	• •	• •	X	X	X		
OpenCV Integration	X	X	X					
Board design								
Board layout								
Fabrication								
Mounting							37	37
Proofreading and Revisions							X	X
Final documentation							X	X
Defense								X



TABLE 1.3 ESTIMATED BUDGET

Laptop	30000
Android Phone	6000
Microcontroller	250
Temperature Sensor	85
Humidity Sensor	400
PM2.5 Sensor	1600
Carbon Monoxide Sensor	350
TOTAL COST	38685

the data gathered from the device because there are theoretical standards in other research to know what are the air quality and discomfort index. Considering the design, it will be fully electronic design because the implementation in the hardware will be using electronic circuits. methodology will introduce how the data is gathered in the device and represented to the users. result and discussion will be providing the user feedback and the actual data given by the device in real situation. The value of this project will be determined in the conclusion based on all the provided data and actual simulation. It is the most important part to prove how this project fulfilled its purpose for the public health awareness.



364	Chapter 2
365	LITERATURE REVIEW

#### **Contents**

2.1	Temperature Monitoring System	11
2.2	Humidity Monitoring System	12
2.3	PM <sub>10</sub> Temporal Monitoring	14
2.4	Wireless Air Quality Monitoring System	14
2.5	Discomfort Index Monitoring System	15
2.6	Air Quality Standards	16



There are several existing studies or researches about different kinds of applications of air parameters. Most of the studies found relating to these parameters are temperature, humidity, temporal, wireless air quality and discomfort index monitoring systems and air quality standards.

### 2.1 Temperature Monitoring System

An important parameter, not only in the air but also in everything, is the temperature. It is very important to monitor temperature of objects because most objects are sensitive to changes in the temperature such as products and some machines. Some existing researches of temperature monitoring system are found in the field of agriculture. Recent studies [Chavan and V.Karande, 2014] shows how important data-acquisition systems in the agriculture through environmental monitoring. Environmental monitoring refers to the gathering of data of some parameters in the environment that may affect the products. Automated measurements are beneficial because gathering of data and measurements are made several times. Chavan and Karande have developed a system for wireless monitoring of soil moisture, temperature and humidity in the field of agriculture. The system uses a temperature sensor, humidity sensor and soil moisture sensor that are connected to an AVR microcontroller. It also uses GSM-Zigbee based remote monitoring and control system. The application of Zigbee to the monitoring system in the agriculture reduces human power and enables to evaluate some accurate changes that will happen.

Aside from the agricultural implementation of temperature monitoring, there are also existing studies that involves its application to automated systems for electronic devices or appliances. [Mohamed Abd El-Latif Mowad, 2014] designed a smart home automated



control system. The system uses a microcontroller for sensors and android application for the transmission of data and the receiving of data. One of the four major fields of the smart home system or SHS is the environmental monitoring, which includes the monitoring of the humidity and the temperature. The main components used in the system are microcontroller, adruino board, android and a bluetooth module. Wireless internet services are also used for several monitoring and controlling processes. The passive infrared sensors are capable off detecing movements of a human being through sensing the changes in the temperature over the scene. The SHS also uses LM35 temperature sensor for the Temperature sensing system for Air Conditioner. The system can transfer data from the sensors to the android phone. On the same way, it can transmit data or commands from the android to the appliances. The wireless monitoring of temperature allows the user to control electronic devices or appliances from anywhere in the world.

## 2.2 Humidity Monitoring System

Humidity is always associated with temperature. It plays an important role to human due to the skin being sensitive to the changes in humidity. This is also the reason why humans sweat. Not only humans are affected by the changes in the humidity in the air but also applies to the things related to the field of agriculture.

A group of researchers [Aji Hanggoro and Sari, 2013] designed a green house monitoring and controlling system using an android mobile application. The system can control the humidity inside a green house, based on the readings of the humidity sensor through the microcontroller which is connected to the central server and can be accessed through Wi-Fi connection. The system is consists of humidity sensor, Arduino UNO microcontroller,



serial communication, wireless connection and a computer. The data from the sensor will be transmitted to the microcontroller and transferred to the computer through serial communication. The computer will transmit the data to the android phone via wireless connection and the android phone can now control the system depending on the commands that will be selected. The android can receive data from the humidity sensor, send data for water sprayer to turn on, send data for stepper motor to work and other commands that the system is capable of doing. This system ensures the condition of the green house environment to be in good condition.

Other than agricultural applications, studies also shows how air quality such as temperature and humidity affects the health of a human being. Indoor air quality or IAQ is an important factor that may affect the level of comfort and the health of the people. This may increase the discomfort index of a human being which may result to difficulties in concentration or even headaches. [Folea and Mois, 2015] develop a wireless battery-powered system for online ambient monitoring. The system has the ability to monitor temperature, humidity, carbon dioxide level, absolute pressure and intensity of light in the indoor spaces. The data gathered can be sent through a computer for visualization and can send SMS for alarms. The system has sensors such as ambient, temperature, humidity and many more sensors to evaluate the indoor air quality. Wi-Fi connection is used as a data transmission, from the sensors to the computer, due to the fact that Wi-Fi can be found in almost every home. The study of indoor air quality will help prevent or solve issues that may affect the health and the performance of the people.



## 2.3 PM<sub>10</sub> Temporal Monitoring

 $PM_{10}$  or particulate matter that have a diameter of 10 micrometers wide which are classified under fine particles. One study [Wong et al., 2007] used an internet protocol camera to observe real time changes in the amount of particles found in the air. The camera points to a reference location and the still images were divided into the RGB bands.

They developed an algorithm which makes use of the atmospheric reflectance and the concentration of the  $PM_{10}$  using regression. The amount of reflectance is measured using a spectroradiometer and the concentration of the particles are determined by the different RGB bands of the camera. The  $PM_{10}$  and the atmospheric reflectance are found to be linearly related through using the skylight parameter model, which utilizes the sun's radiation. The results produced were compared to a DustTrak meter and provide a high correlation coefficient of .78.

## 2.4 Wireless Air Quality Monitoring System

A study [Reilly et al., 2015] monitored the amount of different air pollutants using Arduino. The pollutants that are measured are carbon monoxide, PM<sub>2.5</sub>, and ozone which make use of the MQ-7 sensor, MQ-131 sensor, and Sharp dust sensor respectively. The sensors are mounted onto a redboard as well as GSM shield to send data wirelessly. The sensors are calibrated using a co-located ADEQ (Air Quality Division) sensor and were validated. The device is placed around the metro area and the data collected will be compared to a monitoring station. Data was collected for a period of time and a trend was found in CO and ozone levels. However, the use of the Sharp dust sensor was not very effective but could find slight differences at high pollution times with low pollution times.



Another similar study [Hebbar et al., 2014] of an air monitoring device is implemented using a microcontroller where several sensors are placed and data is sent through GSM wirelessly. The design tests the amount of  $CO_2$  levels indoors. It also measures the temperature and humidity of the atmosphere locally. Calibration of the sensors is done by concentrating known amount of a certain gas into a test chamber and determine its offset from the results obtained. The design was tested in a seminar hall and the results obtained showed that the start and end of each class attributed to the increase in  $CO_2$  emission. The design also shows the data through an online GUI.

One similar design, called HazeWatch, is done using several sensors and cloud computing [Hu et al., 2016]. The design is made compact and portable and can be mounted onto a car or bike. Data is harvested using a mobile phone and records the location in real time. Data is then sent wirelessly to cloud-based servers and is interpolated (Inverse Weighing and Ordinary Kriging interpolation) to generate estimates. The data can then be view visually using contour maps of the pollution or gas concentration levels in the area. The results obtained are compared to similar products (*Node* and *SensorDrone*)

### 2.5 Discomfort Index Monitoring System

A research was made about the importance of monitoring and controlling of atmospheric conditions to the efficiency of the performance of the human beings [Noh et al., 2013] . They designed a wireless sensor module that uses a Zigbee communication and sensor module, which consists of temperature, humidity,  $CO_2$  and atmospheric pressure sensor, that maintains a comfortable environment for human beings or to prevent discomfort. The sensor module is the transmitter which delivers the sensor data to the receiver and



the receiver will transmit the filtered or recovered sensor data to a microcontroller board in monitoring the room environment. The room monitoring system is able to provide a comfortable environment for human beings through the wireless sensor network or WSN for monitoring the room environment.

### 2.6 Air Quality Standards

This review shows the different indoor air quality standards set by different countries across the world. The data is collected from documents from different health and environmental organization. This paper can be set as a tool for evaluating acceptable concentrations of different pollutants within an area. The pollutants included in this study are "carbon dioxide ( $CO_2$ ), carbon monoxide ( $CO_3$ ), formaldehyde ( $CO_3$ ), nitrogen dioxide ( $CO_3$ ), sulfur dioxide ( $CO_3$ ), total volatile organic compounds ( $CO_3$ ) and particulate matter ( $CO_3$ ) and  $CO_3$ ). The amount allowable depends on how bad the amount of a certain pollutant exists indoors. The paper also explains different harmful health effects each pollutant has on the human body.

	De La Salle University	
498	Chapter 3	
499	THEORETICAL CONSIDERATIONS	
500	Contents	
501 502 503	3.1 Summary	



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### 3.1 Summary

	De La Salle University	
550	Chapter 4	
551	DESIGN CONSIDERATIONS	
552 553	Contents	
553 554 555	4.1 Summary	



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### 4.1 Summary

	De La Salle University
Cha	pter 5
ME	THODOLOGY
ME	THODOLOGY
ME'	



### 5.1 Implementation

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.



Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



### 5.2 Evaluation

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.



Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

		5. Methodology	
		De La Salle University	
702	5.3	Summary	
		30	
	1		

	De La Salle University	
703	Chapter 6	
704	RESULTS AND DISCUSSION	
705	Contents	
706 707 708	6.1 Summary	



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### 6.1 Summary



### 7.1 Concluding Remarks

In this Thesis, ...

### 7.2 Contributions

The interrelated contributions and supplements that have been developed in this Thesisare listed as follows.

- 770 the ;
- 771 the ;
- the ;

### 7.3 Recommendations

## De La Salle University

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### 7.4 Future Prospects

There are several prospect related in this research that may be extended for further studies. ... So the suggested topics are listed in the following.

- 1. the ....
- 2. the ....
- 824 3. the ....



### REFERENCES

825

856

[Aji Hanggoro and Sari, 2013] Aji Hanggoro, Mahesa Adhitya Putra, R. R. and Sari, R. F. (2013). 826 Green house monitoring and controlling using android mobile application. Quality in Research 827 2013. 828 [Chavan and V.Karande, 2014] Chavan, P. C. H. and V.Karande, M. (2014). Wireless monitoring 829 of soil moisture, temperature & humidity using zigbee in agriculture. International Journal of 830 Engineering Trends and Technology (IJETT). 831 [Folea and Mois, 2015] Folea, S. C. and Mois, G. (2015). A low-power wireless sensor for online 832 ambient monitoring. IEEE SENSORS JOURNAL. 833 [Hebbar et al., 2014] Hebbar, S., V, K., K, K. G., Kumar, A., Kumari, A. S. A., Yasasvi, R., Gupta, 834 A. K., Mishra, V., Amrutur, B., and Bhat, N. (2014). System engineering and deployment of en-835 virobat an urban air pollution monitoring device. In Electronics, Computing and Communication 836 Technologies (IEEE CONECCT), 2014 IEEE International Conference on, pages 1-6. 837 [Hu et al., 2016] Hu, K., Sivaraman, V., Luxan, B. G., and Rahman, A. (2016). Design and 838 evaluation of a metropolitan air pollution sensing system. IEEE Sensors Journal, 16(5):1448-839 1459. 840 [ISO, 2009] ISO (2009). 80000-2. Quantities and units-Part 2: Mathematical signs and symbols 841 to be used in the natural sciences and technology. 842 [Mohamed Abd El-Latif Mowad, 2014] Mohamed Abd El-Latif Mowad, Ahmed Fathy, A. H. 843 (2014). Smart home automated control system using android application and microcontroller. 844 International Journal of Scientific & Engineering Research. 845 [Noh et al., 2013] Noh, S.-K., Kim, K.-S., and Ji, Y.-K. (2013). Design of a room monitoring 846 847 system for wireless sensor networks. International Journal of Distributed Sensor Networks. [Oetiker et al., 2014] Oetiker, T., Partl, H., Hyna, I., and Schlegl, E. (2014). The Not So Short 848 Introduction to  $\LaTeX 2_{\varepsilon}Or \LaTeX 2_{\varepsilon}in 157$  minutes. n.a. 849 [Reilly et al., 2015] Reilly, K. M., Birner, M. T., and Johnson, N. G. (2015). Measuring air quality 850 using wireless self-powered devices. In Global Humanitarian Technology Conference (GHTC), 851 2015 IEEE, pages 267-272. 852 [Wong et al., 2007] Wong, C. J., MatJafri, M. Z., Abdullah, K., Lim, H. S., and Low, K. L. 853 (2007). Temporal air quality monitoring using surveillance camera. In 2007 IEEE International 854 Geoscience and Remote Sensing Symposium, pages 2864–2868. 855

Produced: June 12, 2016, 21:47



# Appendix A ANSWERS TO QUESTIONS TO THIS THESIS

### **Contents**

<b>A</b> 1	How important is the problem to practice?	39
A2	How will you know if the solution/s that you will achieve would be better	
	than existing ones?	39
	A2.1 How will you measure the improvement/s?	39
	A2.1.1 What is/are your basis/bases for the improvement/s?	40
	A2.1.2 Why did you choose that/those basis/bases?	40
	A2.1.3 How significant are your measure/s of the improvement/s?	40
A3	What is the difference of the solution/s from existing ones?	41
	A3.1 How is it different from previous and existing ones?	41
A4	What are the assumptions made (that are behind for your proposed solution	
	to work)?	41
	A4.1 Will your proposed solution/s be sensitive to these assumptions? .	42
	A4.2 Can your proposed solution/s be applied to more general cases	
	when some of the assumptions are eliminated? If so, how?	42
A5	What is the necessity of your approach / proposed solution/s?	42
	A5.1 What will be the limits of applicability of your proposed solution/s?	43
	A5.2 What will be the message of the proposed solution to technical	
	people? How about to non-technical managers and business men?	43
A6	How will you know if your proposed solution/s is/are correct?	43
	A6.1 Will your results warrant the level of mathematics used (i.e., will	
	the end justify the means)?	44
A7	Is/are there an/_ alternative way/s to get to the same solution/s?	44
	A7.1 Can you come up with illustrating examples, or even better, counter	
	examples to your proposed solution/s?	44
	A7.2 Is there an approximation that can arrive at the essentially the same	
	proposed solution/s more easily?	45
A8	If you were the examiner of your proposal, how would you present the	
	proposal in another way?	45
	A8.1 What are the weaknesses of your proposal?	45



### A1 How important is the problem to practice?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## A2 How will you know if the solution/s that you will achieve would be better than existing ones?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### A2.1 How will you measure the improvement/s?



### A2.1.1 What is/are your basis/bases for the improvement/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### A2.1.2 Why did you choose that/those basis/bases?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### A2.1.3 How significant are your measure/s of the improvement/s?



## A3 What is the difference of the solution/s from existing ones?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### A3.1 How is it different from previous and existing ones?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## A4 What are the assumptions made (that are behind for your proposed solution to work)?



### A4.1 Will your proposed solution/s be sensitive to these assumptions?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## A4.2 Can your proposed solution/s be applied to more general cases when some of the assumptions are eliminated? If so, how?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## A5 What is the necessity of your approach / proposed solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.



Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### A5.1 What will be the limits of applicability of your proposed solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## A5.2 What will be the message of the proposed solution to technical people? How about to non-technical managers and business men?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## A6 How will you know if your proposed solution/s is/are correct?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla



tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## A6.1 Will your results warrant the level of mathematics used (i.e., will the end justify the means)?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## A7 Is/are there an/\_ alternative way/s to get to the same solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## A7.1 Can you come up with illustrating examples, or even better, counter examples to your proposed solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.



Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## A7.2 Is there an approximation that can arrive at the essentially the same proposed solution/s more easily?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## A8 If you were the examiner of your proposal, how would you present the proposal in another way?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### A8.1 What are the weaknesses of your proposal?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.



Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.

Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

	De La Salle University	
1118	Appendix B USAGE EXAMPLES	
	48	



 The user is expected to have a working knowledge of LATEX. A good introduction is in [Oetiker et al., 2014]. Its latest version can be accessed at http://www.ctan.org/tex-archive/info/lshort.

### **B1** Equations

The following examples show how to typeset equations in LaTeX. This section also shows examples of the use of \gls{} commands in conjunction with the items that are in the notation.tex file. Please make sure that the entries in notation.tex are those that are referenced in the LaTeX document files used by this Thesis. Please comment out unused notations and be careful with the commas and brackets in notation.tex.

In (B.1), the output signal  $y\left(t\right)$  is the result of the convolution of the input signal  $x\left(t\right)$  and the impulse response  $h\left(t\right)$ .

$$y(t) = h(t) * x(t) = \int_{-\infty}^{+\infty} h(t - \tau) x(\tau) d\tau$$
(B.1)

Other example equations are as follows.

$$\begin{bmatrix} V_1 \\ \overline{I_1} \end{bmatrix} = \begin{bmatrix} A & B \\ C & D \end{bmatrix} \begin{bmatrix} V_2 \\ \overline{I_2} \end{bmatrix}$$
 (B.2)

$$\frac{1}{2} < \left\lfloor \operatorname{mod}\left(\left\lfloor \frac{y}{17} \right\rfloor 2^{-17\lfloor x\rfloor - \operatorname{mod}(\lfloor y\rfloor, 17)}, 2\right) \right\rfloor, \tag{B.3}$$

$$|\zeta(x)^3 \zeta(x+iy)^4 \zeta(x+2iy)| = \exp \sum_{n,p} \frac{3+4\cos(ny\log p) + \cos(2ny\log p)}{np^{nx}} \ge 1$$
 (B.4)



The verbatim Lagrangian Transfer Transf

Listing B.1: Sample LaTeX code for equations and notations usage

```
The following examples show how to typeset equations in \LaTeX.
2
3
    In~\eqref{eq:conv}, the output signal \gls{not:output_sigt} is the
        result of the convolution of the input signal \gls{not:input_sigt}
        and the impulse response \gls{not:ir}.
 4
5
    \begin{eqnarray}
6
         y\left( t \right) = h\left( t \right) * x\left( t \right)=\int_{-\}
             infty}^{+\infty}h\left( t-\tau \right)x\left( \tau \right) \
       \label{eq:conv}
8
    \end{eqnarray}
    Other example equations are as follows.
10
11
12
    \begin{eqnarray}
       \left[ \dfrac{ V_{1} }{ I_{1} } \right] =
13
14
       \begin{bmatrix}
15
          A & B \\
16
          C & D
17
       \end{bmatrix}
18
       \label{left} $$ \left[ \dfrac{ V_{2} }{ I_{2} } \right] \right] $$ \left[ \dfrac{ V_{2} }{ I_{2} } \right] $$
19
       \label{eq:ABCD}
20
    \end{eqnarray}
21
22
    \begin{eqnarray}
23
    {1\over 2} < \left( \int_{\infty} \mathbf{y} \right) 
        right\rfloor 2^{-17 \lfloor x \rfloor - \mathrm{mod}(\lfloor y\
        rfloor, 17)},2\right)\right\rfloor,
24
    \end{eqnarray}
25
26
    \begin{eqnarray}
27
    | \text{zeta(x)^3} \text{zeta(x+iy)^4} \text{zeta(x+2iy)} | =
   \ensuremath{\mbox{ \ exp\sum_{n,p}\frac{3+4\cos(ny\log p) +\cos (2ny\log p)}{np^{nx}}\ge 1}
28
    \end{eqnarray}
```



### 1134 B2 Notations

1135

1136

1137

1138

1139

1140

1143

1144

1145

1146

1147

In order to use the standardized notation, the user is highly suggested to see the ISO 80000-2 standard [ISO, 2009]. The following were taken from <code>isomath-test.tex</code>.

### Math alphabets

If there are other symbols in place of Greek letters in a math alphabet, it uses T1 or OT1 font encoding instead of OML.

$$\begin{array}{ll} \text{mathnormal} & A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9 \\ \text{mathit} & A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, ff, fi, \beta, °, !, v, w, 0, 1, 9 \\ \text{mathrm} & A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, ff, fi, \beta, °, !, v, w, 0, 1, 9 \\ \text{mathbf} & \mathbf{A}, \mathbf{B}, \mathbf{\Gamma}, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, ff, fi, \beta, °, !, v, w, 0, 1, 9 \\ \text{mathsf} & A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, ff, fi, \beta, °, !, v, w, 0, 1, 9 \\ \text{mathtt} & A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \uparrow, \downarrow, \beta, °, !, v, w, 0, 1, 9 \\ \end{array}$$

New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-italic.

mathbfit 
$$A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, o, 1, 9$$
 mathsfit  $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, o, 1, 9$  mathsfbfit  $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, o, 1, 9$ 

Do the math alphabets match?

1142  $ax\alpha\omega ax\alpha\omega ax\alpha\omega$   $TC\Theta\Gamma TC\Theta\Gamma TC\Theta\Gamma$ 

### **Vector symbols**

Alphabetic symbols for vectors are boldface italic,  $\lambda = e_1 \cdot a$ , while numeric ones (e.g. the zero vector) are bold upright, a + 0 = a.

### **Matrix symbols**

Symbols for matrices are boldface italic, too:  $\Lambda = E \cdot A$ .

<sup>&</sup>lt;sup>1</sup>However, matrix symbols are usually capital letters whereas vectors are small ones. Exceptions are physical quantities like the force vector F or the electrical field E.



### 1148 Tensor symbols

1150

Symbols for tensors are sans-serif bold italic,

$$\boldsymbol{\alpha} = \boldsymbol{e} \cdot \boldsymbol{a} \iff \alpha_{ijl} = e_{ijk} \cdot a_{kl}.$$

The permittivity tensor describes the coupling of electric field and displacement:

$$oldsymbol{D} = \epsilon_0 oldsymbol{\epsilon}_{\mathrm{r}} oldsymbol{E}$$



#### **Bold math version**

1151

1152

1154

1155

1156

1159

1161

1163

1164

The "bold" math version is selected with the commands \boldmath or \mathversion{bold}

mathnormal  $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, 0, 1, 9$ 

 $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, ff, fi, \beta, ^{\circ}, !, v, w, 0, 1, 9$ mathit

 $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, ff, fi, \beta, ^{\circ}, !, v, w, 0, 1, 9$ mathrm

 $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, ff, fi, \beta, ^{\circ}, !, v, w, 0, 1, 9$ mathbf

mathsf A, B,  $\Gamma$ ,  $\Delta$ ,  $\Theta$ ,  $\Lambda$ ,  $\Xi$ ,  $\Pi$ ,  $\Sigma$ ,  $\Phi$ ,  $\Psi$ ,  $\Omega$ , ff, fi,  $\beta$ ,  $^{\circ}$ , !, v, w, 0, 1, 9

A, B,  $\Gamma$ ,  $\Delta$ ,  $\Theta$ ,  $\Lambda$ ,  $\Xi$ ,  $\Pi$ ,  $\Sigma$ ,  $\Phi$ ,  $\Psi$ ,  $\Omega$ ,  $\uparrow$ ,  $\downarrow$ ,  $\beta$ ,  $^{\circ}$ , !, v, w, 0, 1, 9mathtt

New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-italic. 1153

> $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, o, 1, g$ mathbfit

 $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, \nu, w, 0, 1, 9$ mathsfit

 $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, \nu, w, 0, 1, 0$ mathsfbfit

Do the math alphabets match?

αχαωαχαωαχαω ΤΟΘΓΤΟΘΓ

### **Vector symbols**

Alphabetic symbols for vectors are boldface italic,  $\lambda = e_1 \cdot a$ , while numeric ones (e.g. 1157

the zero vector) are bold upright, a + 0 = a. 1158

### **Matrix symbols**

Symbols for matrices are boldface italic, too:  $\Lambda = E \cdot A$ . 1160

### **Tensor symbols**

Symbols for tensors are sans-serif bold italic, 1162

$$lpha = e \cdot a \iff lpha_{ijl} = e_{ijk} \cdot a_{kl}.$$

The permittivity tensor describes the coupling of electric field and displacement:

$$D = \epsilon_0 \epsilon_r E$$

<sup>2</sup>However, matrix symbols are usually capital letters whereas vectors are small ones. Exceptions are physical quantities like the force vector F or the electrical field E.



The verbatim LaTeX code of Sec. B2 is in List. B.2.

Listing B.2: Sample LATEX code for notations usage

```
1166
           % A teststring with Latin and Greek letters::
1167
1168
           \newcommand{\teststring}{%
1169
           % capital Latin letters
1170
        4
           % A,B,C,
        5
1171
           А,В,
1172
        6
           % capital Greek letters
1173
           % \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Upsilon, \Phi, \Psi,
1174
           \Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Phi,\Psi,\Omega,
1175
        9
           % small Greek letters
1176
       10
           \alpha,\beta,\pi,\nu,\omega,
1177
           \% small Latin letters:
       11
1178
       12
           % compare \nu, \nu, \nu, and \nu
1179
       13
1180
       14
           % digits
1181
       15
           0,1,9
1182
       16
1183
       17
1184
       18
1185
       19
           \subsection * { Math alphabets }
1186
       20
1187
       21
           If there are other symbols in place of Greek letters in a math
1188
       22
           alphabet, it uses T1 or OT1 font encoding instead of OML.
1189
       23
1190
       24
           \begin{eqnarray*}
1191
           \mbox{mathnormal} & & \teststring \\
           \mbox{mathit} & & \mathit{\teststring}\\
1192
1193
       27
           \mbox{mathrm} & & \mathrm{\teststring}\\
1194
       28
           \mbox{mathsf} & & \mathsf{\teststring}\\
mbox{mathtt} & & \mathtt{\teststring}
1195
       29
1196
       30
1197
       31
           \end{eqnarray*}
1198
       32
            New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-
1199
                italic.
1200
           \begin{eqnarray*}
1201
       34
           \mbox{mathbfit}
                                 & & \mathbfit{\teststring}\\
       35
1202
           \mbox{mathsfit}
                                 & & \mathsfit{\teststring}\\
1203
       36
           \mbox{mathsfbfit} & & \mathsfbfit{\teststring}
1204
       37
           \end{eqnarray*}
1205
       38
       39
1206
           Do the math alphabets match?
1207
       40
1208
       41
1209
           \mathnormal {a x \alpha \omega}
1210
       43
           \mathbfit
                          {a x \alpha \omega}
1211
       44
           \mathsfbfit{a x \alpha \omega}
1212
       45
           \quad
1213
       46
           \mathsfbfit{T C \Theta \Gamma}
1214
       47
           \mathbfit
                          {T C \Theta \Gamma}
                        {T C \Theta \Gamma}
1215
       48
           \mathnormal
1216
       49
1217
       50
1218
       51
           \subsection *{ Vector symbols}
1219
       52
```

## De La Salle University

```
1220
           Alphabetic symbols for vectors are boldface italic,
1221
           1222
       55
           while numeric ones (e.g. the zero vector) are bold upright,
           vec{a} + vec{0} = vec{a}.
1223
       56
1224
       57
1225
           \subsection *{Matrix symbols}
1226
       59
       60
1227
           Symbols for matrices are boldface italic, too: %
1228
       61
           \footnote{However, matrix symbols are usually capital letters whereas
1229
               vectors
1230
           are small ones. Exceptions are physical quantities like the force
1231
       63
           vector $\vec{F}$ or the electrical field $\vec{E}$.%
1232
       64
1233
       65
           $\matrixsym{\Lambda}=\matrixsym{E}\cdot\matrixsym{A}.$
1234
1235
       67
1236
       68
           \subsection*{Tensor symbols}
1237
       69
1238
       70
           Symbols for tensors are sans-serif bold italic,
1239
       71
1240
       72
           \[
1241
               \tensorsym{\alpha} = \tensorsym{e}\cdot\tensorsym{a}
       73
1242
       74
               \quad \Longleftrightarrow \quad
1243
       75
               \alpha_{ijl} = e_{ijk} \cdot a_{kl}.
           \]
1244
       76
1245
       77
1246
       78
1247
       79
           The permittivity tensor describes the coupling of electric field and
1248
       80
           displacement: \[
           \label{lem:constraint} $$\operatorname{D}=\operatorname{O}\times _{0}\times _{0}\times _{0}. $$
1249
       81
1250
       82
1251
       83
1252
       84
1253
       85
           \newpage
1254
       86
           \subsection * { Bold math version }
1255
       87
1256
           The ''bold'' math version is selected with the commands
       88
1257
       89
           \verb+\boldmath+ or \verb+\mathversion{bold}+
1258
       90
1259
       91
           {\boldmath
1260
       92
               \begin{eqnarray*}
1261
       93
               \mbox{mathnormal} & & \teststring \\
               \mbox{mathit} & & \mathit{\teststring}\\
1262
       94
1263
       95
               \mbox{mathrm} & & \mathrm{\teststring}\\
               \mbox{mathbf} & & \mathbf{\teststring}\\
mbox{mathsf} & & \mathsf{\teststring}\\
1264
       96
1265
       97
1266
       98
               \mbox{mathtt} &
                                & \mathtt{\teststring}
1267
       99
               \end{eqnarray*}
1268
      100
                New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-
1269
                    italic.
1270
      101
               \begin{eqnarray*}
                                       & \mathbfit{\teststring}\\
1271
      102
               \mbox{mathbfit}
                                    &
      103
1272
               \mbox{mathsfit}
                                    & & \mathsfit{\teststring}\\
1273
      104
               \mbox{mathsfbfit} & & \mathsfbfit{\teststring}
1274
      105
               \end{eqnarray*}
1275
      106
1276
      107
               Do the math alphabets match?
```

## De La Salle University

```
1277
      108
1278
      109
1279
              \mathnormal {a x \alpha \omega}
      110
                            {a x \alpha \omega}
1280
      111
              \mathbfit
1281
              \mathsfbfit{a x \alpha \omega}
      112
1282
      113
              \quad
              \mathsfbfit{T C \Theta \Gamma}
1283
      114
                            {T C \Theta \Gamma}
1284
      115
              \mathbfit
1285
      116
              \mathnormal {T C \Theta \Gamma}
1286
      117
1287
      118
1288
      119
              \subsection*{Vector symbols}
1289
      120
1290
      121
              Alphabetic symbols for vectors are boldface italic,
1291
      122
              \ \ \vec{\lambda} = \vec{e}_{1} \cdot\vec{a}$,
1292
      123
              while numeric ones (e.g. the zero vector) are bold upright,
1293
      124
              \vec{a} + \vec{0} = \vec{a}.
1294
      125
1295
      126
1296
      127
1297
      128
1298
      129
              \subsection *{Matrix symbols}
1299
      130
1300
      131
              Symbols for matrices are boldface italic, too: %
1301
      132
              \footnote{However, matrix symbols are usually capital letters whereas
1302
1303
      133
              are small ones. Exceptions are physical quantities like the force
1304
      134
              vector $\vec{F}$ or the electrical field $\vec{E}$.%
1305
      135
1306
      136
              $\matrixsym{\Lambda}=\matrixsym{E}\cdot\matrixsym{A}.$
1307
      137
1308
      138
1309
      139
              \subsection*{Tensor symbols}
      140
1310
1311
      141
              Symbols for tensors are sans-serif bold italic,
1312
      142
1313
      143
              1 [
                   \tensorsym{\alpha} = \tensorsym{e}\cdot\tensorsym{a}
1314
      144
1315
      145
                   \quad \Longleftrightarrow \quad
1316
      146
                   \alpha_{ijl} = e_{ijk} \cdot a_{kl}.
1317
      147
1318
      148
1319
      149
              The permittivity tensor describes the coupling of electric field and
      150
1320
              displacement: \[
1321
      151
              \c {D}=\ensuremath{\c D}=\ensuremath{\c C}\
      152
1323
```



#### **B3 Abbreviation**

1324

1325

1326

1327

1328

1329

1330

1331

1332

1334

1335

1336

1337

1338

1339

1340

1341

1342

1343

1344

1346

1347

1348

1349

1350

1352

This section shows examples of the use of LATEX commands in conjunction with the items that are in the abbreviation.tex and in the glossary.tex files. Please see List. B.3. To lessen the LATEX compilation time, it is suggested that you use \acr{ } only for the first occurrence of the word to be abbreviated.

Again please see List. B.3. Here is an example of first use: alternating current (ac). Next use: ac. Full: alternating current (ac). Here's an acronym referenced using \acr : hyper-text markup language (html). And here it is again: html. If you are used to the glossaries package, note the difference in using \gls: hyper-text markup language (html). And again (no difference): hyper-text markup language (html). Here are some more entries:

- extensible markup language (xml) and cascading style sheet (css).
- Next use: xml and css.
- Full form: extensible markup language (xml) and cascading style sheet (css).
- Reset again.
- Start with a capital. Hyper-text markup language (html).
- Next: Html. Full: Hyper-text markup language (html).
- Prefer capitals? Extensible markup language (XML). Next: XML. Full: extensible markup language (XML).
- Prefer small-caps? Cascading style sheet (CSS). Next: CSS. Full: cascading style sheet (CSS).
- Resetting all acronyms.
- Here are the acronyms again:
- Hyper-text markup language (HTML), extensible markup language (XML) and cascading style sheet (CSS).
- Next use: HTML, XML and CSS.
- Full form: Hyper-text markup language (HTML), extensible markup language (XML) and cascading style sheet (CSS).



• Provide your own link text: style sheet.

1354

The verbatim LaTeX code of Sec. B3 is in List. B.3.

Listing B.3: Sample LATEX code for abbreviations usage

```
Again please see List.~\ref{lst:abbrv}. Here is an example of first use:
       \acr{ac}. Next use: \acr{ac}. Full: \gls{ac}. Here's an acronym
      referenced using \verb | \acr |: \acr{html}. And here it is again: \
      acr{html}. If you are used to the \texttt{glossaries} package, note
      difference): \gls{html}. Here are some more entries:
   \begin{itemize}
5
      \item \acr{xml} and \acr{css}.
7
      \item Next use: \acr{xml} and \acr{css}.
8
      \item Full form: \gls{xml} and \gls{css}.
9
10
      \item Reset again. \glsresetall{abbreviation}
11
12
      \item Start with a capital. \Acr{html}.
13
14
15
      \item Next: \Acr{html}. Full: \Gls{html}.
16
      \item Prefer capitals? \renewcommand{\acronymfont}[1]{\
17
         MakeTextUppercase{#1}} \Acr{xml}. Next: \acr{xml}. Full: \gls{xml}
18
      \item Prefer small-caps? \renewcommand {\acronymfont}[1] {\textsc{#1}}
19
         \Acr{css}. Next: \acr{css}. Full: \gls{css}.
20
21
      \item Resetting all acronyms.\glsresetall{abbreviation}
22
23
      \item Here are the acronyms again:
24
25
      \item \Acr{html}, \acr{xml} and \acr{css}.
26
      \item Next use: \Acr{html}, \acr{xml} and \acr{css}.
27
28
      \item Full form: \Gls{html}, \gls{xml} and \gls{css}.
29
      \item Provide your own link text: \glslink{[textbf]css}{style}
31
32
   \end{itemize}
```



### **B4** Glossary

This section shows examples of the use of \gls{} commands in conjunction with the items that are in the glossary.tex and notation.tex files. Note that entries in notation.tex are prefixed with "not: "label (see List. B.4).

Please make sure that the entries in <code>notation.tex</code> are those that are referenced in the LATEX document files used by this Thesis. Please comment out unused notations and be careful with the commas and brackets in <code>notation.tex</code>.

- Matrices are usually denoted by a bold capital letter, such as A. The matrix's (i, j)th element is usually denoted  $a_{ij}$ . Matrix I is the identity matrix.
- ullet A set, denoted as  $\mathcal S$ , is a collection of objects.
- ullet The universal set, denoted as  $\,\mathcal{U}$  , is the set of everything.
- The empty set, denoted as  $\emptyset$ , contains no elements.
- The cardinality of a set, denoted as |S|, is the number of elements in the set.

The verbatim LATEX code for the part of Sec. B4 is in List. B.4.

Listing B.4: Sample LaTeX code for glossary and notations usage

```
\begin{itemize}
2
3
      \item \Glspl{matrix} are usually denoted by a bold capital letter,
          such as \mathbf{A}, The \gls{matrix}'s (i,j)th element is
          usually denoted a_{ij}. \Gls{matrix} $\mathbf{I}$ is the
          identity \gls{matrix}.
4
5
      \item A set, denoted as \gls{not:set}, is a collection of objects.
6
      \item The universal set, denoted as \gls{not:universalSet}, is the
          set of everything.
8
      \item The empty set, denoted as \gls{not:emptySet}, contains no
9
          elements.
10
      \item The cardinality of a set, denoted as \gls{not:cardinality}, is
11
          the number of elements in the set.
12
   \end{enumerate}
```

1355 1356

1358 1359 1360

1362 1363

1361

1364

1365

1366

1367

1368



1369 B5 Figure

1370

1371

This section shows several ways of placing figures. PDFLATEX compatible files are PDF, PNG, and JPG. Please see the figure subdirectory.



Fig. B.1 A quadrilateral image example.



Fig. B.1 is a gray box enclosed by a dark border. List. B.5 shows the corresponding LATEX code.

Listing B.5: Sample LATEX code for a single figure

```
begin{figure}[!htbp]

centering

includegraphics[width=0.5\textwidth]{example}

caption{A quadrilateral image example.}

label{fig:example}

end{figure}

cleardoublepage

Fig.~\ref{fig:example} is a gray box enclosed by a dark border. List.~\

ref{lst:onefig} shows the corresponding \LaTeX \ code.

end{figure}
```





(a) A sub-figure in the top row.



(b) A sub-figure in the middle row.





### Listing B.6: Sample LATEX code for three figures on top of each other

```
\begin{figure}[!htbp]
   \centering
   \subbottom[A sub-figure in the top row.]{
   \includegraphics[width=0.35\textwidth]{example}
   \label{fig:top}
   \subbottom[A sub-figure in the middle row.]{
   \includegraphics[width=0.35\textwidth]{example}
10
   \label{fig:mid}
11
   \vertvfill
12
   \subbottom[A sub-figure in the bottom row.]{
13
14
   \includegraphics[width=0.35\textwidth]{example}
15
   \label{fig:botm}
16
17
   \caption{Figures on top of each other}
   \label{fig:tmb}
18
   \end{figure}
```





Loreni jasum dolor sit amet, consecteture allipicing elit. Ut parus elit, vestibulium ut, placerat ae, adipicing vitae, felis. Cumbitur dietum gravida mauris.

Nam aret bleva, nomanung even, consectente el, utputate a., naugan. Donce vitae elit. Dietum delit. Dietum elit. Dietu

- (a) A sub-figure in the upper-left corner.
- (b) A sub-figure in the upper-right corner.



Loren journe dobre et met consecuteur adjusting (dt. Upraru ett., vontume une preference de, allegheine, for (de), formation de ser profess and une profession de ser profession de ser profession de serve profession de serve de la comparation de l

- (c) A sub-figure in the lower-left corner.
- (d) A sub-figure in the lower-right corner

Fig. B.3 Four figures in each corner. See List. B.7 for the corresponding LATEX code.



### Listing B.7: Sample LATEX code for the four figures

```
\begin{figure}[!htbp]
   \centering
   \subbottom[A sub-figure in the upper-left corner.]{
   \includegraphics[width=0.45\textwidth]{example}
   \label{fig:upprleft}
   \subbottom[A sub-figure in the upper-right corner.]{
   \includegraphics[width=0.45\textwidth]{example}
10
   \label{fig:uppright}
11
12
   \vfill
   \subbottom[A sub-figure in the lower-left corner.]{
13
   \includegraphics[width=0.45\textwidth]{example}
   \label{fig:lowerleft}
15
16
17
   \hfill
   \subbottom[A sub-figure in the lower-right corner]{
18
   \includegraphics[width=0.45\textwidth]{example}
19
20
   \label{fig:lowright}
21
   \verb|\caption{Four figures in each corner. See List.~\ref{lst:fourfigs} for
       the corresponding \LaTeX \ code.}
   \label{fig:fourfig}
   \end{figure}
```



1374 B6 Table

1375

This section shows an example of placing a table (a long one). Table B.1 are the triples.

TABLE B.1 FEASIBLE TRIPLES FOR HIGHLY VARIABLE GRID

Time (s)	Triple chosen	Other feasible triples
0	(1, 11, 13725)	(1, 12, 10980), (1, 13, 8235), (2, 2, 0), (3, 1, 0)
2745	(1, 12, 10980)	(1, 13, 8235), (2, 2, 0), (2, 3, 0), (3, 1, 0)
5490	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
8235	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
10980	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
13725	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
16470	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
19215	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
21960	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
24705	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
27450	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
30195	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
32940	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
35685	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
38430	(1, 13, 10980)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
41175	(1, 12, 13725)	(1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
43920	(1, 13, 10980)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
46665	(2, 2, 2745)	(2,3,0),(3,1,0)
49410	(2, 2, 2745)	(2,3,0),(3,1,0)
52155	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
54900	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
57645	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
60390	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
63135	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
65880	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
68625	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
71370	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
74115	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
76860	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
79605	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
82350	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
85095	(1, 12, 13725)	(1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
87840	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
90585	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
93330	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0) (2, 2, 2745), (2, 3, 0), (3, 1, 0)
96075	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
98820	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
101565	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
104310	(1, 13, 15725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
107055	(1, 13, 10470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
107033	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
112545	(1, 13, 13723)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
115290	(1, 12, 10470)	(1, 13, 13723), (2, 2, 2743), (2, 3, 0), (3, 1, 0) (2, 2, 2745), (2, 3, 0), (3, 1, 0)
118035	(1, 13, 10470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
120780	(1, 13, 15723)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
123525	(1, 13, 10470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0) (2, 2, 2745), (2, 3, 0), (3, 1, 0)
12323	(1, 13, 13/23)	(2, 2, 27+3), (2, 3, 0), (3, 1, 0)  Continued on next page

Continued on next page



Continued from previous page

Time (s)	Triple chosen	Other feasible triples
126270	(1, 12, 16470)	-
		(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
129015	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
131760	(2, 2, 2745)	(2,3,0),(3,1,0)
134505	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
137250	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
139995	(2, 2, 2745)	(2,3,0),(3,1,0)
142740	(2, 2, 2745)	(2,3,0),(3,1,0)
145485	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
148230	(2, 2, 2745)	(2,3,0),(3,1,0)
150975	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
153720	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
156465	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
159210	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
161955	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
164700	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)

1376



List. B.8 shows the corresponding LATEX code.

Listing B.8: Sample LATEX code for making typical table environment

```
1378
           \begin{center}
1379
        1
1380
        2
           {\scriptsize
1381
           \beta_{0.0} = \frac{1}{2}
1382
           \caption{Feasible triples for highly variable grid} \label{tab:triple_
1383
1384
               grid} \\
1385
           \hline
1386
           \hline
           \textbf{Time (s)} &
1387
        7
        8
           \textbf{Triple chosen} &
1388
1389
        9
           \textbf{Other feasible triples} \\
1390
       10
           \hline
1391
       11
           \endfirsthead
           \multicolumn{3}{c}%
1392
       12
1393
           {\textit{Continued from previous page}} \\
       13
1394
       14
           \hline
1395
       15
           \hline
1396
       16
           \textbf{Time (s)} &
       17
           \textbf{Triple chosen} &
1397
1398
       18
           \textbf{Other feasible triples} \\
1399
       19
           \hline
1400
       20
           \endhead
1401
       21
           \hline
1402
       22
           \multicolumn{3}{r}{\textit{Continued on next page}} \\
1403
       23
           \endfoot
1404
       24
           \hline
       25
1405
           \endlastfoot
1406
       26
           \hline
1407
       27
           0 & (1, 11, 13725) & (1, 12, 10980), (1, 13, 8235), (2, 2, 0), (3, 1, 0)
1408
       28
1409
           2745 & (1, 12, 10980) & (1, 13, 8235), (2, 2, 0), (2, 3, 0), (3, 1, 0)
1410
       29
1411
           5490 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1412
1413
       31
           8235 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1414
1415
       32
           10980 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1416
               0) \\
1417
           13725 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 1)
                0) \\
1418
           16470 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1419
       34
           19215 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1420
1421
                0) \\
1422
           21960 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
                0) \\
1423
           24705 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1424
       37
                0) \\
1425
           27450 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1426
       38
                0) \\
1427
1428
       39
           30195 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
           32940 \& (1, 13, 16470) \& (2, 2, 2745), (2, 3, 0), (3, 1, 0) \setminus
1429
       40
1430
           35685 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1431
       42 | 38430 & (1, 13, 10980) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
```

# De La Salle University

```
41175 & (1, 12, 13725) & (1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1,
1432
1433
            43920 & (1, 13, 10980) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1434
            46665 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
1435
        45
1436
            49410 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
        46
1437
            52155 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1438
                 0) \\
            54900 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1439
        48
1440
        49
            57645 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0)
            60390 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0)
1441
        50
                                                                                //
            63135 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0)
1442
1443
        52
            65880 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0)
           68625 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
1444
        53
            71370 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1445
1446
           74115 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1447
           76860 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
            79605 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
        57
1448
           82350 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
85095 & (1, 12, 13725) & (1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1,
1449
        58
1450
1451
           87840 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1452
           90585 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1453
        61
1454
           93330 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \
1455
           96075 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
            98820 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1456
        64
        65
            101565 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1457
1458
        66
            104310 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
           107055 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
109800 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1459
        67
1460
        68
            112545 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0),
1461
        69
                1, 0) \\
1462
            115290 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1463
1464
            118035 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
            120780 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \
1465
           123525 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
126270 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3,
1466
        73
1467
1468
               1, 0)
                      11
1469
            129015 &
                      (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
            131760 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
1470
1471
            134505 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
        77
1472
        78
            137250 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1473
            139995 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
            142740 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
        80
1474
1475
        81
            145485 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3,
1476
           148230 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
150975 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1477
1478
        83
            153720 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1479
1480
            156465 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1481
            159210 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1482
            161955 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
            164700 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1483
1484
        89
            \end{tabularx}
1485
        90
           \end{center}
1489
```



### 1489 1490 1491

## **B7** Algorithm or Pseudocode Listing

Table B.2 shows an example pseudocode. Note that if the pseudocode exceeds one page, it can mean that its implementation is not modular. List. B.9 shows the corresponding LATEX code.

Table B.2 Calculation of  $y = x^n$ 

### Input(s):

 $\begin{array}{lll} n & & : & n \text{th power; } n \in \mathbb{Z}^+ \\ x & & : & \text{base value; } x \in \mathbb{R}^+ \end{array}$ 

### **Output(s):**

y: result;  $y \in \mathbb{R}^+$ 

**Require:**  $n \ge 0 \lor x \ne 0$ 

```
Ensure: y = x^n
```

- 1:  $y \Leftarrow 1$
- 2: if n < 0 then
- 3:  $X \Leftarrow 1/x$
- 4:  $N \Leftarrow -n$
- 5: else
- 6:  $X \Leftarrow x$
- 7:  $N \Leftarrow n$
- 8: **end if**
- 9: while  $N \neq 0$  do
- 10: **if** N is even **then**
- 11:  $X \Leftarrow X \times X$
- 12:  $N \Leftarrow N/2$
- 13: **else**  $\{N \text{ is odd}\}$ 14:  $y \Leftarrow y \times X$
- 15:  $N \Leftarrow N 1$
- 16: **end if**
- 17: end while



Listing B.9: Sample LATEX code for algorithm or pseudocode listing usage

```
\begin{table}[!htbp]
  1
  2
                      \caption{Calculation of $y = x^n$}
  3
                      \label{tab:calcxn}
                      {\footnotesize
  4
                      \begin{tabular}{111}
  5
                      \hline
  7
                      \hline
                      {\bfseries Input(s):} & & \\
  8
  9
                      n & : & nth power; n \in \mathbb{Z}^{+}
10
                      x & : & base value; x \in \mathbb{R}^{+} \\
11
12
                      {\bfseries Output(s):} & & \\
                      $y$ & : & result; $y \in \mathbb{R}^{+}$ \\
13
14
                      \hline
15
                      \hline
16
17
                      \end{tabular}
18
19
                      \begin{algorithmic}[1]
20
                      {\normalfont} \{ \normalfont 
                                \REQUIRE $n \geq 0 \vee x \neq 0$
21
                                \ENSURE $y = x^n$
22
                               \STATE $y \Leftarrow 1$
23
                                \IF { n < 0 }
24
25
                                                     \STATE $X \Leftarrow 1 / x$
                                                     \STATE $N \Leftarrow -n$
26
27
                                \ELSE
28
                                                     \STATE $X \Leftarrow x$
29
                                                     \STATE $N \Leftarrow n$
                                \ENDIF
30
                                \WHILE{$N \neq 0$}
31
32
                                                     \IF{$N$ is even}
33
                                                                         \STATE $X \Leftarrow X \times X$
                                                                         \STATE $N \Leftarrow N / 2$
34
35
                                                     \ELSE[$N$ is odd]
36
                                                                         \STATE $y \Leftarrow y \times X$
37
                                                                         \STATE $N \Leftarrow N - 1$
38
                                                    \ENDIF
                                \ENDWHILE
39
40
41
                      \end{algorithmic}
            \end{table}
```



### **B8** Program/Code Listing

 List. B.10 is a program listing of a C code for computing Fibonacci numbers by calling the actual code. Please see the code subdirectory.

Listing B.10: Computing Fibonacci numbers in C (./code/fibo.c)

```
/* fibo.c -- It prints out the first N Fibonacci
2
                  numbers.
3
   #include <stdio.h>
7
   int main(void) {
8
        int n;
                       /* Number of fibonacci numbers we will print */
9
                       /* Index of fibonacci number to be printed next */
        int i;
        int current; /* Value of the (i)th fibonacci number */
10
11
                      /st Value of the (i+1)th fibonacci number st/
        int next;
12
        int twoaway; /* Value of the (i+2)th fibonacci number */
13
        printf("HowumanyuFibonacciunumbersudouyouuwantutoucompute?u");
14
        scanf("%d", &n);
15
16
        if (n \le 0)
           printf("The\sqcupnumber\sqcupshould\sqcupbe\sqcuppositive.\setminusn");
17
18
        else {
          printf("\n\n\tI_\tuFibonacci(I)\n\t==========\n");
19
20
          next = current = 1;
21
          for (i=1; i<=n; i++) {
22
       printf("\t^{d}_{\sqcup}\t^{d}_{\sqcup}, i, current);
       twoaway = current+next;
current = next;
23
24
               = twoaway;
25
       next
27
   }
28
29
30
   /* The output from a run of this program was:
31
32
   How many Fibonacci numbers do you want to compute? 9
33
34
           Fibonacci(I)
35
36
37
       2
             1
38
       3
             2
39
             3
       4
40
       5
             5
41
       6
              8
42
       7
             13
43
       8
            21
44
45
46
```



List. B.11 shows the corresponding LATEX code.

### Listing B.11: Sample LaTeX code for program listing

List.~\ref{lst:fib\_c} is a program listing of a C code for computing Fibonacci numbers by calling the actual code. Please see the \verb| code | subdirectory.



## **B9** Referencing

Referencing chapters: This appendix is in Appendix B, which is about examples in using various LATEX commands.

Referencing sections: This section is Sec. B9, which shows how to refer to the locations of various labels that have been placed in the LaTeX files. List. B.12 shows the corresponding LaTeX code.

Listing B.12: Sample L<sup>A</sup>T<sub>E</sub>X code for referencing sections

Referencing sections: This section is Sec.~\ref{sec:ref}, which shows how to refer to the locations of various labels that have been placed in the \LaTeX \ files. List.~\ref{lst:refsec} shows the corresponding \LaTeX \ code.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



### **B9.1** A subsection

Referencing subsections: This section is Sec. B9.1, which shows how to refer to a subsection. List. B.13 shows the corresponding LaTeX code.

### Listing B.13: Sample LATEX code for referencing subsections

Referencing subsections: This section is Sec.~\ref{sec:subsec}, which shows how to refer to a subsection. List.~\ref{lst:refsub} shows the corresponding \LaTeX \ code.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



### B9.1.1 A sub-subsection

Referencing sub-subsections: This section is Sec. B9.1.1, which shows how to refer to a sub-subsection. List. B.14 shows the corresponding LATEX code.

Listing B.14: Sample LATEX code for referencing sub-subsections

Referencing sub-subsections: This section is Sec. \ref{sec:subsubsec},
 which shows how to refer to a sub-subsection. List. \ref{lst:
 refsubsub} shows the corresponding \LaTeX \ code.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



### B<sub>10</sub> Index

1535

1536

1537

1538

1539

1541

1542

1543

For key words or topics that are expected (or the user would like) to appear in the Index, use index{key}, where key is an example keyword to appear in the Index. For example, Fredholm integral and Fourier operator of the following paragraph are in the Index.

If we make a very large matrix with complex exponentials in the rows (i.e., cosine real parts and sine imaginary parts), and increase the resolution without bound, we approach the kernel of the Fredholm integral equation of the 2nd kind, namely the Fourier operator that defines the continuous Fourier transform.

List. B.15 is a program listing of the above-mentioned paragraph.

### Listing B.15: Sample LATEX code for Index usage

If we make a very large matrix with complex exponentials in the rows (i. e., cosine real parts and sine imaginary parts), and increase the resolution without bound, we approach the kernel of the \index{ Fredholm integral} Fredholm integral equation of the 2nd kind, namely the \index{Fourier} Fourier operator that defines the continuous Fourier transform.



# B11 Adding Relevant PDF Pages (e.g. Standards, Datasheets, Specification Sheets, Application Notes, etc.)

1544

1545

1547

1548

Selected PDF pages can be added (see List. B.16), but note that the options must be tweaked. See the manual of pdfpages for other options.

### Listing B.16: Sample LATEX code for including PDF pages

```
1 \includepdf[pages={8-10},%
2 offset=3.5mm -10mm,%
3 scale=0.73,%
4 frame]
5 {./reference/Xilinx2015-UltraScaleArchitectureOverview.pdf}
```



**EXILINX**.

**UltraScale Architecture and Product Overview** 

### **Virtex UltraScale FPGA Feature Summary**

Table 6: Virtex UltraScale FPGA Feature Summary

	VU065	VU080	VU095	VU125	VU160	VU190	VU440
Logic Cells	626,640	780,000	940,800	1,253,280	1,621,200	1,879,920	4,432,680
CLB Flip-Flops	716,160	891,424	1,075,200	1,432,320	1,852,800	2,148,480	5,065,920
CLB LUTs	358,080	445,712	537,600	716,160	926,400	1,074,240	2,532,960
Maximum Distributed RAM (Mb)	4.8	3.9	4.8	9.7	12.7	14.5	28.7
Block RAM/FIFO w/ECC (36Kb each)	1,260	1,421	1,728	2,520	3,276	3,780	2,520
Total Block RAM (Mb)	44.3	50.0	60.8	88.6	115.2	132.9	88.6
CMT (1 MMCM, 2 PLLs)	10	16	16	20	30	30	30
I/O DLLs	40	64	64	80	120	120	120
Fractional PLLs	5	8	8	10	15	15	0
Maximum HP I/Os <sup>(1)</sup>	468	780	780	780	650	650	1,404
Maximum HR I/Os <sup>(2)</sup>	52	52	52	104	52	52	52
DSP Slices	600	672	768	1,200	1,560	1,800	2,880
System Monitor	1	1	1	2	3	3	3
PCIe Gen3 x8	2	4	4	4	5	6	6
150G Interlaken	3	6	6	6	8	9	0
100G Ethernet	3	4	4	6	9	9	3
GTH 16.3Gb/s Transceivers	20	32	32	40	52	60	48
GTY 30.5Gb/s Transceivers	20	32	32	40	52	60	0

- Notes:
  1. HP = High-performance I/O with support for I/O voltage from 1.0V to 1.8V.
- 2. HR = High-range I/O with support for I/O voltage from 1.2V to 3.3V.

DS890 (v2.1) April 27, 2015 **Preliminary Product Specification**  www.xilinx.com



### **EXILINX**.

**UltraScale Architecture and Product Overview** 

### Virtex UltraScale Device-Package Combinations and Maximum I/Os

Table 7: Virtex UltraScale Device-Package Combinations and Maximum I/Os

	Package	VU065	VU080	VU095	VU125	VU160	VU190	VU440
Package <sup>(1)(2)(3)</sup>	Dimensions (mm)	HR, HP GTH, GTY						
FFVC1517	40x40	52, 468 20, 20	52, 468 20, 20	52, 468 20, 20				
FFVD1517	40x40		52, 286 32, 32	52, 286 32, 32				
FLVD1517	40x40				52, 286 40, 32			
FFVB1760	42.5x42.5		52, 650 32, 16	52, 650 32, 16				
FLVB1760	42.5x42.5				52, 650 36, 16			
FFVA2104	47.5x47.5		52, 780 28, 24	52, 780 28, 24				
FLVA2104	47.5x47.5				52, 780 28, 24			
FFVB2104	47.5x47.5		52, 650 32, 32	52, 650 32, 32				
FLVB2104	47.5x47.5				52, 650 40, 36			
FLGB2104	47.5x47.5					52, 650 40, 36	52, 650 40, 36	
FFVC2104	47.5x47.5			52, 364 32, 32				
FLVC2104	47.5x47.5				52, 364 40, 40			
FLGC2104	47.5x47.5					52, 364 52, 52	52, 364 52, 52	
FLGB2377	50x50							52, 1248 36, 0
FLGA2577	52.5x52.5						0, 448 60, 60	
FLGA2892	55x55							52, 1404 48, 0

- Go to Ordering Information for package designation details.
   All packages have 1.0mm ball pitch.
   Packages with the same last letter and number sequence, e.g., A2104, are footprint compatible with all other UltraScale architecture-based devices with the same sequence. The footprint compatible devices within this family are outlined. See the UltraScale Architecture Product Selection Guide for details on inter-family migration.

DS890 (v2.1) April 27, 2015 **Preliminary Product Specification**  www.xilinx.com



**EXILINX**.

**UltraScale Architecture and Product Overview** 

### **Virtex UltraScale+ FPGA Feature Summary**

Table 8: Virtex UltraScale+ FPGA Feature Summary

	VU3P	VU5P	VU7P	VU9P	VU11P	VU13P
Logic Cells	689,640	1,051,010	1,379,280	2,068,920	2,147,040	2,862,720
CLB Flip-Flops	788,160	1,201,154	1,576,320	2,364,480	2,453,760	3,271,680
CLB LUTs	394,080	600,577	788,160	1,182,240	1,226,880	1,635,840
Max. Distributed RAM (Mb)	12.0	18.3	24.1	36.1	34.8	46.4
Block RAM/FIFO w/ECC (36Kb each)	720	1,024	1,440	2,160	2,016	2,688
Block RAM (Mb)	25.3	36.0	50.6	75.9	70.9	94.5
UltraRAM Blocks	320	470	640	960	1,152	1,536
UltraRAM (Mb)	90.0	132.2	180.0	270.0	324.0	432.0
CMTs (1 MMCM and 2 PLLs)	10	20	20	30	12	16
Max. HP I/O <sup>(1)</sup>	520	832	832	832	624	832
DSP Slices	2,280	3,474	4,560	6,840	8,928	11,904
System Monitor	1	2	2	3	3	4
GTY Transceivers 32.75Gb/s	40	80	80	120	96	128
PCIe Gen3 x16 and Gen4 x8	2	4	4	6	3	4
150G Interlaken	3	4	6	9	9	12
100G Ethernet w/RS-FEC	3	4	6	9	6	8

### Virtex UltraScale+ Device-Package Combinations and Maximum I/Os

Table 9: Virtex UltraScale+ Device-Package Combinations and Maximum I/Os

Package :	Package	VU3P	VU5P	VU7P	VU9P	VU11P	VU13P
(1)(2)(3)	Dimensions (mm)	HP, GTY	HP, GTY	HP, GTY	HP, GTY	HP, GTY	HP, GTY
FFVC1517	40x40	520, 40					
FLVF1924	45x45					624, 64	
FLVA2104	47.5x47.5		832, 52	832, 52	832, 52		
FHVA2104	52.5x52.5 <sup>(4)</sup>						832, 52
FLVB2104	47.5x47.5		702, 76	702, 76	702, 76	624, 76	
FHVB2104	52.5x52.5 <sup>(4)</sup>						702, 76
FLVC2104	47.5x47.5		416, 80	416, 80	416, 104	416, 96	
FHVC2104	52.5x52.5 <sup>(4)</sup>						416, 104
FLVA2577	52.5x52.5				448, 120	448, 96	448, 128

- Go to Ordering Information for package designation details.
- 2. All packages have 1.0mm ball pitch.
- Packages with the same last letter and number sequence, e.g., A2104, are footprint compatible with all other UltraScale devices with the same sequence. The footprint compatible devices within this family are outlined.
   These 52.5x52.5mm overhang packages have the same PCB ball footprint as the corresponding 47.5x47.5mm packages (i.e., the same last letter and number sequence) and are footprint compatible.

DS890 (v2.1) April 27, 2015 **Preliminary Product Specification**  www.xilinx.com

10

<sup>1.</sup> HP = High-performance I/O with support for I/O voltage from 1.0V to 1.8V.

W. T.	De	La	Sal	le 1	Un	ivei	sitv
MANILA		La	Jai		O11		. <b>31</b> L y

# Appendix C PUBLICATION LIST AND AWARD

Journal

1555 1. ...

1552

1553

1556 2. ...

1557 Conference

1558 1. ...

1559 2. ...



1560	Others
1000	

1561 1. ...

1562 2. ...

## 1563 Award

1564 1. ...

1565 2. ...



# Appendix D VITA

Junlae Cheong is a sixth year student at De La Salle University. He is currently taking up his B.Sc. Computer Engineering studies. His strengths in the field are electronics circuit design and configuration. His fields of interest are electronics hardware and computer microprocessor.

Rohit P. Nihalani is a third year student at De La Salle University. He is currently taking up his B.Sc. Computer Engineering studies. He has designed communication systems which covers basic AM radios. His fields of interest are digital communications and computer networks.

Noel B. Paulino is a third year student at De La Salle University. He is currently taking up his B.Sc. Computer Engineering studies. His strengths in the field are microcontroller program design and advanced electronics.

 Ryback Tyrone G. Po is a fourth year student at De La Salle University. He is currently taking up his B.Sc. Computer Engineering studies. He has designed and

SILE	_	0 11			•
Do	e La	Sall	e U	nive	rsity

# **INDEX**

1583

contributions, 34

1584 1585 Fourier operator, 76 Fredholm integral, 76