

Week 3


1. Open Google Cloud Engine

The screenshot shows the Google Cloud App Engine documentation page for creating a Python application. The page is titled "Quickstart: Create a Python web service on Google Cloud". It includes a navigation sidebar on the left with links to various runtimes and guides. The main content area contains a "Before you begin" section with two steps: 1. Start by creating a Google Cloud account. With this account, you get \$300 in free credits, plus free usage of over 20 products, up to monthly limits. 2. In the Google Cloud console, on the project selector page, select or create a Google Cloud project. A red box highlights the "Create an account" button in the first step. A note at the top states: "Note: If you are deploying a new Python web service to Google Cloud, we recommend getting started with Cloud Run." A sidebar on the right lists "On this page" links: Before you begin, Additional prerequisites, Download the Hello World app, Run Hello World on your local machine, Deploy and run Hello World on App Engine, Clean up, What's next, and Hello World code review.


2. Choose your Google Account

The screenshot shows the "Step 1 of 2 Account Information" page for creating a Google Cloud account. The page is titled "Try Google Cloud for free". It displays the user's name "AMARAVADI SANJAY" and email "sanjayamaravadi5@gmail.com". A "Switch account" link is visible. The "Country" dropdown menu is set to "India". Below the country selection, there is a link to the "Google Cloud Platform Supplemental Free Trial" and "any applicable services and APIs Terms of Service". A red box highlights the "Agree & continue" button. On the right side, there is a section titled "Access to all Google Cloud products" with the text: "Get everything you need to build and run your apps, websites and services, including Firebase and the Google Maps API." Below this, there is a section titled "\$300 in free credit" with the text: "Try Google Cloud with \$300 in credit to spend over the next 90 days." Further down, there is a section titled "No automatic charges" with the text: "You only start paying if you decide to activate a full, pay-as-you-go account or choose to prepay. Any remaining free credit is yours to keep."


3. click on I agree




4. Change the URL: <https://console.cloud.google.com>



5. Click on My First Project



6. Click on new Project



7. Enter the new Project name (ex: CC Lab) and click on **Create**

Mon Aug 4 4:36:32 PM

Quickstart: Create a Pyth x New Project - Google Cl x API/Service Details - API x +

console.cloud.google.com/projectcreate?previousPage=%2Fwelcome%3Finv%3D1%26inv%3DAb4kmQ%26project%3Dmarine-cycle-468010-q3&... New Chrome available

Start your Free Trial with \$300 in credit. Don't worry—you won't be charged if you run out of credits. [Learn more](#) Dismiss [Start free](#)

Google Cloud Search (/) for resources, docs, products, and more Search

New Project

You have 8 projects remaining in your quota. Request an increase or delete projects. [Learn more](#)

[Manage Quotas](#)

Project name * CC Lab ⓘ

Project ID: cc-lab-468010-q3 cannot be changed later. [Edit](#)

Location * No organization [Browse](#)

Parent organization or folder

[Create](#) [Cancel](#)

8. Again Click on My First Project

Mon Aug 4 4:35:26 PM

Quickstart: Create a Pyth x My First Project - Google x API/Service Details - API x +

console.cloud.google.com/welcome?inv=1&inv=Ab4kmQ&project=marine-cycle-468010-q3 New Chrome available

Google Cloud My First Project Search (/) for resources, docs, products, and more Search

Welcome

You're working in [My First Project](#)

Project number: 755777067666 Project ID: marine-cycle-468010-q3

[Dashboard](#) [Cloud Hub](#) [New](#)

[Create a VM](#) [Run a query in BigQuery](#) [Deploy an application](#)

[Create a storage bucket](#)


Explore the Gemini 2.5 model family

Try in Vertex AI →


Quick access

API APIs & Services IAM & Admin Billing Compute Engine

9. Select Your Project (ex: CC Lab)



10. Click on search bar and enter App Engine Admin API



11.Enable the API

Mon Aug 4 3:24:42 PM

Quickstart: Create a Python app | App Engine Admin API

console.cloud.google.com/marketplace/product/google/appengine.googleapis.com?q=search&referrer=search&inv=1&inv=Ab4kSg&project=adroit-...

Start your Free Trial with \$300 in credit. Don't worry—you won't be charged if you run out of credits. [Learn more](#)

Dismiss Start free

Google Cloud CC Lab

Product details

App Engine Admin API
[Google Enterprise API](#)

Provisions and manages developers' App Engine applications.

Enable Try this API

Click to enable this API

Overview Documentation Related Products

Overview
Provisions and manages developers' App Engine applications.

Additional details
Now viewing project "CC Lab" in organization "No organization"

12.Open Terminal

Mon Aug 4 3:27:39 PM

Quickstart: Create a Python app | API/Service Details - API

console.cloud.google.com/apis/api/appengine.googleapis.com/metrics?project=adroit-base-468009-k6&inv=1&inv=Ab4kSg

Start your Free Trial with \$300 in credit. Don't worry—you won't be charged if you run out of credits. [Learn more](#)

Dismiss Start free

Google Cloud CC Lab

app engine Search

APIs & Services

API/Service Details Disable API



App Engine Admin API
Provisions and manages developers' App Engine applications.

Service name	Type	Status	Documentation
appengine.googleapis.com	Public API	Enabled	View documentation


Metrics Quotas & System Limits Credentials

Activate Cloud Shell (G then S)


Now viewing project "CC Lab" in organization "No organization"



13.Clone the sample Repo



14.Select the main file and execute the sample file



```

Downloading blinker-1.9.0-py3-none-any.whl.metadata (1.6 kB)
Collecting MarkupSafe>=2.1.1 (from Werkzeug==3.0.3->r requirements.txt (line 3))
  Downloading MarkupSafe-3.0.2-cp312-cp312-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (4.0 kB)
Collecting packaging (from gunicorn==23.0.0->r requirements.txt (line 5))
  Downloading packaging-25.0-py3-none-any.whl.metadata (3.3 kB)
Downloading flask-3.0.3-py3-none-any.whl (101 kB)
101.7/101.7 kB 6.7 MB/s eta 0:00:00
Downloading werkzeug-3.0.3-py3-none-any.whl (227 kB)
227.9/227.3 kB 15.7 MB/s eta 0:00:00
Downloading gunicorn-23.0.0-py3-none-any.whl (85 kB)
85.0/85.0 kB 6.6 MB/s eta 0:00:00
Downloading blinker-1.9.0-py3-none-any.whl (8.5 kB)
Downloading click-8.2.1-py3-none-any.whl (102 kB)
102.2/102.2 kB 7.9 MB/s eta 0:00:00
Downloading itsdangerous-2.2.0-py3-none-any.whl (16 kB)
Downloading Jinja2-3.1.6-py3-none-any.whl (134 kB)
134.9/134.9 kB 10.0 MB/s eta 0:00:00
Downloading MarkupSafe-3.0.2-cp312-cp312-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (23 kB)
66.5/66.5 kB 4.7 MB/s eta 0:00:00
Installing collected packages: packaging, MarkupSafe, itsdangerous, click, blinker, Werkzeug, Jinja2, gunicorn, Flask
Successfully installed Flask-3.0.3 Jinja2-3.1.6 MarkupSafe-3.0.2 Werkzeug-3.0.3 blinker-1.9.0 click-8.2.1 gunicorn-23.0.0 itsdangerous-2.2.0 packaging-25.0
(env) sanjayamaravadi5@cloudshell:~/python-docs-samples/appengine/flexible/hello_world (adroit-base-468009-k6)$ python main.py
* Serving Flask app 'main'
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:8080
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!
* Debugger PIN: 447-782-482

```

Modifying the Port number


15.Open Editor

The screenshot shows the Google Cloud console interface. At the top, there's a navigation bar with the Google Cloud logo and a search bar. Below that, there's a section for 'app engine'. In the 'CLOUD SHELL' section, there's a terminal window titled '(adroit-base-468009-k6)'. To the right of the terminal, there's a button labeled 'Open Editor' which is highlighted with a red rectangular box. The terminal window shows the same output as the first screenshot, including the installation of packages and the start of the Flask application.


16. Open the main.py file

python-docs-samples>appengine>flexible>hello_world>main.py


Change the return Statement



Change the Port



17. Open Terminal



18. Run the main.py again (Check the port)

