



Shenzhen Tuoqi Membrane Technology Co., Ltd.

Sales Manager: Frank Zhou

E-mail: [sztuoqi@163.com](mailto:sztuoqi@163.com)

Whatsapp No.: 13631589270





Eco-friendly wide pH range  
electrolysis water ionizer machine



Shenzhen Tuoqi Membrane Technology Co., Ltd.



high quality alkaline water ionizer



**Weakly alkaline water**

PH value: 7.5-8.5

ON TAP WHATEVER YOU NEED



**Small molecule water**

X3 times the dissolving power

ON TAP WHATEVER YOU NEED



**Antioxidant water**

ORP: -500mv

ON TAP WHATEVER YOU NEED



**6 new designs**

Best life

ON TAP WHATEVER YOU NEED



Dearade pesticides on vegetables



Dispel the effects of alcohol



Lower three highs



Relieve sub-health



Many colors are available

## Antioxidant water



## Small molecule water








Shenzhen Tuoqi Membrane Technology Co., Ltd.




The water solubility of small molecular  
clusters is three times that of ordinary water

ON TAP\* WHATEVER YOU NEED



## Principle of Electrolysis



## 6 new designs


01/



3.8"



Highly sensitive touch



02/


03/



3.8"



3.8 " Display  
Voice prompts



COOKING MEALS 烹饪  
COOKING CUISINE 料理



COOKING RICE 煮饭  
MAKING TEA 泡茶



DAILY 日常  
DRINKING 饮用



INITIAL PERIOD 初期  
DRINKING 饮用

碱性  
Alkaline





04/



The outlet pipe can be rotated 360 degrees

05/



3.8"



Can be placed flat, can be hung up

**2种陈列方式**

可挂在墙上/可平面放置

安放更灵活 厨房更整洁



06/



高品质触控

3.8"

液晶显示



语音提醒



360°出水管



挂放两用



钢琴烤漆

High-grade paint





Product Advantages

6000  
Hours  
Effective  
electrolysis time

7-10  
years  
Lifetime

PH  
Constant  
PH value

258mm

170mm

110mm



## Parameter

| Name                    | Water electrolysis machine                         |
|-------------------------|--|
| Rated voltage           | AC 110V/220V                                       |
| Standby power           | 1 W  |
| Water pressure          | 0.1-0.4 Mpa  |
| Applicable TDS          | 50-1000PPM   |
| Electrolysis type       | 4 kinds of alkaline water, 2 kinds of acidic water |
| Electrolysis capacity   | 3 L/M  |
| Continuous electrolysis | Less than or equal to 30 minutes                   |
| Filter lifetime         | 1-2 years  |
| Electrolyzer            | Titanium Dioxide                                   |
| Electrolysis area       | 320 CM <sup>2</sup>                                |
| ORP value               | +600~-500 mV                                       |
| Safety protection       | Microcomputer controlled overcurrent protection    |
| Weight                  | 1.5 Kg   |
| Dim                     | 258x170x110mm                                      |



Shenzhen Tuoqi Membrane Technology Co., Ltd.

