

# Jammertest 2026
# Transmission Plan

Jammertest Consortium

2026-10-16
10:57:24

# Contents


**Monday** 3

**Tuesday** 7

**Wednesday** 15

**Thursday** 23

**Friday** 29

# Monday

Table 1.1: Monday

| Monday<br>2026-09-14 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| Start time: | 11:00 | 11:00 | 11:00 |
| 08:00 | | | |
| 09:00 | | | |
| 10:00 | | | |
| 11:00 | **11:00-13:00 - 0.0.1**<br>**Mandatory morning briefing**<br>Comment: MANDATORY<br>Contact: Christian Skjetne (NPRA) | **11:00-13:00 - 0.0.1**<br>**Mandatory morning briefing**<br>Comment: MANDATORY attendence at Test Area 1 (Site 1)<br>Contact: Christian Skjetne (NPRA) | **11:00-13:00 - 0.0.1**<br>**Mandatory morning briefing**<br>Comment: MANDATORY attendence at Test Area 1 (Site 1)<br>Contact: Christian Skjetne (NPRA) |
| 12:00 | Ongoing event. See above. | Ongoing event. See above. | Ongoing event. See above. |
| 13:00 | **13:00-14:00 - 0.1.1**<br>**Grace period**<br>Comment: Lunch<br>Contact: Christian Skjetne (NPRA) | **13:00-14:00 - 0.1.1**<br>**Grace period**<br>Comment: Lunch @ Grunnvatn (Site 2)<br>Contact: Øystein Karlsen (NKOM) | **13:00-14:00 - 0.1.1**<br>**Grace period**<br>Comment: Lunch @ Stave (Site 3)<br>Contact: Jahn Erik Røhme (NPRA) |
| 14:00 | **14:00-14:10 - 1.2.1**<br>**Jamming: CW: L1**<br>Power: 50W<br>Comment: CW jamming at L1 from Porcus Major at Ramnan.<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**14:25-14:35 - 1.2.6**<br>**Jamming: CW: L1, L2, L5, G1, G2, E5b, E6, B1I**<br>Power: 50W<br>Comment: CW jamming at all GNSS bands from Porcus Major at Ramnan.<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**14:50-15:00 - 1.3.10**<br>**Jamming: sweep: L1, 100 kHz**<br>Power: 50W<br>Comment: Jamming at L1 from Porcus Major at Ramnan.<br>Contact: Jørn Skorstad (Nkom) | **14:00-14:12 - 1.1.1**<br>**Jammer S1.1**<br>Contact: Øystein Karlsen (NKOM)<br>---<br>**14:16-14:28 - 1.1.4**<br>**Jammer S2.1**<br>Contact: Øystein Karlsen (NKOM)<br>---<br>**14:32-14:44 - 1.1.8**<br>**Jammer U1.1**<br>Contact: Øystein Karlsen (NKOM)<br>---<br>**14:48-15:00 - 1.1.12**<br>**Jammer H1.1**<br>Contact: Øystein Karlsen (NKOM) | **14:00-14:23 - 2.6.6**<br>**Motorcade is driving with fixed spoofed position, small position jump**<br>Power: 0.001W<br>Comment: This actual test will take 5 minutes extra than the other tests, because the motorcade will stay stationary the first five minutes. We should arrive at Crossroads 14.23 which allows us to have a 7 minute break instead of the regular 10 min.<br>Contact: Jahn Erik Røhme (NPRA)<br>---<br>**14:30-14:50 - 2.6.5**<br>**Motorcade is driving from Crossroads northbound to Stave, while the spoofed position moves southbound towards Nordmela**<br>Power: 0.001W<br>Contact: Jahn Erik Røhme (NPRA) |

Continued on next page

Table 1.1: Monday (Continued)

| Monday<br>2026-09-14 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| 15:00 | **15:15-15:25 - 1.3.12**<br>**Jamming: sweep: L1, L2, L5, G1, G2, E5b, E6, B1I, 100 kHz**<br>Power: 50W<br>Comment: Jamming of all GNSS bands from Porcus Major at Ramnan. For bandwidths of the specific bands see test catalogue table 5.25.<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**15:40-15:50 - 1.4.5**<br>**Jamming: PRN: L1, Chiprate: 10 MHz**<br>Power: 50W<br>Comment: PRN jamming at L1 from Porcus Major at Ramnan.<br>Contact: Jørn Skorstad (Nkom) | **15:04-15:16 - 1.1.13**<br>**Jammer H1.2**<br>Contact: Øystein Karlsen (NKOM)<br>---<br>**15:20-15:32 - 1.1.16**<br>**Jammer H3.1**<br>Contact: Øystein Karlsen (NKOM)<br>---<br>**15:36-15:48 - 1.1.18**<br>**Jammer H3.3**<br>Contact: Øystein Karlsen (NKOM)<br>---<br>**15:52-16:04 - 1.1.19**<br>**Jammer H4.1**<br>Contact: Øystein Karlsen (NKOM) | **15:00-15:20 - 2.6.2**<br>**Motorcade is driving with fixed spoofed position, large position jump**<br>Power: 0.001W<br>Contact: Jahn Erik Røhme (NPRA)<br>---<br>**15:30-15:50 - 2.6.7**<br>**Motorcade is driving from Crossroads to Stave, while the spoofed location is following the road at a higher speed (100km/h)**<br>Power: 0.001W<br>Contact: Jahn Erik Røhme (NPRA) |
| 16:00 | **16:05-16:15 - 1.4.7**<br>**Jamming: PRN: L1, L2, L5, G1, G2, E5b, E6, B1I**<br>Power: 50W<br>Comment: PRN jamming at all GNSS bands from Porcus Major at Ramnan.<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**16:30-17:45 - 1.8.2**<br>**Jamming: PRN pyramid starting with L1**<br>Power: 50W<br>Comment: PRN pyramid jamming, starting with L1, then adding bands sequentially to G1, L2, L5, L6, B1I, E5b, G2. The test then continues by removing bands one by one in reverse order, until ending up with only L1. Each step lasts 5 minutes with 3.5 minutes of jamming and a 1.5 minute break. In total, it will look like this: L1 L1, G1 L1, G1, L2 L1, G1, L2, L5 L1, G1, L2, L5, E6 L1, G1, L2, L5, E6, B1I L1, G1, L2, L5, E6, B1I, E5b L1, G1, L2, L5, E6, B1I, E5b, G2 L1, G1, L2, L5, E6, B1I, E5b L1, G1, L2, L5, E6, B1I L1, G1, L2, L5, E6 L1, G1, L2, L5 L1, G1, L2 L1, G1 L1<br>Contact: Jørn Skorstad (Nkom) | **16:08-16:20 - 1.1.20**<br>**Jammer H6.1**<br>Contact: Øystein Karlsen (NKOM)<br>---<br>**16:24-16:36 - 1.1.21**<br>**Jammer H6.2**<br>Contact: Øystein Karlsen (NKOM)<br>---<br>**16:40-16:52 - 1.1.22**<br>**Jammer H6.3**<br>Contact: Øystein Karlsen (NKOM)<br>---<br>**16:56-17:08 - 1.1.23**<br>**Jammer H6.4**<br>Contact: Øystein Karlsen (NKOM) | **16:00-16:40 - 2.6.10**<br>**Motorcade is driving, with power ramp**<br>Power: 0.001W<br>Comment: The route will run from Stave to the turning point at the Crossroads and then back to Stave. There will be no stop at the turning point, allowing the motorcade to remain in continuous movement throughout the test while the power level is increasing. The motorcade will drive at a speed of 35km/h. The estimated driving time between Stave – Crossroads is 17 minutes when driving at a speed of 35km/h. The test signal will be on air for 40-minutes without any stop. There will be no initial jamming during this test The starting and end point is Stave<br>Contact: Jahn Erik Røhme (NPRA)<br>---<br>**16:50-17:10 - 2.6.4**<br>**Motorcade is driving while the spoofed position is driving in the terrain next to the road**<br>Power: 0.001W<br>Contact: Jahn Erik Røhme (NPRA) |

Continued on next page

Table 1.1: Monday (Continued)

| Monday<br>2026-09-14 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| 17:00 | | **17:12-17:24 - 1.1.26**<br>**Jammer H8.1**<br>Contact: Øystein Karlsen (NKOM)<br>---<br>**17:28-17:40 - 1.1.27**<br>**Jammer F6.1**<br>Contact: Øystein Karlsen (NKOM)<br>---<br>**17:44-17:56 - 1.1.29**<br>**Jammer H2.1**<br>Contact: Øystein Karlsen (NKOM) | **17:20-17:40 - 2.6.11**<br>**Motorcade is driving, with spoofed position jump and spoofed moving position through a tunnel**<br>Power: 0.001W<br>Contact: Jahn Erik Røhme (NPRA)<br>---<br>**17:50-18:05 - 2.6.12**<br>**The motorcade is stationary at Stave. The time will jump forward by 1 year, 1 day, 1 hour and 15 minutes**<br>Power: 0.001W<br>Contact: Jahn Erik Røhme (NPRA) |
| 18:00 | **18:30-19:00 - 0.0.2**<br>**Mandatory afternoon (de)briefing**<br>Contact: Christian Skjetne (NPRA) | **18:30-19:00 - 0.0.2**<br>**Mandatory afternoon (de)briefing**<br>Comment: MANDATORY attendence at Stave (Site 3)<br>Contact: Jahn Erik Røhme (NPRA) | **18:30-19:00 - 0.0.2**<br>**Mandatory afternoon (de)briefing**<br>Comment: MANDATORY attendence at Stave (Site 3)<br>Contact: Jahn Erik Røhme (NPRA) |
| 19:00 | | | |
| 20:00 | | | |
| 21:00 | | | |
| 22:00 | | | |

# Tuesday

Table 2.1: Tuesday

| Tuesday<br>2026-09-15 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| Start time: | 08:00 | 08:00 | 08:00 |
| 08:00 | **08:00-08:30 - 0.0.1**<br>**Mandatory morning briefing**<br>Comment: MANDATORY<br>Contact: Christian Skjetne (NPRA) | **08:00-08:30 - 0.0.1**<br>**Mandatory morning briefing**<br>Comment: MANDATORY<br>Contact: Christian Skjetne (NPRA) | **08:00-08:30 - 0.0.1**<br>**Mandatory morning briefing**<br>Comment: MANDATORY attendence at Stave (Site 3)<br>Contact: Jahn Erik Røhme (NPRA) |
| 09:00 | **09:00-09:23 - 1.6.10**<br>**Jamming: 7.9 µW (-21dBm) to 50 W (47dBm) with 2 dB increments PRN: L1, sweep: Iridium STL, step time: 20 s**<br>Power: 50W<br>Comment: PRN jamming within the L1 test band and Sweep jamming within the Iridium band 1616 - 1626.5 MHz with a power ramp from 7.9 µW (-21dBm) to a maximum of 50 W (47dBm) at 2 dB increments. Power level step time 20 seconds.<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**09:40-10:03 - 1.6.9**<br>**Jamming 7.9 µW (-21dBm) to 50 W (47dBm) with 2 dB increments PRN: L1, L2, L5, G1, G2, E5b, E6, B1I, step time: 20 s**<br>Power: 50W<br>Comment: PRN jamming with a power ramp from 7.9 µW (-21dBm) to a maximum of 50 W (47dBm) and down to 7.9 µW again, with 2 dB increments, within the test bands L1, L2, L5, G1, G2, E5b, E6, B1I. BW: See test catalogue. Power level step time 20 seconds<br>Contact: Jørn Skorstad (Nkom) | **09:00-10:00 - 1.25.4**<br>**Circular PRN jamming power ramp with 2 dB increments, 30 sec pr. steps**<br>Contact: Øystein Karlsen (NKOM) | **09:00-09:20 - 1.11.12**<br>**Driving past a parked car with one commercially available military training jammer inside**<br>Power: 0.1W<br>Comment: Jammers available for testing: H1.1<br>Contact: Jahn Erik Røhme (NPRA)<br>---<br>**09:30-09:50 - 1.11.13**<br>**Driving past two parked cars, each with one commercially available military training jammer inside**<br>Power: 0.1W<br>Comment: Jammers available for testing: H1.1, H1.1<br>Contact: Jahn Erik Røhme (NPRA) |

Continued on next page

Table 2.1: Tuesday (Continued)

| Tuesday<br>2026-09-15 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| 10:00 | **10:20-10:30 - 3.1.3**<br>**Meaconing: RX1 at 10 W**<br>Power: 10W<br>Comment: Meaconing at approximately 40 dBm from Porcellus at Ramnan within the L1 and L2 bands.<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**10:45-11:00 - 3.1.7**<br>**Meaconing: RX1 at 10 W with initial jamming from the community house**<br>Power: 10W<br>Comment: Meaconing at approximately 40 dBm will be conducted from Porcellus for 10 minutes on the L1 and L2 bands. This will be preceded by 5 minutes of PRN jamming at 30 dBm from Bleik (PRN L1, L2, L5, G1, G2, E5b, E6 and B1I). The meaconing will begin 4 minutes after the start of the jamming, resulting in a 1-minute overlap between the two activities.<br>Contact: Jørn Skorstad (Nkom) | **10:00-11:00 - 1.25.2**<br>**Circular PRN jamming power ramp with 4 dB increments, 1min pr. steps**<br>Contact: Øystein Karlsen (NKOM) | **10:00-10:20 - 1.11.14**<br>**Driving past three parked cars, each with a jammer inside**<br>Power: 0.1W<br>Comment: Jammers available for testing: H1.1, H1.1 and H4.1<br>Contact: Jahn Erik Røhme (NPRA)<br>---<br>**10:30-11:10 - 1.11.15**<br>**One commercially available military training jammer in the center of the moving motorcade**<br>Power: 0.1W<br>Contact: Jahn Erik Røhme (NPRA) |
| 11:00 | **11:15-11:49 - 3.3.1**<br>**Meaconing: RX1 with ramping power**<br>Power: 10W<br>Comment: Meaconing from receiver RX1, with ramping power. Power is ramped up from 0.001 W to 10 W and then back down again to 0.001 W in 5 dB steps, with each step lasting for 2 minutes.<br>Contact: Jørn Skorstad (Nkom) | **11:00-12:00 - 1.25.5**<br>**Circular PRN jamming power ramp with 4 dB increments, 30 sec pr. steps**<br>Contact: Øystein Karlsen (NKOM) | **11:20-12:00 - 1.11.16**<br>**Two commercially available military training jammers in the moving motorcade**<br>Power: 0.1W<br>Contact: Jahn Erik Røhme (NPRA) |
| 12:00 | **12:00-13:00 - 0.1.1**<br>**Grace period**<br>Comment: Lunch<br>Contact: Christian Skjetne (NPRA) | **12:00-13:00 - 0.1.1**<br>**Grace period**<br>Comment: Lunch @ Grunnvatn (Site 2)<br>Contact: Øystein Karlsen (NKOM) | **12:00-13:00 - 0.1.1**<br>**Grace period**<br>Comment: Lunch @ Stave (Site 3)<br>Contact: Jahn Erik Røhme (NPRA) |

Continued on next page

Table 2.1: Tuesday (Continued)

| Tuesday<br>2026-09-15 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| 13:00 | **13:05-13:41 - 3.2.7**<br>**Meaconing: RX1 and RX2 at 10 W alternating with different switching frequencies**<br>Power: 10W<br>Comment: Test with increasing switching frequency between two antennas: RX1 and RX2. The switching frequency will double every 2 minutes, starting with 1 minute switching frequency, then 30 sec., etc.<br>Contact: Jørn Skorstad (Nkom) | **13:00-14:00 - 1.25.3**<br>**Circular PRN jamming power ramp with 4 dB increments and pulse duration 1ms, 10 % duty cycle**<br>Power: 1W | **13:00-13:40 - 1.11.17**<br>**Three jammers in the moving motorcade**<br>Power: 0.1W<br>Comment: Jammer-equipment will be decided and made available in the testlog afterwards.<br>Contact: Jahn Erik Røhme (NPRA)<br>---<br>**13:50-14:30 - 1.11.17**<br>**Three jammers in the moving motorcade**<br>Power: 0.1W<br>Comment: Jammer-equipment will be decided and made available in the testlog afterwards.<br>Contact: Jahn Erik Røhme (NPRA) |
| 14:00 | **14:00-14:36 - 3.2.11**<br>**Meaconing: RX1 and RX2 at 10 W alternating with different switching frequencies and with jamming from a different location**<br>Power: 10W<br>Comment: Meaconing from Porcellus with increasing switching frequency between two antennas: RX1 and RX2 with jamming from the community house. The switching frequency will double every 2 minutes, starting with 1 minute switching frequency, then 30 sec., etc. Meaconing on L1 and L2, jamming on L5, G1, E6 (E5b, B1I, and G2 TBD)<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**14:55-15:10 - 1.18.5**<br>**Unintentional RFI: CW signal drift: 1545 to 1620 MHz, 15 minutes sweep time**<br>Power: 50W<br>Comment: Out of band jamming from Porcus Maior at Ramnan<br>Contact: Jørn Skorstad (Nkom) | **14:40-15:10 - 1.25.8**<br>**Circular AWGN jamming power ramp with 2 dB increments, 6 sec pr. step**<br>Contact: Øystein Karlsen (NKOM) | **14:40-15:30 - 1.11.17**<br>**Three jammers in the moving motorcade**<br>Power: 0.1W |

Continued on next page

Table 2.1: Tuesday (Continued)

| Tuesday<br>2026-09-15 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| 15:00 | **15:25-15:40 - 1.18.7**<br>**Unintentional RFI: CW signal drift: 1620 to 1545 MHz, 15 minutes sweep time**<br>Power: 50W<br>Comment: Out of band jamming from Porcus Maior at Ramnan<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**15:55-16:10 - 1.18.13**<br>**Unintentional RFI: drift: 1150 to 1300 MHz, with CW and sweep time of 15 minutes**<br>Power: 50.1187W<br>Comment: Out of band jamming from Porcus Maior at Ramnan<br>Contact: Jørn Skorstad (Nkom) | | **15:30-16:00 - 0.1.1**<br>**Grace period**<br>Comment: Coffee break. We would appreciate receiving feedback on any ad hoc tests you would like to conduct from 16:50 onwards (see the test schedule). This will help us plan for the required personnel, vehicles and equipment, so we can try to accommodate your wishes.<br>Contact: Jahn Erik Røhme (NPRA) |
| 16:00 | **16:25-16:40 - 1.18.15**<br>**Unintentional RFI: drift: 1300 to 1150 MHz, with CW and sweep time of 15 minutes**<br>Power: 50W<br>Comment: Out of band jamming from Porcus Maior at Ramnan<br>Contact: Jørn Skorstad (Nkom) | **16:15-16:45 - 1.25.9**<br>**Circular AWGN jamming power ramp with 5 dB increments, 30 sec pr. step** | **16:00-16:40 - 1.11.17**<br>**Three jammers in the moving motorcade**<br>Power: 0.1W<br>Contact: Jahn Erik Røhme (NPRA)<br>---<br>**16:50-18:00 - 0.3.1**<br>**Ad hoc test**<br>Power: 0.1W<br>Comment: What would you like to test? Please ask us and we will see if we can accommodate your wishes. If there are any previous tests you would like to repeat, or if you have suggestions for new tests that could provide valuable insights, please let us know. Spoofing scenarios are unfortunately not available.<br>Contact: Jahn Erik Røhme (NPRA) |

Continued on next page

Table 2.1: Tuesday (Continued)

| Tuesday<br>2026-09-15 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| 17:00 | **17:00-17:28 - 3.4.5**<br>**Meaconing and spoofing from two emitters at two locations in sequence.**<br>Power: 10W<br>Comment: 5 minutes per emitter for 20 minutes, then 2 minutes each for the last 8 minutes. 10 second overlapping when switching emitter. Meaconing will be conducted with a power level of approximately 40 dBm from Porcellus at Ramnan, while spoofing will be at 25 dBm from the antenna at the community house.<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**17:45-18:00 - 3.4.1**<br>**Meaconing and spoofing at the same time from two different locations.**<br>Power: 10W<br>Comment: Meaconing from Ramnan and spoofing from the community house at the same time. Meaconing will be conducted with a power level of approximately 40 dBm from Porcellus at Ramnan, while spoofing will be at 25 dBm from the antenna at the community house.<br>Contact: Jørn Skorstad (Nkom) | | Ongoing event. See above. |
| 18:00 | **18:30-19:00 - 0.0.2**<br>**Mandatory afternoon (de)briefing**<br>Contact: Christian Skjetne (NPRA) | **18:30-19:00 - 0.0.2**<br>**Mandatory afternoon (de)briefing**<br>Comment: MANDATORY attendence at Stave (Site 3)<br>Contact: Christian Skjetne (NPRA) | **18:30-19:00 - 0.0.2**<br>**Mandatory afternoon (de)briefing**<br>Comment: MANDATORY attendence at Stave (Site 3)<br>Contact: Jahn Erik Røhme (NPRA) |
| 19:00 | **19:00-22:00 - 1.16.7**<br>**High power jamming: PRN: L1, G1, B1I, L2, L5, E5b, E6, G2, Iridium STL, from two locations**<br>Power: 50W<br>Comment: One hour of high power jamming from Porcus Maior at Ramnan, followed by one hour jamming from both Porcus Maior and the community house, followed by one hour of jamming from the community house. Periodic jamming in the Iridium band. Power output from the community house will be adjusted so that the field strength outside the community house is approximately equal to that from Porcus Maior.<br>Contact: Jørn Skorstad (Nkom) | | |
| 20:00 | Ongoing event. See above. | | |

Continued on next page

Table 2.1: Tuesday (Continued)

| Tuesday<br>2026-09-15 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| 21:00 | Ongoing event. See above. | | |
| 22:00 | | | |

# Wednesday

Table 3.1: Wednesday

| Wednesday<br>2026-09-16 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| Start time: | 08:00 | 08:00 | 08:00 |
| 08:00 | **08:00-08:30 - 0.0.1**<br>**Mandatory morning briefing**<br>Comment: MANDATORY<br>Contact: Christian Skjetne (NPRA) | **08:00-08:30 - 0.0.1**<br>**Mandatory morning briefing**<br>Comment: MANDATORY attendence at Test Area 1 (Site 1)<br>Contact: Christian Skjetne (NPRA) | **08:00-08:30 - 0.0.1**<br>**Mandatory morning briefing**<br>Comment: MANDATORY attendence at Stave (Site 3)<br>Contact: Jahn Erik Røhme (NPRA) |
| 09:00 | **09:00-09:40 - 2.1.1**<br>**Large position and time jump, with power ramp**<br>Power: 0.316W<br>Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5 E6. No jamming. Simulated position: 70 N, 10 E. Simulated start time: 01.10.2026 12:00. Power will be ramped up from -35 dBm to 25 dBm in 5 dB steps, with each step lasting 3 minutes.<br>Contact: Jørn Skorstad (Nkom) | **09:00-09:40 - 2.10.1**<br>**Spoofing circle (route 7), GPS L1 and Galileo E1**<br>Power: 0.001W<br>Comment: Spoofing route that start at LOK2-ORIG, and goes out forming a spoofing cirle above position A150, B150 and C150. Spoofing signal will perfom power ramp from uW to mW during the first 30 minutes of the test. Signals: GPS L1 C/A. Galileo E1. No initial jamming. Spoofing route duration is 40 minutes.<br>Contact: Øystein Karlsen (NKOM) | **09:00-09:20 - 1.11.12**<br>**Driving past a parked car with one commercially available military training jammer inside**<br>Power: 0.1W<br>Comment: Jammers available for testing: H1.1<br>Contact: Jahn Erik Røhme (NPRA)<br>---<br>**09:30-09:50 - 1.11.13**<br>**Driving past two parked cars, each with one commercially available military training jammer inside**<br>Power: 0.1W<br>Comment: Jammers available for testing: H1.1, H1.1<br>Contact: Jahn Erik Røhme (NPRA) |

Continued on next page

Table 3.1: Wednesday (Continued)

| Wednesday<br>2026-09-16 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| 10:00 | **10:00-10:15 - 2.1.3**<br>**Large position and time jump. Galileo E1 only**<br>Power: 0.316W<br>Comment: Signals: Galileo E1. No jamming. Simulated position: 70 N, 10 E. Simulated start time: 01.10.2026 12:00.<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**10:20-10:35 - 2.1.2**<br>**Large position and time jump. GPS L1 C/A only**<br>Power: 0.316W<br>Comment: Signals: GPS L1 C/A. No jamming. Simulated position: 70 N, 10 E. Simulated start time: 01.10.2026 12:00.<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**10:40-10:55 - 2.1.5**<br>**Large position and time jump. GPS and Galileo.**<br>Power: 0.316W<br>Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5a, E5b, E6. No jamming. Simulated position: 70 N, 10 E. Simulated start time: 01.10.2025 12:00.<br>Contact: Jørn Skorstad (Nkom) | **10:00-10:55 - 2.10.2**<br>**Circle of 3 stationary jammers (chirp) and spoofing circle (route 7), GPS L1 and Galileo E1**<br>Power: 3W<br>Comment: Jamming from A50, B50 and C50, with jammer H1.1, H1.4 and H1.5, L1, L2, CHIRP. HIGH PWR. The Jammers are connected to RHCP antennas to boost the power. 15 minutes of initial jamming first. Then spoofing starts, same spoofing route as test 2.10.1<br>Contact: Øystein Karlsen (NKOM) | **10:00-10:20 - 1.11.14**<br>**Driving past three parked cars, each with a jammer inside**<br>Power: 0.1W<br>Comment: Jammers available for testing: H1.1, H1.1 and H4.1<br>Contact: Jahn Erik Røhme (NPRA)<br>---<br>**10:30-11:10 - 1.11.15**<br>**One commercially available military training jammer in the center of the moving motorcade**<br>Power: 0.1W<br>Comment: Jammers available for testing: H1.1<br>Contact: Jahn Erik Røhme (NPRA) |

Continued on next page

Table 3.1: Wednesday (Continued)

| Wednesday<br>2026-09-16 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| 11:00 | **11:25-11:40 - 2.1.15**<br>**Simulated driving (route 1). GPS L1 C/A and Galileo E1**<br>Power: 0.316W<br>Comment: Signals: GPS L1 C/A. Galileo E1. 5 minutes of initial jamming (L1, G1, B1I, E6, L2, E5b, L5 with 2 W) prior to spoofing transmission. Simulated start position: Bleik community house parking lot. Simulated start time: 01.10.2026 12:00.<br>Contact: Jørn Skorstad (Nkom)<br><br>**11:45-12:00 - 2.1.10**<br>**Simulated driving (route 1), with initial jamming**<br>Power: 0.316W<br>Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. 5 minutes of initial jamming (L1, G1, B1I, L2, E5b, L5 with 2 W) prior to spoofing transmission. Simulated start position: Bleik community house parking lot. Simulated start time: 01.10.2026 12:00.<br>Contact: Jørn Skorstad (Nkom) | **11:00-11:55 - 2.10.5**<br>**Circle of 3 stationary jammers (NB) and spoofing circle (route 7), GPS L1 and Galileo E1**<br>Power: 3W<br>Comment: Narrow band Jamming from A150, B150 and C150, with jammer H1.1, H1.4 and H1.5, L1, L2, NB. HIGH PWR. The Jammers are connected to RHCP antennas to boost the power. 15 minutes of initial jamming first. Then spoofing starts. Spoofing route will start at LOK2-ORIG, and goes out forming a spoofing cirle above position A150, B150 and C150. Spoofing signal will perform power ramp from uW to mW during the first 30 minutes of the test. Spoofing signals: GPS L1 C/A. Galileo E1. Spoofing route duration is 40 minutes.<br>Contact: Øystein Karlsen (NKOM) | **11:20-12:00 - 1.11.16**<br>**Two commercially available military training jammers in the moving motorcade**<br>Power: 0.1W<br>Contact: Jahn Erik Røhme (NPRA) |
| 12:00 | **12:00-13:00 - 0.1.1**<br>**Grace period**<br>Comment: Lunch<br>Contact: Christian Skjetne (NPRA) | **12:00-13:00 - 0.1.1**<br>**Grace period**<br>Comment: Lunch @ Grunnvatn (Site 2)<br>Contact: Øystein Karlsen (NKOM) | **12:00-13:00 - 0.1.1**<br>**Grace period**<br>Comment: Lunch @ Stave (Site 3)<br>Contact: Jahn Erik Røhme (NPRA) |

Continued on next page

Table 3.1: Wednesday (Continued)

| Wednesday<br>2026-09-16 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| 13:00 | **13:00-13:15 - 2.8.1**<br>**EGNOS with "Do Not Use GPS" commands**<br>Power: 1W<br>Comment: Signals: EGNOS L1. No jamming. The transmission of false SBAS signals will start immediately upon test start.<br>Contact: Jørn Skorstad (Nkom)<br><br>**13:30-13:45 - 2.8.2**<br>**EGNOS with "Do Not Use GPS" commands and normal spoofing**<br>Power: 1W<br>Comment: Signals: EGNOS L1. No jamming. The transmission of false SBAS signals will start immediately upon test start. Test will also include coherent spoofing of GPS L1 C/A, L2, L5, E1 and E5 to ensure compliance between SBAS corrections and the GNSS signals. The spoofed position will be in front of the HQ.<br>Contact: Jørn Skorstad (Nkom) | **13:10-13:50 - 2.10.6**<br>**Circle of 3 stationary SDR jammers (PRN) and spoofing circle (route 7), GPS L1 and Galileo E1, power ramping**<br>Contact: Øystein Karlsen (NKOM) | **13:00-13:40 - 1.11.17**<br>**Three jammers in the moving motorcade**<br>Power: 0.1W<br>Comment: Jammer-equipment will be decided and made available in the testlog afterwards.<br>Contact: Jahn Erik Røhme (NPRA)<br><br>**13:50-14:30 - 1.11.17**<br>**Three jammers in the moving motorcade**<br>Power: 0.1W<br>Comment: Jammer-equipment will be decided and made available in the testlog afterwards.<br>Contact: Jahn Erik Røhme (NPRA) |
| 14:00 | **14:00-14:15 - 0.3.1**<br>**Ad hoc test**<br>Power: 0.316W<br>Comment: EGNOS test, details TBD<br>Contact: Jørn Skorstad (Nkom)<br><br>**14:45-15:25 - 2.2.9**<br>**Small position jump, with power ramp**<br>Power: 0.316W<br>Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. Power will be ramped up from -35 dBm to 25 dBm in 5 dB steps, with each step lasting 3 minutes. Simulated position: North end of the football field - 69.27701401, 15.96932835, 45 m hae. Simulated start time: Referenced to live GPS-signals.<br>Contact: Jørn Skorstad (Nkom) | **14:00-14:40 - 2.10.1**<br>**Spoofing circle (route 7), GPS L1 and Galileo E1**<br>Power: 0.001W<br>Comment: Spoofing route that start at LOK2-ORIG, and goes out forming a spoofing cirle above position A150, B150 and C150. Spoofing signal will perfom power ramp from uW to mW during the first 30 minutes of the test. Signals: GPS L1 C/A. Galileo E1. No initial jamming. Spoofing route duration is 40 minutes.<br>Contact: Øystein Karlsen (NKOM) | **14:40-15:30 - 1.11.17**<br>**Three jammers in the moving motorcade**<br>Power: 0.1W<br>Comment: Jammer-equipment will be decided and made available in the testlog afterwards.<br>Contact: Jahn Erik Røhme (NPRA) |

Continued on next page

Table 3.1: Wednesday (Continued)

| Wednesday<br>2026-09-16 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| 15:00 | **15:30-15:45 - 2.2.2**<br>**Small position jump, with initial and continuous jamming**<br>Power: 0.316W<br>Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. 5 minutes of initial jamming.<br>Contact: Jørn Skorstad (Nkom) | **15:00-15:55 - 2.10.2**<br>**Circle of 3 stationary jammers (chirp) and spoofing circle (route 7), GPS L1 and Galileo E1**<br>Power: 3W<br>Comment: Jamming from A50, B50 and C50, with jammer H1.1, H1.4 and H1.5, L1, L2, CHIRP. HIGH PWR. The Jammers are connected to RHCP antennas to boost the power. 15 minutes of initial jamming first. Then spoofing starts, same spoofing route as test 2.10.1<br>Contact: Øystein Karlsen (NKOM) | **15:30-16:00 - 0.1.1**<br>**Grace period** |
| 16:00 | **16:15-16:25 - 2.3.5**<br>**Simulated driving (route 1). GPS only**<br>Power: 0.316W<br>Comment: Signals: GPS L1 C/A, L2C, L5. No jamming. Simulated start position: Bleik community house parking lot. Simulated start time: Referenced to live GPS-signals.<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**16:30-16:40 - 2.3.10**<br>**Simulated driving (route 1)**<br>Power: 0.316W<br>Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. No jamming. Simulated start position: Bleik community house parking lot. Simulated start time: Referenced to live GPS-signals.<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**16:45-17:00 - 2.3.11**<br>**Simulated driving (route 1) with initial and continuous jamming.**<br>Power: 0.316W<br>Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. 5 minutes of initial jamming (L1, G1, B1I, E6, L2, E5b, L5 with 2 W) prior to spoofing transmission, then continuous on other bands than the ones spoofed. Simulated start position: Bleik community house parking lot. Simulated start time: Referenced to live GPS-signals.<br>Contact: Jørn Skorstad (Nkom) | **16:00-16:55 - 2.10.5**<br>**Circle of 3 stationary jammers (NB) and spoofing circle (route 7), GPS L1 and Galileo E1**<br>Comment: Narrow band Jamming from A150, B150 and C150, with jammer H1.1, H1.4 and H1.5, L1, L2, NB. HIGH PWR. The Jammers are connected to RHCP antennas to boost the power. 15 minutes of initial jamming first. Then spoofing starts. Spoofing route will start at LOK2-ORIG, and goes out forming a spoofing cirle above position A150, B150 and C150. Spoofing signal will perform power ramp from uW to mW during the first 30 minutes of the test. Spoofing signals: GPS L1 C/A. Galileo E1. Spoofing route duration is 40 minutes.<br>Contact: Øystein Karlsen (NKOM) | **16:00-16:40 - 1.11.17**<br>**Three jammers in the moving motorcade**<br>Power: 0.1W<br>Comment: Jammer-equipment will be decided and made available in the testlog afterwards.<br>Contact: Jahn Erik Røhme (NPRA)<br>---<br>**16:50-18:00 - 0.3.1**<br>**Ad hoc test**<br>Power: 0.1W<br>Comment: What would you like to test? Please ask us and we will see if we can accommodate your wishes. If there are any previous tests you would like to repeat, or if you have suggestions for new tests that could provide valuable insights, please let us know. Spoofing scenarios are unfortunately not available.<br>Contact: Jahn Erik Røhme (NPRA) |

Continued on next page

Table 3.1: Wednesday (Continued)

| Wednesday<br>2026-09-16 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| 17:00 | **17:15-17:30 - 2.3.18**<br>**GPS PRN 37 receiver robustness test scenario. GPS L1 only**<br>Power: 0.316W<br>Comment: Signals: GPS L1 C/A. No jamming. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. Scenario: One satellite is configured as PRN 37 from the start of the simulation and remains PRN 37 throughout the scenario. This tests receiver behaviour when a reserved PRN is present during acquisition and tracking. The simulated PRN 37 signal will be transmitted with satellite health set to healthy.<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**17:45-18:00 - 2.3.13**<br>**Flying (route 4) - "drone scenario"**<br>Power: 0.316W<br>Comment: Drone "Jammertest" scenario. Initially 5 min static position. followed by 10 min of movement.<br>Contact: Jørn Skorstad (Nkom) | **17:10-17:50 - 2.10.6**<br>**Circle of 3 stationary SDR jammers (PRN) and spoofing circle (route 7), GPS L1 and Galileo E1, power ramping**<br>Contact: Øystein Karlsen (NKOM) | Ongoing event. See above. |
| 18:00 | **18:30-19:00 - 0.0.2**<br>**Mandatory afternoon (de)briefing**<br>Comment: MANDATORY<br>Contact: Christian Skjetne (NPRA) | **18:30-19:00 - 0.0.2**<br>**Mandatory afternoon (de)briefing**<br>Comment: MANDATORY attendence at Stave (Site 3)<br>Contact: Jahn Erik Røhme (NPRA) | **18:30-19:00 - 0.0.2**<br>**Mandatory afternoon (de)briefing**<br>Comment: MANDATORY attendence at Stave (Site 3)<br>Contact: Jahn Erik Røhme (NPRA) |
| 19:00 | **19:00-22:00 - 2.3.19**<br>**Long period with circular position drift**<br>Power: 0.316W<br>Comment: First hour: 5 min static, then drifting 0.1 m/s Second hour: 5 min static, then drifting 3 m/s Third hour: 5 min static, then drifting 30 m/s<br>Contact: Jørn Skorstad (Nkom) | | |
| 20:00 | Ongoing event. See above. | | |
| 21:00 | Ongoing event. See above. | | |
| 22:00 | | | |

# Thursday

Table 4.1: Thursday

| Thursday<br>2026-09-17 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| Start time: | 08:00 | 08:00 | 08:00 |
| 08:00 | **08:00-08:30 - 0.0.1**<br>**Mandatory morning briefing**<br>Comment: MANDATORY<br>Contact: Christian Skjetne (NPRA) | **08:00-08:30 - 0.0.1**<br>**Mandatory morning briefing**<br>Comment: MANDATORY attendence at Test Area 1 (Site 1)<br>Contact: Christian Skjetne (NPRA) | **08:00-08:30 - 0.0.1**<br>**Mandatory morning briefing**<br>Comment: MANDATORY attendence at Stave (Site 3)<br>Contact: Jahn Erik Røhme (NPRA) |
| 09:00 | **09:00-09:40 - 2.5.2**<br>**Time offset: 15 minutes from real time, with power ramp**<br>Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. Time offset is + 15 minutes (900 seconds), so "into the future".<br>Contact: Jørn Skorstad (Nkom) | **09:00-10:00 - 3.5.1**<br>**Power ramp meaconing, 2 dB increments, 30 sec pr. steps**<br>Contact: Øystein Karlsen (NKOM) | **09:00-09:23 - 2.6.6**<br>**Motorcade is driving with fixed spoofed position, small position jump**<br>Power: 0.001W<br>Comment: NB! This actual test will take 5 minutes extra than the other tests, because the motorcade will stay stationary the first five minutes. We should arrive at Crossroads 13.23 which allows us to have a 7 minute break instead of the regular 10 min.<br>Contact: Jahn Erik Røhme (NPRA)<br>---<br>**09:30-09:50 - 2.6.5**<br>**Motorcade is driving from Crossroads northbound to Stave, while the spoofed position moves southbound towards Nordmela**<br>Power: 0.001W<br>Contact: Jahn Erik Røhme (NPRA) |

Continued on next page

Table 4.1: Thursday (Continued)

| Thursday<br>2026-09-17 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| 10:00 | **10:00-10:40 - 2.4.14**<br>**Time offset: -3 minutes from real time, with power ramp**<br>Power: 0.001W<br>Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. Time offset is - 3 minutes (180 seconds), so "back into the past".<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**10:55-11:30 - 2.4.13**<br>**Static + Pseudorange error, with initial and continous jamming**<br>Power: 0.001W<br>Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. 5 minutes of initial jamming (L1, G1, B1I, L2, E5b, L5 with 2 W) prior to spoofing transmission, then continuous on other bands than the ones spoofed. The pseudorange error is applied to all satellites, starting five minutes after the spoofing starts. The applied error should equal a drift of 3 ns/s.<br>Contact: Jørn Skorstad (Nkom) | **10:00-11:00 - 3.5.6**<br>**Power ramp meaconing, 2 dB increments, 30 sec pr. steps and 1 SDR jammer (PRN)**<br>Contact: Øystein Karlsen (NKOM) | **10:00-10:20 - 2.6.2**<br>**Motorcade is driving with fixed spoofed position, large position jump**<br>Power: 0.001W<br>Contact: Jahn Erik Røhme (NPRA)<br>---<br>**10:30-10:50 - 2.6.7**<br>**Motorcade is driving from Crossroads to Stave, while the spoofed location is following the road at a higher speed (100km/h)**<br>Power: 0.001W<br>Contact: Jahn Erik Røhme (NPRA) |
| 11:00 | **11:45-12:00 - 2.4.15**<br>**UNIX time rollover test 19.01.2038. GPS L1 C/A only**<br>Power: 0.001W<br>Comment: UNIX time rollover test. Starting time 03:04:00 19.01.2038 UTC.<br>Contact: Jørn Skorstad (Nkom) | **11:00-12:00 - 3.5.7**<br>**Power ramp meaconing, 2 dB increments, 30 sec pr. steps with 3 SDR jammers (PRN)**<br>Contact: Øystein Karlsen (NKOM) | **11:00-11:40 - 2.6.10**<br>**Motorcade is driving, with power ramp**<br>Power: 0.001W<br>Comment: The route will run from Stave to the turning point at the Crossroads and then back to Stave. There will be no stop at the turning point, allowing the motorcade to remain in continuous movement throughout the test while the power level is increasing. The motorcade will drive at a speed of 35km/h. The estimated driving time between Stave – Crossroads is 17 minutes when driving at a speed of 35km/h. The test signal will be on air for 40-minutes without any stop. There will be no initial jamming during this test The starting and end point is Stave<br>Contact: Jahn Erik Røhme (NPRA) |
| 12:00 | **12:00-13:00 - 0.1.1**<br>**Grace period**<br>Comment: Lunch<br>Contact: Christian Skjetne (NPRA) | **12:00-13:00 - 0.1.1**<br>**Grace period**<br>Comment: Lunch @ Grunnvatn (Site 2)<br>Contact: Øystein Karlsen (NKOM) | **12:00-13:00 - 0.1.1**<br>**Grace period**<br>Comment: Lunch @ Stave (Site 3)<br>Contact: Jahn Erik Røhme (NPRA) |

Continued on next page

Table 4.1: Thursday (Continued)

| Thursday<br>2026-09-17 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| 13:00 | **13:00-13:35 - 2.5.25**<br>**Static + UTC-parameter nav. data manipulation (adding leap seconds), with initial and continuous jamming**<br>Power: 0.001W<br>Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. 5 minutes of initial jamming (L1, G1, B1I, L2, E5b, L5 with 2 W) prior to spoofing transmission, then continuous on other bands than the ones spoofed. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. The UTC-paramter nav. data manipulation consists of the spoofing signal saying that back in 2016, there was 19 leap seconds instead of 18.<br>Contact: Jørn Skorstad (Nkom) | **13:00-14:00 - 3.5.1**<br>**Power ramp meaconing, 2 dB increments, 30 sec pr. steps**<br>Contact: Øystein Karlsen (NKOM) | **13:00-13:23 - 2.6.6**<br>**Motorcade is driving with fixed spoofed position, small position jump**<br>Power: 0.001W<br>Comment: NB! This actual test will take 5 minutes extra than the other tests, because the motorcade will stay stationary the first five minutes. We should arrive at Crossroads 13.23 which allows us to have a 7 minute break instead of the regular 10 min.<br>Contact: Jahn Erik Røhme (NPRA)<br>---<br>**13:30-13:50 - 2.6.5**<br>**Motorcade is driving from Crossroads northbound to Stave, while the spoofed position moves southbound towards Nordmela**<br>Power: 0.001W<br>Contact: Jahn Erik Røhme (NPRA) |
| 14:00 | **14:00-14:15 - 2.5.5**<br>**Time offset: 15 minutes from real time. Galileo E1**<br>Power: 0.001W<br>Comment: Signals: Galileo E1. No jamming. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. Time offset is + 15 minutes (900 seconds), so "into the future".<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**14:20-14:35 - 2.5.4**<br>**Time offset: 15 minutes from real time. GPS L1 C/A**<br>Power: 0.001W<br>Comment: Signals: GPS L1 C/A. No jamming. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. Time offset is + 15 minutes (900 seconds), so "into the future".<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**14:40-14:55 - 2.5.6**<br>**Time offset: 15 minutes from real time**<br>Power: 0.001W<br>Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. No jamming. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. Time offset is + 15 minutes (900 seconds), so "into the future".<br>Contact: Jørn Skorstad (Nkom) | **14:00-15:00 - 3.5.5**<br>**Pulsed meaconing and jamming with 1 SDR jammer (PRN)**<br>Contact: Øystein Karlsen (NKOM) | **14:00-14:20 - 2.6.2**<br>**Motorcade is driving with fixed spoofed position, large position jump**<br>Power: 0.001W<br>Contact: Jahn Erik Røhme (NPRA)<br>---<br>**14:30-14:50 - 2.6.7**<br>**Motorcade is driving from Crossroads to Stave, while the spoofed location is following the road at a higher speed (100km/h)**<br>Power: 0.001W<br>Contact: Jahn Erik Røhme (NPRA) |

Continued on next page

Table 4.1: Thursday (Continued)

| Thursday<br>2026-09-17 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| 15:00 | **15:20-16:00 - 2.5.15**<br>**Static + Pseudorange error**<br>Power: 0.001W<br>Comment: Signals: GPS L1 C/A, L2C, L5. Galileo E1, E5, E6. No jamming. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. The pseudorange error is applied to all satellites, starting five minutes after the spoofing starts. The applied error is gradually increased throughout the test.<br>Contact: Jørn Skorstad (Nkom) | **15:00-16:00 - 3.5.3**<br>**Power ramp meaconing, 2 dB increments, 30 sec pr. steps, with 3 background jammers (chirp)**<br>Contact: Øystein Karlsen (NKOM) | **15:00-15:40 - 2.6.10**<br>**Motorcade is driving, with power ramp**<br>Power: 0.001W<br>Contact: Jahn Erik Røhme (NPRA)<br>---<br>**15:40-16:10 - 0.1.1**<br>**Grace period**<br>Comment: Coffee-break at Stave. |
| 16:00 | **16:15-16:30 - 2.7.17**<br>**UNIX time rollover test 19.01.2038. GPS L1 C/A only**<br>Power: 0.001W<br>Comment: UNIX time rollover, starting time 03:04:00 19.01.2038. Coherent.<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**16:55-17:20 - 2.5.26**<br>**Static + UTC-parameter nav. data manipulation (removing leap seconds). GPS L1 C/A**<br>Power: 0.001W<br>Comment: Signals: GPS L1 C/A. Fixed spoofed position: 69.27547832, 15.96832496, 35 m hae. The UTC-paramter nav. data manipulation consists of the spoofing signal saying that back in 2016, there was counter-factual extra amount of -127 leap seconds, which in total means that there is removed -145 leap seconds.<br>Contact: Jørn Skorstad (Nkom) | **16:00-17:00 - 3.5.8**<br>**Power ramp meaconing, 2 dB increments, 30s pr. steps, with 3 background jammers (chirp) and 1 SDR jammer (PRN)**<br>Contact: Øystein Karlsen (NKOM) | **16:10-16:30 - 2.6.4**<br>**Motorcade is driving while the spoofed position is driving in the terrain next to the road**<br>Power: 0.001W<br>Contact: Jahn Erik Røhme (NPRA)<br>---<br>**16:40-17:00 - 2.6.11**<br>**Motorcade is driving, with spoofed position jump and spoofed moving position through a tunnel**<br>Power: 0.001W<br>Contact: Jahn Erik Røhme (NPRA) |
| 17:00 | **17:30-18:00 - 2.5.28**<br>**Static + UTC-parameter nav. data manipulation (removing leap seconds), with initial and continuous jamming**<br>Power: 0.001W<br>Comment: 2.5.28 or 2.5.27 (with or without initial jamming, TBD)<br>Contact: Jørn Skorstad (Nkom) | **17:00-18:00 - 3.5.9**<br>**Power ramp meaconing, 2 dB increments, 30s pr. steps, with 3 background jammers (chirp) and 3 SDR jammers (PRN)**<br>Contact: Øystein Karlsen (NKOM) | **17:00-17:30 - 0.1.1**<br>**Grace period**<br>Comment: Used for preparations for test 2.6.9<br>Contact: Jahn Erik Røhme (NPRA)<br>---<br>**17:30-17:45 - 2.6.9**<br>**The motorcade is stationary at Stave. The clock will jump forward in time by 12 years (to the year 2038)**<br>Power: 0.001W<br>Comment: Warning: This test could 'brick' some equipment.<br>Contact: Jahn Erik Røhme (NPRA) |

Continued on next page

Table 4.1: Thursday (Continued)

| Thursday<br>2026-09-17 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| 18:00 | **18:30-19:00 - 0.0.2**<br>**Mandatory afternoon (de)briefing**<br>Comment: MANDATORY<br>Contact: Christian Skjetne (NPRA) | **18:30-19:00 - 0.0.2**<br>**Mandatory afternoon (de)briefing**<br>Comment: MANDATORY attendence at Bleik (Site 1)<br>Contact: Christian Skjetne (NPRA) | **18:30-19:00 - 0.0.2**<br>**Mandatory afternoon (de)briefing**<br>Comment: MANDATORY attendence at Bleik (Site 1)<br>Contact: Christian Skjetne (NPRA) |
| 19:00 | | | |
| 20:00 | | | |
| 21:00 | | | |
| 22:00 | | | |

# Friday

Table 5.1: Friday

| Friday<br>2026-09-18 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| Start time: | 08:00 | 09:00 | 09:00 |
| 08:00 | **08:00-08:30 - 0.0.1**<br>**Mandatory morning briefing**<br>Comment: MANDATORY<br>Contact: Christian Skjetne (NPRA)<br>---<br>**08:30-08:35 - 0.3.1**<br>**Ad hoc test** | | |
| 09:00 | **09:00-09:15 - 3.4.11**<br>**Meaconing and spoofing at the same time from two different locations - horisontal**<br>Comment: Meaconing from the community house using RXO at -20 dBm, and spoofing from Winnie the Spoof from the cemetary at 15 dBm<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**09:25-09:55 - 1.21.7**<br>**Sweep and CW jamming with constant power from two transmissions**<br>Power: 50W<br>Comment: Jamming of LEO satellites from two locations.<br>Contact: Jørn Skorstad (Nkom) | **09:00-16:00 - 0.1.1**<br>**Grace period**<br>Comment: SITE IS CLOSED!<br>Contact: Øystein Karlsen (NKOM) | **09:00-16:00 - 0.1.1**<br>**Grace period**<br>Comment: SITE IS CLOSED!<br>Contact: Jahn Erik Røhme (NPRA) |
| 10:00 | **10:15-11:00 - 1.24.1**<br>**The symphony**<br>Comment: Sequential powering on of emitters with two minute intervals: 5 small jammers at Bleik (H1.1, H1.4, H1.5, H1.6, H1.7 (L1, high power, NB)), high power from Porcus Maior, meaconing from the community house, then spoofing from Winnie the Spoof at the cemetary. Spoofing power is increased 5 dB every 5 min up to 30 dBm. Bands affected: L1, L2, L5, G1, G2, E5b, E6, B1I. Meaconing on all bands. Spoofing data TBA.<br>Contact: Jørn Skorstad (Nkom) | Ongoing event. See above. | Ongoing event. See above. |

Continued on next page

Table 5.1: Friday (Continued)

| Friday<br>2026-09-18 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| 11:00 | **11:10-11:33 - 1.6.11**<br>**Jamming: 7.9 µW (-21dBm) to 50 W (47dBm) with 2 dB increments PRN: L1, L2, L5, G1, G2, E5b, E6, B1I, sweep: Iridium STL, step time: 20 s**<br>Comment: Ramping power jamming on all bands including Iridium STL<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**11:45-12:05 - 2.3.21**<br>**Simulated driving (route 9)**<br>Comment: Spoofing to a fixed position at the road, then following the road ahead. Starting position and route TBA. (Bjor-test)<br>Contact: Jørn Skorstad (Nkom) | Ongoing event. See above. | Ongoing event. See above. |
| 12:00 | **12:15-12:30 - 3.4.11**<br>**Meaconing and spoofing at the same time from two different locations - horisontal**<br>Comment: Meaconing from the community house using RXO at -20 dBm, and spoofing from Winnie the Spoof from the cemetary at 15 dBm<br>Contact: Jørn Skorstad (Nkom)<br>---<br>**12:45-13:00 - 2.3.13**<br>**Flying (route 4) - "drone scenario"**<br>Power: 0.0316W<br>Comment: 5 min static, then drone route spelling "JAMMERTEST"<br>Contact: Jørn Skorstad (Nkom) | Ongoing event. See above. | Ongoing event. See above. |
| 13:00 | **13:00-14:00 - 0.1.1**<br>**Grace period**<br>Comment: Lunch<br>Contact: Christian Skjetne (NPRA) | Ongoing event. See above. | Ongoing event. See above. |
| 14:00 | | Ongoing event. See above. | Ongoing event. See above. |
| 15:00 | | Ongoing event. See above. | Ongoing event. See above. |
| 16:00 | | | |
| 17:00 | | | |
| 18:00 | | | |
| 19:00 | | | |
| 20:00 | | | |

Continued on next page

Table 5.1: Friday (Continued)

| Friday<br>2026-09-18 | Test Area 1(1) | Test Area 2(2) | Test Area 3(3) |
|---|---|---|---|
| 21:00 | | | |
| 22:00 | | | |